

GENERAL NOTES:

1. ALL PILES TO BE CLASS "B" 2.5 CCA TREATED.
2. ALL HARDWARE SHALL BE HOT DIPPED GALVANIZED AS REQ'D FOR CCA TREATMENT.
3. ALL PILES WILL BE HAND DRIVEN.
4. EACH SILL/PILE TO BE CONNECTED WITH TWO (2) 1/2" DIAMETER BOLTS W/ 2" WASHERS.
5. ALL JOIST AND RAFTER CONNECTIONS ARE TO RECEIVE HURRICANE CLIPS.

"PLAN VIEW"

SCALE: 1/16" = 1'

BAYOU SEGNETTE WATERWAY
JEFFERSON PARISH, LA



Campsite J-135

Billy D. Beau
2725 Isabelle Dr.
Marrero, LA 70072
504-234-7184

(2a)

GENERAL NOTES:

1. ALL PILES TO BE CLASS "B" 2.5 CCA TREATED.
2. ALL HARDWARE SHALL BE HOT DIPPED GALVANIZED AS REQ'D FOR CCA TREATMENT.
3. ALL PILES WILL BE HAND DRIVEN.
4. EACH SILL/PILE TO BE CONNECTED WITH TWO (2) 1/2" DIAMETER BOLTS W/ 2" WASHERS.
5. ALL JOIST AND RAFTER CONNECTIONS ARE TO RECEIVE HURRICANE CLIPS.



"ELEVATION"
Perspective View

- E BAYOU SEGNETTE WATERWAY

SCALE: 1/16" = 1'

BAYOU SEGNETTE WATERWAY
JEFFERSON PARISH, LA


Campsite J-135

Billy D. Beau
2725 Isabelle Dr.
Marrero, LA 70072
504-234-7184


(26)

GENERAL NOTES:

1. ALL PILES TO BE CLASS "B" 2.5 CCA TREATED.
2. ALL HARDWARE SHALL BE HOT DIPPED GALVANIZED AS REQ'D FOR CCA TREATMENT.
3. ALL PILES WILL BE HAND DRIVEN.
4. EACH SILL/PILE TO BE CONNECTED WITH TWO (2) 1/2" DIAMETER BOLTS W/ 2" WASHERS.
5. ALL JOIST AND RAFTER CONNECTIONS ARE TO RECEIVE HURRICANE CLIPS.



DECKING PLAN



FLOOR JOIST PLAN


SCALE: 1/16" = 1'

BAYOU SEGNETTE WATERWAY
JEFFERSON PARISH, LA


Campsite J-135

Billy D. Beau
2725 Isabelle Dr.
Marrero, LA 70072
504-234-7184


(20)




GENERAL ARRANGEMENT



PILE LOCATION PLAN



FLOOR JOIST PLAN



Composite J-135
 Billy D. Beau
 2725 Isabelle Dr.
 Marrero, LA 70072
 504-234-7184