




There were issues affecting this run of Lighthouse:


• There may be stored data affecting loading performance in this location: IndexedDB. Audit this page in an incognito window to prevent those resources from affecting your scores.



Performance

Values are estimated and may vary. The <u>performance score is calculated</u> directly from these metrics. <u>See calculator.</u>





about:blank 1/39

METRICS Expand view

▲ First Contentful Paint

1.9 s

▲ Largest Contentful Paint

2.8 s

Total Blocking Time


0 ms

Cumulative Layout Shift

0

Speed Index

1.9 s



Later this year, insights will replace performance audits. Learn more and provide feedback

Go back to audits

here.

Show audits relevant to: All FCP LCP CLS

INSIGHTS

▲ Render blocking requests — Est savings of 1,550 ms

Requests are blocking the page's initial render, which may delay LCP. <u>Deferring or inlining</u> can move these network requests out of the critical path. <u>FCP</u> <u>LCP</u>

✓ Show 3rd-party resources (3)

URL	Transfer Size	Duration
localhost (1st Party)	1,302.7 KiB	6,930 ms
/scripts/episode-tracking.js (localhost)	22.9 KiB	120 ms
/scripts/trivia.js?v=23.46&t=20250112 (localhost)	14.5 KiB	80 ms
/scripts/flickword-home-only.js.txt (localhost)	2.5 KiB	
/verify-fixes.js (localhost)	5.2 KiB	
/debug-verification.js (localhost)	6.2 KiB	

about:blank 2/39

URL	Transfer Size	Duration
/simple-translation-scanner.js (localhost)	2.8 KiB	
/comprehensive-translation-fix.js (localhost)	11.2 KiB	80 ms
/scripts/inline-script-02.js (localhost)	207.2 KiB	690 ms
/scripts/inline-script-01.js (localhost)	179.1 KiB	650 ms
/scripts/export-csv.js (localhost)	9.3 KiB	80 ms
/scripts/curated-seed.js (localhost)	5.2 KiB	
/scripts/share-enhanced.js (localhost)	7.7 KiB	80 ms
/scripts/list-actions.js (localhost)	5.6 KiB	
/scripts/pro-preview.js (localhost)	12.1 KiB	80 ms
data/user-settings.js (localhost)	3.0 KiB	
/scripts/card-actions.js (localhost)	9.6 KiB	80 ms
/scripts/notifications-test.js (localhost)	10.5 KiB	80 ms
api/content.js (localhost)	6.6 KiB	
/scripts/quotes-enhanced.js (localhost)	16.2 KiB	120 ms
/js/i18n.js (localhost)	46.9 KiB	290 ms
/scripts/settings-tie-ins.js (localhost)	9.4 KiB	80 ms
rows/personalized.js (localhost)	11.6 KiB	80 ms
settings/my-rows.js (localhost)	7.9 KiB	80 ms
/scripts/currently-watching-preview.js (localhost)	23.8 KiB	160 ms
/scripts/search-tips.js (localhost)	3.2 KiB	
/scripts/next-up-this-week.js (localhost)	10.5 KiB	80 ms
/scripts/share-modal.js (localhost)	5.3 KiB	
/scripts/community-player.js (localhost)	7.0 KiB	
/scripts/tmdb-images.js (localhost)	4.4 KiB	
/scripts/community-spotlight.js (localhost)	11.2 KiB	80 ms
/js/language-manager.js (localhost)	15.9 KiB	120 ms
/scripts/curated-rows.js (localhost)	12.6 KiB	80 ms
/scripts/centralized-add-handler.js (localhost)	4.3 KiB	

about:blank 3/39

URL	Transfer Size	Duration
/scripts/series-org.js (localhost)	9.6 KiB	80 ms
/scripts/inline-script-03.js (localhost)	24.8 KiB	160 ms
/scripts/pro-gate.js (localhost)	4.1 KiB	
/scripts/tmdb-seed.js (localhost)	6.1 KiB	
/scripts/router.js (localhost)	5.5 KiB	
components/ActionBar.js (localhost)	10.0 KiB	80 ms
/js/functions.js (localhost)	38.7 KiB	250 ms
/scripts/home.js (localhost)	23.6 KiB	160 ms
/js/app.js (localhost)	62.1 KiB	370 ms
/tmdb-config.js (localhost)	1.8 KiB	
components/Card.js (localhost)	12.6 KiB	80 ms
/scripts/notifications.js (localhost)	3.6 KiB	
/scripts/performance-monitor.js (localhost)	3.1 KiB	
/scripts/polyfill.js (localhost)	3.6 KiB	
/scripts/flags-init.js (localhost)	0.9 KiB	
/js/debug-utils.js (localhost)	2.4 KiB	
/js/dom-cache.js (localhost)	5.7 KiB	
/firebase-config.js (localhost)	0.6 KiB	
/js/firebase-init.js (localhost)	1.7 KiB	
/js/home-sections-config.js (localhost)	2.7 KiB	
/js/flags.js (localhost)	2.6 KiB	
/styles/card-system.css?v=v23.53 (localhost)	24.7 KiB	160 ms
/styles/action-bar.css?v=v22.21 (localhost)	7.8 KiB	80 ms
/scripts/auth.js (localhost)	15.4 KiB	120 ms
/js/bootstrap.js (localhost)	1.0 KiB	
/js/utils.js (localhost)	4.0 KiB	
/auth-diagnostics.js (localhost)	2.8 KiB	
/js/auth.js (localhost)	6.2 KiB	

JRL	Transfer Size	Duration
/styles/main.css?v=v17.9 (localhost)	61.5 KiB	410 m
/js/common-utils.js (localhost)	9.9 KiB	80 m
/js/layout-enhancements.js (localhost)	10.1 KiB	80 m
/js/visibility-manager.js (localhost)	8.6 KiB	80 m
/js/error-handler.js (localhost)	6.8 KiB	
/styles/components.css?v=v17.9 (localhost)	139.4 KiB	860 m
/js/syntax-fix.js (localhost)	1.8 KiB	
/styles/inline-style-02.css (localhost)	0.6 KiB	80 m
/styles/consolidated-layout.css?v=v17.9 (localhost)	1.2 KiB	80 m
/styles/mobile.css?v=v17.9 (localhost)	18.1 KiB	160 m
/styles/inline-style-01.css?v=v17.9 (localhost)	45.9 KiB	290 m
loogle CDN Cdn	145.0 KiB	1,080 m
9.23.0/firebase-firestore-compat.js (www.gstatic.com)	98.5 KiB	560 m
9.23.0/firebase-auth-compat.js (www.gstatic.com)	37.3 KiB	240 m
9.23.0/firebase-app-compat.js (www.gstatic.com)	9.2 KiB	270 m

3...,...

A long cache lifetime can speed up repeat visits to your page. <u>Learn more</u>. FCP <u>LCP</u>

Request	Cache TTL	Transfer Size
localhost 1st Party		1,303 KiB
/scripts/inline-script-02.js (localhost)	None	207 KiB
/scripts/inline-script-01.js (localhost)	None	179 KiB
/styles/components.css?v=v17.9 (localhost)	None	139 KiB
/js/app.js (localhost)	None	62 KiB
/styles/main.css?v=v17.9 (localhost)	None	61 KiB
/js/i18n.js (localhost)	None	47 KiB
/styles/inline-style-01.css?v=v17.9 (localhost)	None	46 KiB

about:blank 5/39

Request	Cache TTL	Transfer Size
/js/functions.js (localhost)	None	39 KiB
/scripts/inline-script-03.js (localhost)	None	25 KiB
/styles/card-system.css?v=v23.53 (localhost)	None	25 KiB
/scripts/currently-watching-preview.js (localhost)	None	24 KiB
/scripts/home.js (localhost)	None	24 KiB
/scripts/episode-tracking.js (localhost)	None	23 KiB
/styles/mobile.css?v=v17.9 (localhost)	None	18 KiB
/scripts/quotes-enhanced.js (localhost)	None	16 KiB
/js/language-manager.js (localhost)	None	16 KiB
/scripts/auth.js (localhost)	None	15 KiB
/scripts/trivia.js?v=23.46&t=20250112 (localhost)	None	15 KiB
/scripts/curated-rows.js (localhost)	None	13 KiB
components/Card.js (localhost)	None	13 KiB
/scripts/pro-preview.js (localhost)	None	12 KiB
rows/personalized.js (localhost)	None	12 KiB
/scripts/community-spotlight.js (localhost)	None	11 KiB
/comprehensive-translation-fix.js (localhost)	None	11 KiB
/scripts/notifications-test.js (localhost)	None	11 KiB
/scripts/next-up-this-week.js (localhost)	None	10 KiB
/js/layout-enhancements.js (localhost)	None	10 KiB
components/ActionBar.js (localhost)	None	10 KiB
/js/common-utils.js (localhost)	None	10 KiB
/scripts/series-org.js (localhost)	None	10 KiB
/scripts/card-actions.js (localhost)	None	10 KiB
/scripts/settings-tie-ins.js (localhost)	None	9 KiB
/scripts/export-csv.js (localhost)	None	9 KiB
/js/visibility-manager.js (localhost)	None	9 KiB
settings/my-rows.js (localhost)	None	8 KiB

about:blank 6/39

Request	Cache TTL	Transfer Size
/styles/action-bar.css?v=v22.21 (localhost)	None	8 KiB
/scripts/share-enhanced.js (localhost)	None	8 KiB
/scripts/community-player.js (localhost)	None	7 KiB
/js/error-handler.js (localhost)	None	7 KiB
api/content.js (localhost)	None	7 KiB
/js/auth.js (localhost)	None	6 KiB
/debug-verification.js (localhost)	None	6 KiB
/scripts/tmdb-seed.js (localhost)	None	6 KiB
/js/dom-cache.js (localhost)	None	6 KiB
/scripts/list-actions.js (localhost)	None	6 KiB
/scripts/router.js (localhost)	None	6 KiB
/scripts/share-modal.js (localhost)	None	5 KiB
/verify-fixes.js (localhost)	None	5 KiB
/scripts/curated-seed.js (localhost)	None	5 KiB
/scripts/tmdb-images.js (localhost)	None	4 KiB
/scripts/centralized-add-handler.js (localhost)	None	4 KiB
/scripts/pro-gate.js (localhost)	None	4 KiB
/js/utils.js (localhost)	None	4 KiB
/scripts/polyfill.js (localhost)	None	4 KiB
/scripts/notifications.js (localhost)	None	4 KiB
/scripts/search-tips.js (localhost)	None	3 KiB
/scripts/performance-monitor.js (localhost)	None	3 KiB
data/user-settings.js (localhost)	None	3 KiB
/auth-diagnostics.js (localhost)	None	3 KiB
/simple-translation-scanner.js (localhost)	None	3 KiB
/js/home-sections-config.js (localhost)	None	3 KiB
/js/flags.js (localhost)	None	3 KiB
/scripts/flickword-home-only.js.txt (localhost)	None	3 KiB

about:blank 7/39

Request	Cache TTL	Transfer Size
/js/debug-utils.js (localhost)	None	2 KiB
/js/syntax-fix.js (localhost)	None	2 KiB
/tmdb-config.js (localhost)	None	2 KiB
/js/firebase-init.js (localhost)	None	2 KiB
/styles/consolidated-layout.css?v=v17.9 (localhost)	None	1 KiB
/js/bootstrap.js (localhost)	None	1 KiB
/scripts/flags-init.js (localhost)	None	1 KiB
/styles/inline-style-02.css (localhost)	None	1 KiB
/firebase-config.js (localhost)	None	1 KiB
Network dependency tree		^

Avoid chaining critical requests by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [LCP]

Maximum critical path latency: 908 ms

Initial Navigation

```
http://localhost:8080 - 37 ms, 123.42 KiB
    /scripts/inline-script-02.js (localhost) - 277 ms, 207.16 KiB
         ...discover/tv?api_key=... (api.themoviedb.org) - 908 ms, 6.40 KiB
         ...tv/list?api_key=b7247bb...&&language=en-US (api.themoviedb.org) - 874 ms, 0.00 KiB
         ...tv/list?api_key=b7247bb...&&language=en-US (api.themoviedb.org) - 874 ms, 0.00 KiB
         ...discover/movie?api_key=... (api.themoviedb.org) - 870 ms, 5.06 KiB
         ...discover/movie?api_key=... (api.themoviedb.org) - 869 ms, 6.01 KiB
    /scripts/flickword-home-only.js.txt (localhost) - 291 ms, 2.50 KiB
         ...movie/list?api_key=b7247bb...&&language=en-US (api.themoviedb.org) - 832 ms, 0.00 KiB
         ...movie/list?api_key=b7247bb...&&language=en-US (api.themoviedb.org) - 827 ms, 0.67 KiB
         ...movie/now_playing?api_key=... (api.themoviedb.org) - 826 ms, 4.97 KiB
         ...tv/list?api_key=b7247bb...&&language=en-US (api.themoviedb.org) - 517 ms, 0.00 KiB
         ...tv/list?api_key=b7247bb...&&language=en-US (api.themoviedb.org) - 497 ms, 0.66 KiB
    /scripts/inline-script-01.js (localhost) - 277 ms, 179.05 KiB
         ...movie/week?api_key=b7247bb...&language=en-US (api.themoviedb.org) - 416 ms, 5.26 KiB
         ...tv/week?api key=b7247bb...&language=en-US (api.themoviedb.org) - 376 ms, 5.75 KiB
```

about:blank 8/39

```
/comprehensive-translation-fix.js (localhost) - 291 ms, 11.16 KiB
/simple-translation-scanner.js (localhost) - 291 ms, 2.83 KiB
/debug-verification.js (localhost) - 291 ms, 6.17 KiB
/verify-fixes.js (localhost) - 291 ms, 5.20 KiB
/scripts/trivia.js?v=23.46&t=20250112 (localhost) - 291 ms, 14.53 KiB
/scripts/episode-tracking.js (localhost) - 291 ms, 22.86 KiB
/scripts/settings-tie-ins.js (localhost) - 278 ms, 9.43 KiB
/scripts/community-player.js (localhost) - 278 ms, 6.96 KiB
/scripts/quotes-enhanced.js (localhost) - 278 ms, 16.20 KiB
/scripts/notifications-test.js (localhost) - 277 ms, 10.55 KiB
/scripts/pro-preview.js (localhost) - 277 ms, 12.05 KiB
/scripts/share-enhanced.js (localhost) - 277 ms, 7.69 KiB
/scripts/export-csv.js (localhost) - 277 ms, 9.34 KiB
/scripts/card-actions.js (localhost) - 277 ms, 9.55 KiB
/scripts/inline-script-03.js (localhost) - 276 ms, 24.77 KiB
/js/i18n.js (localhost) - 276 ms, 46.87 KiB
/scripts/centralized-add-handler.js (localhost) - 276 ms, 4.27 KiB
/scripts/tmdb-images.js (localhost) - 276 ms, 4.41 KiB
/js/language-manager.js (localhost) - 275 ms, 15.85 KiB
/scripts/pro-gate.js (localhost) - 275 ms, 4.11 KiB
/scripts/search-tips.js (localhost) - 275 ms, 3.21 KiB
/scripts/series-org.js (localhost) - 275 ms, 9.62 KiB
/scripts/tmdb-seed.js (localhost) - 274 ms, 6.08 KiB
/scripts/share-modal.js (localhost) - 274 ms, 5.32 KiB
...settings/my-rows.js (localhost) - 274 ms, 7.87 KiB
...rows/personalized.js (localhost) - 274 ms, 11.60 KiB
...api/content.js (localhost) - 274 ms, 6.58 KiB
...data/user-settings.js (localhost) - 274 ms, 3.01 KiB
/scripts/list-actions.js (localhost) - 274 ms, 5.61 KiB
/scripts/curated-seed.js (localhost) - 274 ms, 5.16 KiB
/scripts/curated-rows.js (localhost) - 273 ms, 12.63 KiB
/scripts/community-spotlight.js (localhost) - 273 ms, 11.22 KiB
/scripts/next-up-this-week.js (localhost) - 273 ms, 10.47 KiB
/scripts/currently-watching-preview.js (localhost) - 273 ms, 23.76 KiB
...9.23.0/firebase-firestore-compat.js (www.gstatic.com) - 259 ms, 98.54 KiB
/scripts/router.js (localhost) - 247 ms, 5.51 KiB
...9.23.0/firebase-auth-compat.js (www.gstatic.com) - 246 ms, 37.27 KiB
```

about:blank 9/39

```
...components/ActionBar.js (localhost) - 245 ms, 9.98 KiB
/scripts/home.js (localhost) - 245 ms, 23.57 KiB
/js/functions.js (localhost) - 244 ms, 38.71 KiB
/scripts/performance-monitor.js (localhost) - 244 ms, 3.07 KiB
...components/Card.js (localhost) - 244 ms, 12.61 KiB
/scripts/notifications.js (localhost) - 243 ms, 3.57 KiB
/js/app.js (localhost) - 243 ms, 62.14 KiB
/tmdb-config.js (localhost) - 243 ms, 1.80 KiB
...9.23.0/firebase-app-compat.js (www.gstatic.com) - 241 ms, 9.16 KiB
/js/firebase-init.js (localhost) - 137 ms, 1.67 KiB
/firebase-config.js (localhost) - 137 ms, 0.60 KiB
/scripts/polyfill.js (localhost) - 137 ms, 3.62 KiB
/js/dom-cache.js (localhost) - 135 ms, 5.73 KiB
/js/home-sections-config.js (localhost) - 135 ms, 2.67 KiB
/js/debug-utils.js (localhost) - 135 ms, 2.43 KiB
/scripts/flags-init.js (localhost) - 135 ms, 0.94 KiB
/js/flags.js (localhost) - 134 ms, 2.56 KiB
/styles/card-system.css?v=v23.53 (localhost) - 132 ms, 24.71 KiB
/scripts/auth.js (localhost) - 131 ms, 15.38 KiB
/styles/action-bar.css?v=v22.21 (localhost) - 129 ms, 7.82 KiB
/js/bootstrap.js (localhost) - 126 ms, 1.04 KiB
/js/utils.js (localhost) - 124 ms, 3.95 KiB
/auth-diagnostics.js (localhost) - 119 ms, 2.84 KiB
/js/auth.js (localhost) - 113 ms, 6.20 KiB
/js/common-utils.js (localhost) - 107 ms, 9.92 KiB
/js/layout-enhancements.js (localhost) - 106 ms, 10.10 KiB
/styles/main.css?v=v17.9 (localhost) - 106 ms, 61.46 KiB
/js/visibility-manager.js (localhost) - 102 ms, 8.64 KiB
/js/error-handler.js (localhost) - 98 ms, 6.76 KiB
/js/syntax-fix.js (localhost) - 91 ms, 1.80 KiB
/styles/components.css?v=v17.9 (localhost) - 91 ms, 139.38 KiB
/styles/inline-style-02.css (localhost) - 84 ms, 0.64 KiB
/styles/consolidated-layout.css?v=v17.9 (localhost) - 74 ms, 1.23 KiB
/styles/mobile.css?v=v17.9 (localhost) - 73 ms, 18.06 KiB
/styles/inline-style-01.css?v=v17.9 (localhost) - 48 ms, 45.91 KiB
```

about:blank 10/39

Preconnected origins

<u>preconnect</u> hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add <u>preconnect</u> hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

Document request latency — Est savings of 83 KiB

Your first network request is the most important. Reduce its latency by avoiding redirects, ensuring a fast server response, and enabling text compression. FCP (LCP)

Avoids redirects

0

Server responds quickly (observed 1 ms)

No compression applied

Duplicated JavaScript — Est savings of 2 KiB

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. FCP [LCP]

Source	Duplicated bytes
/util/src/crypt.ts	0 KiB
9.23.0/firebase-app-compat.js (www.gstatic.com)	
9.23.0/firebase-firestore-compat.js (www.gstatic.com)	0 KiB
9.23.0/firebase-auth-compat.js (www.gstatic.com)	0 KiB
Layout shift culprits	^

Layout shifts occur when elements move absent any user interaction. <u>Investigate the causes of layout shifts</u>, such as elements being added, removed, or their fonts changing as the page loads. <u>CLS</u>

about:blank 11/39

Total div#appRoot > div#navigation > button#wishlistTab > ::before <:::before> 0.000 div#appRoot > div#navigation > button#wishlistTab > ::before <:::before> 0.000
button#wishlistTab > ::before <::before> div#appRoot > div#navigation > button#wishlistTab > ::before
button#wishlistTab > ::before

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. <u>Learn how to avoid an excessive DOM size</u>.

Statistic	Element	Value
Total elements		2,188
Most children	body.supports-safe-area.a11y-v1.layout-mobile-fix	77
	h3.cardtitle	
DOM depth		15
LCP breakdown		^

Each <u>subpart has specific improvement strategies</u>. Ideally, most of the LCP time should be spent on loading the resources, not within delays. <u>LCP</u>

Subpart	Duration
Time to first byte	0 ms
Element render delay	530 ms

h3.preview-row-title

about:blank 12/39

3rd parties

^

3rd party code can significantly impact load performance. Reduce and defer loading of 3rd party code to prioritize your page's content.

3rd party	Transfer size	Main thread time
Google CDN Cdn	145 KiB	18 ms
9.23.0/firebase-firestore-compat.js (www.gstatic.com)	99 KiB	9 ms
9.23.0/firebase-auth-compat.js (www.gstatic.com)	37 KiB	7 ms
9.23.0/firebase-app-compat.js (www.gstatic.com)	9 KiB	1 ms
themoviedb.org	37 KiB	0 ms
discover/tv?api_key= (api.themoviedb.org)	6 KiB	0 ms
discover/movie?api_key= (api.themoviedb.org)	6 KiB	0 ms
tv/week?api_key=b7247bb&language=en-US (api.themoviedb.org)	6 KiB	0 ms
movie/week?api_key=b7247bb&language=en-US (api.themoviedb.org)	5 KiB	0 ms
discover/movie?api_key= (api.themoviedb.org)	5 KiB	0 ms
movie/now_playing?api_key= (api.themoviedb.org)	5 KiB	0 ms
tv/list?api_key=b7247bb&&language=en-US (api.themoviedb.org)	2 KiB	0 ms
movie/list?api_key=b7247bb&&language=en-US (api.themoviedb.org)	1 KiB	0 ms
datamuse.com	0 KiB	0 ms
/words?sp=?????&max=1 (api.datamuse.com)	0 KiB	0 ms
tmdb.org	335 KiB	0 ms
w342/yb4F1Oocqjpg (image.tmdb.org)	39 KiB	0 ms
w342/2koX1xLkpjpg (image.tmdb.org)	32 KiB	0 ms
w342/9JdL1aQdAjpg (image.tmdb.org)	24 KiB	0 ms
w342/ktrp3tdZ5jpg (image.tmdb.org)	21 KiB	0 ms
w342/yueXS3q8Bjpg (image.tmdb.org)	20 KiB	0 ms
w342/36xXlhEpQjpg (image.tmdb.org)	20 KiB	0 ms
w200/fHpKWq9ayjpg (image.tmdb.org)	19 KiB	0 ms

about:blank 13/39

3rd party	Transfer size	Main thread time
w200/IXAyZHGAhjpg (image.tmdb.org)	18 KiB	0 ms
w200/1n1ZP0KHXjpg (image.tmdb.org)	18 KiB	0 ms
w200/6WxhEvFsajpg (image.tmdb.org)	16 KiB	0 ms
w200/wRpCqsJFyjpg (image.tmdb.org)	16 KiB	0 ms
w200/6qfZAOEUFjpg (image.tmdb.org)	15 KiB	0 ms
w200/geCRueV3Ejpg (image.tmdb.org)	14 KiB	0 ms
w200/w0wjPQKhljpg (image.tmdb.org)	13 KiB	0 ms
w200/nlMsTk94yjpg (image.tmdb.org)	13 KiB	0 ms
w200/A6mxBwvvvjpg (image.tmdb.org)	12 KiB	0 ms
w200/tObSf1Vzzjpg (image.tmdb.org)	10 KiB	0 ms
w200/m52XidzKxjpg (image.tmdb.org)	6 KiB	0 ms
w200/ykyRfv7JDofLxXLAwtLXaSuaFfM.jpg (image.tmdb.org)	5 KiB	0 ms
w200/29ES27icYjpg (image.tmdb.org)	4 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

▲ Minify JavaScript — Est savings of 334 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. Learn how to minify JavaScript. FCP LCP

URL	Transfer Size	Est Savings
localhost 1st Party	887.2 KiB	318.2 KiB
/scripts/inline-script-02.js (localhost)	207.0 KiB	84.1 KiB
/scripts/inline-script-01.js (localhost)	178.9 KiB	69.3 KiB
/js/app.js (localhost)	62.0 KiB	24.9 KiB
/scripts/inline-script-03.js (localhost)	24.6 KiB	11.1 KiB

about:blank 14/39

URL	Transfer Size	Est Savings
/js/functions.js (localhost)	38.5 KiB	9.9 KiB
/scripts/episode-tracking.js (localhost)	22.7 KiB	8.7 KiB
/scripts/currently-watching-preview.js (localhost)	23.6 KiB	8.1 KiB
/scripts/home.js (localhost)	23.4 KiB	7.3 KiB
/js/i18n.js (localhost)	46.7 KiB	7.0 KiB
/js/language-manager.js (localhost)	15.7 KiB	5.9 KiB
/scripts/trivia.js?v=23.46&t=20250112 (localhost)	14.3 KiB	4.8 KiB
components/Card.js (localhost)	12.4 KiB	4.6 KiB
rows/personalized.js (localhost)	11.4 KiB	4.5 KiB
/scripts/community-spotlight.js (localhost)	11.0 KiB	4.3 KiB
/js/common-utils.js (localhost)	9.7 KiB	4.2 KiB
/scripts/auth.js (localhost)	15.2 KiB	4.1 KiB
/scripts/quotes-enhanced.js (localhost)	16.0 KiB	4.0 KiB
/js/layout-enhancements.js (localhost)	9.9 KiB	4.0 KiB
/scripts/card-actions.js (localhost)	9.4 KiB	3.5 KiB
/scripts/curated-rows.js (localhost)	12.4 KiB	3.5 KiB
components/ActionBar.js (localhost)	9.8 KiB	3.5 KiB
/scripts/settings-tie-ins.js (localhost)	9.2 KiB	3.4 KiB
/scripts/export-csv.js (localhost)	9.2 KiB	3.2 KiB
/scripts/next-up-this-week.js (localhost)	10.3 KiB	3.1 KiB

about:blank 15/39

URL	Transfer Size	Est Savings
api/content.js (localhost)	6.4 KiB	2.9 KiB
/js/visibility-manager.js (localhost)	8.4 KiB	2.8 KiB
/scripts/share-enhanced.js (localhost)	7.5 KiB	2.6 KiB
/scripts/series-org.js (localhost)	9.4 KiB	2.6 KiB
/scripts/notifications-test.js (localhost)	10.4 KiB	2.6 KiB
/js/error-handler.js (localhost)	6.6 KiB	2.5 KiB
/scripts/pro-preview.js (localhost)	11.9 KiB	2.3 KiB
settings/my-rows.js (localhost)	7.7 KiB	2.2 KiB
/js/dom-cache.js (localhost)	5.5 KiB	2.2 KiB
/scripts/tmdb-images.js (localhost)	4.2 KiB	2.2 KiB
/js/auth.js (localhost)	6.0 KiB	2.1 KiB
Unattributable	38.5 KiB	16.2 KiB
<pre>inline: (function() { 'use strict';</pre>	13.8 KiB	6.3 KiB
<pre>inline: (function(){ console.log(' \</pre>	10.2 KiB	4.5 KiB
<pre>inline: (function(){ console.log(' \</pre>	6.5 KiB	2.7 KiB
inline: console.log('♠ Script starting'	7.8 KiB	2.7 KiB

▲ Reduce unused JavaScript — Est savings of 493 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. <u>Learn how to reduce unused JavaScript</u>. FCP LCP

Show 3rd-party resources (2)

about:blank 16/39

		_
URL	Transfer Size	Est Savings
localhost 1st Party	484.2 KiB	374.4 KiB
/scripts/inline-script-02.js (localhost)	206.1 KiB	169.3 KiB
/scripts/inline-script-01.js (localhost)	178.0 KiB	137.7 KiB
/js/app.js (localhost)	61.6 KiB	37.2 KiB
/js/functions.js (localhost)	38.4 KiB	30.2 KiB
Google CDN Cdn	135.7 KiB	119.0 KiB
9.23.0/firebase-firestore-compat.js (www.gstatic.com)	98.5 KiB	92.7 KiE
firestore/dist/index.esm2017.js	77.7 KiB	74.2 KiE
firestore-compat/src/api/database.ts	2.8 KiB	2.7 KiE
<pre>webchannel-wrapper/node_modules/google-closure- library/closure/goog/labs/net/webchannel/webchannelbase.js</pre>	1.9 KiB	1.9 KiE
webchannel-wrapper/node_modules/google-closure-library/closure/goog/crypt/md5.js	1.7 KiB	1.7 KiE
webchannel-wrapper/node_modules/google-closure- library/closure/goog/math/integer.js	1.2 KiB	1.1 KiE
9.23.0/firebase-auth-compat.js (www.gstatic.com)	37.2 KiB	26.3 KiE
auth/src/core/auth/auth_impl.ts	2.3 KiB	1.2 KiE
auth/src/core/user_impl.ts	1.2 KiB	1.2 Kil
auth/src/platform_cordova/popup_redirect/utils.ts	0.9 KiB	0.9 Kil
auth/src/platform_browser/recaptcha/recaptcha_verifier.ts	0.8 KiB	0.8 Kil
auth-compat/src/auth.ts	1.0 KiB	0.7 KiE

▲ Minify CSS — Est savings of 92 KiB

Minifying CSS files can reduce network payload sizes. <u>Learn how to minify CSS</u>. FCP LCP

URL	Transfer Size	Est Savings
localhost (1st Party)	289.5 KiB	92.3 KiB

about:blank 17/39

URL	Transfer Size	Est Savings
/styles/components.css?v=v17.9 (localhost)	139.4 KiB	41.0 KiB
/styles/inline-style-01.css?v=v17.9 (localhost)	45.9 KiB	20.4 KiB
/styles/main.css?v=v17.9 (localhost)	61.5 KiB	17.9 KiB
/styles/mobile.css?v=v17.9 (localhost)	18.1 KiB	7.3 KiB
/styles/card-system.css?v=v23.53 (localhost)	24.7 KiB	5.7 KiB

▲ Reduce unused CSS — Est savings of 236 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. Learn how to reduce unused CSS. FCP LCP

URL	Transfer Size	Est Savings
localhost 1st Party	288.6 KiB	235.7 KiB
/styles/components.css?v=v17.9 (localhost)	139.2 KiB	113.7 KiB
/styles/main.css?v=v17.9 (localhost)	61.3 KiB	52.1 KiB
/styles/inline-style-01.css?v=v17.9 (localhost)	45.7 KiB	35.0 KiB
/styles/mobile.css?v=v17.9 (localhost)	17.9 KiB	17.8 KiB
/styles/card-system.css?v=v23.53 (localhost)	24.5 KiB	17.1 KiB

Avoid enormous network payloads — Total size was 3,097 KiB

Large network payloads cost users real money and are highly correlated with long load times. <u>Learn how to reduce payload sizes</u>.

✓ Show 3rd-party resources (1)

about:blank 18/39

URL	Transfer Size
localhost 1st Party	1,989.7 KiB
/icons/icon-512.png (localhost)	1,124.3 KiB
/scripts/inline-script-02.js (localhost)	207.2 KiB
/scripts/inline-script-01.js (localhost)	179.1 KiB
/styles/components.css?v=v17.9 (localhost)	139.4 KiB
http://localhost:8080	123.4 KiB
/js/app.js (localhost)	62.1 KiB
/styles/main.css?v=v17.9 (localhost)	61.5 KiB
/js/i18n.js (localhost)	46.9 KiB
/styles/inline-style-01.css?v=v17.9 (localhost)	45.9 KiB
Google CDN Cdn	98.5 KiB
9.23.0/firebase-firestore-compat.js (www.gstatic.com)	98.5 KiB

More information about the performance of your application. These numbers don't <u>directly affect</u> the Performance score.

PASSED AUDITS (19)	Hide
O Font display	^
Consider setting <u>font-display</u> to swap or optional to ensure text is consistently visible. swap can be further commitigate layout shifts with <u>font metric overrides</u> .	ptimized to
Forced reflow	^

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about <u>forced reflows</u> and possible mitigations.

about:blank

O Improve image delivery	^
Reducing the download time of images can improve the perceived load time of the page and LCP. <u>Learn more about optimizing image size</u>	
O INP breakdown	^
Start investigating with the longest subpart. <u>Delays can be minimized</u> . To reduce processing duration, <u>optimize the mainthread costs</u> , often JS.	<u>:</u>
LCP request discovery	^
Optimize LCP by making the LCP image <u>discoverable</u> from the HTML immediately, and <u>avoiding lazy-loading</u>	
Legacy JavaScript	^
Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for moder browsers. Consider modifying your JavaScript build process to not transpile <u>Baseline</u> features, unless you know you must support older browsers. <u>Learn why most sites can deploy ES6+ code without transpiling</u>	
O Modern HTTP	^
HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. <u>Learn more about using modern HTTP</u> .	
Optimize viewport for mobile	^
Tap interactions may be <u>delayed by up to 300 ms</u> if the viewport is not optimized for mobile.	
meta	
Defer offscreen images	^
Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. Learn how to defer offscreen images. FCP LCP	
Use HTTP/2	^
HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. <u>Learn more about HTTP/2</u> . <u>LCP</u>	
Avoid serving legacy JavaScript to modern browsers	^

about:blank 20/39

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile <u>Baseline</u> features, unless you know you must support legacy browsers. <u>Learn why most sites can deploy ES6+ code without transpiling FCP</u> <u>[LCP]</u>

User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. <u>Learn more about User Timing marks</u>.

JavaScript execution time — 0.0 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to reduce Javascript execution time. TBT

URL	Total CPU Time	Script Evaluation	Script Parse
localhost (1st Party)	523 ms	33 ms	3 ms
http://localhost:8080	523 ms	33 ms	3 ms
Unattributable	294 ms	8 ms	0 ms
Unattributable	294 ms	8 ms	0 ms

Minimizes main-thread work — 1.0 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to minimize main-thread work TBT

Category	Time Spent
Other	492 ms
Style & Layout	213 ms
Script Evaluation	196 ms
Rendering	72 ms
Script Parsing & Compilation	38 ms

about:blank 21/39

5, 9:2	5 AM	about:blank
	Category	Time Spent
	Parse HTML & CSS	29 ms
0	Lazy load third-party resources with facades	^
	Some third-party embeds can be lazy loaded. Consider replacing defer third-parties with a facade. (TBT)	them with a facade until they are required. <u>Learn how to</u>
	Uses passive listeners to improve scrolling performance	^
	Consider marking your touch and wheel event listeners as passiabout adopting passive event listeners.	lve to improve your page's scroll performance. <u>Learn more</u>
	Avoids document.write()	^
	For users on slow connections, external scripts dynamically inject seconds. Learn how to avoid document.write().	ted via document.write() can delay page load by tens of
0	Avoid long main-thread tasks	^
	Lists the longest tasks on the main thread, useful for identifying main-thread tasks (TBT)	worst contributors to input delay. <u>Learn how to avoid long</u>



Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. <u>Learn more about the bfcache</u>



Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

ARIA

about:blank 22/39



Elements with an ARIA [role] that require children to contain a specific [role] are missing some or all of those required children.

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. <u>Learn more about roles and required children elements</u>.

Failing Elements
div.curated-row
article.card.cardcompact
article.card.cardcompact
article.card.cardcompact
div.curated-row
article.card.cardcompact
article.card.cardcompact
article.card.cardcompact
div.curated-row
article.card.cardcompact
article.card.cardcompact
article.card.cardcompact

▲ Elements use prohibited ARIA attributes

Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. <u>Learn more about prohibited ARIA roles</u>.

^

about:blank 23/39

Failing Elements	
div#tagFilterRow.tag-filters	

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. Learn how to provide sufficient color contrast.

Failing Elements
span.version-display
div#appRoot.main-container
span.tagline
div#appRoot.main-container
div.feature-badge
h3
div.community-player-placeholder

about:blank 24/39

Failing Elements
div#group-2-community.home-group
p
div.community-player-placeholder
div#group-2-community.home-group
div.coming-soon-text
div.community-player-placeholder
div#group-2-community.home-group
p div.theaters-info
uiv.tiicatei5-iiiiO

These are opportunities to improve the legibility of your content.

NAMES AND LABELS

▲ Select elements do not have associated label elements.

Form elements without effective labels can create frustrating experiences for screen reader users. <u>Learn more about the select element</u>.

about:blank 25/39

Failing Elements

select#genreFilter.genre-filter.search-area-genre	
These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for user assistive technology, like a screen reader. ADDITIONAL ITEMS TO MANUALLY CHECK (10)	rs of
Interactive controls are keyboard focusable	^
Custom interactive controls are keyboard focusable and display a focus indicator. Learn how to make custom controls focusable.	
O Interactive elements indicate their purpose and state	^
Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. Learn how to decorate interactive elements with affordance hints.	
The page has a logical tab order	^
Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. <u>Learn more about log</u> <u>tab ordering</u> .	<u>ical</u>
Visual order on the page follows DOM order	^
DOM order matches the visual order, improving navigation for assistive technology. <u>Learn more about DOM and visual ordering.</u>	
User focus is not accidentally trapped in a region	^
A user can tab into and out of any control or region without accidentally trapping their focus. <u>Learn how to avoid focus traps</u> .	
The user's focus is directed to new content added to the page	^
If new content, such as a dialog, is added to the page, the user's focus is directed to it. Learn how to direct focus to new content.	

about:blank 26/39

0	HTML5 landmark elements are used to improve navigation	^
	andmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technologies are more about landmark elements.</nav></main>	gy.
0	Offscreen content is hidden from assistive technology	^
(Offscreen content is hidden with display: none or aria-hidden=true. <u>Learn how to properly hide offscreen content</u> .	
0	Custom controls have associated labels	^
	Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. <u>Learn more about custom</u> controls and <u>labels</u> .	
0	Custom controls have ARIA roles	^
(Custom interactive controls have appropriate ARIA roles. <u>Learn how to add roles to custom controls</u> .	
		lity
reviev	items address areas which an automated testing tool cannot cover. Learn more in our guide on <u>conducting an accessibil</u> ED AUDITS (25)	Hide
reviev	<u>.</u>	
PASS	ED AUDITS (25)	Hide
PASS	ED AUDITS (25) [aria-*] attributes match their roles Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. Lea	Hide
PASS E	ED AUDITS (25) [aria-*] attributes match their roles Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. Leadow to match ARIA attributes to their roles.	Hide
PASS E	ED AUDITS (25) [aria-*] attributes match their roles fach ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. Leadow to match ARIA attributes to their roles. [aria-hidden="true"] is not present on the document <body> Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body< td=""><td>Hide</td></body<></body>	Hide
PASS E L	ED AUDITS (25) [aria-*] attributes match their roles Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. Leadow to match ARIA attributes to their roles. [aria-hidden="true"] is not present on the document <body> Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body.< td=""><td>Hide ^ rn ^ />.</td></body.<></body>	Hide ^ rn ^ />.
PASS E L	ED AUDITS (25) [aria-*] attributes match their roles [ach ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. Leadow to match ARIA attributes to their roles. [aria-hidden="true"] is not present on the document <body> Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body [aria-*]="" [role]s="" about="" affects="" all="" aria="" aria-hidden="" attributes="" body.="" describe="" document="" earn="" element="" have="" how="" learn="" more="" of="" readers.="" required="" roles="" roles.<="" screen="" some="" state="" td="" that="" the="" to=""><td>Hide ^ rn</td></body></body>	Hide ^ rn

about:blank 27/39

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. Learn more about valid values

for ARIA attributes.

[aria-*] attributes are valid and not misspelled	^
Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. <u>Learn more about valid AR attributes</u> .	<u>IA</u>
Buttons have an accessible name	^
When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users we rely on screen readers. Learn how to make buttons more accessible.	/ho
Image elements have [alt] attributes	^
Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty attribute. <u>Learn more about the alt attribute</u> .	/ alt
[user-scalable="no"] is not used in the <meta name="viewport"/> element and the [maximum-scale] attribute is not less than 5.	^
Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the content a web page. Learn more about the viewport meta tag.	ts of
button, link, and menuitem elements have accessible names	^
When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable users who rely on screen readers. <u>Learn how to make command elements more accessible</u> .	e for
ARIA attributes are used as specified for the element's role	^
Some ARIA attributes are only allowed on an element under certain conditions. <u>Learn more about conditional ARIA attributes</u> .	
[aria-hidden="true"] elements do not contain focusable descendents	^
Focusable descendents within an [aria-hidden="true"] element prevent those interactive elements from being avail to users of assistive technologies like screen readers. Learn how aria-hidden affects focusable elements.	able
ARIA input fields have accessible names	^

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. <u>Learn more about input field labels</u>.

about:blank 28/39

[role] values are valid ARIA roles must have valid values in order to perform their intended accessibility functions. Learn more about valid ARIA roles. Document has a <title> element The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more about document titles. <html> element has a [lang] attribute If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute. <html> element has a valid value for its [lang] attribute Specifying a valid BCP 47 language helps screen readers announce text properly. Learn how to use the lang attribute. Form elements have associated labels Labels ensure that form controls are announced properly by assistive technologies, like screen readers. Learn more about form element labels. Links have a discernible name Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. Learn how to make links accessible. No element has a [tabindex] value greater than 0 A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. Learn more about the tabindex attribute. Touch targets have sufficient size and spacing. Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. Learn more about touch targets.

about:blank 29/39

Heading elements appear in a sequentially-descending order Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. Learn more about heading order. Skip links are focusable. Including a skip link can help users skip to the main content to save time. Learn more about skip links. Uses ARIA roles only on compatible elements Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. Learn more about ARIA roles. Deprecated ARIA roles were not used Deprecated ARIA roles may not be processed correctly by assistive technology. Learn more about deprecated ARIA roles. Image elements do not have [alt] attributes that are redundant text. Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. Learn more about the alt attribute. NOT APPLICABLE (28) Hide [accesskey] values are unique Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. Learn more about access keys. Elements with role="dialog" or role="alertdialog" have accessible names. ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. Learn how to make ARIA dialog elements more accessible. ARIA meter elements have accessible names When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name meter elements.

about:blank 30/39

ARIA progressbar elements have accessible names	^
When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, makin unusable for users who rely on screen readers. <u>Learn how to label progressbar elements</u> .	ıg it
• [role]s are contained by their required parent element	^
Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functio Learn more about ARIA roles and required parent element.	ns.
Elements with the role=text attribute do not have focusable descendents.	^
Adding role=text around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendents will not be announced. Learn more about the role=text attribute.	
ARIA toggle fields have accessible names	^
When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusab for users who rely on screen readers. <u>Learn more about toggle fields</u> .	ole
ARIA tooltip elements have accessible names	^
When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. <u>Learn how to name tooltip elements</u> .	
 ARIA treeitem elements have accessible names 	^
When a treeitem element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. <u>Learn more about labeling treeitem elements</u> .	
The page contains a heading, skip link, or landmark region	^
Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass.	<u>ass</u>
Contain only properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements.</td><td>^</td></tr><tr><td>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. <u>Learn how</u> structure definition lists correctly.</td><td><u>w to</u></td></tr><tr><td>O Definition list items are wrapped in <dl> elements</td><td>^</td></tr></tbody></table></script></dd></dt>	

about:blank 31/39

Definition list items (<dt> and <dd>) must be wrapped in a parent <dl> element to ensure that screen readers can properly announce them. <u>Learn how to structure definition lists correctly</u>.

O ARIA IDs are unique	^
The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. <u>L</u> how to fix duplicate ARIA IDs.	<u>earn</u>
No form fields have multiple labels	^
Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use the first, the last, or all of the labels. <u>Learn how to use form labels</u> .	either
O <frame/> or <iframe> elements have a title</iframe>	^
Screen reader users rely on frame titles to describe the contents of frames. <u>Learn more about frame titles</u> .	
O <html> element has an [xml:lang] attribute with the same base language as the [lang] attribute.</html>	^
If the webpage does not specify a consistent language, then the screen reader might not announce the page's text cor <u>Learn more about the lang attribute</u> .	rectly.
O Input buttons have discernible text.	^
Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the inbutton. Learn more about input buttons.	nput
<pre>O <input type="image"/> elements have [alt] text</pre>	^
When an image is being used as an <input/> button, providing alternative text can help screen reader users understan purpose of the button. Learn about input image alt text.	d the
Links are distinguishable without relying on color.	^
Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience users with low vision. Learn how to make links distinguishable.	for
 Lists contain only elements and script supporting elements (<script> and <template>). </td><td>^</td></tr><tr><td>Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. <u>Learn rabout proper list structure</u>.</td><td><u>more</u></td></tr></tbody></table></script>	

about:blank 32/39

O List items (<1i>) are contained within , or <menu> parent elements</menu>	^
Screen readers require list items () to be contained within a parent , or <menu> to be announced properly Learn more about proper list structure.</menu>	·.
The document does not use <meta http-equiv="refresh"/>	^
Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. <u>Learn more about the refresh meta tag</u> .	
O <object> elements have alternate text</object>	^
Screen readers cannot translate non-text content. Adding alternate text to <object> elements helps screen readers convened meaning to users. Learn more about alt text for object elements.</object>	/ey
O Tables have different content in the summary attribute and <caption>.</caption>	^
The summary attribute should describe the table structure, while <caption> should have the onscreen title. Accurate tab mark-up helps users of screen readers. Learn more about summary and caption.</caption>	ole
O Cells in a element that use the [headers] attribute refer to table cells within the same table.	^
Screen readers have features to make navigating tables easier. Ensuring cells using the [headers] attribute only re to other cells in the same table may improve the experience for screen reader users. Learn more about the headers attribute.	efer
elements and elements with [role="columnheader"/"rowheader"] have data cells they describe.	^
Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells m improve the experience for screen reader users. Learn more about table headers.	ay
O [lang] attributes have a valid value	^
Specifying a valid <u>BCP 47 language</u> on elements helps ensure that text is pronounced correctly by a screen reader. <u>Learn</u> to use the <u>lang attribute</u> .	how
video> elements contain a <track/> element with [kind="captions"]	^
When a video provides a caption it is easier for deaf and hearing impaired users to access its information. <u>Learn more ab video captions</u> .	<u>out</u>

about:blank 33/39



Best Practices

TRUST AND SAFETY

Requests the geolocation permission on		
Requests the geolocation permission on	page load	
Users are mistrustful of or confused by site action instead. <u>Learn more about the geolo</u>	s that request their location without context. Concation permission.	onsider tying the request to a u
Source		
localhost 1st Party		
home.js:407		
Ensure CSP is effective against XSS attack	cs	
	ificantly reduces the risk of cross-site scripting	(XSS) attacks. <u>Learn how to use</u>
CSP to prevent XSS		
CSP to prevent XSS Description	Directive	Severity
	Directive	Severity High
Description No CSP found in enforcement mode	Directive	,
Description No CSP found in enforcement mode Use a strong HSTS policy Deployment of the HSTS header significant	Directive Ely reduces the risk of downgrading HTTP conne- age is recommended. Learn more about using	High ections and eavesdropping atta
Description No CSP found in enforcement mode Use a strong HSTS policy Deployment of the HSTS header significant	sly reduces the risk of downgrading HTTP conn	High ections and eavesdropping atta

about:blank 34/39

9/14/25

	about:blank		
 Ensure proper origin isolation with CC 	OOP		^
The Cross-Origin-Opener-Policy (COOP) ups. Learn more about deploying the CO) can be used to isolate the top-level window from OOP header.	other documents such as pop-	
Description	Directive	Severity	
No COOP header found		High	
Mitigate clickjacking with XFO or CSP	,		^
	the frame-ancestors directive in the Content-State of the Content-State		
Description		Severity	
No frame control policy found		High	
Mitigate DOM-based XSS with Truster	d Types		^
The require-trusted-types-for dire	d Types ective in the Content-Security-Policy (CSP) he hk functions. Learn more about mitigating DOM-b.	=	^
The require-trusted-types-for dire	ective in the Content-Security-Policy (CSP) he	=	^
The require-trusted-types-for direction control the data passed to DOM XSS sin	ective in the Content-Security-Policy (CSP) hen he functions. Learn more about mitigating DOM-b.	ased XSS with Trusted Types.	^
The require-trusted-types-for direction control the data passed to DOM XSS sin	ective in the Content-Security-Policy (CSP) hen he functions. Learn more about mitigating DOM-b.	Severity High	^ Hide

from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. Learn more about HTTPS.

Avoids deprecated APIs

about:blank 35/39

Deprecated APIs will eventually be removed from the browser. Learn more about deprecated APIs. Avoids third-party cookies Third-party cookies may be blocked in some contexts. Learn more about preparing for third-party cookie restrictions. Allows users to paste into input fields Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. Learn more about user-friendly input fields. Avoids requesting the notification permission on page load Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. Learn more about responsibly getting permission for notifications. Displays images with correct aspect ratio Image display dimensions should match natural aspect ratio. Learn more about image aspect ratio. Serves images with appropriate resolution Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. Learn how to provide responsive images. Has a <meta name="viewport"> tag with width or initial-scale A <meta name="viewport"> not only optimizes your app for mobile screen sizes, but also prevents a 300 millisecond delay to user input. Learn more about using the viewport meta tag. Page has the HTML doctype Specifying a doctype prevents the browser from switching to quirks-mode. Learn more about the doctype declaration. Properly defines charset A character encoding declaration is required. It can be done with a <meta> tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. Learn more about declaring the character encoding. No browser errors logged to the console

about:blank 36/39

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. Learn more about this errors in console diagnostic audit

No issues in the Issues panel in Chrome Devtools

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Page has valid source maps

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. <u>Learn more about source maps</u>.

URL	Map URL
Google CDN Cdn	
9.23.0/firebase-firestore-compat.js (www.gstatic.com)	9.23.0/firebase-firestore-compat.js.map (www.gstatic.com)
9.23.0/firebase-auth-compat.js (www.gstatic.com)	9.23.0/firebase-auth-compat.js.map (www.gstatic.com)
9.23.0/firebase-app-compat.js (www.gstatic.com)	9.23.0/firebase-app-compat.js.map (www.gstatic.com)

NOT APPLICABLE (3)	Hide
O Redirects HTTP traffic to HTTPS	^
Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. Learn more	<u>re</u> .
O Document uses legible font sizes	^
Font sizes less than 12px are too small to be legible and require mobile visitors to "pinch to zoom" in order to read. Striv have $>60\%$ of page text ≥ 12 px. Learn more about legible font sizes.	e to
O Detected JavaScript libraries	^

All front-end JavaScript libraries detected on the page. <u>Learn more about this JavaScript library detection diagnostic audit.</u>

about:blank 37/39



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search Essentials.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)	Hide
O Structured data is valid	^
Run the <u>Structured Data Testing Tool</u> and the <u>Structured Data Linter</u> to validate structured data. <u>Learn mo</u> <u>Data</u> .	ore about Structured
Run these additional validators on your site to check additional SEO best practices.	
PASSED AUDITS (8)	Hide
Page isn't blocked from indexing	^
Search engines are unable to include your pages in search results if they don't have permission to crawl to about crawler directives.	hem. <u>Learn more</u>
Document has a <title> element</td><td>^</td></tr><tr><td>The title gives screen reader users an overview of the page, and search engine users rely on it heavily to c is relevant to their search. <u>Learn more about document titles</u>.</td><td>determine if a page</td></tr><tr><td>Document has a meta description</td><td>^</td></tr><tr><td>Meta descriptions may be included in search results to concisely summarize page content. <u>Learn more abdescription</u>.</td><td>pout the meta</td></tr><tr><td>Page has successful HTTP status code</td><td>^</td></tr><tr><td>Pages with unsuccessful HTTP status codes may not be indexed properly. <u>Learn more about HTTP status</u></td><td>codes.</td></tr></tbody></table></title>	

about:blank 38/39

Links have descriptive text		^
Descriptive link text helps search engines und	erstand your content. <u>Learn how to</u>	o make links more accessible.
Links are crawlable		^
Search engines may use href attributes on lir an appropriate destination, so more pages of		
Image elements have [alt] attributes		^
Informative elements should aim for short, de attribute. <u>Learn more about the alt attribute</u> .		elements can be ignored with an empty alt
Document has a valid hreflang		^
hreflang links tell search engines what version Learn more about hreflang.	of a page they should list in searc	h results for a given language or region.
NOT APPLICABLE (2)		Hide
o robots.txt is valid		^
If your robots.txt file is malformed, crawlers m indexed. <u>Learn more about robots.txt</u> .	ay not be able to understand how	you want your website to be crawled or
O Document has a valid rel=canonical		^
Canonical links suggest which URL to show in	search results. <u>Learn more about c</u>	canonical links.
Captured at Sep 14, 2025, 9:24 AM EDT	Emulated Desktop with Lighthouse 12.8.1	Single page session
Initial page load	Custom throttling	Using Chromium 140.0.0.0 with devtools

Generated by **Lighthouse** 12.8.1 | File an issue

about:blank 39/39