



Eastern Research Group
601 Keystone Park Drive
Suite 700
Morrisville, NC 27560

July 09, 2026

Mr. Bryan Sims
Oklahoma Dept. of Environmental Quality
707 N. Robinson, PO Box 1677
Oklahoma City, OK 73101-1677
Project Name: OCOK

Dear Mr. Bryan Sims,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 04/01/26 09:01 through 05/27/26 14:30.

Values below the MDL for QC results in this report are recorded as ND, however the actual values are reported in the accompanying Excel report with a "U" flag (Under the detection limit). The actual values are reported in AQS.

This test is accredited under the 2016 TNI Standard for Environmental Laboratories (FL DOH Certification # E87673). All analyses were performed as described in the US EPA-approved QAPP, under the contract for National Hazardous Air Pollutant Support (US EPA Contract No. 68HERH22D0002). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7872.

Sincerely,

Randolph Bower
Program Manager
randy.bower@erg.com

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify randy.bower@erg.com and delete the report without retaining any copies.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 **FAX:** -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
OCOK Q9551715 C1	6040206-02	Air	12/09/25 23:59	04/01/26 09:01
OCOK Q9551713 C1	6040206-03	Air	12/15/25 23:59	04/01/26 09:01
OCOK Q9551710 C1	6040206-04	Air	12/22/25 23:59	04/01/26 09:01
OCOK Q9551708 C1	6040206-05	Air	12/27/25 23:59	04/01/26 09:01
OCOK Q9551705 TB	6040206-06	Air	12/27/25 00:00	04/01/26 09:01
OCOK Q9551706 FB	6040206-07	Air	12/27/25 00:00	04/01/26 09:01
OCOK Q9551719 C2	6040206-08	Air	12/03/25 23:59	04/01/26 09:01
OCOK Q9551714 C2	6040206-09	Air	12/09/25 23:59	04/01/26 09:01
OCOK Q9551712 C2	6040206-10	Air	12/15/25 23:59	04/01/26 09:01
OCOK Q9551711 C2	6040206-11	Air	12/22/25 23:59	04/01/26 09:01
OCOK Q9551709 C2	6040206-12	Air	12/27/25 23:59	04/01/26 09:01
OCOK Q9551704 C1	6040206-13	Air	01/02/26 23:59	04/01/26 09:01
OCOK Q9551701 C1	6040206-14	Air	01/08/26 23:59	04/01/26 09:01
OCOK Q9551700 C1	6040206-15	Air	01/14/26 23:59	04/01/26 09:01
OCOK Q9551697 C1	6040206-16	Air	01/21/26 23:59	04/01/26 09:01
OCOK Q9551694 C1	6040206-17	Air	01/26/26 23:59	04/01/26 09:01
OCOK Q9551696 TB	6040206-18	Air	01/26/26 00:00	04/01/26 09:01
OCOK Q9551695 FB	6040206-19	Air	01/26/26 00:00	04/01/26 09:01
OCOK Q9551703 C2	6040206-20	Air	01/02/26 23:59	04/01/26 09:01
OCOK Q9551702 C2	6040206-21	Air	01/08/26 23:59	04/01/26 09:01
OCOK Q9551699 C2	6040206-22	Air	01/14/26 23:59	04/01/26 09:01

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 **FAX:** -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

OCOK Q9551698 C2	6040206-23	Air	01/21/26 23:59	04/01/26 09:01
OCOK Q9551693 C2	6040206-24	Air	01/26/26 23:59	04/01/26 09:01
OCOK Q9551592 C1	6050622-01	Air	02/01/26 23:59	05/04/26 09:18
OCOK Q9551692 C1	6050622-02	Air	02/07/26 23:59	05/04/26 09:18
OCOK Q9551819 C1	6050622-03	Air	02/13/26 23:59	05/04/26 09:18
OCOK Q9551818 C1	6050622-04	Air	02/19/26 23:59	05/04/26 09:18
OCOK Q9551816 C1	6050622-05	Air	02/25/26 23:59	05/04/26 09:18
OCOK Q9551813 TB	6050622-06	Air	02/25/26 00:00	05/04/26 09:18
OCOK Q9551814 FB	6050622-07	Air	02/25/26 00:00	05/04/26 09:18
OCOK Q9551593 C2	6050622-08	Air	02/01/26 23:59	05/04/26 09:18
OCOK Q9551691 C2	6050622-09	Air	02/07/26 23:59	05/04/26 09:18
OCOK Q9551820 C2	6050622-10	Air	02/13/26 23:59	05/04/26 09:18
OCOK Q9551817 C2	6050622-11	Air	02/19/26 23:59	05/04/26 09:18
OCOK Q9551815 C2	6050622-12	Air	02/25/26 23:59	05/04/26 09:18
OCOK Q9551810 C1	6050622-14	Air	03/09/26 23:59	05/04/26 09:18
OCOK Q9551808 C1	6050622-15	Air	03/15/26 23:59	05/04/26 09:18
OCOK Q9551805 C1	6050622-16	Air	03/21/26 23:59	05/04/26 09:18
OCOK Q9551803 C1	6050622-17	Air	03/27/26 23:59	05/04/26 09:18
OCOK Q9551801 TB	6050622-18	Air	03/27/26 00:00	05/04/26 09:18
OCOK Q9551802 FB	6050622-19	Air	03/27/26 00:00	05/04/26 09:18
OCOK Q9551809 C2	6050622-21	Air	03/09/26 23:59	05/04/26 09:18
OCOK Q9551807 C2	6050622-22	Air	03/15/26 23:59	05/04/26 09:18
OCOK Q9551806 C2	6050622-23	Air	03/21/26 23:59	05/04/26 09:18
OCOK Q9551804 C2	6050622-24	Air	03/27/26 23:59	05/04/26 09:18
OCOK Q9551794 C1	6052726-04	Air	04/20/26 23:59	05/27/26 14:30
OCOK Q9551789 C1	6052726-05	Air	04/26/26 23:59	05/27/26 14:30



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 **FAX:** -

OCOK Q9551792 TB	6052726-06	Air	04/26/26 00:00	05/27/26 14:30
OCOK Q9551791 FB	6052726-07	Air	04/26/26 00:00	05/27/26 14:30
OCOK Q9551797 C2	6052726-09	Air	04/08/26 23:59	05/27/26 14:30
OCOK Q9551795 C2	6052726-10	Air	04/14/26 23:59	05/27/26 14:30
OCOK Q9551793 C2	6052726-11	Air	04/20/26 23:59	05/27/26 14:30
OCOK Q9551790 C2	6052726-12	Air	04/26/26 23:59	05/27/26 14:30

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551715 C1 **Lab ID:** 6040206-02 **Sampled:** 12/09/25 23:59
Matrix: Air **Sample Volume:** 2234.47 m³ **Received:** 04/01/26 09:01
Filter ID: **Analysis Date:** 04/24/26 16:31

Comments: Col 1

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>
Antimony	7440-36-0	0.482	SL	0.0241
Arsenic	7440-38-2	0.397		0.00617
Beryllium	7440-41-7	0.0105		0.00128
Cadmium	7440-43-9	0.0934		0.00357
Chromium	7440-47-3	2.08		1.69
Cobalt	7440-48-4	2.06	D-F	0.0339
Lead	7439-92-1	2.87		0.0896
Manganese	7439-96-5	10.3		0.535
Nickel	7440-02-0	0.812		0.534
Selenium	7782-49-2	0.452		0.00743



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551713 C1 **Lab ID:** 6040206-03 **Sampled:** 12/15/25 23:59
Matrix: Air **Sample Volume:** 2300.61 m³ **Received:** 04/01/26 09:01
Filter ID: **Analysis Date:** 04/24/26 23:45

Comments: Col 1

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.362	D-F, SL	0.0234
Arsenic	7440-38-2	0.385	D-F	0.00599
Beryllium	7440-41-7	0.0109		0.00124
Cadmium	7440-43-9	0.0744	D-F	0.00347
Chromium	7440-47-3	1.92		1.64
Cobalt	7440-48-4	0.260		0.0329
Lead	7439-92-1	1.75	D-F	0.0870
Manganese	7439-96-5	11.5		0.520
Nickel	7440-02-0	0.896		0.518
Selenium	7782-49-2	0.238	D-F	0.00721



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551710 C1 **Lab ID:** 6040206-04 **Sampled:** 12/22/25 23:59
Matrix: Air **Sample Volume:** 2253.46 m³ **Received:** 04/01/26 09:01
Filter ID: **Analysis Date:** 04/25/26 00:03

Comments: Col 1

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>
Antimony	7440-36-0	0.256	SL	0.0239
Arsenic	7440-38-2	0.411		0.00612
Beryllium	7440-41-7	0.0153		0.00127
Cadmium	7440-43-9	0.0858	D-F	0.00354
Chromium	7440-47-3	1.53	U	1.68
Cobalt	7440-48-4	0.240		0.0336
Lead	7439-92-1	1.53		0.0888
Manganese	7439-96-5	15.8		0.531
Nickel	7440-02-0	0.629		0.529
Selenium	7782-49-2	0.340		0.00736



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551708 C1 **Lab ID:** 6040206-05 **Sampled:** 12/27/25 23:59
Matrix: Air **Sample Volume:** 2135.36 m³ **Received:** 04/01/26 09:01
Filter ID: **Analysis Date:** 04/25/26 00:21

Comments: Col 1

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>
Antimony	7440-36-0	0.418	SL	0.0252
Arsenic	7440-38-2	0.459		0.00645
Beryllium	7440-41-7	0.0104		0.00134
Cadmium	7440-43-9	0.0872		0.00373
Chromium	7440-47-3	1.67	U	1.77
Cobalt	7440-48-4	0.176		0.0354
Lead	7439-92-1	1.88		0.0937
Manganese	7439-96-5	9.93		0.560
Nickel	7440-02-0	0.607		0.558
Selenium	7782-49-2	0.309		0.00777



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551705 TB	Lab ID: 6040206-06	Sampled: 12/27/25 00:00
Matrix: Air	Sample Volume: 2135.36 m ³	Received: 04/01/26 09:01
	Filter ID:	Analysis Date: 05/07/26 19:50
Comments: Trip Blank		

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.00954	U, QB-01, SL	0.0252
Arsenic	7440-38-2	0.00349	U	0.00645
Beryllium	7440-41-7	7.56E-4	U	0.00134
Cadmium	7440-43-9	0.00379	FB-01	0.00373
Chromium	7440-47-3	1.43	U	1.77
Cobalt	7440-48-4	0.0211	U	0.0354
Lead	7439-92-1	0.0530	U	0.0937
Manganese	7439-96-5	0.169	U	0.560
Nickel	7440-02-0	0.260	U	0.558
Selenium	7782-49-2	0.00580	U	0.00777



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551706 FB

Lab ID: 6040206-07

Sampled: 12/27/25 00:00

Matrix: Air

Sample Volume: 2135.36 m³

Received: 04/01/26 09:01

Filter ID:

Analysis Date: 05/07/26 20:04

Comments: Field Blank

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.0103	U, QB-01, SL	0.0252
Arsenic	7440-38-2	0.00406	U	0.00645
Beryllium	7440-41-7	8.76E-4	U	0.00134
Cadmium	7440-43-9	0.00636	FB-01	0.00373
Chromium	7440-47-3	1.20	U	1.77
Cobalt	7440-48-4	0.0291	U	0.0354
Lead	7439-92-1	0.109	FB-01	0.0937
Manganese	7439-96-5	0.314	U	0.560
Nickel	7440-02-0	0.238	U	0.558
Selenium	7782-49-2	0.00458	U	0.00777



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551719 C2 **Lab ID:** 6040206-08 **Sampled:** 12/03/25 23:59
Matrix: Air **Sample Volume:** 2240.32 m³ **Received:** 04/01/26 09:01
Filter ID: **Analysis Date:** 04/25/26 00:40

Comments: Col 2

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>
Antimony	7440-36-0	0.381	SL	0.0240
Arsenic	7440-38-2	0.723		0.00615
Beryllium	7440-41-7	0.00688		0.00128
Cadmium	7440-43-9	0.113		0.00356
Chromium	7440-47-3	1.54	U	1.68
Cobalt	7440-48-4	0.161		0.0338
Lead	7439-92-1	2.15		0.0893
Manganese	7439-96-5	9.11		0.534
Nickel	7440-02-0	0.514	U	0.532
Selenium	7782-49-2	0.405		0.00741



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551714 C2	Lab ID: 6040206-09	Sampled: 12/09/25 23:59
Matrix: Air	Sample Volume: 2185.65 m ³	Received: 04/01/26 09:01
	Filter ID:	Analysis Date: 04/25/26 00:59

Comments: Col 2

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.461	SL	0.0246
Arsenic	7440-38-2	0.403		0.00631
Beryllium	7440-41-7	0.0103		0.00131
Cadmium	7440-43-9	0.0911		0.00365
Chromium	7440-47-3	2.02		1.73
Cobalt	7440-48-4	1.43	D-F	0.0346
Lead	7439-92-1	2.37		0.0916
Manganese	7439-96-5	10.0		0.547
Nickel	7440-02-0	0.883		0.546
Selenium	7782-49-2	0.444		0.00759



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551712 C2	Lab ID: 6040206-10	Sampled: 12/15/25 23:59
Matrix: Air	Sample Volume: 2222.73 m ³	Received: 04/01/26 09:01
	Filter ID:	Analysis Date: 04/25/26 01:36

Comments: Col 2

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.583	D-F, SL	0.0242
Arsenic	7440-38-2	0.500	D-F	0.00620
Beryllium	7440-41-7	0.0122		0.00129
Cadmium	7440-43-9	0.104	D-F	0.00359
Chromium	7440-47-3	2.02		1.70
Cobalt	7440-48-4	0.254		0.0340
Lead	7439-92-1	2.41	D-F	0.0900
Manganese	7439-96-5	12.9		0.538
Nickel	7440-02-0	0.907		0.537
Selenium	7782-49-2	0.366	D-F	0.00747



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551711 C2 **Lab ID:** 6040206-11 **Sampled:** 12/22/25 23:59
Matrix: Air **Sample Volume:** 2212.46 m³ **Received:** 04/01/26 09:01
Filter ID: **Analysis Date:** 04/25/26 01:55

Comments: Col 2

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.263	SL	0.0243
Arsenic	7440-38-2	0.437		0.00623
Beryllium	7440-41-7	0.0161		0.00129
Cadmium	7440-43-9	0.110	D-F	0.00360
Chromium	7440-47-3	1.76		1.71
Cobalt	7440-48-4	0.204		0.0342
Lead	7439-92-1	1.61		0.0905
Manganese	7439-96-5	16.3		0.541
Nickel	7440-02-0	0.716		0.539
Selenium	7782-49-2	0.348		0.00750



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551709 C2	Lab ID: 6040206-12	Sampled: 12/27/25 23:59
Matrix: Air	Sample Volume: 2058.11 m ³	Received: 04/01/26 09:01
	Filter ID:	Analysis Date: 04/25/26 02:14
Comments: Col 2		

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Antimony	7440-36-0	0.379	SL	0.0262	
Arsenic	7440-38-2	0.441		0.00670	
Beryllium	7440-41-7	0.00996		0.00139	
Cadmium	7440-43-9	0.0740		0.00387	
Chromium	7440-47-3	1.71	U	1.83	
Cobalt	7440-48-4	0.177		0.0368	
Lead	7439-92-1	1.82		0.0972	
Manganese	7439-96-5	10.8		0.581	
Nickel	7440-02-0	0.621		0.579	
Selenium	7782-49-2	0.305		0.00806	



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551704 C1 **Lab ID:** 6040206-13 **Sampled:** 01/02/26 23:59
Matrix: Air **Sample Volume:** 2205.66 m³ **Received:** 04/01/26 09:01
Filter ID: **Analysis Date:** 05/07/26 20:17

Comments: Col 1

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.771	QB-01, SL	0.0244
Arsenic	7440-38-2	0.872		0.00625
Beryllium	7440-41-7	0.0127		0.00130
Cadmium	7440-43-9	0.150		0.00361
Chromium	7440-47-3	1.87		1.71
Cobalt	7440-48-4	0.149		0.0343
Lead	7439-92-1	2.55		0.0907
Manganese	7439-96-5	12.2		0.542
Nickel	7440-02-0	0.646		0.541
Selenium	7782-49-2	0.560		0.00752



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551701 C1 **Lab ID:** 6040206-14 **Sampled:** 01/08/26 23:59
Matrix: Air **Sample Volume:** 2192.33 m³ **Received:** 04/01/26 09:01
Filter ID: **Analysis Date:** 05/07/26 20:34

Comments: Col 1

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>
Antimony	7440-36-0	0.251	QB-01, SL	0.0246
Arsenic	7440-38-2	0.325		0.00629
Beryllium	7440-41-7	0.00819		0.00131
Cadmium	7440-43-9	0.0657	D-F U	0.00364
Chromium	7440-47-3	1.58		1.72
Cobalt	7440-48-4	0.153		0.0345
Lead	7439-92-1	1.06		0.0913
Manganese	7439-96-5	7.48		0.545
Nickel	7440-02-0	0.696		0.544
Selenium	7782-49-2	0.520		0.00757



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551700 C1	Lab ID: 6040206-15	Sampled: 01/14/26 23:59
Matrix: Air	Sample Volume: 2292.29 m ³	Received: 04/01/26 09:01
	Filter ID:	Analysis Date: 05/07/26 20:50

Comments: Col 1

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.0763	QB-01, SL	0.0235
Arsenic	7440-38-2	0.161		0.00601
Beryllium	7440-41-7	0.00877		0.00125
Cadmium	7440-43-9	0.0517	D-F	0.00348
Chromium	7440-47-3	1.35	U	1.65
Cobalt	7440-48-4	0.124		0.0330
Lead	7439-92-1	0.647	D-F	0.0873
Manganese	7439-96-5	7.76		0.522
Nickel	7440-02-0	0.566		0.520
Selenium	7782-49-2	0.178		0.00724



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551697 C1 **Lab ID:** 6040206-16 **Sampled:** 01/21/26 23:59
Matrix: Air **Sample Volume:** 2268.38 m³ **Received:** 04/01/26 09:01
Filter ID: **Analysis Date:** 05/07/26 21:03

Comments: Col 1

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.451	QB-01, SL	0.0237
Arsenic	7440-38-2	0.326		0.00608
Beryllium	7440-41-7	0.0176	D-F	0.00126
Cadmium	7440-43-9	0.0847		0.00351
Chromium	7440-47-3	1.81		1.66
Cobalt	7440-48-4	0.229		0.0334
Lead	7439-92-1	1.52		0.0882
Manganese	7439-96-5	18.5		0.527
Nickel	7440-02-0	0.972		0.526
Selenium	7782-49-2	0.469		0.00732



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551694 C1 **Lab ID:** 6040206-17 **Sampled:** 01/26/26 23:59
Matrix: Air **Sample Volume:** 2476.89 m³ **Received:** 04/01/26 09:01
Filter ID: **Analysis Date:** 05/07/26 17:06

Comments: Col 1

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>
Antimony	7440-36-0	0.249	QB-01, SL	0.0217
Arsenic	7440-38-2	0.294		0.00556
Beryllium	7440-41-7	0.00415		0.00116
Cadmium	7440-43-9	0.379	D-F	0.00322
Chromium	7440-47-3	1.29	U	1.52
Cobalt	7440-48-4	0.104		0.0305
Lead	7439-92-1	2.59		0.0808
Manganese	7439-96-5	4.03		0.483
Nickel	7440-02-0	0.527		0.481
Selenium	7782-49-2	0.177		0.00670



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551696 TB

Lab ID: 6040206-18

Sampled: 01/26/26 00:00

Matrix: Air

Sample Volume: 2476.89 m³

Received: 04/01/26 09:01

Filter ID:

Analysis Date: 05/07/26 21:19

Comments: Trip Blank

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.00816	QB-01, SL, U	0.0217
Arsenic	7440-38-2	0.00364	U	0.00556
Beryllium	7440-41-7	6.05E-4	U	0.00116
Cadmium	7440-43-9	0.00244	U	0.00322
Chromium	7440-47-3	1.11	U	1.52
Cobalt	7440-48-4	0.0265	U	0.0305
Lead	7439-92-1	0.136	FB-01	0.0808
Manganese	7439-96-5	0.155	U	0.483
Nickel	7440-02-0	0.233	U	0.481
Selenium	7782-49-2	0.00214	U	0.00670



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551695 FB	Lab ID: 6040206-19	Sampled: 01/26/26 00:00
Matrix: Air	Sample Volume: 2476.89 m ³	Received: 04/01/26 09:01
	Filter ID:	Analysis Date: 05/07/26 21:32
Comments: Field Blank		

Inorganics by Compendium Method IO-3.5

Results

MDL

<u>Analyte</u>	<u>CAS Number</u>	<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>
Antimony	7440-36-0	0.00954	QB-01, SL, U	0.0217
Arsenic	7440-38-2	0.00414	U	0.00556
Beryllium	7440-41-7	7.36E-4	U	0.00116
Cadmium	7440-43-9	0.00377	FB-01	0.00322
Chromium	7440-47-3	1.57	FB-01	1.52
Cobalt	7440-48-4	0.0275	U	0.0305
Lead	7439-92-1	0.0563	U	0.0808
Manganese	7439-96-5	0.184	U	0.483
Nickel	7440-02-0	0.506	FB-01	0.481
Selenium	7782-49-2	0.00449	U	0.00670



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551703 C2 **Lab ID:** 6040206-20 **Sampled:** 01/02/26 23:59
Matrix: Air **Sample Volume:** 2142.1 m³ **Received:** 04/01/26 09:01
Filter ID: **Analysis Date:** 05/07/26 21:45

Comments: Col 2

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.795	QB-01, SL	0.0251
Arsenic	7440-38-2	0.916		0.00643
Beryllium	7440-41-7	0.0154		0.00134
Cadmium	7440-43-9	0.160		0.00372
Chromium	7440-47-3	2.10		1.76
Cobalt	7440-48-4	0.175		0.0353
Lead	7439-92-1	2.48		0.0934
Manganese	7439-96-5	13.7		0.558
Nickel	7440-02-0	0.774		0.557
Selenium	7782-49-2	0.589		0.00775



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551702 C2	Lab ID: 6040206-21	Sampled: 01/08/26 23:59
Matrix: Air	Sample Volume: 2121.75 m ³	Received: 04/01/26 09:01
	Filter ID:	Analysis Date: 05/07/26 22:03

Comments: Col 2

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>
Antimony	7440-36-0	0.258	QB-01, SL	0.0254
Arsenic	7440-38-2	0.338		0.00649
Beryllium	7440-41-7	0.00789		0.00135
Cadmium	7440-43-9	0.0898	D-F U	0.00376
Chromium	7440-47-3	1.63		1.78
Cobalt	7440-48-4	0.152		0.0357
Lead	7439-92-1	1.16		0.0943
Manganese	7439-96-5	7.38		0.564
Nickel	7440-02-0	0.693		0.562
Selenium	7782-49-2	0.519		0.00782



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551699 C2	Lab ID: 6040206-22	Sampled: 01/14/26 23:59
Matrix: Air	Sample Volume: 2239.01 m ³	Received: 04/01/26 09:01
	Filter ID:	Analysis Date: 05/07/26 23:11

Comments: Col 2

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>
Antimony	7440-36-0	0.0801	QB-01, SL	0.0241
Arsenic	7440-38-2	0.158		0.00615
Beryllium	7440-41-7	0.00924		0.00128
Cadmium	7440-43-9	0.0656	D-F	0.00356
Chromium	7440-47-3	1.53	U	1.69
Cobalt	7440-48-4	0.130		0.0338
Lead	7439-92-1	0.830	D-F	0.0894
Manganese	7439-96-5	7.79		0.534
Nickel	7440-02-0	0.674		0.533
Selenium	7782-49-2	0.191		0.00741



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551698 C2 **Lab ID:** 6040206-23 **Sampled:** 01/21/26 23:59
Matrix: Air **Sample Volume:** 2265.88 m³ **Received:** 04/01/26 09:01
Filter ID: **Analysis Date:** 05/07/26 23:26

Comments: Col 2

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.383	QB-01, SL	0.0238
Arsenic	7440-38-2	0.358		0.00608
Beryllium	7440-41-7	0.0181	D-F	0.00126
Cadmium	7440-43-9	0.108		0.00352
Chromium	7440-47-3	1.85		1.67
Cobalt	7440-48-4	0.223		0.0334
Lead	7439-92-1	1.39		0.0883
Manganese	7439-96-5	18.4		0.528
Nickel	7440-02-0	0.917		0.526
Selenium	7782-49-2	0.469		0.00732



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551693 C2 **Lab ID:** 6040206-24 **Sampled:** 01/26/26 23:59
Matrix: Air **Sample Volume:** 2417.58 m³ **Received:** 04/01/26 09:01
Filter ID: **Analysis Date:** 05/07/26 23:43

Comments: Col 2

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.223	QB-01, SL	0.0223
Arsenic	7440-38-2	0.309		0.00570
Beryllium	7440-41-7	0.00344	D-F U	0.00118
Cadmium	7440-43-9	0.310		0.00330
Chromium	7440-47-3	1.29		1.56
Cobalt	7440-48-4	0.0807		0.0313
Lead	7439-92-1	2.15		0.0828
Manganese	7439-96-5	3.92		0.495
Nickel	7440-02-0	0.515		0.493
Selenium	7782-49-2	0.174		0.00686



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551592 C1 **Lab ID:** 6050622-01 **Sampled:** 02/01/26 23:59
Matrix: Air **Sample Volume:** 2301.08 m³ **Received:** 05/04/26 09:18
Filter ID: **Analysis Date:** 06/29/26 20:40

Comments: Col 1

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Antimony	7440-36-0	0.338	SL	0.0234	
Arsenic	7440-38-2	0.365		0.00599	
Beryllium	7440-41-7	0.00506		0.00124	
Cadmium	7440-43-9	0.0674		0.00346	
Chromium	7440-47-3	1.38	U	1.64	
Cobalt	7440-48-4	0.0864		0.0329	
Lead	7439-92-1	1.24		0.0870	
Manganese	7439-96-5	4.92		0.520	
Nickel	7440-02-0	0.527		0.518	
Selenium	7782-49-2	0.256		0.00721	



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551692 C1	Lab ID: 6050622-02	Sampled: 02/07/26 23:59
Matrix: Air	Sample Volume: 2235.89 m ³	Received: 05/04/26 09:18
	Filter ID:	Analysis Date: 06/29/26 20:55

Comments: Col 1

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Antimony	7440-36-0	0.419	SL	0.0241	
Arsenic	7440-38-2	0.372		0.00616	
Beryllium	7440-41-7	0.00938		0.00128	
Cadmium	7440-43-9	0.0977		0.00357	
Chromium	7440-47-3	1.49	U	1.69	
Cobalt	7440-48-4	0.240	D-F	0.0338	
Lead	7439-92-1	1.71		0.0895	
Manganese	7439-96-5	10.6		0.535	
Nickel	7440-02-0	0.658		0.533	
Selenium	7782-49-2	0.393		0.00742	



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551819 C1 **Lab ID:** 6050622-03 **Sampled:** 02/13/26 23:59
Matrix: Air **Sample Volume:** 2238.72 m³ **Received:** 05/04/26 09:18
Filter ID: **Analysis Date:** 06/29/26 17:47

Comments: Col 1

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.551	SL	0.0241
Arsenic	7440-38-2	0.765		0.00616
Beryllium	7440-41-7	0.0221		0.00128
Cadmium	7440-43-9	0.162		0.00356
Chromium	7440-47-3	1.95		1.69
Cobalt	7440-48-4	0.292		0.0338
Lead	7439-92-1	3.56		0.0894
Manganese	7439-96-5	21.6		0.534
Nickel	7440-02-0	1.06		0.533
Selenium	7782-49-2	0.722		0.00741



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551818 C1 **Lab ID:** 6050622-04 **Sampled:** 02/19/26 23:59
Matrix: Air **Sample Volume:** 2207.98 m³ **Received:** 05/04/26 09:18
Filter ID: **Analysis Date:** 06/29/26 21:10

Comments: Col 1

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.116	SL	0.0244
Arsenic	7440-38-2	0.434		0.00624
Beryllium	7440-41-7	0.0589		0.00130
Cadmium	7440-43-9	0.0824	D-F	0.00361
Chromium	7440-47-3	2.37		1.71
Cobalt	7440-48-4	0.503		0.0343
Lead	7439-92-1	1.92		0.0906
Manganese	7439-96-5	37.3		0.542
Nickel	7440-02-0	1.30		0.540
Selenium	7782-49-2	0.311		0.00752



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551816 C1	Lab ID: 6050622-05	Sampled: 02/25/26 23:59
Matrix: Air	Sample Volume: 2192.69 m ³	Received: 05/04/26 09:18
	Filter ID:	Analysis Date: 06/29/26 21:29

Comments: Col 1

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.699	SL	0.0246
Arsenic	7440-38-2	0.485		0.00628
Beryllium	7440-41-7	0.0270		0.00131
Cadmium	7440-43-9	0.135		0.00364
Chromium	7440-47-3	1.92		1.72
Cobalt	7440-48-4	0.271		0.0345
Lead	7439-92-1	2.42		0.0913
Manganese	7439-96-5	24.6		0.545
Nickel	7440-02-0	0.943		0.544
Selenium	7782-49-2	0.447		0.00757



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551813 TB

Lab ID: 6050622-06

Sampled: 02/25/26 00:00

Matrix: Air

Sample Volume: 2192.69 m³

Received: 05/04/26 09:18

Filter ID:

Analysis Date: 06/29/26 21:46

Comments: Trip Blank

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.0102	SL, U	0.0246
Arsenic	7440-38-2	0.00484	U	0.00628
Beryllium	7440-41-7	8.43E-4	U	0.00131
Cadmium	7440-43-9	0.00141	U	0.00364
Chromium	7440-47-3	1.15	U	1.72
Cobalt	7440-48-4	0.0185	U	0.0345
Lead	7439-92-1	0.0540	U	0.0913
Manganese	7439-96-5	0.227	U	0.545
Nickel	7440-02-0	0.230	U	0.544
Selenium	7782-49-2	-7.18E-4	U	0.00757



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551814 FB	Lab ID: 6050622-07	Sampled: 02/25/26 00:00
Matrix: Air	Sample Volume: 2192.69 m ³	Received: 05/04/26 09:18
	Filter ID:	Analysis Date: 06/29/26 21:59

Comments: Field Blank

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.0107	SL, U	0.0246
Arsenic	7440-38-2	0.00376	U	0.00628
Beryllium	7440-41-7	8.43E-4	U	0.00131
Cadmium	7440-43-9	0.00349	U	0.00364
Chromium	7440-47-3	1.19	U	1.72
Cobalt	7440-48-4	0.0184	U	0.0345
Lead	7439-92-1	0.0948	FB-01	0.0913
Manganese	7439-96-5	0.238	U	0.545
Nickel	7440-02-0	0.246	U	0.544
Selenium	7782-49-2	0.00147	U	0.00757



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551593 C2	Lab ID: 6050622-08	Sampled: 02/01/26 23:59
Matrix: Air	Sample Volume: 2291.24 m ³	Received: 05/04/26 09:18
	Filter ID:	Analysis Date: 06/29/26 22:12

Comments: Col 2

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Antimony	7440-36-0	0.329	SL	0.0235	
Arsenic	7440-38-2	0.350		0.00601	
Beryllium	7440-41-7	0.00475		0.00125	
Cadmium	7440-43-9	0.0806		0.00348	
Chromium	7440-47-3	1.42	U	1.65	
Cobalt	7440-48-4	0.0766		0.0330	
Lead	7439-92-1	1.32		0.0873	
Manganese	7439-96-5	4.86		0.522	
Nickel	7440-02-0	0.401	U	0.521	
Selenium	7782-49-2	0.264		0.00724	



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551691 C2	Lab ID: 6050622-09	Sampled: 02/07/26 23:59
Matrix: Air	Sample Volume: 2223.6 m ³	Received: 05/04/26 09:18
	Filter ID:	Analysis Date: 06/29/26 22:27

Comments: Col 2

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.417	SL	0.0242
Arsenic	7440-38-2	0.402		0.00620
Beryllium	7440-41-7	0.00953		0.00129
Cadmium	7440-43-9	0.0960		0.00359
Chromium	7440-47-3	1.55	U	1.70
Cobalt	7440-48-4	0.159	D-F	0.0340
Lead	7439-92-1	1.70		0.0900
Manganese	7439-96-5	10.6		0.538
Nickel	7440-02-0	0.595		0.536
Selenium	7782-49-2	0.380		0.00746



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551820 C2 **Lab ID:** 6050622-10 **Sampled:** 02/13/26 23:59
Matrix: Air **Sample Volume:** 2163.8 m³ **Received:** 05/04/26 09:18
Filter ID: **Analysis Date:** 06/29/26 23:33

Comments: Col 2

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.594	SL	0.0249
Arsenic	7440-38-2	0.812		0.00637
Beryllium	7440-41-7	0.0237		0.00132
Cadmium	7440-43-9	0.188		0.00368
Chromium	7440-47-3	1.98		1.74
Cobalt	7440-48-4	0.324		0.0350
Lead	7439-92-1	3.83		0.0925
Manganese	7439-96-5	23.2		0.553
Nickel	7440-02-0	1.05		0.551
Selenium	7782-49-2	0.756		0.00767



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551817 C2 **Lab ID:** 6050622-11 **Sampled:** 02/19/26 23:59
Matrix: Air **Sample Volume:** 2155.98 m³ **Received:** 05/04/26 09:18
Filter ID: **Analysis Date:** 06/30/26 00:10

Comments: Col 2

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.122	SL	0.0250
Arsenic	7440-38-2	0.418		0.00639
Beryllium	7440-41-7	0.0577		0.00133
Cadmium	7440-43-9	0.252	D-F	0.00370
Chromium	7440-47-3	2.02		1.75
Cobalt	7440-48-4	0.490		0.0351
Lead	7439-92-1	1.85		0.0928
Manganese	7439-96-5	34.7		0.555
Nickel	7440-02-0	1.18		0.553
Selenium	7782-49-2	0.307		0.00770



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551815 C2 **Lab ID:** 6050622-12 **Sampled:** 02/25/26 23:59
Matrix: Air **Sample Volume:** 2138.29 m³ **Received:** 05/04/26 09:18
Filter ID: **Analysis Date:** 06/30/26 00:29

Comments: Col 2

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.728	SL	0.0252
Arsenic	7440-38-2	0.501		0.00644
Beryllium	7440-41-7	0.0267		0.00134
Cadmium	7440-43-9	0.127		0.00373
Chromium	7440-47-3	2.09		1.77
Cobalt	7440-48-4	0.276		0.0354
Lead	7439-92-1	2.65		0.0936
Manganese	7439-96-5	26.0		0.559
Nickel	7440-02-0	0.972		0.558
Selenium	7782-49-2	0.450		0.00776



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551810 C1	Lab ID: 6050622-14	Sampled: 03/09/26 23:59
Matrix: Air	Sample Volume: 2158.45 m ³	Received: 05/04/26 09:18
	Filter ID:	Analysis Date: 06/24/26 19:01

Comments: Col 1

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.288	SL	0.0250
Arsenic	7440-38-2	0.386		0.00638
Beryllium	7440-41-7	0.0165		0.00133
Cadmium	7440-43-9	0.165	D-F	0.00369
Chromium	7440-47-3	1.85		1.75
Cobalt	7440-48-4	0.203		0.0351
Lead	7439-92-1	1.77		0.0927
Manganese	7439-96-5	12.0		0.554
Nickel	7440-02-0	0.807		0.553
Selenium	7782-49-2	0.432		0.00769



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551808 C1 **Lab ID:** 6050622-15 **Sampled:** 03/15/26 23:59
Matrix: Air **Sample Volume:** 2616.45 m³ **Received:** 05/04/26 09:18
Filter ID: **Analysis Date:** 06/24/26 21:51

Comments: Col 1

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.0912	SL	0.0206
Arsenic	7440-38-2	0.583	D-F	0.00527
Beryllium	7440-41-7	0.0708	D-F	0.00109
Cadmium	7440-43-9	0.198	D-F	0.00305
Chromium	7440-47-3	2.31		1.44
Cobalt	7440-48-4	0.622	D-F	0.0289
Lead	7439-92-1	2.80	D-F	0.0765
Manganese	7439-96-5	46.2	D-F	0.457
Nickel	7440-02-0	1.58		0.456
Selenium	7782-49-2	0.401	D-F	0.00634



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551805 C1 **Lab ID:** 6050622-16 **Sampled:** 03/21/26 23:59
Matrix: Air **Sample Volume:** 1464.52 m³ **Received:** 05/04/26 09:18
Filter ID: **Analysis Date:** 06/24/26 22:10

Comments: Col 1

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.700	SL	0.0368
Arsenic	7440-38-2	0.586		0.00941
Beryllium	7440-41-7	0.0295		0.00196
Cadmium	7440-43-9	0.179		0.00544
Chromium	7440-47-3	2.58		2.58
Cobalt	7440-48-4	0.335		0.0517
Lead	7439-92-1	2.75		0.137
Manganese	7439-96-5	22.7		0.817
Nickel	7440-02-0	1.13		0.814
Selenium	7782-49-2	0.532		0.0113



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551803 C1 **Lab ID:** 6050622-17 **Sampled:** 03/27/26 23:59
Matrix: Air **Sample Volume:** 1674.95 m³ **Received:** 05/04/26 09:18
Filter ID: **Analysis Date:** 06/24/26 22:30

Comments: Col 1

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.590	SL	0.0322
Arsenic	7440-38-2	0.386		0.00823
Beryllium	7440-41-7	0.0231		0.00171
Cadmium	7440-43-9	0.144		0.00476
Chromium	7440-47-3	2.17	U	2.25
Cobalt	7440-48-4	0.271		0.0452
Lead	7439-92-1	2.75		0.119
Manganese	7439-96-5	25.8		0.714
Nickel	7440-02-0	0.920		0.712
Selenium	7782-49-2	0.425		0.00991



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551801 TB

Lab ID: 6050622-18

Sampled: 03/27/26 00:00

Matrix: Air

Sample Volume: 1674.95 m³

Received: 05/04/26 09:18

Filter ID:

Analysis Date: 06/24/26 22:49

Comments: Trip Blank

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.0101	SL, U	0.0322
Arsenic	7440-38-2	0.00797	U	0.00823
Beryllium	7440-41-7	0.00112	U	0.00171
Cadmium	7440-43-9	0.00320	U	0.00476
Chromium	7440-47-3	1.60	U	2.25
Cobalt	7440-48-4	0.0380	U	0.0452
Lead	7439-92-1	0.0704	U	0.119
Manganese	7439-96-5	0.277	U	0.714
Nickel	7440-02-0	0.287	U	0.712
Selenium	7782-49-2	0.00405	U	0.00991



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551802 FB	Lab ID: 6050622-19	Sampled: 03/27/26 00:00
Matrix: Air	Sample Volume: 1674.95 m ³	Received: 05/04/26 09:18
	Filter ID:	Analysis Date: 06/24/26 23:02

Comments: Field Blank

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.0150	SL, U	0.0322
Arsenic	7440-38-2	0.00709	U	0.00823
Beryllium	7440-41-7	0.00124	U	0.00171
Cadmium	7440-43-9	0.00325	U	0.00476
Chromium	7440-47-3	1.62	U	2.25
Cobalt	7440-48-4	0.0213	U	0.0452
Lead	7439-92-1	0.147	FB-01	0.119
Manganese	7439-96-5	0.232	U	0.714
Nickel	7440-02-0	0.282	U	0.712
Selenium	7782-49-2	0.00247	U	0.00991



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551809 C2 **Lab ID:** 6050622-21 **Sampled:** 03/09/26 23:59
Matrix: Air **Sample Volume:** 2152.55 m³ **Received:** 05/04/26 09:18
Filter ID: **Analysis Date:** 06/24/26 23:15

Comments: Col 2

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>
Antimony	7440-36-0	0.265	SL	0.0250
Arsenic	7440-38-2	0.352		0.00640
Beryllium	7440-41-7	0.0147		0.00133
Cadmium	7440-43-9	0.131	D-F	0.00370
Chromium	7440-47-3	1.63	U	1.75
Cobalt	7440-48-4	0.180		0.0351
Lead	7439-92-1	1.60		0.0930
Manganese	7439-96-5	10.7		0.556
Nickel	7440-02-0	0.722		0.554
Selenium	7782-49-2	0.399		0.00771



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551807 C2 **Lab ID:** 6050622-22 **Sampled:** 03/15/26 23:59
Matrix: Air **Sample Volume:** 2210.08 m³ **Received:** 05/04/26 09:18
Filter ID: **Analysis Date:** 06/24/26 23:50

Comments: Col 2

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.118	SL	0.0244
Arsenic	7440-38-2	0.886	D-F	0.00624
Beryllium	7440-41-7	0.110	D-F	0.00130
Cadmium	7440-43-9	0.634	D-F	0.00361
Chromium	7440-47-3	3.03		1.71
Cobalt	7440-48-4	0.954	D-F	0.0342
Lead	7439-92-1	4.11	D-F	0.0905
Manganese	7439-96-5	71.2	D-F	0.541
Nickel	7440-02-0	2.30		0.540
Selenium	7782-49-2	0.603	D-F	0.00751



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551806 C2

Lab ID: 6050622-23

Sampled: 03/21/26 23:59

Matrix: Air

Sample Volume: 2135.19 m³

Received: 05/04/26 09:18

Filter ID:

Analysis Date: 06/25/26 00:10

Comments: Col 2

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.676	SL	0.0252
Arsenic	7440-38-2	0.581		0.00645
Beryllium	7440-41-7	0.0250		0.00134
Cadmium	7440-43-9	0.188		0.00373
Chromium	7440-47-3	2.09		1.77
Cobalt	7440-48-4	0.304		0.0354
Lead	7439-92-1	2.62		0.0937
Manganese	7439-96-5	21.4		0.560
Nickel	7440-02-0	1.00		0.559
Selenium	7782-49-2	0.520		0.00777



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551804 C2	Lab ID: 6050622-24	Sampled: 03/27/26 23:59
Matrix: Air	Sample Volume: 2273.39 m ³	Received: 05/04/26 09:18
	Filter ID:	Analysis Date: 06/25/26 00:29

Comments: Col 2

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.560	SL	0.0237
Arsenic	7440-38-2	0.381		0.00606
Beryllium	7440-41-7	0.0242		0.00126
Cadmium	7440-43-9	0.129		0.00351
Chromium	7440-47-3	1.65	U	1.66
Cobalt	7440-48-4	0.245		0.0333
Lead	7439-92-1	2.60		0.0880
Manganese	7439-96-5	24.9		0.526
Nickel	7440-02-0	0.782		0.525
Selenium	7782-49-2	0.413		0.00730



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551794 C1	Lab ID: 6052726-04	Sampled: 04/20/26 23:59
Matrix: Air	Sample Volume: 1950.88 m ³	Received: 05/27/26 14:30
	Filter ID:	Analysis Date: 06/30/26 16:14

Comments: Col 1

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Antimony	7440-36-0	0.334	SL	0.0276	
Arsenic	7440-38-2	0.518		0.00706	
Beryllium	7440-41-7	0.0109		0.00147	
Cadmium	7440-43-9	0.109	D-F	0.00409	
Chromium	7440-47-3	1.66	U	1.93	
Cobalt	7440-48-4	0.140		0.0388	
Lead	7439-92-1	1.96		0.103	
Manganese	7439-96-5	9.60		0.613	
Nickel	7440-02-0	0.604	U	0.611	
Selenium	7782-49-2	0.460	LJ, QX	0.00851	



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551789 C1	Lab ID: 6052726-05	Sampled: 04/26/26 23:59
Matrix: Air	Sample Volume: 1808.51 m ³	Received: 05/27/26 14:30
	Filter ID:	Analysis Date: 06/30/26 20:10

Comments: Col 1

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.335	SL	0.0298
Arsenic	7440-38-2	0.570		0.00762
Beryllium	7440-41-7	0.00972		0.00158
Cadmium	7440-43-9	0.183		0.00441
Chromium	7440-47-3	1.66	U	2.09
Cobalt	7440-48-4	0.119		0.0418
Lead	7439-92-1	1.83		0.111
Manganese	7439-96-5	7.83		0.661
Nickel	7440-02-0	0.749		0.659
Selenium	7782-49-2	0.611	LJ, QX	0.00918



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551792 TB

Lab ID: 6052726-06

Sampled: 04/26/26 00:00

Matrix: Air

Sample Volume: 1808.51 m³

Received: 05/27/26 14:30

Filter ID:

Analysis Date: 06/30/26 20:25

Comments: Trip Blank

Inorganics by Compendium Method IO-3.5

Results

MDL

<u>Analyte</u>	<u>CAS Number</u>	<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>
Antimony	7440-36-0	0.00976	SL, U	0.0298
Arsenic	7440-38-2	0.00400	U	0.00762
Beryllium	7440-41-7	0.00111	U	0.00158
Cadmium	7440-43-9	0.00156	U	0.00441
Chromium	7440-47-3	1.43	U	2.09
Cobalt	7440-48-4	0.0280	U	0.0418
Lead	7439-92-1	0.0620	U	0.111
Manganese	7439-96-5	0.128	U	0.661
Nickel	7440-02-0	0.315	U	0.659
Selenium	7782-49-2	0.00258	LJ, QX, U	0.00918



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551791 FB

Lab ID: 6052726-07

Sampled: 04/26/26 00:00

Matrix: Air

Sample Volume: 1808.51 m³

Received: 05/27/26 14:30

Filter ID:

Analysis Date: 06/30/26 20:38

Comments: Field Blank

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.0100	SL, U	0.0298
Arsenic	7440-38-2	0.00475	U	0.00762
Beryllium	7440-41-7	9.21E-4	U	0.00158
Cadmium	7440-43-9	0.00200	U	0.00441
Chromium	7440-47-3	1.36	U	2.09
Cobalt	7440-48-4	0.0188	U	0.0418
Lead	7439-92-1	0.0862	U	0.111
Manganese	7439-96-5	0.144	U	0.661
Nickel	7440-02-0	0.259	U	0.659
Selenium	7782-49-2	0.00116	LJ, QX, U	0.00918



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551797 C2 **Lab ID:** 6052726-09 **Sampled:** 04/08/26 23:59
Matrix: Air **Sample Volume:** 2082 m³ **Received:** 05/27/26 14:30
Filter ID: **Analysis Date:** 06/30/26 20:51

Comments: Col 2

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.453	SL	0.0259
Arsenic	7440-38-2	0.661		0.00662
Beryllium	7440-41-7	0.0126		0.00138
Cadmium	7440-43-9	0.128		0.00383
Chromium	7440-47-3	1.92		1.81
Cobalt	7440-48-4	0.201		0.0363
Lead	7439-92-1	2.19		0.0961
Manganese	7439-96-5	12.5		0.574
Nickel	7440-02-0	0.792		0.573
Selenium	7782-49-2	0.383	LJ, QX	0.00797



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551795 C2 **Lab ID:** 6052726-10 **Sampled:** 04/14/26 23:59
Matrix: Air **Sample Volume:** 1983.68 m³ **Received:** 05/27/26 14:30
Filter ID: **Analysis Date:** 06/30/26 21:57

Comments: Col 2

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>
Antimony	7440-36-0	0.354	SL	0.0271
Arsenic	7440-38-2	0.354		0.00695
Beryllium	7440-41-7	0.00923		0.00144
Cadmium	7440-43-9	0.0884		0.00402
Chromium	7440-47-3	1.88	U	1.90
Cobalt	7440-48-4	0.126		0.0381
Lead	7439-92-1	1.30		0.101
Manganese	7439-96-5	6.78		0.603
Nickel	7440-02-0	0.707		0.601
Selenium	7782-49-2	0.533	LJ, QX	0.00837



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551793 C2

Lab ID: 6052726-11

Sampled: 04/20/26 23:59

Matrix: Air

Sample Volume: 2057.09 m³

Received: 05/27/26 14:30

Filter ID:

Analysis Date: 06/30/26 22:11

Comments: Col 2

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Antimony	7440-36-0	0.348	SL	0.0262	
Arsenic	7440-38-2	0.582		0.00670	
Beryllium	7440-41-7	0.0105		0.00139	
Cadmium	7440-43-9	0.137	D-F	0.00388	
Chromium	7440-47-3	1.68	U	1.83	
Cobalt	7440-48-4	0.136		0.0368	
Lead	7439-92-1	2.35		0.0973	
Manganese	7439-96-5	10.4		0.581	
Nickel	7440-02-0	0.533	U	0.580	
Selenium	7782-49-2	0.510	LJ, QX	0.00807	



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK Q9551790 C2

Lab ID: 6052726-12

Sampled: 04/26/26 23:59

Matrix: Air

Sample Volume: 1960.93 m³

Received: 05/27/26 14:30

Filter ID:

Analysis Date: 06/30/26 22:40

Comments: Col 2

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>		<u>MDL</u>	
		<u>ng/m³ Air</u>	<u>Flag</u>	<u>ng/m³ Air</u>	
Antimony	7440-36-0	0.334	SL	0.0275	
Arsenic	7440-38-2	0.598		0.00703	
Beryllium	7440-41-7	0.00897		0.00146	
Cadmium	7440-43-9	0.169		0.00407	
Chromium	7440-47-3	1.75	U	1.92	
Cobalt	7440-48-4	0.122		0.0386	
Lead	7439-92-1	1.74		0.102	
Manganese	7439-96-5	8.27		0.610	
Nickel	7440-02-0	0.966		0.608	
Selenium	7782-49-2	0.648	LJ, QX	0.00846	



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2604078 - B6D1601

Calibration Blank (2604078-CCB1)

Prepared & Analyzed: 04/24/26

Antimony	0.132		ng/l							
Arsenic	3.93		ng/l							
Beryllium	0.0424		ng/l							
Cadmium	0.296		ng/l							
Chromium	0.434		ng/l							
Cobalt	0.246		ng/l							
Lead	2.03		ng/l							
Manganese	5.16		ng/l							
Nickel	-21.1		ng/l							U
Selenium	6.38		ng/l							

Calibration Blank (2604078-CCB2)

Prepared & Analyzed: 04/24/26

Antimony	0.484		ng/l							
Arsenic	-0.549		ng/l							U
Beryllium	-0.765		ng/l							U
Cadmium	0.295		ng/l							
Chromium	1.43		ng/l							
Cobalt	0.412		ng/l							
Lead	2.57		ng/l							
Manganese	4.68		ng/l							
Nickel	-20.5		ng/l							U
Selenium	3.99		ng/l							

Calibration Blank (2604078-CCB3)

Prepared & Analyzed: 04/24/26

Antimony	0.756		ng/l							
Arsenic	5.04		ng/l							
Beryllium	-1.01		ng/l							U
Cadmium	0.215		ng/l							
Chromium	0.483		ng/l							
Cobalt	0.0108		ng/l							
Lead	1.69		ng/l							
Manganese	2.79		ng/l							
Nickel	-21.4		ng/l							U
Selenium	2.60		ng/l							

Calibration Blank (2604078-CCB4)

Prepared: 04/24/26 Analyzed: 04/25/26

Antimony	0.148		ng/l							
Arsenic	3.67		ng/l							
Beryllium	-1.70		ng/l							U
Cadmium	0.0894		ng/l							
Chromium	0.862		ng/l							

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2604078 - B6D1601

Calibration Blank (2604078-CCB4) Contin

Prepared: 04/24/26 Analyzed: 04/25/26

Cobalt	0.244		ng/l							
Lead	1.63		ng/l							
Manganese	4.17		ng/l							
Nickel	-20.3		ng/l							U
Selenium	4.74		ng/l							

Calibration Check (2604078-CCV1)

Prepared & Analyzed: 04/24/26

Antimony	19400		ng/l	19996		97.2	90-110			
Arsenic	19500		ng/l	20000		97.4	90-110			
Beryllium	4740		ng/l	5001.5		94.8	90-110			
Cadmium	19600		ng/l	20014		97.8	90-110			
Chromium	242000		ng/l	240050		101	90-110			
Cobalt	49600		ng/l	50020		99.1	90-110			
Lead	194000		ng/l	200020		97.2	90-110			
Manganese	489000		ng/l	500200		97.8	90-110			
Nickel	119000		ng/l	119990		98.9	90-110			
Selenium	19400		ng/l	20002		97.2	90-110			

Calibration Check (2604078-CCV2)

Prepared & Analyzed: 04/24/26

Antimony	20400		ng/l	19996		102	90-110			
Arsenic	20200		ng/l	20000		101	90-110			
Beryllium	4800		ng/l	5001.5		96.0	90-110			
Cadmium	20400		ng/l	20014		102	90-110			
Chromium	254000		ng/l	240050		106	90-110			
Cobalt	50800		ng/l	50020		102	90-110			
Lead	203000		ng/l	200020		101	90-110			
Manganese	513000		ng/l	500200		103	90-110			
Nickel	122000		ng/l	119990		101	90-110			
Selenium	20500		ng/l	20002		102	90-110			

Calibration Check (2604078-CCV3)

Prepared & Analyzed: 04/24/26

Antimony	20400		ng/l	19996		102	90-110			
Arsenic	20300		ng/l	20000		102	90-110			
Beryllium	4610		ng/l	5001.5		92.2	90-110			
Cadmium	20500		ng/l	20014		103	90-110			
Chromium	254000		ng/l	240050		106	90-110			
Cobalt	50900		ng/l	50020		102	90-110			
Lead	203000		ng/l	200020		102	90-110			
Manganese	526000		ng/l	500200		105	90-110			
Nickel	123000		ng/l	119990		102	90-110			
Selenium	20100		ng/l	20002		100	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2604078 - B6D1601

Calibration Check (2604078-CCV4)

Prepared: 04/24/26 Analyzed: 04/25/26

Antimony	20300		ng/l	19996		101	90-110			
Arsenic	20300		ng/l	20000		102	90-110			
Beryllium	4730		ng/l	5001.5		94.5	90-110			
Cadmium	20700		ng/l	20014		103	90-110			
Chromium	254000		ng/l	240050		106	90-110			
Cobalt	51100		ng/l	50020		102	90-110			
Lead	203000		ng/l	200020		102	90-110			
Manganese	532000		ng/l	500200		106	90-110			
Nickel	123000		ng/l	119990		103	90-110			
Selenium	20300		ng/l	20002		102	90-110			

High Cal Check (2604078-HCV1)

Prepared & Analyzed: 04/24/26

Antimony	40500		ng/l	39992		101	95-105			
Arsenic	40600		ng/l	40000		101	95-105			
Beryllium	9780		ng/l	10003		97.7	95-105			
Cadmium	40500		ng/l	40028		101	95-105			
Chromium	483000		ng/l	480100		101	95-105			
Cobalt	101000		ng/l	100040		101	95-105			
Lead	405000		ng/l	400040		101	95-105			
Manganese	1.02E6		ng/l	1.0004E6		102	95-105			
Nickel	240000		ng/l	239980		99.8	95-105			
Selenium	40400		ng/l	40004		101	95-105			

Initial Cal Blank (2604078-ICB1)

Prepared & Analyzed: 04/24/26

Antimony	0.201		ng/l							
Arsenic	-2.00		ng/l							U
Beryllium	-0.364		ng/l							U
Cadmium	0.207		ng/l							
Chromium	3.25		ng/l							
Cobalt	0.216		ng/l							
Lead	1.74		ng/l							
Manganese	5.62		ng/l							
Nickel	-17.2		ng/l							U
Selenium	3.58		ng/l							

Initial Cal Check (2604078-ICV1)

Prepared & Analyzed: 04/24/26

Antimony	19900		ng/l	20000		99.5	90-110			
Arsenic	20100		ng/l	20000		100	90-110			
Beryllium	4800		ng/l	5000.0		95.9	90-110			
Cadmium	20400		ng/l	20000		102	90-110			
Chromium	251000		ng/l	240000		105	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2604078 - B6D1601

Initial Cal Check (2604078-ICV1) Continu

Prepared & Analyzed: 04/24/26

Cobalt	50900		ng/l	50000		102	90-110			
Lead	203000		ng/l	200000		101	90-110			
Manganese	502000		ng/l	500000		100	90-110			
Nickel	122000		ng/l	120000		102	90-110			
Selenium	20500		ng/l	20000		102	90-110			

Interference Check A (2604078-IFA1)

Prepared & Analyzed: 04/24/26

Antimony	0.00		ng/l				80-120			U
Arsenic	0.00		ng/l				80-120			U
Beryllium	0.00		ng/l				80-120			U
Cadmium	0.00		ng/l				80-120			U
Chromium	0.00		ng/l				80-120			U
Cobalt	0.00		ng/l				80-120			U
Lead	0.00		ng/l				80-120			U
Manganese	0.00		ng/l				80-120			U
Nickel	0.00		ng/l				80-120			U
Selenium	0.00		ng/l				80-120			U

Interference Check B (2604078-IFB1)

Prepared & Analyzed: 04/24/26

Antimony	21100		ng/l	19996		106	80-120			
Arsenic	21100		ng/l	20000		105	80-120			
Beryllium	4670		ng/l	5001.5		93.3	80-120			
Cadmium	20300		ng/l	20014		102	80-120			
Chromium	242000		ng/l	240050		101	80-120			
Cobalt	51600		ng/l	50020		103	80-120			
Lead	213000		ng/l	200020		107	80-120			
Manganese	534000		ng/l	500200		107	80-120			
Nickel	120000		ng/l	119990		100	80-120			
Selenium	19800		ng/l	20002		98.8	80-120			

Batch 2605005 - B6D2005

Calibration Blank (2605005-CCB1)

Prepared: 05/04/26 Analyzed: 05/07/26

Antimony	1.22		ng/l							
Arsenic	0.250		ng/l							
Beryllium	-0.729		ng/l							U
Cadmium	0.188		ng/l							
Chromium	2.10		ng/l							
Cobalt	0.591		ng/l							
Lead	5.73		ng/l							
Manganese	7.10		ng/l							
Nickel	2.51		ng/l							

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2605005 - B6D2005

Calibration Blank (2605005-CCB1) Contin

Prepared: 05/04/26 Analyzed: 05/07/26

Selenium	5.94	ng/l
----------	------	------

Calibration Blank (2605005-CCB2)

Prepared: 05/04/26 Analyzed: 05/07/26

Antimony	0.565	ng/l
Arsenic	3.87	ng/l
Beryllium	-0.734	ng/l
Cadmium	0.0543	ng/l
Chromium	3.11	ng/l
Cobalt	0.405	ng/l
Lead	2.39	ng/l
Manganese	4.70	ng/l
Nickel	1.43	ng/l
Selenium	4.14	ng/l

U

Calibration Blank (2605005-CCB3)

Prepared: 05/04/26 Analyzed: 05/07/26

Antimony	0.687	ng/l
Arsenic	3.95	ng/l
Barium	2.36	ng/l
Beryllium	-1.42	ng/l
Cadmium	0.0550	ng/l
Calcium	-263	ng/l
Chromium	2.13	ng/l
Cobalt	0.403	ng/l
Copper	26.1	ng/l
Iron	-66.2	ng/l
Lead	1.85	ng/l
Magnesium	46.8	ng/l
Manganese	5.15	ng/l
Molybdenum	3.97	ng/l
Nickel	2.64	ng/l
Rubidium	0.243	ng/l
Selenium	-1.23	ng/l
Sodium	4160	ng/l
Strontium	-0.835	ng/l
Thallium	0.883	ng/l
Thorium	0.139	ng/l
Uranium	0.00486	ng/l
Zinc	-57.2	ng/l

U

U

U

Calibration Blank (2605005-CCB4)

Prepared: 05/04/26 Analyzed: 05/08/26

Antimony	1.03	ng/l
----------	------	------

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2605005 - B6D2005

Calibration Blank (2605005-CCB4) Contin

Prepared: 05/04/26 Analyzed: 05/08/26

Arsenic	3.76		ng/l							
Barium	1.47		ng/l							
Beryllium	-1.34		ng/l							U
Cadmium	0.244		ng/l							
Calcium	445		ng/l							
Chromium	2.77		ng/l							
Cobalt	0.399		ng/l							
Copper	44.9		ng/l							
Iron	-24.7		ng/l							U
Lead	2.87		ng/l							
Magnesium	35.1		ng/l							
Manganese	6.24		ng/l							
Molybdenum	6.31		ng/l							
Nickel	4.04		ng/l							
Rubidium	0.683		ng/l							
Selenium	2.26		ng/l							
Sodium	4290		ng/l							
Strontium	-0.299		ng/l							U
Thallium	0.898		ng/l							
Thorium	0.183		ng/l							
Uranium	0.00566		ng/l							
Zinc	-62.3		ng/l							U

Calibration Check (2605005-CCV1)

Prepared: 05/04/26 Analyzed: 05/07/26

Antimony	20500		ng/l	19996		102	90-110
Arsenic	20200		ng/l	20000		101	90-110
Beryllium	5080		ng/l	5001.5		102	90-110
Cadmium	20500		ng/l	20014		103	90-110
Chromium	246000		ng/l	240050		103	90-110
Cobalt	51900		ng/l	50020		104	90-110
Lead	200000		ng/l	200020		100	90-110
Manganese	497000		ng/l	500200		99.4	90-110
Nickel	125000		ng/l	119990		104	90-110
Selenium	19900		ng/l	20002		99.6	90-110

Calibration Check (2605005-CCV2)

Prepared: 05/04/26 Analyzed: 05/07/26

Antimony	20900		ng/l	19996		105	90-110
Arsenic	20000		ng/l	20000		100	90-110
Beryllium	4790		ng/l	5001.5		95.8	90-110
Cadmium	20700		ng/l	20014		104	90-110

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2605005 - B6D2005

Calibration Check (2605005-CCV2) Contin

Prepared: 05/04/26 Analyzed: 05/07/26

Chromium	249000	ng/l	240050	104	90-110
Cobalt	50700	ng/l	50020	101	90-110
Lead	203000	ng/l	200020	102	90-110
Manganese	507000	ng/l	500200	101	90-110
Nickel	123000	ng/l	119990	102	90-110
Selenium	20100	ng/l	20002	101	90-110

Calibration Check (2605005-CCV3)

Prepared: 05/04/26 Analyzed: 05/07/26

Antimony	20500	ng/l	19996	102	90-110
Arsenic	20100	ng/l	20000	100	90-110
Barium	199000	ng/l	200200	99.5	90-110
Beryllium	5100	ng/l	5001.5	102	90-110
Cadmium	20400	ng/l	20014	102	90-110
Calcium	2.50E7	ng/l	2.5032E7	99.8	90-110
Chromium	249000	ng/l	240050	104	90-110
Cobalt	50600	ng/l	50020	101	90-110
Copper	2.10E6	ng/l	2.0000E6	105	90-110
Iron	2.52E6	ng/l	2.5100E6	100	90-110
Lead	202000	ng/l	200020	101	90-110
Magnesium	1.03E6	ng/l	1.0000E6	103	90-110
Manganese	505000	ng/l	500200	101	90-110
Molybdenum	50000	ng/l	50015	100	90-110
Nickel	123000	ng/l	119990	102	90-110
Rubidium	9880	ng/l	10000	98.8	90-110
Selenium	19800	ng/l	20002	99.1	90-110
Sodium	2.63E6	ng/l	2.5000E6	105	90-110
Strontium	49400	ng/l	50005	98.7	90-110
Thallium	487	ng/l	500.25	97.3	90-110
Thorium	485	ng/l	500.35	97.0	90-110
Uranium	489	ng/l	499.80	97.8	90-110
Zinc	529000	ng/l	502000	105	90-110

Calibration Check (2605005-CCV4)

Prepared: 05/04/26 Analyzed: 05/08/26

Antimony	20600	ng/l	19996	103	90-110
Arsenic	20200	ng/l	20000	101	90-110
Barium	203000	ng/l	200200	101	90-110
Beryllium	5040	ng/l	5001.5	101	90-110
Cadmium	20500	ng/l	20014	102	90-110
Calcium	2.50E7	ng/l	2.5032E7	99.8	90-110
Chromium	249000	ng/l	240050	104	90-110

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2605005 - B6D2005

Calibration Check (2605005-CCV4) Contin

Prepared: 05/04/26 Analyzed: 05/08/26

Cobalt	50600		ng/l	50020		101	90-110			
Copper	2.12E6		ng/l	2.0000E6		106	90-110			
Iron	2.51E6		ng/l	2.5100E6		99.9	90-110			
Lead	203000		ng/l	200020		101	90-110			
Magnesium	1.03E6		ng/l	1.0000E6		103	90-110			
Manganese	507000		ng/l	500200		101	90-110			
Molybdenum	50500		ng/l	50015		101	90-110			
Nickel	123000		ng/l	119990		102	90-110			
Rubidium	10000		ng/l	10000		100	90-110			
Selenium	19600		ng/l	20002		98.2	90-110			
Sodium	2.62E6		ng/l	2.5000E6		105	90-110			
Strontium	49900		ng/l	50005		99.8	90-110			
Thallium	488		ng/l	500.25		97.6	90-110			
Thorium	484		ng/l	500.35		96.7	90-110			
Uranium	490		ng/l	499.80		98.0	90-110			
Zinc	528000		ng/l	502000		105	90-110			

High Cal Check (2605005-HCV1)

Prepared: 05/04/26 Analyzed: 05/07/26

Antimony	40400		ng/l	39992		101	95-105			
Arsenic	40300		ng/l	40000		101	95-105			
Barium	404000		ng/l	400400		101	95-105			
Beryllium	9970		ng/l	10003		99.7	95-105			
Cadmium	40300		ng/l	40028		101	95-105			
Calcium	5.00E7		ng/l	5.0065E7		99.8	95-105			
Chromium	479000		ng/l	480100		99.8	95-105			
Cobalt	100000		ng/l	100040		99.9	95-105			
Copper	4.00E6		ng/l	4.0000E6		100	95-105			
Iron	4.99E6		ng/l	5.0200E6		99.4	95-105			
Lead	402000		ng/l	400040		101	95-105			
Magnesium	1.98E6		ng/l	2.0000E6		98.8	95-105			
Manganese	1.01E6		ng/l	1.0004E6		101	95-105			
Molybdenum	101000		ng/l	100030		101	95-105			
Nickel	239000		ng/l	239980		99.7	95-105			
Rubidium	20100		ng/l	20000		100	95-105			
Selenium	40300		ng/l	40004		101	95-105			
Sodium	4.97E6		ng/l	5.0000E6		99.5	95-105			
Strontium	101000		ng/l	100010		101	95-105			
Thallium	989		ng/l	1000.5		98.9	95-105			
Thorium	1010		ng/l	1000.7		101	95-105			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2605005 - B6D2005

High Cal Check (2605005-HCV1) Continue

Prepared: 05/04/26 Analyzed: 05/07/26

Uranium	1010		ng/l	999.60		101	95-105			
Zinc	1.00E6		ng/l	1.0040E6		99.7	95-105			

Initial Cal Blank (2605005-ICB1)

Prepared: 05/04/26 Analyzed: 05/07/26

Antimony	1.21		ng/l							
Arsenic	-1.10		ng/l							U
Barium	1.73		ng/l							
Beryllium	-0.477		ng/l							U
Cadmium	-0.00598		ng/l							U
Calcium	-689		ng/l							U
Chromium	0.201		ng/l							
Cobalt	0.458		ng/l							
Copper	18.6		ng/l							
Iron	-123		ng/l							U
Lead	6.44		ng/l							
Magnesium	-15.6		ng/l							U
Manganese	4.86		ng/l							
Molybdenum	9.24		ng/l							
Nickel	-2.54		ng/l							U
Rubidium	0.576		ng/l							
Selenium	-0.496		ng/l							U
Sodium	-963		ng/l							U
Strontium	0.0341		ng/l							
Thallium	1.48		ng/l							
Thorium	0.242		ng/l							
Uranium	0.00845		ng/l							
Zinc	-38.1		ng/l							U

Initial Cal Check (2605005-ICV1)

Prepared: 05/04/26 Analyzed: 05/07/26

Antimony	19700		ng/l	20000		98.4	90-110			
Arsenic	19800		ng/l	20000		99.1	90-110			
Barium	197000		ng/l	200000		98.3	90-110			
Beryllium	4920		ng/l	5000.0		98.4	90-110			
Cadmium	20100		ng/l	20000		100	90-110			
Calcium	2.48E7		ng/l	2.5000E7		99.0	90-110			
Chromium	239000		ng/l	240000		99.7	90-110			
Cobalt	50000		ng/l	50000		100	90-110			
Copper	2.02E6		ng/l	2.0000E6		101	90-110			
Iron	2.46E6		ng/l	2.5000E6		98.6	90-110			
Lead	199000		ng/l	200000		99.3	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2605005 - B6D2005

Initial Cal Check (2605005-ICV1) Continu

Prepared: 05/04/26 Analyzed: 05/07/26

Magnesium	993000		ng/l	1.0000E6		99.3	90-110			
Manganese	493000		ng/l	500000		98.5	90-110			
Molybdenum	49200		ng/l	50000		98.5	90-110			
Nickel	120000		ng/l	120000		100	90-110			
Rubidium	9710		ng/l	10000		97.1	90-110			
Selenium	20300		ng/l	20000		101	90-110			
Sodium	2.46E6		ng/l	2.5000E6		98.6	90-110			
Strontium	49800		ng/l	50000		99.6	90-110			
Thallium	487		ng/l	500.00		97.4	90-110			
Thorium	493		ng/l	500.00		98.7	90-110			
Uranium	486		ng/l	500.00		97.3	90-110			
Zinc	513000		ng/l	500000		103	90-110			

Interference Check A (2605005-IFA1)

Prepared: 05/04/26 Analyzed: 05/07/26

Antimony	0.00		ng/l				80-120			U
Arsenic	0.00		ng/l				80-120			U
Barium	0.00		ng/l				80-120			U
Beryllium	0.00		ng/l				80-120			U
Cadmium	0.00		ng/l				80-120			U
Calcium	1.02E8		ng/l	1.0038E8		101	80-120			
Chromium	0.00		ng/l				80-120			U
Cobalt	0.00		ng/l				80-120			U
Copper	0.00		ng/l				80-120			U
Iron	1.61E7		ng/l	1.4895E7		108	80-120			
Lead	0.00		ng/l				80-120			U
Magnesium	1.62E7		ng/l	1.4895E7		109	80-120			
Manganese	0.00		ng/l				80-120			U
Molybdenum	325000		ng/l	295500		110	80-120			
Nickel	0.00		ng/l				80-120			U
Rubidium	0.00		ng/l				80-120			U
Selenium	0.00		ng/l				80-120			U
Sodium	1.69E7		ng/l	1.4805E7		114	80-120			
Strontium	0.00		ng/l				80-120			U
Thallium	0.00		ng/l				80-120			U
Thorium	0.00		ng/l				80-120			U
Uranium	0.00		ng/l				80-120			U
Zinc	0.00		ng/l				80-120			U

Interference Check B (2605005-IFB1)

Prepared: 05/04/26 Analyzed: 05/07/26

Antimony	21100		ng/l	19996		105	80-120			
----------	-------	--	------	-------	--	-----	--------	--	--	--

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2605005 - B6D2005

Interference Check B (2605005-IFB1) Co

Prepared: 05/04/26 Analyzed: 05/07/26

Arsenic	21200		ng/l	20000		106	80-120			
Barium	212000		ng/l	200200		106	80-120			
Beryllium	4810		ng/l	5001.5		96.2	80-120			
Cadmium	20300		ng/l	20014		101	80-120			
Calcium	1.29E8		ng/l	1.2541E8		103	80-120			
Chromium	239000		ng/l	240050		99.5	80-120			
Cobalt	53000		ng/l	50020		106	80-120			
Copper	2.02E6		ng/l	2.0000E6		101	80-120			
Iron	1.91E7		ng/l	1.7405E7		110	80-120			
Lead	214000		ng/l	200020		107	80-120			
Magnesium	1.79E7		ng/l	1.5895E7		112	80-120			
Manganese	548000		ng/l	500200		109	80-120			
Molybdenum	377000		ng/l	345520		109	80-120			
Nickel	123000		ng/l	119990		102	80-120			
Rubidium	10800		ng/l	10000		108	80-120			
Selenium	19600		ng/l	20002		98.0	80-120			
Sodium	2.09E7		ng/l	1.7305E7		121	80-120			
Strontium	51700		ng/l	50005		103	80-120			
Thallium	524		ng/l	500.25		105	80-120			
Thorium	559		ng/l	500.35		112	80-120			
Uranium	552		ng/l	499.80		110	80-120			
Zinc	488000		ng/l	502000		97.3	80-120			

Batch 2605038 - B6D2005

Calibration Blank (2605038-CCB1)

Prepared & Analyzed: 05/13/26

Antimony	0.868		ng/l							
Arsenic	-2.93		ng/l							U
Beryllium	-0.142		ng/l							U
Cadmium	0.131		ng/l							
Chromium	1.63		ng/l							
Cobalt	0.255		ng/l							
Lead	9.26		ng/l							
Manganese	-1.84		ng/l							U
Nickel	2.19		ng/l							
Selenium	-9.43		ng/l							U

Calibration Blank (2605038-CCB2)

Prepared & Analyzed: 05/13/26

Antimony	0.744		ng/l							
Arsenic	-0.884		ng/l							U
Beryllium	-0.439		ng/l							U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2605038 - B6D2005

Calibration Blank (2605038-CCB2) Contin

Prepared & Analyzed: 05/13/26

Cadmium	0.0262		ng/l							
Chromium	1.94		ng/l							
Cobalt	0.104		ng/l							
Lead	4.01		ng/l							
Manganese	-3.14		ng/l							U
Nickel	3.29		ng/l							
Selenium	-3.10		ng/l							U

Calibration Blank (2605038-CCB3)

Prepared: 05/13/26 Analyzed: 05/14/26

Antimony	0.918		ng/l							
Arsenic	-1.61		ng/l							U
Beryllium	-0.492		ng/l							U
Cadmium	0.0563		ng/l							
Chromium	2.98		ng/l							
Cobalt	0.291		ng/l							
Copper	98.5		ng/l							
Lead	3.62		ng/l							
Magnesium	35.0		ng/l							
Manganese	-1.08		ng/l							U
Nickel	4.56		ng/l							
Selenium	-7.26		ng/l							U

Calibration Blank (2605038-CCB4)

Prepared: 05/13/26 Analyzed: 05/14/26

Antimony	0.730		ng/l							
Arsenic	2.94		ng/l							
Beryllium	-0.665		ng/l							U
Cadmium	0.276		ng/l							
Chromium	4.25		ng/l							
Cobalt	0.278		ng/l							
Copper	126		ng/l							
Lead	3.95		ng/l							
Magnesium	57.4		ng/l							
Manganese	-0.769		ng/l							U
Nickel	4.69		ng/l							
Selenium	-14.5		ng/l							U

Calibration Check (2605038-CCV1)

Prepared & Analyzed: 05/13/26

Antimony	20300		ng/l	19996		101	90-110			
Arsenic	19900		ng/l	20000		99.3	90-110			
Beryllium	4800		ng/l	5001.5		96.0	90-110			
Cadmium	20500		ng/l	20014		102	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2605038 - B6D2005

Calibration Check (2605038-CCV1) Contin

Prepared & Analyzed: 05/13/26

Chromium	247000		ng/l	240050		103	90-110			
Cobalt	50800		ng/l	50020		102	90-110			
Lead	200000		ng/l	200020		99.9	90-110			
Manganese	494000		ng/l	500200		98.7	90-110			
Nickel	122000		ng/l	119990		102	90-110			
Selenium	20000		ng/l	20002		100	90-110			

Calibration Check (2605038-CCV2)

Prepared & Analyzed: 05/13/26

Antimony	20200		ng/l	19996		101	90-110			
Arsenic	20100		ng/l	20000		101	90-110			
Beryllium	4820		ng/l	5001.5		96.4	90-110			
Cadmium	20700		ng/l	20014		103	90-110			
Chromium	252000		ng/l	240050		105	90-110			
Cobalt	50800		ng/l	50020		102	90-110			
Lead	201000		ng/l	200020		101	90-110			
Manganese	508000		ng/l	500200		102	90-110			
Nickel	123000		ng/l	119990		102	90-110			
Selenium	20200		ng/l	20002		101	90-110			

Calibration Check (2605038-CCV3)

Prepared & Analyzed: 05/13/26

Antimony	20400		ng/l	19996		102	90-110			
Arsenic	20200		ng/l	20000		101	90-110			
Beryllium	4750		ng/l	5001.5		95.0	90-110			
Cadmium	20900		ng/l	20014		104	90-110			
Chromium	256000		ng/l	240050		107	90-110			
Cobalt	50800		ng/l	50020		102	90-110			
Copper	2.18E6		ng/l	2.0000E6		109	90-110			
Lead	202000		ng/l	200020		101	90-110			
Magnesium	1.06E6		ng/l	1.0000E6		106	90-110			
Manganese	519000		ng/l	500200		104	90-110			
Nickel	122000		ng/l	119990		102	90-110			
Selenium	20100		ng/l	20002		101	90-110			

Calibration Check (2605038-CCV4)

Prepared: 05/13/26 Analyzed: 05/14/26

Antimony	20000		ng/l	19996		100	90-110			
Arsenic	19800		ng/l	20000		99.2	90-110			
Beryllium	4740		ng/l	5001.5		94.9	90-110			
Cadmium	20600		ng/l	20014		103	90-110			
Chromium	258000		ng/l	240050		107	90-110			
Cobalt	49700		ng/l	50020		99.4	90-110			
Copper	2.18E6		ng/l	2.0000E6		109	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2605038 - B6D2005

Calibration Check (2605038-CCV4) Contin

Prepared: 05/13/26 Analyzed: 05/14/26

Lead	199000		ng/l	200020		99.6	90-110			
Magnesium	1.04E6		ng/l	1.0000E6		104	90-110			
Manganese	521000		ng/l	500200		104	90-110			
Nickel	120000		ng/l	119990		99.6	90-110			
Selenium	19800		ng/l	20002		98.7	90-110			

High Cal Check (2605038-HCV1)

Prepared & Analyzed: 05/13/26

Antimony	40100		ng/l	39992		100	95-105			
Arsenic	40100		ng/l	40000		100	95-105			
Beryllium	9880		ng/l	10003		98.8	95-105			
Cadmium	39800		ng/l	40028		99.5	95-105			
Chromium	481000		ng/l	480100		100	95-105			
Cobalt	99300		ng/l	100040		99.2	95-105			
Copper	3.99E6		ng/l	4.0000E6		99.7	95-105			
Lead	399000		ng/l	400040		99.7	95-105			
Magnesium	2.00E6		ng/l	2.0000E6		99.8	95-105			
Manganese	1.01E6		ng/l	1.0004E6		101	95-105			
Nickel	237000		ng/l	239980		98.6	95-105			
Selenium	40300		ng/l	40004		101	95-105			

Initial Cal Blank (2605038-ICB1)

Prepared & Analyzed: 05/13/26

Antimony	0.812		ng/l							
Arsenic	0.0504		ng/l							
Beryllium	-0.0901		ng/l							U
Cadmium	0.231		ng/l							
Chromium	1.29		ng/l							
Cobalt	0.106		ng/l							
Copper	17.8		ng/l							
Lead	9.99		ng/l							
Magnesium	10.9		ng/l							
Manganese	4.76		ng/l							
Nickel	0.0198		ng/l							
Selenium	-2.90		ng/l							U

Initial Cal Check (2605038-ICV1)

Prepared & Analyzed: 05/13/26

Antimony	19500		ng/l	20000		97.6	90-110			
Arsenic	19800		ng/l	20000		98.9	90-110			
Beryllium	4900		ng/l	5000.0		98.0	90-110			
Cadmium	20000		ng/l	20000		99.9	90-110			
Chromium	238000		ng/l	240000		99.0	90-110			
Cobalt	49600		ng/l	50000		99.2	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2605038 - B6D2005

Initial Cal Check (2605038-ICV1) Continu

Prepared & Analyzed: 05/13/26

Copper	2.00E6		ng/l	2.0000E6		100	90-110			
Lead	199000		ng/l	200000		99.6	90-110			
Magnesium	992000		ng/l	1.0000E6		99.2	90-110			
Manganese	492000		ng/l	500000		98.4	90-110			
Nickel	119000		ng/l	120000		99.3	90-110			
Selenium	20300		ng/l	20000		101	90-110			

Interference Check A (2605038-IFA1)

Prepared & Analyzed: 05/13/26

Antimony	0.00		ng/l				80-120			U
Arsenic	0.00		ng/l				80-120			U
Beryllium	0.00		ng/l				80-120			U
Cadmium	0.00		ng/l				80-120			U
Chromium	0.00		ng/l				80-120			U
Cobalt	0.00		ng/l				80-120			U
Copper	0.00		ng/l				80-120			U
Lead	0.00		ng/l				80-120			U
Magnesium	1.61E7		ng/l	1.4895E7		108	80-120			
Manganese	0.00		ng/l				80-120			U
Nickel	0.00		ng/l				80-120			U
Selenium	0.00		ng/l				80-120			U

Interference Check B (2605038-IFB1)

Prepared & Analyzed: 05/13/26

Antimony	21200		ng/l	19996		106	80-120			
Arsenic	21300		ng/l	20000		107	80-120			
Beryllium	4260		ng/l	5001.5		85.1	80-120			
Cadmium	20600		ng/l	20014		103	80-120			
Chromium	246000		ng/l	240050		103	80-120			
Cobalt	54100		ng/l	50020		108	80-120			
Copper	2.06E6		ng/l	2.0000E6		103	80-120			
Lead	214000		ng/l	200020		107	80-120			
Magnesium	1.90E7		ng/l	1.5895E7		120	80-120			
Manganese	556000		ng/l	500200		111	80-120			
Nickel	125000		ng/l	119990		104	80-120			
Selenium	20100		ng/l	20002		100	80-120			

Batch 2606084 - B6D2905

Calibration Blank (2606084-CCB1)

Prepared: 06/23/26 Analyzed: 06/24/26

Antimony	0.371		ng/l							
Arsenic	9.59		ng/l							
Beryllium	-0.829		ng/l							U
Cadmium	0.109		ng/l							

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2606084 - B6D2905

Calibration Blank (2606084-CCB1) Contin

Prepared: 06/23/26 Analyzed: 06/24/26

Chromium	5.19		ng/l							
Cobalt	0.147		ng/l							
Lead	5.55		ng/l							
Manganese	6.55		ng/l							
Nickel	-14.6		ng/l							U
Selenium	2.94		ng/l							

Calibration Blank (2606084-CCB2)

Prepared: 06/23/26 Analyzed: 06/24/26

Antimony	0.291		ng/l							
Arsenic	6.12		ng/l							
Beryllium	-0.765		ng/l							U
Cadmium	0.144		ng/l							
Chromium	4.43		ng/l							
Cobalt	0.227		ng/l							
Lead	4.59		ng/l							
Manganese	9.44		ng/l							
Nickel	-16.1		ng/l							U
Selenium	-1.06		ng/l							U

Calibration Blank (2606084-CCB3)

Prepared: 06/23/26 Analyzed: 06/25/26

Antimony	0.124		ng/l							
Arsenic	5.83		ng/l							
Beryllium	-1.55		ng/l							U
Cadmium	0.169		ng/l							
Chromium	4.71		ng/l							
Cobalt	0.104		ng/l							
Lead	3.74		ng/l							
Manganese	7.79		ng/l							
Nickel	-16.8		ng/l							U
Selenium	1.39		ng/l							

Calibration Blank (2606084-CCB4)

Prepared: 06/23/26 Analyzed: 06/25/26

Antimony	0.598		ng/l							
Arsenic	5.36		ng/l							
Beryllium	-1.45		ng/l							U
Cadmium	0.224		ng/l							
Chromium	5.79		ng/l							
Cobalt	0.434		ng/l							
Lead	3.23		ng/l							
Manganese	11.4		ng/l							
Nickel	-6.66		ng/l							U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2606084 - B6D2905

Calibration Blank (2606084-CCB4) Contin

Prepared: 06/23/26 Analyzed: 06/25/26

Selenium	2.66	ng/l
----------	------	------

Calibration Blank (2606084-CCB5)

Prepared: 06/23/26 Analyzed: 06/25/26

Antimony	0.0782	ng/l
Arsenic	10.8	ng/l
Beryllium	-1.22	ng/l
Cadmium	0.229	ng/l
Chromium	5.03	ng/l
Cobalt	0.198	ng/l
Lead	3.23	ng/l
Manganese	14.7	ng/l
Nickel	-12.9	ng/l
Selenium	1.09	ng/l

U

U

Calibration Check (2606084-CCV1)

Prepared: 06/23/26 Analyzed: 06/24/26

Antimony	19600	ng/l	19996	98.2	90-110
Arsenic	20100	ng/l	20000	100	90-110
Beryllium	5170	ng/l	5001.5	103	90-110
Cadmium	20100	ng/l	20014	100	90-110
Chromium	246000	ng/l	240050	103	90-110
Cobalt	50900	ng/l	50020	102	90-110
Lead	198000	ng/l	200020	98.8	90-110
Manganese	503000	ng/l	500200	100	90-110
Nickel	123000	ng/l	119990	103	90-110
Selenium	19700	ng/l	20002	98.6	90-110

Calibration Check (2606084-CCV2)

Prepared: 06/23/26 Analyzed: 06/24/26

Antimony	19600	ng/l	19996	98.1	90-110
Arsenic	20000	ng/l	20000	99.9	90-110
Beryllium	4970	ng/l	5001.5	99.4	90-110
Cadmium	20200	ng/l	20014	101	90-110
Chromium	249000	ng/l	240050	104	90-110
Cobalt	50400	ng/l	50020	101	90-110
Lead	198000	ng/l	200020	99.1	90-110
Manganese	512000	ng/l	500200	102	90-110
Nickel	124000	ng/l	119990	104	90-110
Selenium	19600	ng/l	20002	97.9	90-110

Calibration Check (2606084-CCV3)

Prepared: 06/23/26 Analyzed: 06/25/26

Antimony	20000	ng/l	19996	100	90-110
Arsenic	20300	ng/l	20000	102	90-110
Beryllium	5040	ng/l	5001.5	101	90-110

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2606084 - B6D2905

Calibration Check (2606084-CCV3) Contin

Prepared: 06/23/26 Analyzed: 06/25/26

Cadmium	20600		ng/l	20014		103	90-110
Chromium	258000		ng/l	240050		108	90-110
Cobalt	51500		ng/l	50020		103	90-110
Lead	201000		ng/l	200020		101	90-110
Manganese	523000		ng/l	500200		104	90-110
Nickel	126000		ng/l	119990		105	90-110
Selenium	19500		ng/l	20002		97.5	90-110

Calibration Check (2606084-CCV4)

Prepared: 06/23/26 Analyzed: 06/25/26

Antimony	20100		ng/l	19996		100	90-110
Arsenic	20400		ng/l	20000		102	90-110
Beryllium	5030		ng/l	5001.5		100	90-110
Cadmium	20700		ng/l	20014		103	90-110
Chromium	256000		ng/l	240050		107	90-110
Cobalt	51300		ng/l	50020		102	90-110
Lead	202000		ng/l	200020		101	90-110
Manganese	522000		ng/l	500200		104	90-110
Nickel	127000		ng/l	119990		106	90-110
Selenium	19800		ng/l	20002		99.1	90-110

Calibration Check (2606084-CCV5)

Prepared: 06/23/26 Analyzed: 06/25/26

Antimony	19800		ng/l	19996		99.2	90-110
Arsenic	20200		ng/l	20000		101	90-110
Beryllium	5080		ng/l	5001.5		102	90-110
Cadmium	20400		ng/l	20014		102	90-110
Chromium	254000		ng/l	240050		106	90-110
Cobalt	50400		ng/l	50020		101	90-110
Lead	199000		ng/l	200020		99.5	90-110
Manganese	516000		ng/l	500200		103	90-110
Nickel	124000		ng/l	119990		104	90-110
Selenium	19800		ng/l	20002		98.9	90-110

High Cal Check (2606084-HCV1)

Prepared: 06/23/26 Analyzed: 06/24/26

Antimony	39800		ng/l	39992		99.5	95-105
Arsenic	40400		ng/l	40000		101	95-105
Beryllium	10100		ng/l	10003		101	95-105
Cadmium	39900		ng/l	40028		99.7	95-105
Chromium	476000		ng/l	480100		99.1	95-105
Cobalt	100000		ng/l	100040		100	95-105
Lead	399000		ng/l	400040		99.7	95-105
Manganese	995000		ng/l	1.0004E6		99.4	95-105

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2606084 - B6D2905

High Cal Check (2606084-HCV1) Continue

Prepared: 06/23/26 Analyzed: 06/24/26

Nickel	240000		ng/l	239980	100	95-105
Selenium	39900		ng/l	40004	99.8	95-105

Initial Cal Blank (2606084-ICB1)

Prepared: 06/23/26 Analyzed: 06/24/26

Antimony	0.167		ng/l				
Arsenic	0.698		ng/l				
Beryllium	-0.757		ng/l				U
Cadmium	0.113		ng/l				
Chromium	3.16		ng/l				
Cobalt	0.141		ng/l				
Lead	5.89		ng/l				
Manganese	7.15		ng/l				
Nickel	-18.8		ng/l				U
Selenium	2.24		ng/l				

Initial Cal Check (2606084-ICV1)

Prepared: 06/23/26 Analyzed: 06/24/26

Antimony	19300		ng/l	20000	96.4	90-110
Arsenic	19600		ng/l	20000	98.2	90-110
Beryllium	4730		ng/l	5000.0	94.6	90-110
Cadmium	19700		ng/l	20000	98.7	90-110
Chromium	237000		ng/l	240000	98.8	90-110
Cobalt	49500		ng/l	50000	98.9	90-110
Lead	196000		ng/l	200000	97.8	90-110
Manganese	505000		ng/l	500000	101	90-110
Nickel	119000		ng/l	120000	99.0	90-110
Selenium	20300		ng/l	20000	102	90-110

Interference Check A (2606084-IFA1)

Prepared: 06/23/26 Analyzed: 06/24/26

Antimony	0.00		ng/l			80-120	U
Arsenic	0.00		ng/l			80-120	U
Beryllium	0.00		ng/l			80-120	U
Cadmium	0.00		ng/l			80-120	U
Chromium	0.00		ng/l			80-120	U
Cobalt	0.00		ng/l			80-120	U
Lead	0.00		ng/l			80-120	U
Manganese	0.00		ng/l			80-120	U
Nickel	0.00		ng/l			80-120	U
Selenium	0.00		ng/l			80-120	U

Interference Check B (2606084-IFB1)

Prepared: 06/23/26 Analyzed: 06/24/26

Antimony	20200		ng/l	19996	101	80-120
Arsenic	20400		ng/l	20000	102	80-120

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2606084 - B6D2905

Interference Check B (2606084-IFB1) Co

Prepared: 06/23/26 Analyzed: 06/24/26

Beryllium	4860		ng/l	5001.5		97.1	80-120			
Cadmium	19700		ng/l	20014		98.4	80-120			
Chromium	238000		ng/l	240050		99.1	80-120			
Cobalt	49900		ng/l	50020		99.8	80-120			
Lead	205000		ng/l	200020		102	80-120			
Manganese	495000		ng/l	500200		98.9	80-120			
Nickel	117000		ng/l	119990		97.7	80-120			
Selenium	18800		ng/l	20002		94.2	80-120			

Batch 2606112 - B6F0901

Calibration Blank (2606112-CCB1)

Prepared & Analyzed: 06/29/26

Antimony	2.07		ng/l							
Arsenic	7.81		ng/l							
Beryllium	-0.576		ng/l							U
Cadmium	0.00416		ng/l							
Chromium	3.15		ng/l							
Cobalt	0.387		ng/l							
Lead	2.05		ng/l							
Manganese	3.59		ng/l							
Nickel	-3.20		ng/l							U
Selenium	2.66		ng/l							

Calibration Blank (2606112-CCB2)

Prepared & Analyzed: 06/29/26

Antimony	1.08		ng/l							
Arsenic	6.86		ng/l							
Beryllium	-0.566		ng/l							U
Cadmium	0.285		ng/l							
Chromium	5.87		ng/l							
Cobalt	0.436		ng/l							
Lead	4.33		ng/l							
Manganese	8.89		ng/l							
Nickel	-4.44		ng/l							U
Selenium	2.55		ng/l							

Calibration Blank (2606112-CCB3)

Prepared & Analyzed: 06/29/26

Antimony	0.945		ng/l							
Arsenic	5.94		ng/l							
Beryllium	-1.49		ng/l							U
Cadmium	0.174		ng/l							
Chromium	6.43		ng/l							
Cobalt	0.653		ng/l							

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2606112 - B6F0901

Calibration Blank (2606112-CCB3) Contin

Prepared & Analyzed: 06/29/26

Lead	4.51		ng/l							
Manganese	12.0		ng/l							
Nickel	-2.78		ng/l							U
Selenium	-8.25		ng/l							U

Calibration Blank (2606112-CCB4)

Prepared: 06/29/26 Analyzed: 06/30/26

Antimony	0.593		ng/l							
Arsenic	8.46		ng/l							
Beryllium	-1.13		ng/l							U
Cadmium	0.207		ng/l							
Chromium	7.43		ng/l							
Cobalt	0.622		ng/l							
Lead	4.70		ng/l							
Manganese	14.5		ng/l							
Nickel	-3.08		ng/l							U
Selenium	3.54		ng/l							

Calibration Check (2606112-CCV1)

Prepared & Analyzed: 06/29/26

Antimony	20500		ng/l	19996		102	90-110			
Arsenic	19900		ng/l	20000		99.5	90-110			
Beryllium	5080		ng/l	5001.5		102	90-110			
Cadmium	20700		ng/l	20014		103	90-110			
Chromium	252000		ng/l	240050		105	90-110			
Cobalt	51100		ng/l	50020		102	90-110			
Lead	202000		ng/l	200020		101	90-110			
Manganese	513000		ng/l	500200		103	90-110			
Nickel	123000		ng/l	119990		102	90-110			
Selenium	19900		ng/l	20002		99.4	90-110			

Calibration Check (2606112-CCV2)

Prepared & Analyzed: 06/29/26

Antimony	20800		ng/l	19996		104	90-110			
Arsenic	19900		ng/l	20000		99.7	90-110			
Beryllium	5190		ng/l	5001.5		104	90-110			
Cadmium	20400		ng/l	20014		102	90-110			
Chromium	241000		ng/l	240050		100	90-110			
Cobalt	48700		ng/l	50020		97.5	90-110			
Lead	201000		ng/l	200020		100	90-110			
Manganese	498000		ng/l	500200		99.5	90-110			
Nickel	117000		ng/l	119990		97.6	90-110			
Selenium	19900		ng/l	20002		99.4	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2606112 - B6F0901

Calibration Check (2606112-CCV3)

Prepared & Analyzed: 06/29/26

Antimony	20900		ng/l	19996		105	90-110			
Arsenic	20000		ng/l	20000		99.9	90-110			
Beryllium	5040		ng/l	5001.5		101	90-110			
Cadmium	20800		ng/l	20014		104	90-110			
Chromium	248000		ng/l	240050		103	90-110			
Cobalt	49500		ng/l	50020		99.0	90-110			
Lead	202000		ng/l	200020		101	90-110			
Manganese	507000		ng/l	500200		101	90-110			
Nickel	121000		ng/l	119990		100	90-110			
Selenium	20000		ng/l	20002		99.9	90-110			

Calibration Check (2606112-CCV4)

Prepared: 06/29/26 Analyzed: 06/30/26

Antimony	20600		ng/l	19996		103	90-110			
Arsenic	20100		ng/l	20000		100	90-110			
Beryllium	5020		ng/l	5001.5		100	90-110			
Cadmium	20500		ng/l	20014		102	90-110			
Chromium	244000		ng/l	240050		102	90-110			
Cobalt	48600		ng/l	50020		97.2	90-110			
Lead	201000		ng/l	200020		101	90-110			
Manganese	500000		ng/l	500200		99.9	90-110			
Nickel	119000		ng/l	119990		99.0	90-110			
Selenium	19600		ng/l	20002		97.8	90-110			

High Cal Check (2606112-HCV1)

Prepared & Analyzed: 06/29/26

Antimony	40100		ng/l	39992		100	95-105			
Arsenic	40300		ng/l	40000		101	95-105			
Beryllium	9860		ng/l	10003		98.6	95-105			
Cadmium	40000		ng/l	40028		100	95-105			
Chromium	483000		ng/l	480100		101	95-105			
Cobalt	99300		ng/l	100040		99.3	95-105			
Lead	404000		ng/l	400040		101	95-105			
Manganese	1.01E6		ng/l	1.0004E6		101	95-105			
Nickel	239000		ng/l	239980		99.7	95-105			
Selenium	40100		ng/l	40004		100	95-105			

Initial Cal Blank (2606112-ICB1)

Prepared & Analyzed: 06/29/26

Antimony	2.34		ng/l							
Arsenic	-2.22		ng/l							U
Beryllium	-0.515		ng/l							U
Cadmium	0.120		ng/l							
Chromium	5.40		ng/l							

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2606112 - B6F0901

Initial Cal Blank (2606112-ICB1) Continuu

Prepared & Analyzed: 06/29/26

Cobalt	0.299		ng/l							
Lead	3.21		ng/l							
Manganese	4.38		ng/l							
Nickel	-9.22		ng/l							U
Selenium	-5.59		ng/l							U

Initial Cal Check (2606112-ICV1)

Prepared & Analyzed: 06/29/26

Antimony	19500		ng/l	20000		97.6	90-110			
Arsenic	19800		ng/l	20000		99.1	90-110			
Beryllium	4820		ng/l	5000.0		96.5	90-110			
Cadmium	19900		ng/l	20000		99.7	90-110			
Chromium	240000		ng/l	240000		100	90-110			
Cobalt	50100		ng/l	50000		100	90-110			
Lead	199000		ng/l	200000		99.7	90-110			
Manganese	511000		ng/l	500000		102	90-110			
Nickel	120000		ng/l	120000		100	90-110			
Selenium	20600		ng/l	20000		103	90-110			

Interference Check A (2606112-IFA1)

Prepared & Analyzed: 06/29/26

Antimony	0.00		ng/l				80-120			U
Arsenic	0.00		ng/l				80-120			U
Beryllium	0.00		ng/l				80-120			U
Cadmium	0.00		ng/l				80-120			U
Chromium	0.00		ng/l				80-120			U
Cobalt	0.00		ng/l				80-120			U
Lead	0.00		ng/l				80-120			U
Manganese	0.00		ng/l				80-120			U
Nickel	0.00		ng/l				80-120			U
Selenium	0.00		ng/l				80-120			U

Interference Check B (2606112-IFB1)

Prepared & Analyzed: 06/29/26

Antimony	20900		ng/l	19996		105	80-120			
Arsenic	20700		ng/l	20000		103	80-120			
Beryllium	5000		ng/l	5001.5		100	80-120			
Cadmium	20400		ng/l	20014		102	80-120			
Chromium	242000		ng/l	240050		101	80-120			
Cobalt	50600		ng/l	50020		101	80-120			
Lead	211000		ng/l	200020		105	80-120			
Manganese	509000		ng/l	500200		102	80-120			
Nickel	119000		ng/l	119990		99.4	80-120			
Selenium	19200		ng/l	20002		96.1	80-120			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2606118 - B6F2501

Calibration Blank (2606118-CCB1)

Prepared & Analyzed: 06/30/26

Antimony	2.30		ng/l							
Arsenic	7.46		ng/l							
Beryllium	-0.268		ng/l							U
Cadmium	-0.0188		ng/l							U
Chromium	3.74		ng/l							
Cobalt	0.305		ng/l							
Lead	2.64		ng/l							
Manganese	8.37		ng/l							
Nickel	-0.401		ng/l							U
Selenium	-0.193		ng/l							LJ, QX, U

Calibration Blank (2606118-CCB2)

Prepared & Analyzed: 06/30/26

Antimony	0.733		ng/l							
Arsenic	5.12		ng/l							
Beryllium	-0.344		ng/l							U
Cadmium	0.0214		ng/l							
Chromium	5.09		ng/l							
Cobalt	0.0595		ng/l							
Lead	2.75		ng/l							
Manganese	10.2		ng/l							
Nickel	2.54		ng/l							
Selenium	4.11		ng/l							LJ, QX

Calibration Blank (2606118-CCB3)

Prepared & Analyzed: 06/30/26

Antimony	1.20		ng/l							
Arsenic	5.91		ng/l							
Beryllium	-0.827		ng/l							U
Cadmium	-0.0671		ng/l							U
Chromium	4.24		ng/l							
Cobalt	0.00955		ng/l							
Lead	2.43		ng/l							
Manganese	7.30		ng/l							
Nickel	-1.71		ng/l							U
Selenium	-0.400		ng/l							LJ, QX, U

Calibration Blank (2606118-CCB4)

Prepared: 06/30/26 Analyzed: 07/01/26

Antimony	0.748		ng/l							
Arsenic	8.76		ng/l							
Beryllium	-1.22		ng/l							U
Cadmium	0.110		ng/l							
Chromium	5.53		ng/l							

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2606118 - B6F2501

Calibration Blank (2606118-CCB4) Contin

Prepared: 06/30/26 Analyzed: 07/01/26

Cobalt	0.290		ng/l							
Lead	3.23		ng/l							
Manganese	9.07		ng/l							
Nickel	1.21		ng/l							
Selenium	4.58		ng/l							LJ, QX

Calibration Check (2606118-CCV1)

Prepared & Analyzed: 06/30/26

Antimony	20000		ng/l	19996		100	90-110			
Arsenic	20100		ng/l	20000		100	90-110			
Beryllium	5030		ng/l	5001.5		101	90-110			
Cadmium	20100		ng/l	20014		100	90-110			
Chromium	247000		ng/l	240050		103	90-110			
Cobalt	50800		ng/l	50020		102	90-110			
Lead	200000		ng/l	200020		99.9	90-110			
Manganese	506000		ng/l	500200		101	90-110			
Nickel	122000		ng/l	119990		102	90-110			
Selenium	20000		ng/l	20002		100	90-110			LJ, QX

Calibration Check (2606118-CCV2)

Prepared & Analyzed: 06/30/26

Antimony	20000		ng/l	19996		100	90-110			
Arsenic	20000		ng/l	20000		100	90-110			
Beryllium	5010		ng/l	5001.5		100	90-110			
Cadmium	20200		ng/l	20014		101	90-110			
Chromium	249000		ng/l	240050		104	90-110			
Cobalt	50200		ng/l	50020		100	90-110			
Lead	200000		ng/l	200020		100	90-110			
Manganese	514000		ng/l	500200		103	90-110			
Nickel	122000		ng/l	119990		102	90-110			
Selenium	19800		ng/l	20002		99.2	90-110			LJ, QX

Calibration Check (2606118-CCV3)

Prepared & Analyzed: 06/30/26

Antimony	20200		ng/l	19996		101	90-110			
Arsenic	20200		ng/l	20000		101	90-110			
Beryllium	4910		ng/l	5001.5		98.2	90-110			
Cadmium	20400		ng/l	20014		102	90-110			
Chromium	250000		ng/l	240050		104	90-110			
Cobalt	50400		ng/l	50020		101	90-110			
Lead	201000		ng/l	200020		101	90-110			
Manganese	522000		ng/l	500200		104	90-110			
Nickel	123000		ng/l	119990		103	90-110			
Selenium	20100		ng/l	20002		100	90-110			LJ, QX

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2606118 - B6F2501

Calibration Check (2606118-CCV4)

Prepared: 06/30/26 Analyzed: 07/01/26

Antimony	20100		ng/l	19996		101	90-110			
Arsenic	20000		ng/l	20000		100	90-110			
Beryllium	4850		ng/l	5001.5		96.9	90-110			
Cadmium	20400		ng/l	20014		102	90-110			
Chromium	249000		ng/l	240050		104	90-110			
Cobalt	49600		ng/l	50020		99.1	90-110			
Lead	202000		ng/l	200020		101	90-110			
Manganese	513000		ng/l	500200		103	90-110			
Nickel	121000		ng/l	119990		101	90-110			
Selenium	20100		ng/l	20002		100	90-110			LJ, QX

High Cal Check (2606118-HCV1)

Prepared & Analyzed: 06/30/26

Antimony	38900		ng/l	39992		97.3	95-105			
Arsenic	39300		ng/l	40000		98.1	95-105			
Beryllium	9860		ng/l	10003		98.6	95-105			
Cadmium	38500		ng/l	40028		96.1	95-105			
Chromium	464000		ng/l	480100		96.7	95-105			
Cobalt	97600		ng/l	100040		97.6	95-105			
Lead	391000		ng/l	400040		97.7	95-105			
Manganese	968000		ng/l	1.0004E6		96.8	95-105			
Nickel	233000		ng/l	239980		97.0	95-105			
Selenium	38800		ng/l	40004		96.9	95-105			LJ, QX

Initial Cal Blank (2606118-ICB1)

Prepared & Analyzed: 06/30/26

Antimony	4.62		ng/l							
Arsenic	4.88		ng/l							
Beryllium	-0.0422		ng/l							U
Cadmium	0.0842		ng/l							
Chromium	8.89		ng/l							
Cobalt	0.489		ng/l							
Lead	8.93		ng/l							
Manganese	13.5		ng/l							
Nickel	-1.41		ng/l							U
Selenium	-12.7		ng/l							LJ, QX, U

Initial Cal Check (2606118-ICV1)

Prepared & Analyzed: 06/30/26

Antimony	19700		ng/l	20000		98.5	90-110			
Arsenic	19700		ng/l	20000		98.4	90-110			
Beryllium	4600		ng/l	5000.0		92.1	90-110			
Cadmium	19900		ng/l	20000		99.4	90-110			
Chromium	241000		ng/l	240000		100	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2606118 - B6F2501

Initial Cal Check (2606118-ICV1) Contin

Prepared & Analyzed: 06/30/26

Cobalt	50200		ng/l	50000		100	90-110			
Lead	198000		ng/l	200000		99.2	90-110			
Manganese	512000		ng/l	500000		102	90-110			
Nickel	121000		ng/l	120000		100	90-110			
Selenium	20100		ng/l	20000		101	90-110			LJ, QX

Interference Check A (2606118-IFA1)

Prepared & Analyzed: 06/30/26

Antimony	0.00		ng/l				80-120			U
Arsenic	0.00		ng/l				80-120			U
Beryllium	0.00		ng/l				80-120			U
Cadmium	0.00		ng/l				80-120			U
Chromium	0.00		ng/l				80-120			U
Cobalt	0.00		ng/l				80-120			U
Lead	0.00		ng/l				80-120			U
Manganese	0.00		ng/l				80-120			U
Nickel	0.00		ng/l				80-120			U
Selenium	0.00		ng/l				80-120			LJ, QX, U

Interference Check B (2606118-IFB1)

Prepared & Analyzed: 06/30/26

Antimony	20700		ng/l	19996		103	80-120			
Arsenic	20800		ng/l	20000		104	80-120			
Beryllium	4930		ng/l	5001.5		98.5	80-120			
Cadmium	20000		ng/l	20014		99.7	80-120			
Chromium	241000		ng/l	240050		101	80-120			
Cobalt	50800		ng/l	50020		102	80-120			
Lead	209000		ng/l	200020		104	80-120			
Manganese	508000		ng/l	500200		101	80-120			
Nickel	119000		ng/l	119990		99.3	80-120			
Selenium	19500		ng/l	20002		97.5	80-120			LJ, QX

Batch B6D1601 - ICP-MS Extraction

Blank (B6D1601-BLK1)

Prepared: 04/16/26 Analyzed: 04/24/26

Antimony	0.00211	0.0331	ng/m ³ Air							SL, U
Arsenic	1.53E-4	0.00847	ng/m ³ Air							U
Beryllium	-1.51E-4	0.00176	ng/m ³ Air							U
Cadmium	1.02E-4	0.00490	ng/m ³ Air							U
Chromium	0.0175	2.32	ng/m ³ Air							U
Cobalt	2.78E-4	0.465	ng/m ³ Air							U
Lead	0.00263	0.123	ng/m ³ Air							U
Manganese	0.00913	0.735	ng/m ³ Air							U
Nickel	-0.00135	0.733	ng/m ³ Air							U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B6D1601 - ICP-MS Extraction

Blank (B6D1601-BLK1) Continued

Prepared: 04/16/26 Analyzed: 04/24/26

Selenium	0.00293	0.0102	ng/m ³ Air							U
----------	---------	--------	-----------------------	--	--	--	--	--	--	---

LCS (B6D1601-BS1)

Prepared: 04/16/26 Analyzed: 04/24/26

Antimony	0.981	0.0331	ng/m ³ Air	1.3826		70.9	80-120			SL
Arsenic	2.73	0.00847	ng/m ³ Air	2.7658		98.8	80-120			
Beryllium	1.29	0.00176	ng/m ³ Air	1.3833		93.3	80-120			
Cadmium	1.39	0.00490	ng/m ³ Air	1.3839		101	80-120			
Chromium	15.3	2.32	ng/m ³ Air	13.832		111	80-120			
Cobalt	1.39	0.465	ng/m ³ Air	1.3835		100	80-120			
Lead	13.9	0.123	ng/m ³ Air	13.831		100	80-120			
Manganese	9.25	0.735	ng/m ³ Air	8.3008		111	80-120			
Nickel	3.02	0.733	ng/m ³ Air	2.7656		109	80-120			
Selenium	2.78	0.0102	ng/m ³ Air	2.7661		101	80-120			

LCS (B6D1601-BS2)

Prepared: 04/16/26 Analyzed: 04/24/26

Antimony	1.38	0.0331	ng/m ³ Air	1.3826		99.6	80-120			SL
Arsenic	2.74	0.00847	ng/m ³ Air	2.7658		99.0	80-120			
Beryllium	1.28	0.00176	ng/m ³ Air	1.3833		92.8	80-120			
Cadmium	1.40	0.00490	ng/m ³ Air	1.3839		101	80-120			
Chromium	14.7	2.32	ng/m ³ Air	13.832		107	80-120			
Cobalt	1.39	0.465	ng/m ³ Air	1.3835		101	80-120			
Lead	14.0	0.123	ng/m ³ Air	13.831		101	80-120			
Manganese	8.80	0.735	ng/m ³ Air	8.3008		106	80-120			
Nickel	2.86	0.733	ng/m ³ Air	2.7656		103	80-120			
Selenium	2.73	0.0102	ng/m ³ Air	2.7661		98.8	80-120			

Matrix Spike (B6D1601-MS1)

Source: 6040206-02

Prepared: 04/16/26 Analyzed: 04/24/26

Antimony	0.960	0.0241	ng/m ³ Air	1.0067	0.482	47.5	80-120			SL
Arsenic	2.39	0.00617	ng/m ³ Air	2.0139	0.397	98.8	80-120			
Beryllium	0.973	0.00128	ng/m ³ Air	1.0073	0.0105	95.6	80-120			
Cadmium	1.10	0.00357	ng/m ³ Air	1.0077	0.0934	99.8	80-120			
Chromium	12.6	1.69	ng/m ³ Air	10.072	2.08	105	80-120			
Cobalt	3.05	0.339	ng/m ³ Air	1.0074	2.06	98.2	80-120			
Lead	13.3	0.0896	ng/m ³ Air	10.071	2.87	104	80-120			
Manganese	16.6	0.535	ng/m ³ Air	6.0441	10.3	106	80-120			
Nickel	2.82	0.534	ng/m ³ Air	2.0137	0.812	100	80-120			
Selenium	2.42	0.00743	ng/m ³ Air	2.0141	0.452	97.9	80-120			

Matrix Spike Dup (B6D1601-MSD1)

Source: 6040206-02

Prepared: 04/16/26 Analyzed: 04/24/26

Antimony	0.941	0.0241	ng/m ³ Air	1.0067	0.482	45.6	80-120	1.96	20	SL
Arsenic	2.42	0.00617	ng/m ³ Air	2.0139	0.397	100	80-120	1.20	20	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B6D1601 - ICP-MS Extraction

Matrix Spike Dup (B6D1601-MSD1) ContiSource: 6040206-02 Prepared: 04/16/26 Analyzed: 04/24/26

Beryllium	0.965	0.00128	ng/m ³ Air	1.0073	0.0105	94.8	80-120	0.834	20	
Cadmium	1.12	0.00357	ng/m ³ Air	1.0077	0.0934	102	80-120	1.84	20	
Chromium	12.9	1.69	ng/m ³ Air	10.072	2.08	107	80-120	2.09	20	
Cobalt	3.07	0.339	ng/m ³ Air	1.0074	2.06	99.5	80-120	0.420	20	
Lead	13.3	0.0896	ng/m ³ Air	10.071	2.87	103	80-120	0.275	20	
Manganese	16.7	0.535	ng/m ³ Air	6.0441	10.3	106	80-120	0.178	20	
Nickel	2.98	0.534	ng/m ³ Air	2.0137	0.812	107	80-120	5.21	20	
Selenium	2.44	0.00743	ng/m ³ Air	2.0141	0.452	98.9	80-120	0.777	20	

Post Spike (B6D1601-PS1) Source: 6040206-02 Prepared: 04/16/26 Analyzed: 04/24/26

Antimony	0.672	0.0241	ng/m ³ Air	0.20139	0.482	94.4	75-125			SL
Arsenic	1.37	0.00617	ng/m ³ Air	1.0070	0.397	96.5	75-125			
Beryllium	0.210	0.00128	ng/m ³ Air	0.20139	0.0105	99.1	75-125			
Cadmium	0.191	0.00357	ng/m ³ Air	0.10070	0.0934	96.4	75-125			
Chromium	3.06	1.69	ng/m ³ Air	1.0070	2.08	97.4	75-125			
Cobalt	2.23	0.339	ng/m ³ Air	0.20139	2.06	80.9	75-125			
Lead	22.8	0.0896	ng/m ³ Air	20.139	2.87	99.0	75-125			
Manganese	12.2	0.535	ng/m ³ Air	2.0139	10.3	95.3	75-125			
Nickel	2.77	0.534	ng/m ³ Air	2.0139	0.812	97.3	75-125			
Selenium	1.40	0.00743	ng/m ³ Air	1.0070	0.452	94.5	75-125			

Dilution Check (B6D1601-SRL1) Source: 6040206-02 Prepared: 04/16/26 Analyzed: 04/24/26

Antimony	0.486	0.121	ng/m ³ Air		0.482			0.725	10	SL
Arsenic	0.396	0.0308	ng/m ³ Air		0.397			0.230	10	
Beryllium	0.0112	0.00641	ng/m ³ Air		0.0105			7.01	10	
Cadmium	0.0938	0.0178	ng/m ³ Air		0.0934			0.393	10	
Chromium	2.12	8.45	ng/m ³ Air		ND				10	U
Cobalt	2.09	1.69	ng/m ³ Air		2.06			1.13	10	
Lead	2.88	0.448	ng/m ³ Air		2.87			0.408	10	
Manganese	10.3	2.68	ng/m ³ Air		10.3			0.815	10	
Nickel	0.805	2.67	ng/m ³ Air		ND				10	U
Selenium	0.427	0.0371	ng/m ³ Air		0.452			5.58	10	

Batch B6D2005 - ICP-MS Extraction

Blank (B6D2005-BLK1) Prepared: 04/20/26 Analyzed: 05/07/26

Antimony	8.07E-4	0.0331	ng/m ³ Air							QB-01, SL, U
Arsenic	8.93E-4	0.00847	ng/m ³ Air							U
Barium	0.00795	1.57	ng/m ³ Air							U
Beryllium	-1.32E-4	0.00176	ng/m ³ Air							U
Cadmium	1.00E-4	0.00490	ng/m ³ Air							U
Calcium	11.4	609	ng/m ³ Air							U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B6D2005 - ICP-MS Extraction

Blank (B6D2005-BLK1) Continued

Prepared: 04/20/26 Analyzed: 05/07/26

Chromium	0.0243	2.32	ng/m ³ Air							U
Cobalt	0.00136	0.465	ng/m ³ Air							U
Copper	0.0377	0.716	ng/m ³ Air							U
Iron	4.09	24.6	ng/m ³ Air							U
Lead	0.00183	0.123	ng/m ³ Air							U
Magnesium	0.460	70.8	ng/m ³ Air							U
Manganese	0.0553	0.735	ng/m ³ Air							U
Molybdenum	0.0190	0.383	ng/m ³ Air							U
Nickel	0.0106	0.733	ng/m ³ Air							U
Rubidium	7.43E-4	0.0213	ng/m ³ Air							U
Selenium	0.00247	0.0102	ng/m ³ Air							U
Sodium	1.56	1450	ng/m ³ Air							U
Strontium	0.0132	1.21	ng/m ³ Air							U
Thallium	2.17E-4	7.95E-4	ng/m ³ Air							U
Thorium	3.53E-5	0.00380	ng/m ³ Air							U
Uranium	2.56E-5	0.00260	ng/m ³ Air							U
Zinc	0.0415	102	ng/m ³ Air							U

LCS (B6D2005-BS1)

Prepared: 04/20/26 Analyzed: 05/07/26

Antimony	0.954	0.0331	ng/m ³ Air	1.3826	69.0	80-120				QB-01, SL
Arsenic	2.68	0.00847	ng/m ³ Air	2.7658	97.1	80-120				
Barium	27.7	1.57	ng/m ³ Air	27.686	100	80-120				
Beryllium	1.36	0.00176	ng/m ³ Air	1.3833	98.2	80-120				
Cadmium	1.39	0.00490	ng/m ³ Air	1.3839	101	80-120				
Calcium	221	609	ng/m ³ Air	69.234		80-120				GC-BS, U
Chromium	15.1	2.32	ng/m ³ Air	13.832	110	80-120				
Cobalt	1.38	0.465	ng/m ³ Air	1.3835	99.6	80-120				
Copper	29.5	0.716	ng/m ³ Air	27.658	107	80-120				
Iron	48.0	24.6	ng/m ³ Air	27.769	173	80-120				GC-BS
Lead	13.7	0.123	ng/m ³ Air	13.831	99.3	80-120				
Magnesium	53.7	70.8	ng/m ³ Air	27.658		80-120				GC-BS, U
Manganese	8.49	0.735	ng/m ³ Air	8.3008	102	80-120				
Molybdenum	1.45	0.383	ng/m ³ Air	1.3833	105	80-120				
Nickel	3.07	0.733	ng/m ³ Air	2.7656	111	80-120				
Rubidium	1.35	0.0213	ng/m ³ Air	1.3829	97.7	80-120				
Selenium	2.72	0.0102	ng/m ³ Air	2.7661	98.3	80-120				
Sodium	687	1450	ng/m ³ Air	55.317		80-120				GC-BS, U
Strontium	1.62	1.21	ng/m ³ Air	1.3831	117	80-120				
Thallium	0.133	7.95E-4	ng/m ³ Air	0.13836	96.3	80-120				

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B6D2005 - ICP-MS Extraction

LCS (B6D2005-BS1) Continued

Prepared: 04/20/26 Analyzed: 05/07/26

Thorium	0.126	0.00380	ng/m ³ Air	0.13839		91.2	80-120			
Uranium	0.127	0.00260	ng/m ³ Air	0.13824		92.2	80-120			
Zinc	114	102	ng/m ³ Air	83.307		137	80-120			GC-BS

LCS (B6D2005-BS2)

Prepared: 04/20/26 Analyzed: 05/07/26

Antimony	1.41	0.0331	ng/m ³ Air	1.3826		102	80-120			QB-01, SL
Arsenic	2.75	0.00847	ng/m ³ Air	2.7658		99.5	80-120			
Barium	27.7	1.57	ng/m ³ Air	27.686		100	80-120			
Beryllium	1.38	0.00176	ng/m ³ Air	1.3833		99.6	80-120			
Cadmium	1.43	0.00490	ng/m ³ Air	1.3839		104	80-120			
Calcium	89.5	609	ng/m ³ Air	69.234			80-120			LJ, U
Chromium	14.7	2.32	ng/m ³ Air	13.832		106	80-120			
Cobalt	1.39	0.465	ng/m ³ Air	1.3835		101	80-120			
Copper	29.1	0.716	ng/m ³ Air	27.658		105	80-120			
Iron	30.7	24.6	ng/m ³ Air	27.769		110	80-120			
Lead	13.9	0.123	ng/m ³ Air	13.831		101	80-120			
Magnesium	28.7	70.8	ng/m ³ Air	27.658			80-120			U
Manganese	8.45	0.735	ng/m ³ Air	8.3008		102	80-120			
Molybdenum	1.39	0.383	ng/m ³ Air	1.3833		101	80-120			
Nickel	2.91	0.733	ng/m ³ Air	2.7656		105	80-120			
Rubidium	1.36	0.0213	ng/m ³ Air	1.3829		98.5	80-120			
Selenium	2.76	0.0102	ng/m ³ Air	2.7661		99.6	80-120			
Sodium	59.0	1450	ng/m ³ Air	55.317			80-120			U
Strontium	1.39	1.21	ng/m ³ Air	1.3831		100	80-120			
Thallium	0.134	7.95E-4	ng/m ³ Air	0.13836		97.1	80-120			
Thorium	0.129	0.00380	ng/m ³ Air	0.13839		93.1	80-120			
Uranium	0.131	0.00260	ng/m ³ Air	0.13824		94.8	80-120			
Zinc	89.5	102	ng/m ³ Air	83.307			80-120			U

Matrix Spike (B6D2005-MS1)

Source: 6040206-17

Prepared: 04/20/26 Analyzed: 05/07/26

Antimony	0.698	0.0217	ng/m ³ Air	0.90822	0.249	49.5	80-120			QB-01, SL
Arsenic	2.10	0.00556	ng/m ³ Air	1.8168	0.294	99.2	80-120			
Barium	22.7	1.03	ng/m ³ Air	18.186	4.98	97.3	80-120			
Beryllium	0.900	0.00116	ng/m ³ Air	0.90867	0.00415	98.6	80-120			
Cadmium	1.42	0.00322	ng/m ³ Air	0.90903	0.379	114	80-120			
Calcium	889	400	ng/m ³ Air	45.478	851	85.1	80-120			
Chromium	10.8	1.52	ng/m ³ Air	9.0858	ND	119	80-120			
Cobalt	1.07	0.305	ng/m ³ Air	0.90876	0.104	107	80-120			
Copper	202	0.470	ng/m ³ Air	18.168	180	121	80-120			QM-07
Iron	106	16.2	ng/m ³ Air	18.241	116	NR	80-120			QM-07

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B6D2005 - ICP-MS Extraction

Matrix Spike (B6D2005-MS1) Continued Source: 6040206-17 Prepared: 04/20/26 Analyzed: 05/07/26

Lead	12.1	0.0808	ng/m ³ Air	9.0849	2.59	105	80-120			
Magnesium	141	46.5	ng/m ³ Air	18.168	120	119	80-120			
Manganese	9.42	0.483	ng/m ³ Air	5.4526	4.03	98.9	80-120			
Molybdenum	6.83	0.252	ng/m ³ Air	0.90867	5.94	98.1	80-120			
Nickel	2.43	0.481	ng/m ³ Air	1.8166	0.527	105	80-120			
Rubidium	1.03	0.0140	ng/m ³ Air	0.90840	0.148	97.2	80-120			
Selenium	1.98	0.00670	ng/m ³ Air	1.8170	0.177	99.5	80-120			
Sodium	1480	952	ng/m ³ Air	36.336	1390	248	80-120			QM-07
Strontium	3.50	0.795	ng/m ³ Air	0.90849	2.59	99.7	80-120			
Thallium	0.0913	5.22E-4	ng/m ³ Air	9.0885E-2	0.00472	95.2	80-120			
Thorium	0.0688	0.00250	ng/m ³ Air	9.0903E-2	0.0143	60.0	80-120			QM-07
Uranium	0.0956	0.00171	ng/m ³ Air	9.0803E-2	0.00815	96.3	80-120			
Zinc	94.7	67.0	ng/m ³ Air	54.722	ND	173	80-120			

Matrix Spike Dup (B6D2005-MSD1) Source: 6040206-17 Prepared: 04/20/26 Analyzed: 05/07/26

Antimony	0.665	0.0217	ng/m ³ Air	0.90822	0.249	45.9	80-120	4.79	20	QB-01, SL
Arsenic	2.07	0.00556	ng/m ³ Air	1.8168	0.294	97.6	80-120	1.33	20	
Barium	22.3	1.03	ng/m ³ Air	18.186	4.98	95.2	80-120	1.69	20	
Beryllium	0.926	0.00116	ng/m ³ Air	0.90867	0.00415	101	80-120	2.84	20	
Cadmium	1.31	0.00322	ng/m ³ Air	0.90903	0.379	102	80-120	7.91	20	
Calcium	902	400	ng/m ³ Air	45.478	851	113	80-120	1.43	20	
Chromium	10.7	1.52	ng/m ³ Air	9.0858	ND	117	80-120	1.73	20	
Cobalt	0.989	0.305	ng/m ³ Air	0.90876	0.104	97.4	80-120	8.05	20	
Copper	202	0.470	ng/m ³ Air	18.168	180	119	80-120	0.233	20	
Iron	105	16.2	ng/m ³ Air	18.241	116	NR	80-120	0.664	20	QM-07
Lead	11.8	0.0808	ng/m ³ Air	9.0849	2.59	101	80-120	2.64	20	
Magnesium	142	46.5	ng/m ³ Air	18.168	120	122	80-120	0.394	20	QM-07
Manganese	9.41	0.483	ng/m ³ Air	5.4526	4.03	98.7	80-120	0.119	20	
Molybdenum	6.89	0.252	ng/m ³ Air	0.90867	5.94	105	80-120	0.878	20	
Nickel	2.38	0.481	ng/m ³ Air	1.8166	0.527	102	80-120	1.84	20	
Rubidium	1.01	0.0140	ng/m ³ Air	0.90840	0.148	95.3	80-120	1.64	20	
Selenium	1.94	0.00670	ng/m ³ Air	1.8170	0.177	96.7	80-120	2.54	20	
Sodium	1480	952	ng/m ³ Air	36.336	1390	230	80-120	0.437	20	QM-07
Strontium	3.44	0.795	ng/m ³ Air	0.90849	2.59	93.5	80-120	1.63	20	
Thallium	0.0887	5.22E-4	ng/m ³ Air	9.0885E-2	0.00472	92.4	80-120	2.83	20	
Thorium	0.0645	0.00250	ng/m ³ Air	9.0903E-2	0.0143	55.2	80-120	6.50	20	QM-07
Uranium	0.0931	0.00171	ng/m ³ Air	9.0803E-2	0.00815	93.5	80-120	2.71	20	
Zinc	91.5	67.0	ng/m ³ Air	54.722	ND	167	80-120	3.47	20	

Post Spike (B6D2005-PS1) Source: 6040206-17 Prepared: 04/20/26 Analyzed: 05/07/26

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B6D2005 - ICP-MS Extraction

Post Spike (B6D2005-PS1) Continued Source: 6040206-17 Prepared: 04/20/26 Analyzed: 05/07/26

Antimony	0.425	0.0217	ng/m ³ Air	0.18168	0.249	97.0	75-125			QB-01, SL
Arsenic	1.18	0.00556	ng/m ³ Air	0.90840	0.294	97.8	75-125			
Barium	6.65	1.03	ng/m ³ Air	1.8168	4.98	91.5	75-125			
Beryllium	0.191	0.00116	ng/m ³ Air	0.18168	0.00415	103	75-125			
Cadmium	0.466	0.00322	ng/m ³ Air	9.0840E-2	0.379	95.7	75-125			
Calcium	839	400	ng/m ³ Air		851		75-125			
Chromium	2.17	1.52	ng/m ³ Air	0.90840	ND	239	75-125			
Cobalt	0.286	0.305	ng/m ³ Air	0.18168	0.104	99.8	75-125			
Copper	188	0.470	ng/m ³ Air	9.0840	180	89.0	75-125			
Iron	132	16.2	ng/m ³ Air	18.168	116	86.1	75-125			
Lead	20.8	0.0808	ng/m ³ Air	18.168	2.59	100	75-125			
Magnesium	138	46.5	ng/m ³ Air	18.168	120	101	75-125			
Manganese	5.75	0.483	ng/m ³ Air	1.8168	4.03	94.6	75-125			
Molybdenum	6.67	0.252	ng/m ³ Air	0.90840	5.94	81.3	75-125			
Nickel	2.36	0.481	ng/m ³ Air	1.8168	0.527	101	75-125			
Rubidium	0.233	0.0140	ng/m ³ Air	9.0840E-2	0.148	94.1	75-125			
Selenium	1.05	0.00670	ng/m ³ Air	0.90840	0.177	96.0	75-125			
Sodium	1420	952	ng/m ³ Air	18.168	1390	138	75-125			
Strontium	3.42	0.795	ng/m ³ Air	0.90840	2.59	90.7	75-125			
Thallium	0.0475	5.22E-4	ng/m ³ Air	4.5420E-2	0.00472	94.3	75-125			
Thorium	0.0554	0.00250	ng/m ³ Air	4.5420E-2	0.0143	90.4	75-125			
Uranium	0.0490	0.00171	ng/m ³ Air	4.5420E-2	0.00815	90.0	75-125			
Zinc	52.7	67.0	ng/m ³ Air	18.168	ND		75-125			U

Dilution Check (B6D2005-SRL1) Source: 6040206-17 Prepared: 04/20/26 Analyzed: 05/07/26

Antimony	0.245	0.109	ng/m ³ Air		0.249		1.47	10	QB-01, SL
Arsenic	0.297	0.0278	ng/m ³ Air		0.294		0.970	10	
Barium	4.98	5.16	ng/m ³ Air		ND			10	U
Beryllium	0.00267	0.00578	ng/m ³ Air		ND			10	U
Cadmium	0.374	0.0161	ng/m ³ Air		0.379		1.41	10	
Calcium	861	2000	ng/m ³ Air		ND			10	U
Chromium	1.30	7.62	ng/m ³ Air		ND			10	U
Cobalt	0.104	1.53	ng/m ³ Air		ND			10	U
Copper	185	2.35	ng/m ³ Air		180		2.59	10	
Iron	116	80.8	ng/m ³ Air		116		0.802	10	
Lead	2.54	0.404	ng/m ³ Air		2.59		1.85	10	
Magnesium	122	233	ng/m ³ Air		ND			10	U
Manganese	4.04	2.41	ng/m ³ Air		4.03		0.327	10	
Molybdenum	5.96	1.26	ng/m ³ Air		5.94		0.492	10	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B6D2005 - ICP-MS Extraction

Dilution Check (B6D2005-SRL1) ContinueSource: 6040206-17

Prepared: 04/20/26 Analyzed: 05/07/26

Nickel	0.519	2.41	ng/m ³ Air		ND				10	U
Rubidium	0.148	0.0700	ng/m ³ Air		0.148			0.161	10	
Selenium	0.176	0.0335	ng/m ³ Air		0.177			0.755	10	
Sodium	1400	4760	ng/m ³ Air		ND				10	U
Strontium	2.58	3.97	ng/m ³ Air		ND				10	U
Thallium	0.00675	0.00261	ng/m ³ Air		0.00472			35.5	10	
Thorium	0.0135	0.0125	ng/m ³ Air		0.0143			5.77	10	
Uranium	0.00798	0.00854	ng/m ³ Air		ND				10	U
Zinc	35.0	335	ng/m ³ Air		ND				10	U

Batch B6F0901 - ICP-MS Extraction

Blank (B6F0901-BLK1)

Prepared: 06/09/26 Analyzed: 06/29/26

Antimony	7.44E-4	0.0331	ng/m ³ Air							SL, U
Arsenic	0.00257	0.00847	ng/m ³ Air							U
Beryllium	-3.70E-5	0.00176	ng/m ³ Air							U
Cadmium	7.87E-5	0.00490	ng/m ³ Air							U
Chromium	0.140	2.32	ng/m ³ Air							U
Cobalt	5.53E-4	0.465	ng/m ³ Air							U
Lead	0.00172	0.123	ng/m ³ Air							U
Manganese	0.0266	0.735	ng/m ³ Air							U
Nickel	-0.00165	0.733	ng/m ³ Air							U
Selenium	7.93E-4	0.0102	ng/m ³ Air							U

LCS (B6F0901-BS1)

Prepared: 06/09/26 Analyzed: 06/29/26

Antimony	0.988	0.0331	ng/m ³ Air	1.3826	71.5	80-120		SL
Arsenic	2.75	0.00847	ng/m ³ Air	2.7658	99.3	80-120		
Beryllium	1.51	0.00176	ng/m ³ Air	1.3833	109	80-120		
Cadmium	1.45	0.00490	ng/m ³ Air	1.3839	105	80-120		
Chromium	14.9	2.32	ng/m ³ Air	13.832	108	80-120		
Cobalt	1.40	0.465	ng/m ³ Air	1.3835	101	80-120		
Lead	13.9	0.123	ng/m ³ Air	13.831	101	80-120		
Manganese	8.87	0.735	ng/m ³ Air	8.3008	107	80-120		
Nickel	3.03	0.733	ng/m ³ Air	2.7656	110	80-120		
Selenium	2.75	0.0102	ng/m ³ Air	2.7661	99.3	80-120		

LCS (B6F0901-BS2)

Prepared: 06/09/26 Analyzed: 06/29/26

Antimony	1.43	0.0331	ng/m ³ Air	1.3826	103	80-120		SL
Arsenic	2.73	0.00847	ng/m ³ Air	2.7658	98.7	80-120		
Beryllium	1.39	0.00176	ng/m ³ Air	1.3833	101	80-120		
Cadmium	1.43	0.00490	ng/m ³ Air	1.3839	104	80-120		
Chromium	14.2	2.32	ng/m ³ Air	13.832	102	80-120		

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B6F0901 - ICP-MS Extraction

LCS (B6F0901-BS2) Continued

Prepared: 06/09/26 Analyzed: 06/29/26

Cobalt	1.38	0.465	ng/m ³ Air	1.3835		99.6	80-120			
Lead	13.6	0.123	ng/m ³ Air	13.831		98.2	80-120			
Manganese	8.48	0.735	ng/m ³ Air	8.3008		102	80-120			
Nickel	2.80	0.733	ng/m ³ Air	2.7656		101	80-120			
Selenium	2.72	0.0102	ng/m ³ Air	2.7661		98.3	80-120			

Matrix Spike (B6F0901-MS1)

Source: 6050622-03

Prepared: 06/09/26 Analyzed: 06/29/26

Antimony	1.11	0.0241	ng/m ³ Air	1.0048	0.551	55.6	80-120			SL
Arsenic	2.74	0.00616	ng/m ³ Air	2.0101	0.765	98.2	80-120			
Beryllium	1.04	0.00128	ng/m ³ Air	1.0053	0.0221	101	80-120			
Cadmium	1.19	0.00356	ng/m ³ Air	1.0057	0.162	102	80-120			
Chromium	11.9	1.69	ng/m ³ Air	10.052	1.95	98.7	80-120			
Cobalt	1.26	0.338	ng/m ³ Air	1.0054	0.292	96.5	80-120			
Lead	13.8	0.0894	ng/m ³ Air	10.051	3.56	102	80-120			
Manganese	27.7	0.534	ng/m ³ Air	6.0326	21.6	100	80-120			
Nickel	2.97	0.533	ng/m ³ Air	2.0099	1.06	94.6	80-120			
Selenium	2.67	0.00741	ng/m ³ Air	2.0103	0.722	96.8	80-120			

Matrix Spike Dup (B6F0901-MSD1)

Source: 6050622-03

Prepared: 06/09/26 Analyzed: 06/29/26

Antimony	1.13	0.0241	ng/m ³ Air	1.0048	0.551	57.2	80-120	1.43	20	SL
Arsenic	2.77	0.00616	ng/m ³ Air	2.0101	0.765	99.7	80-120	1.08	20	
Beryllium	0.900	0.00128	ng/m ³ Air	1.0053	0.0221	87.3	80-120	14.2	20	
Cadmium	1.19	0.00356	ng/m ³ Air	1.0057	0.162	103	80-120	0.204	20	
Chromium	12.0	1.69	ng/m ³ Air	10.052	1.95	100	80-120	1.19	20	
Cobalt	1.28	0.338	ng/m ³ Air	1.0054	0.292	97.9	80-120	1.11	20	
Lead	13.8	0.0894	ng/m ³ Air	10.051	3.56	102	80-120	0.462	20	
Manganese	27.4	0.534	ng/m ³ Air	6.0326	21.6	95.9	80-120	0.978	20	
Nickel	2.98	0.533	ng/m ³ Air	2.0099	1.06	95.2	80-120	0.392	20	
Selenium	2.69	0.00741	ng/m ³ Air	2.0103	0.722	98.0	80-120	0.919	20	

Post Spike (B6F0901-PS1)

Source: 6050622-03

Prepared: 06/09/26 Analyzed: 06/29/26

Antimony	0.757	0.0241	ng/m ³ Air	0.20101	0.551	102	75-125			SL
Arsenic	1.74	0.00616	ng/m ³ Air	1.0050	0.765	96.9	75-125			
Beryllium	0.224	0.00128	ng/m ³ Air	0.20101	0.0221	101	75-125			
Cadmium	0.261	0.00356	ng/m ³ Air	0.10050	0.162	99.1	75-125			
Chromium	2.91	1.69	ng/m ³ Air	1.0050	1.95	95.4	75-125			
Cobalt	0.482	0.338	ng/m ³ Air	0.20101	0.292	94.5	75-125			
Lead	23.6	0.0894	ng/m ³ Air	20.101	3.56	99.5	75-125			
Manganese	23.4	0.534	ng/m ³ Air	2.0101	21.6	87.0	75-125			
Nickel	2.99	0.533	ng/m ³ Air	2.0101	1.06	95.7	75-125			
Selenium	1.69	0.00741	ng/m ³ Air	1.0050	0.722	96.4	75-125			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B6F0901 - ICP-MS Extraction

Dilution Check (B6F0901-SRL1) Source: 6050622-03 Prepared: 06/09/26 Analyzed: 06/29/26

Antimony	0.542	0.120	ng/m ³ Air	0.551				1.71	10	SL
Arsenic	0.761	0.0308	ng/m ³ Air	0.765				0.466	10	
Beryllium	0.0233	0.00640	ng/m ³ Air	0.0221				5.19	10	
Cadmium	0.158	0.0178	ng/m ³ Air	0.162				1.96	10	
Chromium	1.95	8.43	ng/m ³ Air	ND					10	U
Cobalt	0.290	1.69	ng/m ³ Air	0.292				0.823	10	
Lead	3.44	0.447	ng/m ³ Air	3.56				3.48	10	
Manganese	21.6	2.67	ng/m ³ Air	21.6				0.335	10	
Nickel	1.04	2.66	ng/m ³ Air	ND					10	U
Selenium	0.692	0.0371	ng/m ³ Air	0.722				4.34	10	

Batch B6F1701 - ICP-MS Extraction

Blank (B6F1701-BLK1) Prepared: 06/17/26 Analyzed: 06/24/26

Antimony	3.08E-4	0.0331	ng/m ³ Air							SL, U
Arsenic	0.00215	0.00847	ng/m ³ Air							U
Beryllium	-2.80E-4	0.00176	ng/m ³ Air							U
Cadmium	1.39E-4	0.00490	ng/m ³ Air							U
Chromium	0.00339	2.32	ng/m ³ Air							U
Cobalt	1.40E-4	0.465	ng/m ³ Air							U
Lead	0.00260	0.123	ng/m ³ Air							U
Manganese	0.0155	0.735	ng/m ³ Air							U
Nickel	-0.0235	0.733	ng/m ³ Air							U
Selenium	2.52E-4	0.0102	ng/m ³ Air							U

LCS (B6F1701-BS1) Prepared: 06/17/26 Analyzed: 06/24/26

Antimony	0.894	0.0331	ng/m ³ Air	1.3826	64.7	80-120				SL
Arsenic	2.72	0.00847	ng/m ³ Air	2.7658	98.2	80-120				
Beryllium	1.34	0.00176	ng/m ³ Air	1.3833	96.6	80-120				
Cadmium	1.39	0.00490	ng/m ³ Air	1.3839	101	80-120				
Chromium	14.9	2.32	ng/m ³ Air	13.832	107	80-120				
Cobalt	1.39	0.465	ng/m ³ Air	1.3835	101	80-120				
Lead	13.5	0.123	ng/m ³ Air	13.831	98.0	80-120				
Manganese	8.71	0.735	ng/m ³ Air	8.3008	105	80-120				
Nickel	3.06	0.733	ng/m ³ Air	2.7656	110	80-120				
Selenium	2.75	0.0102	ng/m ³ Air	2.7661	99.3	80-120				

LCS (B6F1701-BS2) Prepared: 06/17/26 Analyzed: 06/24/26

Antimony	1.36	0.0331	ng/m ³ Air	1.3826	98.3	80-120				SL
Arsenic	2.76	0.00847	ng/m ³ Air	2.7658	99.7	80-120				
Beryllium	1.38	0.00176	ng/m ³ Air	1.3833	99.5	80-120				
Cadmium	1.40	0.00490	ng/m ³ Air	1.3839	101	80-120				

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B6F1701 - ICP-MS Extraction

LCS (B6F1701-BS2) Continued

Prepared: 06/17/26 Analyzed: 06/24/26

Chromium	14.3	2.32	ng/m ³ Air	13.832		103	80-120			
Cobalt	1.38	0.465	ng/m ³ Air	1.3835		100	80-120			
Lead	13.5	0.123	ng/m ³ Air	13.831		97.3	80-120			
Manganese	8.62	0.735	ng/m ³ Air	8.3008		104	80-120			
Nickel	2.85	0.733	ng/m ³ Air	2.7656		103	80-120			
Selenium	2.65	0.0102	ng/m ³ Air	2.7661		95.9	80-120			

Matrix Spike (B6F1701-MS1)

Source: 6050622-14

Prepared: 06/17/26 Analyzed: 06/24/26

Antimony	0.785	0.0250	ng/m ³ Air	1.0422	0.288	47.7	80-120			SL
Arsenic	2.46	0.00638	ng/m ³ Air	2.0848	0.386	99.5	80-120			
Beryllium	1.05	0.00133	ng/m ³ Air	1.0427	0.0165	98.9	80-120			
Cadmium	1.21	0.00369	ng/m ³ Air	1.0431	0.165	99.7	80-120			
Chromium	12.2	1.75	ng/m ³ Air	10.426	1.85	99.3	80-120			
Cobalt	1.24	0.351	ng/m ³ Air	1.0428	0.203	99.2	80-120			
Lead	12.1	0.0927	ng/m ³ Air	10.425	1.77	98.8	80-120			
Manganese	18.1	0.554	ng/m ³ Air	6.2570	12.0	96.8	80-120			
Nickel	2.90	0.553	ng/m ³ Air	2.0846	0.807	100	80-120			
Selenium	2.43	0.00769	ng/m ³ Air	2.0850	0.432	95.8	80-120			

Matrix Spike Dup (B6F1701-MSD1)

Source: 6050622-14

Prepared: 06/17/26 Analyzed: 06/24/26

Antimony	0.792	0.0250	ng/m ³ Air	1.0422	0.288	48.4	80-120	0.855	20	SL
Arsenic	2.47	0.00638	ng/m ³ Air	2.0848	0.386	100	80-120	0.447	20	
Beryllium	1.06	0.00133	ng/m ³ Air	1.0427	0.0165	99.8	80-120	0.819	20	
Cadmium	1.23	0.00369	ng/m ³ Air	1.0431	0.165	102	80-120	2.31	20	
Chromium	12.5	1.75	ng/m ³ Air	10.426	1.85	102	80-120	2.68	20	
Cobalt	1.24	0.351	ng/m ³ Air	1.0428	0.203	99.7	80-120	0.427	20	
Lead	12.5	0.0927	ng/m ³ Air	10.425	1.77	103	80-120	3.62	20	
Manganese	18.8	0.554	ng/m ³ Air	6.2570	12.0	109	80-120	4.13	20	
Nickel	2.96	0.553	ng/m ³ Air	2.0846	0.807	104	80-120	2.24	20	
Selenium	2.46	0.00769	ng/m ³ Air	2.0850	0.432	97.1	80-120	1.07	20	

Post Spike (B6F1701-PS1)

Source: 6050622-14

Prepared: 06/17/26 Analyzed: 06/24/26

Antimony	0.493	0.0250	ng/m ³ Air	0.20848	0.288	98.5	75-125			SL
Arsenic	1.42	0.00638	ng/m ³ Air	1.0424	0.386	99.3	75-125			
Beryllium	0.215	0.00133	ng/m ³ Air	0.20848	0.0165	95.0	75-125			
Cadmium	0.276	0.00369	ng/m ³ Air	0.10424	0.165	107	75-125			
Chromium	2.93	1.75	ng/m ³ Air	1.0424	1.85	104	75-125			
Cobalt	0.417	0.351	ng/m ³ Air	0.20848	0.203	102	75-125			
Lead	22.7	0.0927	ng/m ³ Air	20.848	1.77	101	75-125			
Manganese	14.2	0.554	ng/m ³ Air	2.0848	12.0	104	75-125			
Nickel	2.96	0.553	ng/m ³ Air	2.0848	0.807	103	75-125			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B6F1701 - ICP-MS Extraction

Post Spike (B6F1701-PS1) Continued Source: 6050622-14 Prepared: 06/17/26 Analyzed: 06/24/26

Selenium	1.46	0.00769	ng/m ³ Air	1.0424	0.432	98.3	75-125			
----------	------	---------	-----------------------	--------	-------	------	--------	--	--	--

Dilution Check (B6F1701-SRL1) Source: 6050622-14 Prepared: 06/17/26 Analyzed: 06/24/26

Antimony	0.285	0.125	ng/m ³ Air		0.288			1.08	10	SL
Arsenic	0.398	0.0319	ng/m ³ Air		0.386			3.20	10	
Beryllium	0.0153	0.00663	ng/m ³ Air		0.0165			7.44	10	
Cadmium	0.167	0.0185	ng/m ³ Air		0.165			0.899	10	
Chromium	1.86	8.74	ng/m ³ Air		ND				10	U
Cobalt	0.205	1.75	ng/m ³ Air		0.203			0.968	10	
Lead	1.75	0.464	ng/m ³ Air		1.77			1.08	10	
Manganese	12.0	2.77	ng/m ³ Air		12.0			0.257	10	
Nickel	0.734	2.76	ng/m ³ Air		ND				10	U
Selenium	0.409	0.0384	ng/m ³ Air		0.432			5.44	10	

Batch B6F2501 - ICP-MS Extraction

Blank (B6F2501-BLK1) Prepared: 06/25/26 Analyzed: 06/30/26

Antimony	4.09E-4	0.0331	ng/m ³ Air							SL, U
Arsenic	0.00300	0.00847	ng/m ³ Air							U
Beryllium	-6.72E-5	0.00176	ng/m ³ Air							U
Cadmium	3.82E-5	0.00490	ng/m ³ Air							U
Chromium	0.0224	2.32	ng/m ³ Air							U
Cobalt	1.32E-4	0.465	ng/m ³ Air							U
Lead	0.00100	0.123	ng/m ³ Air							U
Manganese	1.12E-4	0.735	ng/m ³ Air							U
Nickel	-0.00654	0.733	ng/m ³ Air							U
Selenium	0.00135	0.0102	ng/m ³ Air							LJ, QX, U

LCS (B6F2501-BS1) Prepared: 06/25/26 Analyzed: 06/30/26

Antimony	0.963	0.0331	ng/m ³ Air	1.3826		69.6	80-120			SL
Arsenic	2.78	0.00847	ng/m ³ Air	2.7658		100	80-120			
Beryllium	1.30	0.00176	ng/m ³ Air	1.3833		93.9	80-120			
Cadmium	1.43	0.00490	ng/m ³ Air	1.3839		104	80-120			
Chromium	15.1	2.32	ng/m ³ Air	13.832		109	80-120			
Cobalt	1.41	0.465	ng/m ³ Air	1.3835		102	80-120			
Lead	14.0	0.123	ng/m ³ Air	13.831		101	80-120			
Manganese	8.82	0.735	ng/m ³ Air	8.3008		106	80-120			
Nickel	3.08	0.733	ng/m ³ Air	2.7656		111	80-120			
Selenium	2.77	0.0102	ng/m ³ Air	2.7661		100	80-120			QX, LJ

LCS (B6F2501-BS2) Prepared: 06/25/26 Analyzed: 06/30/26

Antimony	1.39	0.0331	ng/m ³ Air	1.3826		100	80-120			SL
----------	------	--------	-----------------------	--------	--	-----	--------	--	--	----

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B6F2501 - ICP-MS Extraction

LCS (B6F2501-BS2) Continued

Prepared: 06/25/26 Analyzed: 06/30/26

Arsenic	2.75	0.00847	ng/m ³ Air	2.7658		99.3	80-120			
Beryllium	1.37	0.00176	ng/m ³ Air	1.3833		99.2	80-120			
Cadmium	1.39	0.00490	ng/m ³ Air	1.3839		100	80-120			
Chromium	14.1	2.32	ng/m ³ Air	13.832		102	80-120			
Cobalt	1.38	0.465	ng/m ³ Air	1.3835		100	80-120			
Lead	13.6	0.123	ng/m ³ Air	13.831		98.2	80-120			
Manganese	8.49	0.735	ng/m ³ Air	8.3008		102	80-120			
Nickel	2.81	0.733	ng/m ³ Air	2.7656		102	80-120			
Selenium	2.79	0.0102	ng/m ³ Air	2.7661		101	80-120			LJ, QX

Matrix Spike (B6F2501-MS1)

Source: 6052726-04

Prepared: 06/25/26 Analyzed: 06/30/26

Antimony	0.925	0.0276	ng/m ³ Air	1.1531	0.334	51.3	80-120			SL
Arsenic	2.80	0.00706	ng/m ³ Air	2.3067	0.518	98.9	80-120			
Beryllium	1.12	0.00147	ng/m ³ Air	1.1537	0.0109	96.3	80-120			
Cadmium	1.26	0.00409	ng/m ³ Air	1.1541	0.109	100	80-120			
Chromium	13.4	1.93	ng/m ³ Air	11.536	ND	116	80-120			
Cobalt	1.28	0.388	ng/m ³ Air	1.1538	0.140	98.4	80-120			
Lead	13.3	0.103	ng/m ³ Air	11.534	1.96	98.7	80-120			
Manganese	16.7	0.613	ng/m ³ Air	6.9227	9.60	103	80-120			
Nickel	2.91	0.611	ng/m ³ Air	2.3064	ND	126	80-120			
Selenium	2.77	0.00851	ng/m ³ Air	2.3069	0.460	100	80-120			LJ, QX

Matrix Spike Dup (B6F2501-MSD1)

Source: 6052726-04

Prepared: 06/25/26 Analyzed: 06/30/26

Antimony	0.898	0.0276	ng/m ³ Air	1.1531	0.334	49.0	80-120	2.92	20	SL
Arsenic	2.80	0.00706	ng/m ³ Air	2.3067	0.518	99.0	80-120	0.107	20	
Beryllium	1.05	0.00147	ng/m ³ Air	1.1537	0.0109	90.3	80-120	6.35	20	
Cadmium	1.30	0.00409	ng/m ³ Air	1.1541	0.109	103	80-120	2.95	20	
Chromium	13.5	1.93	ng/m ³ Air	11.536	ND	117	80-120	0.474	20	
Cobalt	1.28	0.388	ng/m ³ Air	1.1538	0.140	98.5	80-120	0.150	20	
Lead	13.4	0.103	ng/m ³ Air	11.534	1.96	99.4	80-120	0.586	20	
Manganese	16.6	0.613	ng/m ³ Air	6.9227	9.60	101	80-120	0.497	20	
Nickel	2.87	0.611	ng/m ³ Air	2.3064	ND	124	80-120	1.20	20	
Selenium	2.75	0.00851	ng/m ³ Air	2.3069	0.460	99.2	80-120	0.846	20	LJ, QX

Post Spike (B6F2501-PS1)

Source: 6052726-04

Prepared: 06/25/26 Analyzed: 06/30/26

Antimony	0.544	0.0276	ng/m ³ Air	0.23067	0.334	91.4	75-125			SL
Arsenic	1.59	0.00706	ng/m ³ Air	1.1533	0.518	92.9	75-125			
Beryllium	0.234	0.00147	ng/m ³ Air	0.23067	0.0109	96.9	75-125			
Cadmium	0.218	0.00409	ng/m ³ Air	0.11533	0.109	93.8	75-125			
Chromium	2.75	1.93	ng/m ³ Air	1.1533	ND	238	75-125			
Cobalt	0.354	0.388	ng/m ³ Air	0.23067	0.140	92.7	75-125			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B6F2501 - ICP-MS Extraction

Post Spike (B6F2501-PS1) Continued **Source: 6052726-04** Prepared: 06/25/26 Analyzed: 06/30/26

Lead	24.0	0.103	ng/m ³ Air	23.067	1.96	95.5	75-125			
Manganese	11.6	0.613	ng/m ³ Air	2.3067	9.60	88.4	75-125			
Nickel	2.79	0.611	ng/m ³ Air	2.3067	ND	121	75-125			
Selenium	1.55	0.00851	ng/m ³ Air	1.1533	0.460	94.3	75-125			LJ, QX

Dilution Check (B6F2501-SRL1) **Source: 6052726-04** Prepared: 06/25/26 Analyzed: 06/30/26

Antimony	0.320	0.138	ng/m ³ Air		0.334			4.25	10	SL
Arsenic	0.519	0.0353	ng/m ³ Air		0.518			0.218	10	
Beryllium	0.00968	0.00734	ng/m ³ Air		0.0109			11.5	10	
Cadmium	0.105	0.0204	ng/m ³ Air		0.109			3.97	10	
Chromium	1.62	9.67	ng/m ³ Air		ND				10	U
Cobalt	0.135	1.94	ng/m ³ Air		ND				10	U
Lead	1.88	0.513	ng/m ³ Air		1.96			4.13	10	
Manganese	9.43	3.06	ng/m ³ Air		9.60			1.79	10	
Nickel	0.548	3.06	ng/m ³ Air		ND				10	U
Selenium	0.468	0.0425	ng/m ³ Air		0.460			1.71	10	LJ, QX



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 **FAX:** -

FILE #: 3508.00

REPORTED: 07/09/26 14:05

SUBMITTED: 04/01/26 to 05/27/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Notes and Definitions

U	Under Detection Limit
SL	The spike recovery was outside acceptance limits. Reported value may be biased low.
QX	Compound does not meet QC criteria. Results should be considered an estimate.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD.
QB-01	Analyte exceeds method blank criteria
LJ	Identification of analyte is acceptable; reported value is an estimate.
GC-BS	Compound exceeds Blank Spike Criteria
FB-01	Analyte exceeds Field Blank criteria.
D-F	Duplicate exceeds DQO criteria.
ND	Analyte NOT DETECTED
NR	Not Reported
MDL	Method Detection Limit
RPD	Relative Percent Difference

Note: This test is accredited under the 2016 TNI Standard.