



Eastern Research Group
601 Keystone Park Drive
Suite 700
Morrisville, NC 27560

August 14, 2026

Mr. Bryan Sims
Oklahoma Dept. of Environmental Quality
707 N. Robinson, PO Box 1677
Oklahoma City, OK 73101-1677
Project Name: OCOK

Dear Mr. Bryan Sims,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 06/11/26 13:02 through 07/15/26 11:24.

Values below the MDL for QC results in this report are recorded as ND, however the actual values are reported in the accompanying Excel report with a "U" flag (Under the detection limit). The actual values are reported in AQS.

This test is accredited under the 2016 TNI Standard for Environmental Laboratories (FL DOH Certification # E87673). All analyses were performed as described in the US EPA-approved QAPP, under the contract for National Hazardous Air Pollutant Support (US EPA Contract No. 68HERH22D0002). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7872.

Sincerely,

Randolph Bower
Program Manager
randy.bower@erg.com

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify randy.bower@erg.com and delete the report without retaining any copies.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/14/26 08:56

SUBMITTED: 06/11/26 to 07/15/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
OCOK	6061117-01	Air	06/01/26 23:59	06/11/26 13:02
OCOK	6061709-01	Air	06/07/26 23:59	06/17/26 13:25
OCOK	6061709-02	Air	06/13/26 23:59	06/17/26 13:25
OCOK	6070728-01	Air	06/25/26 23:59	07/07/26 09:31
OCOK FB	6070728-02	Air	06/25/26 23:59	07/07/26 09:31
OCOK	6071508-01	Air	06/19/26 23:59	07/15/26 11:24



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/14/26 08:56

SUBMITTED: 06/11/26 to 07/15/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK

Lab ID: 6061117-01

Sampled: 06/01/26 23:59

Temp Rec'd (°C): -0.9

Sample Volume: 1143.3 L

Received: 06/11/26 13:02

Cartridge Pouch #: 26G2662

Analyzed: 06/15/26 17:10

Comments:

Air Toxics by EPA Compendium Method TO-11A

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
	<u>ug/m³ Air</u>		<u>ug/m³ Air</u>
Formaldehyde	5.05	DNPH	0.0554
Acetaldehyde	1.86	DNPH	0.0229
Acetone	0.663	DNPH	0.0848
Propionaldehyde	0.438	DNPH	0.181
Crotonaldehyde	ND	DNPH, U	0.0166
Butyraldehyde	0.359	DNPH	0.00980
2-Butanone	ND	DNPH, U	0.0369
Benzaldehyde	0.168	DNPH	0.0379
Valeraldehyde	0.260	DNPH	0.0106
Hexaldehyde	0.175	DNPH	0.0107



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/14/26 08:56

SUBMITTED: 06/11/26 to 07/15/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK

Lab ID: 6061709-01

Sampled: 06/07/26 23:59

Temp Rec'd (°C): 3.1

Sample Volume: 1144.2 L

Received: 06/17/26 13:25

Cartridge Pouch #: 26G2663

Analyzed: 06/19/26 22:15

Comments:

Air Toxics by EPA Compendium Method TO-11A

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
	<u>ug/m³ Air</u>		<u>ug/m³ Air</u>
Formaldehyde	1.84	DNPH	0.0553
Acetaldehyde	1.02	DNPH	0.0229
Acetone	0.328	DNPH	0.0848
Propionaldehyde	0.237	DNPH	0.181
Crotonaldehyde	ND	DNPH, U	0.0166
Butyraldehyde	0.156	DNPH	0.00979
2-Butanone	ND	CE, DNPH, U	0.0369
Benzaldehyde	0.120	DNPH	0.0378
Valeraldehyde	0.139	DNPH	0.0106
Hexaldehyde	0.0918	DNPH	0.0107



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/14/26 08:56

SUBMITTED: 06/11/26 to 07/15/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK

Lab ID: 6061709-02

Sampled: 06/13/26 23:59

Temp Rec'd (°C): 3.1

Sample Volume: 1143.8 L

Received: 06/17/26 13:25

Cartridge Pouch #: 26G2664

Analyzed: 06/19/26 22:31

Comments:

Air Toxics by EPA Compendium Method TO-11A

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
	<u>ug/m³ Air</u>		<u>ug/m³ Air</u>
Formaldehyde	2.55	DNPH	0.0553
Acetaldehyde	0.934	DNPH	0.0229
Acetone	0.221	DNPH	0.0848
Propionaldehyde	0.239	DNPH	0.181
Crotonaldehyde	ND	DNPH, U	0.0166
Butyraldehyde	0.169	DNPH	0.00979
2-Butanone	ND	CE, DNPH, U	0.0369
Benzaldehyde	0.113	DNPH	0.0379
Valeraldehyde	0.148	DNPH	0.0106
Hexaldehyde	0.0904	DNPH	0.0107



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/14/26 08:56

SUBMITTED: 06/11/26 to 07/15/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK

Lab ID: 6070728-01

Sampled: 06/25/26 23:59

Temp Rec'd (°C): 5.5

Sample Volume: 1141.4 L

Received: 07/07/26 09:31

Cartridge Pouch #: 26G2666

Analyzed: 07/13/26 15:32

Comments:

Air Toxics by EPA Compendium Method TO-11A

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
	<u>ug/m³ Air</u>		<u>ug/m³ Air</u>
Formaldehyde	2.02	DNPH	0.0555
Acetaldehyde	0.728	DNPH	0.0230
Acetone	0.287	DNPH	0.0850
Propionaldehyde	0.188	DNPH	0.181
Crotonaldehyde	ND	CE, DNPH, U	0.0166
Butyraldehyde	ND	CE, DNPH, U	0.00981
2-Butanone	ND	CE, DNPH, U	0.0370
Benzaldehyde	0.0912	DNPH	0.0379
Valeraldehyde	0.131	DNPH	0.0106
Hexaldehyde	0.0769	DNPH	0.0107



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/14/26 08:56

SUBMITTED: 06/11/26 to 07/15/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK FB

Lab ID: 6070728-02

Sampled: 06/25/26 23:59

Temp Rec'd (°C): 5.5

Sample Volume: 1141.4 L

Received: 07/07/26 09:31

Cartridge Pouch #: 26G2667

Analyzed: 07/13/26 15:48

Comments:

Air Toxics by EPA Compendium Method TO-11A

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
	<u>ug/m³ Air</u>		<u>ug/m³ Air</u>
Formaldehyde	0.0374	U	0.0555
Acetaldehyde	0.0224	U	0.0230
Acetone	0.0634	U	0.0850
Propionaldehyde	ND	CE, U	0.181
Crotonaldehyde	ND	U	0.0166
Butyraldehyde	ND	U	0.00981
2-Butanone	ND	U	0.0370
Benzaldehyde	0.0508		0.0379
Valeraldehyde	ND	U	0.0106
Hexaldehyde	ND	U	0.0107



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/14/26 08:56

SUBMITTED: 06/11/26 to 07/15/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK	Lab ID: 6071508-01	Sampled: 06/19/26 23:59
Temp Rec'd (°C): 3.6	Sample Volume: 1141.1 L	Received: 07/15/26 11:24
	Cartridge Pouch #: 26G2665	Analyzed: 07/17/26 22:56

Comments: Received after extraction hold

Air Toxics by EPA Compendium Method TO-11A

<u>Analyte</u>	<u>Results</u> <u>ug/m³ Air</u>	<u>Flag</u>	<u>MDL</u> <u>ug/m³ Air</u>
Formaldehyde	2.64	DNPH, S-Rec	0.0555
Acetaldehyde	0.954	DNPH, S-Rec	0.0230
Acetone	0.188	DNPH, S-Rec	0.0850
Propionaldehyde	0.225	DNPH, S-Rec	0.181
Crotonaldehyde	0.0582	DNPH, S-Rec	0.0167
Butyraldehyde	0.123	DNPH, S-Rec	0.00982
2-Butanone	ND	CE, DNPH, S-Rec, U	0.0370
Benzaldehyde	ND	CE, DNPH, S-Rec, U	0.0379
Valeraldehyde	0.0397	DNPH, S-Rec	0.0106
Hexaldehyde	0.0566	DNPH, S-Rec	0.0107



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/14/26 08:56

SUBMITTED: 06/11/26 to 07/15/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch 2606059 - B6F1203

Calibration Blank (2606059-CCB1)

Prepared & Analyzed: 06/15/26

Formaldehyde	0.00	ug/ml							U
Acetaldehyde	0.00	ug/ml							U
Acetone	0.00	ug/ml							U
Propionaldehyde	0.00	ug/ml							U
Crotonaldehyde	0.00	ug/ml							U
Butyraldehyde	0.00	ug/ml							U
2-Butanone	0.00	ug/ml							U
Benzaldehyde	0.00	ug/ml							U
Valeraldehyde	0.00	ug/ml							U
Hexaldehyde	0.00	ug/ml							U

Calibration Blank (2606059-CCB2)

Prepared & Analyzed: 06/15/26

Formaldehyde	0.00	ug/ml							U
Acetaldehyde	0.00	ug/ml							U
Acetone	0.00	ug/ml							U
Propionaldehyde	0.00	ug/ml							U
Crotonaldehyde	0.00	ug/ml							U
Butyraldehyde	0.00	ug/ml							U
2-Butanone	0.00	ug/ml							U
Benzaldehyde	0.00	ug/ml							U
Valeraldehyde	0.00	ug/ml							U
Hexaldehyde	0.00	ug/ml							U

Calibration Check (2606059-CCV1)

Prepared & Analyzed: 06/15/26

Formaldehyde	0.144	ug/ml	0.15000		96.0	84.9-115.1			
Acetaldehyde	0.148	ug/ml	0.15000		98.3	84.9-115.1			
Acetone	0.149	ug/ml	0.15000		99.1	84.9-115.1			
Propionaldehyde	0.148	ug/ml	0.15000		98.8	84.9-115.1			
Crotonaldehyde	0.151	ug/ml	0.15000		101	84.9-115.1			
Butyraldehyde	0.144	ug/ml	0.15000		96.0	84.9-115.1			
2-Butanone	0.146	ug/ml	0.15000		97.4	84.9-115.1			
Benzaldehyde	0.153	ug/ml	0.15000		102	84.9-115.1			
Valeraldehyde	0.148	ug/ml	0.15000		98.7	84.9-115.1			
Hexaldehyde	0.146	ug/ml	0.15000		97.3	84.9-115.1			

Calibration Check (2606059-CCV2)

Prepared & Analyzed: 06/15/26

Formaldehyde	0.146	ug/ml	0.15000		97.4	84.9-115.1			
Acetaldehyde	0.147	ug/ml	0.15000		98.2	84.9-115.1			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/14/26 08:56

SUBMITTED: 06/11/26 to 07/15/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch 2606059 - B6F1203

Calibration Check (2606059-CCV2) Contin

Prepared & Analyzed: 06/15/26

Acetone	0.148	ug/ml	0.15000	98.4	84.9-115.1
Propionaldehyde	0.146	ug/ml	0.15000	97.4	84.9-115.1
Crotonaldehyde	0.151	ug/ml	0.15000	101	84.9-115.1
Butyraldehyde	0.145	ug/ml	0.15000	96.5	84.9-115.1
2-Butanone	0.153	ug/ml	0.15000	102	84.9-115.1
Benzaldehyde	0.154	ug/ml	0.15000	103	84.9-115.1
Valeraldehyde	0.151	ug/ml	0.15000	101	84.9-115.1
Hexaldehyde	0.148	ug/ml	0.15000	98.9	84.9-115.1

Calibration Check (2606059-CCV3)

Prepared & Analyzed: 06/15/26

Formaldehyde	0.146	ug/ml	0.15000	97.0	84.9-115.1
Acetaldehyde	0.151	ug/ml	0.15000	101	84.9-115.1
Acetone	0.147	ug/ml	0.15000	98.0	84.9-115.1
Propionaldehyde	0.146	ug/ml	0.15000	97.5	84.9-115.1
Crotonaldehyde	0.151	ug/ml	0.15000	101	84.9-115.1
Butyraldehyde	0.144	ug/ml	0.15000	96.2	84.9-115.1
2-Butanone	0.152	ug/ml	0.15000	101	84.9-115.1
Benzaldehyde	0.154	ug/ml	0.15000	103	84.9-115.1
Valeraldehyde	0.151	ug/ml	0.15000	101	84.9-115.1
Hexaldehyde	0.144	ug/ml	0.15000	95.9	84.9-115.1

Batch 2606078 - B6F1806

Calibration Blank (2606078-CCB1)

Prepared & Analyzed: 06/19/26

Formaldehyde	0.00	ug/ml			U
Acetaldehyde	0.00	ug/ml			U
Acetone	0.00	ug/ml			U
Propionaldehyde	0.00	ug/ml			U
Crotonaldehyde	0.00	ug/ml			U
Butyraldehyde	0.00	ug/ml			U
2-Butanone	0.00	ug/ml			U
Benzaldehyde	0.00	ug/ml			U
Valeraldehyde	0.00	ug/ml			U
Hexaldehyde	0.00	ug/ml			U

Calibration Blank (2606078-CCB2)

Prepared: 06/19/26 Analyzed: 06/20/26

Formaldehyde	0.00	ug/ml			U
Acetaldehyde	0.00	ug/ml			U
Acetone	0.00	ug/ml			U
Propionaldehyde	0.00	ug/ml			U
Crotonaldehyde	0.00	ug/ml			U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/14/26 08:56

SUBMITTED: 06/11/26 to 07/15/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch 2606078 - B6F1806

Calibration Blank (2606078-CCB2) Contin

Prepared: 06/19/26 Analyzed: 06/20/26

Butyraldehyde	0.00	ug/ml							U
2-Butanone	0.00	ug/ml							U
Benzaldehyde	0.00	ug/ml							U
Valeraldehyde	0.00	ug/ml							U
Hexaldehyde	0.00	ug/ml							U

Calibration Check (2606078-CCV1)

Prepared & Analyzed: 06/19/26

Formaldehyde	0.144	ug/ml	0.15000	95.9	84.9-115.1
Acetaldehyde	0.144	ug/ml	0.15000	96.1	84.9-115.1
Acetone	0.145	ug/ml	0.15000	96.8	84.9-115.1
Propionaldehyde	0.144	ug/ml	0.15000	95.7	84.9-115.1
Crotonaldehyde	0.147	ug/ml	0.15000	98.2	84.9-115.1
Butyraldehyde	0.140	ug/ml	0.15000	93.6	84.9-115.1
2-Butanone	0.143	ug/ml	0.15000	95.7	84.9-115.1
Benzaldehyde	0.148	ug/ml	0.15000	98.6	84.9-115.1
Valeraldehyde	0.145	ug/ml	0.15000	96.7	84.9-115.1
Hexaldehyde	0.144	ug/ml	0.15000	96.0	84.9-115.1

Calibration Check (2606078-CCV2)

Prepared & Analyzed: 06/19/26

Formaldehyde	0.143	ug/ml	0.15000	95.5	84.9-115.1
Acetaldehyde	0.145	ug/ml	0.15000	96.8	84.9-115.1
Acetone	0.145	ug/ml	0.15000	96.7	84.9-115.1
Propionaldehyde	0.142	ug/ml	0.15000	95.0	84.9-115.1
Crotonaldehyde	0.146	ug/ml	0.15000	97.2	84.9-115.1
Butyraldehyde	0.142	ug/ml	0.15000	94.6	84.9-115.1
2-Butanone	0.141	ug/ml	0.15000	93.8	84.9-115.1
Benzaldehyde	0.147	ug/ml	0.15000	97.7	84.9-115.1
Valeraldehyde	0.145	ug/ml	0.15000	96.8	84.9-115.1
Hexaldehyde	0.140	ug/ml	0.15000	93.6	84.9-115.1

Calibration Check (2606078-CCV3)

Prepared & Analyzed: 06/19/26

Formaldehyde	0.145	ug/ml	0.15000	96.8	84.9-115.1
Acetaldehyde	0.145	ug/ml	0.15000	96.9	84.9-115.1
Acetone	0.145	ug/ml	0.15000	96.5	84.9-115.1
Propionaldehyde	0.142	ug/ml	0.15000	94.7	84.9-115.1
Crotonaldehyde	0.146	ug/ml	0.15000	97.3	84.9-115.1
Butyraldehyde	0.141	ug/ml	0.15000	93.7	84.9-115.1
2-Butanone	0.144	ug/ml	0.15000	96.3	84.9-115.1
Benzaldehyde	0.146	ug/ml	0.15000	97.5	84.9-115.1
Valeraldehyde	0.144	ug/ml	0.15000	95.8	84.9-115.1

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/14/26 08:56

SUBMITTED: 06/11/26 to 07/15/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch 2606078 - B6F1806

Calibration Check (2606078-CCV3) Contin

Prepared & Analyzed: 06/19/26

Hexaldehyde	0.144	ug/ml	0.15000	95.9	84.9-115.1
-------------	-------	-------	---------	------	------------

Calibration Check (2606078-CCV4)

Prepared & Analyzed: 06/19/26

Formaldehyde	0.144	ug/ml	0.15000	96.1	84.9-115.1
Acetaldehyde	0.144	ug/ml	0.15000	96.3	84.9-115.1
Acetone	0.146	ug/ml	0.15000	97.0	84.9-115.1
Propionaldehyde	0.142	ug/ml	0.15000	94.7	84.9-115.1
Crotonaldehyde	0.147	ug/ml	0.15000	98.1	84.9-115.1
Butyraldehyde	0.142	ug/ml	0.15000	94.9	84.9-115.1
2-Butanone	0.143	ug/ml	0.15000	95.5	84.9-115.1
Benzaldehyde	0.147	ug/ml	0.15000	97.8	84.9-115.1
Valeraldehyde	0.146	ug/ml	0.15000	97.3	84.9-115.1
Hexaldehyde	0.144	ug/ml	0.15000	95.7	84.9-115.1

Calibration Check (2606078-CCV5)

Prepared: 06/19/26 Analyzed: 06/20/26

Formaldehyde	0.145	ug/ml	0.15000	96.5	84.9-115.1
Acetaldehyde	0.145	ug/ml	0.15000	96.6	84.9-115.1
Acetone	0.146	ug/ml	0.15000	97.3	84.9-115.1
Propionaldehyde	0.144	ug/ml	0.15000	95.7	84.9-115.1
Crotonaldehyde	0.146	ug/ml	0.15000	97.1	84.9-115.1
Butyraldehyde	0.141	ug/ml	0.15000	93.8	84.9-115.1
2-Butanone	0.144	ug/ml	0.15000	96.3	84.9-115.1
Benzaldehyde	0.149	ug/ml	0.15000	99.2	84.9-115.1
Valeraldehyde	0.144	ug/ml	0.15000	96.0	84.9-115.1
Hexaldehyde	0.141	ug/ml	0.15000	93.8	84.9-115.1

Batch 2607045 - B6G0907

Calibration Blank (2607045-CCB1)

Prepared & Analyzed: 07/13/26

Formaldehyde	0.00	ug/ml			U
Acetaldehyde	0.00	ug/ml			U
Acetone	0.00	ug/ml			U
Propionaldehyde	0.00	ug/ml			U
Crotonaldehyde	0.00	ug/ml			U
Butyraldehyde	0.00	ug/ml			U
2-Butanone	0.00	ug/ml			U
Benzaldehyde	0.00	ug/ml			U
Valeraldehyde	0.00	ug/ml			U
Hexaldehyde	0.00	ug/ml			U

Calibration Blank (2607045-CCB2)

Prepared: 07/13/26 Analyzed: 07/14/26

Formaldehyde	0.00	ug/ml			U
--------------	------	-------	--	--	---

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/14/26 08:56

SUBMITTED: 06/11/26 to 07/15/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch 2607045 - B6G0907

Calibration Blank (2607045-CCB2) Contin

Prepared: 07/13/26 Analyzed: 07/14/26

Acetaldehyde	0.00	ug/ml							U
Acetone	0.00	ug/ml							U
Propionaldehyde	0.00	ug/ml							U
Crotonaldehyde	0.00	ug/ml							U
Butyraldehyde	0.00	ug/ml							U
2-Butanone	0.00	ug/ml							U
Benzaldehyde	0.00	ug/ml							U
Valeraldehyde	0.00	ug/ml							U
Hexaldehyde	0.00	ug/ml							U

Calibration Check (2607045-CCV1)

Prepared & Analyzed: 07/13/26

Formaldehyde	0.149	ug/ml	0.15000	99.4	84.9-115.1
Acetaldehyde	0.153	ug/ml	0.15000	102	84.9-115.1
Acetone	0.153	ug/ml	0.15000	102	84.9-115.1
Propionaldehyde	0.152	ug/ml	0.15000	101	84.9-115.1
Crotonaldehyde	0.155	ug/ml	0.15000	103	84.9-115.1
Butyraldehyde	0.151	ug/ml	0.15000	100	84.9-115.1
2-Butanone	0.154	ug/ml	0.15000	103	84.9-115.1
Benzaldehyde	0.160	ug/ml	0.15000	107	84.9-115.1
Valeraldehyde	0.155	ug/ml	0.15000	103	84.9-115.1
Hexaldehyde	0.149	ug/ml	0.15000	99.2	84.9-115.1

Calibration Check (2607045-CCV2)

Prepared & Analyzed: 07/13/26

Formaldehyde	0.152	ug/ml	0.15000	101	84.9-115.1
Acetaldehyde	0.154	ug/ml	0.15000	103	84.9-115.1
Acetone	0.153	ug/ml	0.15000	102	84.9-115.1
Propionaldehyde	0.151	ug/ml	0.15000	101	84.9-115.1
Crotonaldehyde	0.157	ug/ml	0.15000	105	84.9-115.1
Butyraldehyde	0.150	ug/ml	0.15000	100	84.9-115.1
2-Butanone	0.152	ug/ml	0.15000	101	84.9-115.1
Benzaldehyde	0.157	ug/ml	0.15000	105	84.9-115.1
Valeraldehyde	0.155	ug/ml	0.15000	103	84.9-115.1
Hexaldehyde	0.149	ug/ml	0.15000	99.5	84.9-115.1

Calibration Check (2607045-CCV3)

Prepared & Analyzed: 07/13/26

Formaldehyde	0.150	ug/ml	0.15000	99.8	84.9-115.1
Acetaldehyde	0.154	ug/ml	0.15000	103	84.9-115.1
Acetone	0.153	ug/ml	0.15000	102	84.9-115.1
Propionaldehyde	0.151	ug/ml	0.15000	101	84.9-115.1
Crotonaldehyde	0.156	ug/ml	0.15000	104	84.9-115.1

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/14/26 08:56

SUBMITTED: 06/11/26 to 07/15/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch 2607045 - B6G0907

Calibration Check (2607045-CCV3) Contin

Prepared & Analyzed: 07/13/26

Butyraldehyde	0.148	ug/ml	0.15000	98.8	84.9-115.1
2-Butanone	0.157	ug/ml	0.15000	105	84.9-115.1
Benzaldehyde	0.159	ug/ml	0.15000	106	84.9-115.1
Valeraldehyde	0.156	ug/ml	0.15000	104	84.9-115.1
Hexaldehyde	0.150	ug/ml	0.15000	100	84.9-115.1

Calibration Check (2607045-CCV4)

Prepared & Analyzed: 07/13/26

Formaldehyde	0.153	ug/ml	0.15000	102	84.9-115.1
Acetaldehyde	0.151	ug/ml	0.15000	101	84.9-115.1
Acetone	0.155	ug/ml	0.15000	103	84.9-115.1
Propionaldehyde	0.153	ug/ml	0.15000	102	84.9-115.1
Crotonaldehyde	0.157	ug/ml	0.15000	104	84.9-115.1
Butyraldehyde	0.151	ug/ml	0.15000	101	84.9-115.1
2-Butanone	0.156	ug/ml	0.15000	104	84.9-115.1
Benzaldehyde	0.157	ug/ml	0.15000	105	84.9-115.1
Valeraldehyde	0.154	ug/ml	0.15000	103	84.9-115.1
Hexaldehyde	0.148	ug/ml	0.15000	98.8	84.9-115.1

Calibration Check (2607045-CCV5)

Prepared: 07/13/26 Analyzed: 07/14/26

Formaldehyde	0.151	ug/ml	0.15000	100	84.9-115.1
Acetaldehyde	0.153	ug/ml	0.15000	102	84.9-115.1
Acetone	0.154	ug/ml	0.15000	103	84.9-115.1
Propionaldehyde	0.153	ug/ml	0.15000	102	84.9-115.1
Crotonaldehyde	0.156	ug/ml	0.15000	104	84.9-115.1
Butyraldehyde	0.152	ug/ml	0.15000	101	84.9-115.1
2-Butanone	0.158	ug/ml	0.15000	105	84.9-115.1
Benzaldehyde	0.159	ug/ml	0.15000	106	84.9-115.1
Valeraldehyde	0.158	ug/ml	0.15000	105	84.9-115.1
Hexaldehyde	0.150	ug/ml	0.15000	100	84.9-115.1

Batch 2607064 - B6G1505

Calibration Blank (2607064-CCB1)

Prepared & Analyzed: 07/16/26

Formaldehyde	0.00	ug/ml			U
Acetaldehyde	0.00	ug/ml			U
Acetone	0.00	ug/ml			U
Propionaldehyde	0.00	ug/ml			U
Crotonaldehyde	0.00	ug/ml			U
Butyraldehyde	0.00	ug/ml			U
2-Butanone	0.00	ug/ml			U
Benzaldehyde	0.00	ug/ml			U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/14/26 08:56

SUBMITTED: 06/11/26 to 07/15/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch 2607064 - B6G1505

Calibration Blank (2607064-CCB1) Contin

Prepared & Analyzed: 07/16/26

Valeraldehyde	0.00	ug/ml							U
Hexaldehyde	0.00	ug/ml							U

Calibration Blank (2607064-CCB2)

Prepared: 07/16/26 Analyzed: 07/17/26

Formaldehyde	0.00	ug/ml							U
Acetaldehyde	0.00	ug/ml							U
Acetone	0.00	ug/ml							U
Propionaldehyde	0.00	ug/ml							U
Crotonaldehyde	0.00	ug/ml							U
Butyraldehyde	0.00	ug/ml							U
2-Butanone	0.00	ug/ml							U
Benzaldehyde	0.00	ug/ml							U
Valeraldehyde	0.00	ug/ml							U
Hexaldehyde	0.00	ug/ml							U

Calibration Check (2607064-CCV1)

Prepared & Analyzed: 07/16/26

Formaldehyde	0.144	ug/ml	0.15000	95.7	84.9-115.1
Acetaldehyde	0.145	ug/ml	0.15000	96.5	84.9-115.1
Acetone	0.146	ug/ml	0.15000	97.3	84.9-115.1
Propionaldehyde	0.152	ug/ml	0.15000	102	84.9-115.1
Crotonaldehyde	0.149	ug/ml	0.15000	99.3	84.9-115.1
Butyraldehyde	0.140	ug/ml	0.15000	93.6	84.9-115.1
2-Butanone	0.143	ug/ml	0.15000	95.4	84.9-115.1
Benzaldehyde	0.149	ug/ml	0.15000	99.3	84.9-115.1
Valeraldehyde	0.147	ug/ml	0.15000	97.7	84.9-115.1
Hexaldehyde	0.142	ug/ml	0.15000	94.7	84.9-115.1

Calibration Check (2607064-CCV2)

Prepared & Analyzed: 07/16/26

Formaldehyde	0.144	ug/ml	0.15000	95.9	84.9-115.1
Acetaldehyde	0.146	ug/ml	0.15000	97.4	84.9-115.1
Acetone	0.145	ug/ml	0.15000	96.5	84.9-115.1
Propionaldehyde	0.150	ug/ml	0.15000	99.7	84.9-115.1
Crotonaldehyde	0.146	ug/ml	0.15000	97.2	84.9-115.1
Butyraldehyde	0.139	ug/ml	0.15000	93.0	84.9-115.1
2-Butanone	0.147	ug/ml	0.15000	98.2	84.9-115.1
Benzaldehyde	0.144	ug/ml	0.15000	96.2	84.9-115.1
Valeraldehyde	0.148	ug/ml	0.15000	98.8	84.9-115.1
Hexaldehyde	0.141	ug/ml	0.15000	93.9	84.9-115.1

Calibration Check (2607064-CCV3)

Prepared & Analyzed: 07/16/26

Formaldehyde	0.145	ug/ml	0.15000	96.6	84.9-115.1
--------------	-------	-------	---------	------	------------

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/14/26 08:56

SUBMITTED: 06/11/26 to 07/15/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch 2607064 - B6G1505

Calibration Check (2607064-CCV3) Contin

Prepared & Analyzed: 07/16/26

Acetaldehyde	0.147	ug/ml	0.15000	97.8	84.9-115.1
Acetone	0.147	ug/ml	0.15000	97.7	84.9-115.1
Propionaldehyde	0.150	ug/ml	0.15000	99.8	84.9-115.1
Crotonaldehyde	0.145	ug/ml	0.15000	96.8	84.9-115.1
Butyraldehyde	0.140	ug/ml	0.15000	93.5	84.9-115.1
2-Butanone	0.143	ug/ml	0.15000	95.6	84.9-115.1
Benzaldehyde	0.149	ug/ml	0.15000	99.4	84.9-115.1
Valeraldehyde	0.146	ug/ml	0.15000	97.5	84.9-115.1
Hexaldehyde	0.143	ug/ml	0.15000	95.2	84.9-115.1

Calibration Check (2607064-CCV4)

Prepared: 07/16/26 Analyzed: 07/17/26

Formaldehyde	0.145	ug/ml	0.15000	96.8	84.9-115.1
Acetaldehyde	0.145	ug/ml	0.15000	96.5	84.9-115.1
Acetone	0.146	ug/ml	0.15000	97.6	84.9-115.1
Propionaldehyde	0.152	ug/ml	0.15000	101	84.9-115.1
Crotonaldehyde	0.149	ug/ml	0.15000	99.1	84.9-115.1
Butyraldehyde	0.140	ug/ml	0.15000	93.5	84.9-115.1
2-Butanone	0.144	ug/ml	0.15000	96.0	84.9-115.1
Benzaldehyde	0.154	ug/ml	0.15000	103	84.9-115.1
Valeraldehyde	0.146	ug/ml	0.15000	97.6	84.9-115.1
Hexaldehyde	0.144	ug/ml	0.15000	95.9	84.9-115.1

Calibration Check (2607064-CCV5)

Prepared: 07/16/26 Analyzed: 07/17/26

Formaldehyde	0.146	ug/ml	0.15000	97.3	84.9-115.1
Acetaldehyde	0.147	ug/ml	0.15000	98.1	84.9-115.1
Acetone	0.147	ug/ml	0.15000	97.8	84.9-115.1
Propionaldehyde	0.147	ug/ml	0.15000	97.9	84.9-115.1
Crotonaldehyde	0.146	ug/ml	0.15000	97.2	84.9-115.1
Butyraldehyde	0.143	ug/ml	0.15000	95.2	84.9-115.1
2-Butanone	0.145	ug/ml	0.15000	96.7	84.9-115.1
Benzaldehyde	0.157	ug/ml	0.15000	105	84.9-115.1
Valeraldehyde	0.149	ug/ml	0.15000	99.5	84.9-115.1
Hexaldehyde	0.144	ug/ml	0.15000	95.8	84.9-115.1

Batch 2607067 - B6G1506

Calibration Blank (2607067-CCB1)

Prepared & Analyzed: 07/17/26

Formaldehyde	0.00	ug/ml			U
Acetaldehyde	0.00	ug/ml			U
Acetone	0.00	ug/ml			U
Propionaldehyde	0.00	ug/ml			U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/14/26 08:56

SUBMITTED: 06/11/26 to 07/15/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch 2607067 - B6G1506

Calibration Blank (2607067-CCB1) Contin

Prepared & Analyzed: 07/17/26

Crotonaldehyde	0.00	ug/ml							U
Butyraldehyde	0.00	ug/ml							U
2-Butanone	0.00	ug/ml							U
Benzaldehyde	0.00	ug/ml							U
Valeraldehyde	0.00	ug/ml							U
Hexaldehyde	0.00	ug/ml							U

Calibration Blank (2607067-CCB2)

Prepared & Analyzed: 07/17/26

Formaldehyde	0.00	ug/ml							U
Acetaldehyde	0.00	ug/ml							U
Acetone	0.00	ug/ml							U
Propionaldehyde	0.00	ug/ml							U
Crotonaldehyde	0.00	ug/ml							U
Butyraldehyde	0.00	ug/ml							U
2-Butanone	0.00	ug/ml							U
Benzaldehyde	0.00	ug/ml							U
Valeraldehyde	0.00	ug/ml							U
Hexaldehyde	0.00	ug/ml							U

Calibration Check (2607067-CCV1)

Prepared & Analyzed: 07/17/26

Formaldehyde	0.144	ug/ml	0.15000	96.3	84.9-115.1
Acetaldehyde	0.147	ug/ml	0.15000	98.2	84.9-115.1
Acetone	0.147	ug/ml	0.15000	97.7	84.9-115.1
Propionaldehyde	0.148	ug/ml	0.15000	98.9	84.9-115.1
Crotonaldehyde	0.145	ug/ml	0.15000	96.7	84.9-115.1
Butyraldehyde	0.141	ug/ml	0.15000	93.9	84.9-115.1
2-Butanone	0.144	ug/ml	0.15000	96.0	84.9-115.1
Benzaldehyde	0.149	ug/ml	0.15000	99.3	84.9-115.1
Valeraldehyde	0.142	ug/ml	0.15000	94.6	84.9-115.1
Hexaldehyde	0.143	ug/ml	0.15000	95.5	84.9-115.1

Calibration Check (2607067-CCV2)

Prepared & Analyzed: 07/17/26

Formaldehyde	0.144	ug/ml	0.15000	96.0	84.9-115.1
Acetaldehyde	0.147	ug/ml	0.15000	97.9	84.9-115.1
Acetone	0.146	ug/ml	0.15000	97.4	84.9-115.1
Propionaldehyde	0.149	ug/ml	0.15000	99.2	84.9-115.1
Crotonaldehyde	0.146	ug/ml	0.15000	97.5	84.9-115.1
Butyraldehyde	0.141	ug/ml	0.15000	94.0	84.9-115.1
2-Butanone	0.148	ug/ml	0.15000	98.3	84.9-115.1
Benzaldehyde	0.150	ug/ml	0.15000	100	84.9-115.1

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/14/26 08:56

SUBMITTED: 06/11/26 to 07/15/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch 2607067 - B6G1506

Calibration Check (2607067-CCV2) Contin

Prepared & Analyzed: 07/17/26

Valeraldehyde	0.146	ug/ml	0.15000	97.4	84.9-115.1
Hexaldehyde	0.144	ug/ml	0.15000	95.9	84.9-115.1

Calibration Check (2607067-CCV3)

Prepared & Analyzed: 07/17/26

Formaldehyde	0.145	ug/ml	0.15000	96.7	84.9-115.1
Acetaldehyde	0.145	ug/ml	0.15000	96.9	84.9-115.1
Acetone	0.146	ug/ml	0.15000	97.4	84.9-115.1
Propionaldehyde	0.147	ug/ml	0.15000	97.8	84.9-115.1
Crotonaldehyde	0.148	ug/ml	0.15000	98.5	84.9-115.1
Butyraldehyde	0.142	ug/ml	0.15000	95.0	84.9-115.1
2-Butanone	0.144	ug/ml	0.15000	96.0	84.9-115.1
Benzaldehyde	0.150	ug/ml	0.15000	99.9	84.9-115.1
Valeraldehyde	0.148	ug/ml	0.15000	98.5	84.9-115.1
Hexaldehyde	0.144	ug/ml	0.15000	95.9	84.9-115.1

Batch B6F1203 - TO-11A extraction

Blank (B6F1203-BLK1)

Prepared: 06/12/26 Analyzed: 06/15/26

Formaldehyde	ND	ug/m ³ Air				U
Acetaldehyde	0.0266	ug/m ³ Air				
Acetone	ND	ug/m ³ Air				U
Propionaldehyde	ND	ug/m ³ Air				CE, U
Crotonaldehyde	ND	ug/m ³ Air				U
Butyraldehyde	ND	ug/m ³ Air				U
2-Butanone	ND	ug/m ³ Air				U
Benzaldehyde	0.0529	ug/m ³ Air				
Valeraldehyde	ND	ug/m ³ Air				U
Hexaldehyde	ND	ug/m ³ Air				U

LCS (B6F1203-BS1)

Prepared: 06/12/26 Analyzed: 06/15/26

Formaldehyde	0.284	ug/ml	0.30000	94.6	79.9-120.1
Acetaldehyde	0.291	ug/ml	0.30000	96.9	79.9-120.1
Acetone	0.301	ug/ml	0.30000	100	69.9-130.1
Propionaldehyde	0.285	ug/ml	0.30000	95.1	69.9-130.1
Crotonaldehyde	0.281	ug/ml	0.30000	93.7	69.9-130.1
Butyraldehyde	0.250	ug/ml	0.30000	83.5	69.9-130.1
2-Butanone	0.244	ug/ml	0.30000	81.2	69.9-130.1
Benzaldehyde	0.310	ug/ml	0.30000	103	69.9-130.1
Valeraldehyde	0.256	ug/ml	0.30000	85.4	69.9-130.1
Hexaldehyde	0.246	ug/ml	0.30000	82.0	69.9-130.1

LCS Dup (B6F1203-BSD1)

Prepared: 06/12/26 Analyzed: 06/15/26

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/14/26 08:56

SUBMITTED: 06/11/26 to 07/15/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch B6F1203 - TO-11A extraction

LCS Dup (B6F1203-BSD1) Continued

Prepared: 06/12/26 Analyzed: 06/15/26

Formaldehyde	0.280	ug/ml	0.30000		93.4	79.9-120.1	1.23	20	
Acetaldehyde	0.290	ug/ml	0.30000		96.6	79.9-120.1	0.293	20	
Acetone	0.299	ug/ml	0.30000		99.5	69.9-130.1	0.854	20	
Propionaldehyde	0.279	ug/ml	0.30000		93.2	69.9-130.1	2.02	20	
Crotonaldehyde	0.278	ug/ml	0.30000		92.7	69.9-130.1	1.08	20	
Butyraldehyde	0.251	ug/ml	0.30000		83.6	69.9-130.1	0.157	20	
2-Butanone	0.240	ug/ml	0.30000		80.0	69.9-130.1	1.42	20	
Benzaldehyde	0.312	ug/ml	0.30000		104	69.9-130.1	0.641	20	
Valeraldehyde	0.253	ug/ml	0.30000		84.2	69.9-130.1	1.38	20	
Hexaldehyde	0.247	ug/ml	0.30000		82.2	69.9-130.1	0.238	20	

Batch B6F1806 - TO-11A extraction

Blank (B6F1806-BLK1)

Prepared: 06/18/26 Analyzed: 06/19/26

Formaldehyde	ND	ug/m ³ Air							U
Acetaldehyde	ND	ug/m ³ Air							U
Acetone	ND	ug/m ³ Air							U
Propionaldehyde	ND	ug/m ³ Air							CE, U
Crotonaldehyde	ND	ug/m ³ Air							U
Butyraldehyde	ND	ug/m ³ Air							U
2-Butanone	ND	ug/m ³ Air							U
Benzaldehyde	ND	ug/m ³ Air							U
Valeraldehyde	ND	ug/m ³ Air							U
Hexaldehyde	ND	ug/m ³ Air							U

LCS (B6F1806-BS1)

Prepared: 06/18/26 Analyzed: 06/19/26

Formaldehyde	0.279	ug/ml	0.30000		93.0	79.9-120.1			
Acetaldehyde	0.290	ug/ml	0.30000		96.7	79.9-120.1			
Acetone	0.295	ug/ml	0.30000		98.4	69.9-130.1			
Propionaldehyde	0.277	ug/ml	0.30000		92.3	69.9-130.1			
Crotonaldehyde	0.267	ug/ml	0.30000		89.0	69.9-130.1			
Butyraldehyde	0.248	ug/ml	0.30000		82.7	69.9-130.1			
2-Butanone	0.230	ug/ml	0.30000		76.5	69.9-130.1			
Benzaldehyde	0.303	ug/ml	0.30000		101	69.9-130.1			
Valeraldehyde	0.254	ug/ml	0.30000		84.8	69.9-130.1			
Hexaldehyde	0.244	ug/ml	0.30000		81.5	69.9-130.1			

LCS Dup (B6F1806-BSD1)

Prepared: 06/18/26 Analyzed: 06/19/26

Formaldehyde	0.275	ug/ml	0.30000		91.5	79.9-120.1	1.65	20	
Acetaldehyde	0.286	ug/ml	0.30000		95.4	79.9-120.1	1.38	20	
Acetone	0.289	ug/ml	0.30000		96.4	69.9-130.1	2.00	20	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/14/26 08:56

SUBMITTED: 06/11/26 to 07/15/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch B6F1806 - TO-11A extraction

LCS Dup (B6F1806-BSD1) Continued

Prepared: 06/18/26 Analyzed: 06/19/26

Propionaldehyde	0.277	ug/ml	0.30000		92.4	69.9-130.1	0.113	20	
Crotonaldehyde	0.272	ug/ml	0.30000		90.5	69.9-130.1	1.66	20	
Butyraldehyde	0.244	ug/ml	0.30000		81.4	69.9-130.1	1.64	20	
2-Butanone	0.233	ug/ml	0.30000		77.5	69.9-130.1	1.30	20	
Benzaldehyde	0.297	ug/ml	0.30000		99.0	69.9-130.1	1.98	20	
Valeraldehyde	0.245	ug/ml	0.30000		81.8	69.9-130.1	3.68	20	
Hexaldehyde	0.242	ug/ml	0.30000		80.7	69.9-130.1	0.925	20	

Batch B6G0903 - TO-11A extraction

Blank (B6G0903-BLK1)

Prepared: 07/09/26 Analyzed: 07/13/26

Formaldehyde	ND	ug/m ³ Air							U
Acetaldehyde	0.0550	ug/m ³ Air							
Acetone	ND	ug/m ³ Air							U
Propionaldehyde	ND	ug/m ³ Air							CE, U
Crotonaldehyde	ND	ug/m ³ Air							U
Butyraldehyde	ND	ug/m ³ Air							U
2-Butanone	ND	ug/m ³ Air							U
Benzaldehyde	0.0547	ug/m ³ Air							
Valeraldehyde	ND	ug/m ³ Air							U
Hexaldehyde	ND	ug/m ³ Air							U

LCS (B6G0903-BS1)

Prepared: 07/09/26 Analyzed: 07/13/26

Formaldehyde	0.292	ug/ml	0.30000		97.2	79.9-120.1			
Acetaldehyde	0.307	ug/ml	0.30000		102	79.9-120.1			
Acetone	0.309	ug/ml	0.30000		103	69.9-130.1			
Propionaldehyde	0.285	ug/ml	0.30000		95.0	69.9-130.1			
Crotonaldehyde	0.293	ug/ml	0.30000		97.7	69.9-130.1			
Butyraldehyde	0.263	ug/ml	0.30000		87.8	69.9-130.1			
2-Butanone	0.253	ug/ml	0.30000		84.5	69.9-130.1			
Benzaldehyde	0.316	ug/ml	0.30000		105	69.9-130.1			
Valeraldehyde	0.262	ug/ml	0.30000		87.3	69.9-130.1			
Hexaldehyde	0.253	ug/ml	0.30000		84.3	69.9-130.1			

LCS Dup (B6G0903-BSD1)

Prepared: 07/09/26 Analyzed: 07/13/26

Formaldehyde	0.287	ug/ml	0.30000		95.8	79.9-120.1	1.44	20	
Acetaldehyde	0.302	ug/ml	0.30000		101	79.9-120.1	1.63	20	
Acetone	0.300	ug/ml	0.30000		100	69.9-130.1	2.80	20	
Propionaldehyde	0.278	ug/ml	0.30000		92.5	69.9-130.1	2.60	20	
Crotonaldehyde	0.283	ug/ml	0.30000		94.4	69.9-130.1	3.40	20	
Butyraldehyde	0.254	ug/ml	0.30000		84.8	69.9-130.1	3.46	20	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/14/26 08:56

SUBMITTED: 06/11/26 to 07/15/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch B6G0903 - TO-11A extraction

LCS Dup (B6G0903-BSD1) Continued

Prepared: 07/09/26 Analyzed: 07/13/26

2-Butanone	0.244	ug/ml	0.30000	81.2	69.9-130.1	3.92	20	
Benzaldehyde	0.316	ug/ml	0.30000	105	69.9-130.1	0.177	20	
Valeraldehyde	0.260	ug/ml	0.30000	86.5	69.9-130.1	0.906	20	
Hexaldehyde	0.248	ug/ml	0.30000	82.7	69.9-130.1	1.89	20	

Batch B6G1505 - TO-11A extraction

Blank (B6G1505-BLK1)

Prepared: 07/15/26 Analyzed: 07/16/26

Formaldehyde	ND	ug/m ³ Air						U
Acetaldehyde	0.0543	ug/m ³ Air						
Acetone	ND	ug/m ³ Air						U
Propionaldehyde	ND	ug/m ³ Air						U
Crotonaldehyde	ND	ug/m ³ Air						U
Butyraldehyde	ND	ug/m ³ Air						U
2-Butanone	ND	ug/m ³ Air						U
Benzaldehyde	ND	ug/m ³ Air						U
Valeraldehyde	ND	ug/m ³ Air						U
Hexaldehyde	ND	ug/m ³ Air						U

Batch B6G1506 - TO-11A extraction

Blank (B6G1506-BLK1)

Prepared: 07/15/26 Analyzed: 07/17/26

Formaldehyde	ND	ug/m ³ Air						U
Acetaldehyde	0.105	ug/m ³ Air						
Acetone	ND	ug/m ³ Air						U
Propionaldehyde	ND	ug/m ³ Air						U
Crotonaldehyde	ND	ug/m ³ Air						U
Butyraldehyde	ND	ug/m ³ Air						U
2-Butanone	ND	ug/m ³ Air						U
Benzaldehyde	ND	ug/m ³ Air						U
Valeraldehyde	ND	ug/m ³ Air						U
Hexaldehyde	ND	ug/m ³ Air						U

LCS (B6G1506-BS1)

Prepared: 07/15/26 Analyzed: 07/17/26

Formaldehyde	0.274	ug/ml	0.30000	91.5	79.9-120.1		
Acetaldehyde	0.290	ug/ml	0.30000	96.6	79.9-120.1		
Acetone	0.292	ug/ml	0.30000	97.2	69.9-130.1		
Propionaldehyde	0.336	ug/ml	0.30000	112	69.9-130.1		
Crotonaldehyde	0.270	ug/ml	0.30000	89.9	69.9-130.1		
Butyraldehyde	0.248	ug/ml	0.30000	82.8	69.9-130.1		
2-Butanone	0.231	ug/ml	0.30000	76.9	69.9-130.1		
Benzaldehyde	0.299	ug/ml	0.30000	99.6	69.9-130.1		

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/14/26 08:56

SUBMITTED: 06/11/26 to 07/15/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch B6G1506 - TO-11A extraction

LCS (B6G1506-BS1) Continued

Prepared: 07/15/26 Analyzed: 07/17/26

Valeraldehyde	0.247	ug/ml	0.30000	82.3	69.9-130.1
Hexaldehyde	0.243	ug/ml	0.30000	81.0	69.9-130.1

LCS Dup (B6G1506-BSD1)

Prepared: 07/15/26 Analyzed: 07/17/26

Formaldehyde	0.274	ug/ml	0.30000	91.3	79.9-120.1	0.178	20
Acetaldehyde	0.289	ug/ml	0.30000	96.4	79.9-120.1	0.202	20
Acetone	0.289	ug/ml	0.30000	96.5	69.9-130.1	0.732	20
Propionaldehyde	0.335	ug/ml	0.30000	112	69.9-130.1	0.134	20
Crotonaldehyde	0.266	ug/ml	0.30000	88.6	69.9-130.1	1.46	20
Butyraldehyde	0.248	ug/ml	0.30000	82.7	69.9-130.1	0.0129	20
2-Butanone	0.230	ug/ml	0.30000	76.6	69.9-130.1	0.385	20
Benzaldehyde	0.296	ug/ml	0.30000	98.5	69.9-130.1	1.03	20
Valeraldehyde	0.247	ug/ml	0.30000	82.2	69.9-130.1	0.103	20
Hexaldehyde	0.238	ug/ml	0.30000	79.2	69.9-130.1	2.18	20



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/14/26 08:56

SUBMITTED: 06/11/26 to 07/15/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Notes and Definitions

U	Under Detection Limit
TT	Transport temperature is out of specs.
S-Rec	Sample received by laboratory outside of initial extraction hold time - 14 days -
E	The concentration for this analyte is an estimated value above the calibration range of the instrument.
DNPH	DNPH fails QAPP criteria. Results for this sample should be considered an estimate and may be biased low.
D-F	Duplicate exceeds DQO criteria.
CE	Not reportable due to a co-eluting compound.
ND	Analyte NOT DETECTED
NR	Not Reported
MDL	Method Detection Limit
RPD	Relative Percent Difference

Note: Breakthrough cartridges were not submitted or analyzed as specified by Compendium Method TO-11A. This deviation from the method has been approved by the US EPA, under the contract for UATMP, NATTS, CSATAM, PAMS and NMOC Support (US EPA Contract No. EP-D-14-030).

Note: This test is accredited under the 2016 TNI Standard.