



Eastern Research Group
601 Keystone Park Drive
Suite 700
Morrisville, NC 27560

August 12, 2026

Mr. Bryan Sims
Oklahoma Dept. of Environmental Quality
707 N. Robinson, PO Box 1677
Oklahoma City, OK 73101-1677
Project Name: OCOK

Dear Mr. Bryan Sims,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 06/15/26 10:12 through 07/16/26 11:26.

Values below the MDL for QC results in this report are recorded as ND, however the actual values are reported in the accompanying Excel report with a "U" flag (Under the detection limit). The actual values are reported in AQS.

This test is accredited under the 2016 TNI Standard for Environmental Laboratories (FL DOH Certification # E87673). All analyses were performed as described in the US EPA-approved QAPP, under the contract for National Hazardous Air Pollutant Support (US EPA Contract No. 68HERH22D0002). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7872.

Sincerely,

Randolph Bower
Program Manager
randy.bower@erg.com

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify randy.bower@erg.com and delete the report without retaining any copies.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
OCOK	6061504-02	Air	06/01/26 23:59	06/15/26 10:12
OCOK	6061807-01	Air	06/07/26 23:59	06/18/26 12:08
OCOK	6061807-02	Air	06/13/26 23:59	06/18/26 12:08
OCOK D1	6071651-01	Air	06/19/26 23:59	07/16/26 11:26
OCOK D2	6071651-02	Air	06/19/26 23:59	07/16/26 11:26



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK

Lab ID: 6061504-02

Sampled: 06/01/26 23:59

Pressure @ Receipt: 5.0

Canister #: 41604

Received: 06/15/26 10:12

Comments:

Analyzed: 06/17/26 03:17

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Dichlorodifluoromethane	0.484	2.40		0.0237
Chloromethane	0.598	1.24		0.0213
Dichlorotetrafluoroethane	0.0186	0.13		0.0112
Vinyl chloride	0.00140	0.00	U	0.0140
1,3-Butadiene	0.00730	0.02	U	0.0215
Ethylene oxide	0.170	0.31		0.0276
Bromomethane	0.0103	0.04	U	0.0104
Chloroethane	0.0212	0.06		0.0136
Acetonitrile	207	348.00	CF, E, LK	0.184
Acrolein	0.288	0.66	CF, LK	0.0977
Trichlorofluoromethane	0.206	1.16		0.00950
Acrylonitrile	0.0195	0.04		0.0116
1,1-Dichloroethene	8.00E-4	0.00	U	0.0158
Dichloromethane	0.123	0.43		0.0489
Carbon Disulfide	0.0240	0.07	U	0.0473
Trichlorotrifluoroethane	0.0716	0.55		0.0210
trans-1,2-Dichloroethylene	0.00330	0.01	U	0.0171
1,1-Dichloroethane	0.00180	0.01	U	0.00655
Methyl tert-Butyl Ether	ND	ND	U	0.0101
Chloroprene	ND	ND	U	0.0123
cis-1,2-Dichloroethylene	ND	ND	U	0.0172
Bromochloromethane	9.00E-4	0.00	U	0.00905
Chloroform	0.0188	0.09		0.0134
Ethyl tert-Butyl Ether	ND	ND	U	0.00893
1,2-Dichloroethane	0.0139	0.06		0.0116
1,1,1-Trichloroethane	0.00210	0.01	U	0.00952
Benzene	0.132	0.42		0.0158
Carbon Tetrachloride	0.0725	0.46		0.00750
tert-Amyl Methyl Ether	8.00E-4	0.00	U	0.0126
1,2-Dichloropropane	ND	ND	U	0.0215
Ethyl Acrylate	ND	ND	U	0.00780
Bromodichloromethane	ND	ND	U	0.00889
Trichloroethylene	0.00330	0.02	U	0.0170
Methyl Methacrylate	ND	ND	U	0.0412
cis-1,3-Dichloropropene	ND	ND	U	0.00753
Methyl Isobutyl Ketone	0.0269	0.11	U	0.0578

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK

Lab ID: 6061504-02

Sampled: 06/01/26 23:59

Pressure @ Receipt: 5.0

Canister #: 41604

Received: 06/15/26 10:12

Comments:

Analyzed: 06/17/26 03:17

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
trans-1,3-Dichloropropene	ND	ND	U	0.00822
1,1,2-Trichloroethane	ND	ND	U	0.00749
Toluene	0.266	1.00		0.0380
Dibromochloromethane	0.00100	0.01	U	0.00884
1,2-Dibromoethane	ND	ND	U	0.00660
n-Octane	0.0626	0.29		0.0258
Tetrachloroethylene	0.00800	0.05	U	0.00860
Chlorobenzene	ND	ND	U	0.0137
Ethylbenzene	0.0273	0.12		0.0130
m,p-Xylene	0.0829	0.36		0.0418
Bromoform	0.00190	0.02	U	0.0166
Styrene	ND	ND	CE, U	0.0273
1,1,2,2-Tetrachloroethane	ND	ND	U	0.0190
o-Xylene	0.0348	0.15		0.0235
1,3,5-Trimethylbenzene	0.00790	0.04	U	0.0316
1,2,4-Trimethylbenzene	ND	ND	U, CE	0.0320
m-Dichlorobenzene	0.00110	0.01	U	0.0277
p-Dichlorobenzene	0.00300	0.02	U	0.0287
o-Dichlorobenzene	0.00100	0.01	U	0.0364
1,2,4-Trichlorobenzene	0.00180	0.01	U, QB-01	0.0792
Hexachloro-1,3-butadiene	8.00E-4	0.01	U	0.0701



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK

Lab ID: 6061807-01

Sampled: 06/07/26 23:59

Pressure @ Receipt: 5.0

Canister #: 41626

Received: 06/18/26 12:08

Comments:

Analyzed: 06/22/26 14:49

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Dichlorodifluoromethane	0.466	2.31		0.0237
Chloromethane	0.574	1.19		0.0213
Dichlorotetrafluoroethane	0.0171	0.12		0.0112
Vinyl chloride	8.00E-4	0.00	U	0.0140
1,3-Butadiene	0.00460	0.01	CF, LL, U	0.0215
Ethylene oxide	0.115	0.21	CF, LK	0.0276
Bromomethane	0.00930	0.04	U	0.0104
Chloroethane	0.00960	0.03	U	0.0136
Acetonitrile	143	241.00	E, QB-03	0.184
Acrolein	0.233	0.54	CF, LK, QB-01	0.0977
Trichlorofluoromethane	0.209	1.18		0.00950
Acrylonitrile	0.0222	0.05		0.0116
1,1-Dichloroethene	4.00E-4	0.00	U	0.0158
Dichloromethane	0.114	0.40		0.0489
Carbon Disulfide	0.0155	0.05	U	0.0473
Trichlorotrifluoroethane	0.0617	0.47		0.0210
trans-1,2-Dichloroethylene	0.00160	0.01	U	0.0171
1,1-Dichloroethane	0.00100	0.00	U	0.00655
Methyl tert-Butyl Ether	ND	ND	U	0.0101
Chloroprene	5.00E-4	0.00	U	0.0123
cis-1,2-Dichloroethylene	ND	ND	U	0.0172
Bromochloromethane	6.00E-4	0.00	U	0.00905
Chloroform	0.0154	0.08		0.0134
Ethyl tert-Butyl Ether	ND	ND	U	0.00893
1,2-Dichloroethane	0.00980	0.04	U	0.0116
1,1,1-Trichloroethane	0.00160	0.01	U	0.00952
Benzene	0.0842	0.27		0.0158
Carbon Tetrachloride	0.0732	0.46		0.00750
tert-Amyl Methyl Ether	ND	ND	U	0.0126
1,2-Dichloropropane	ND	ND	U	0.0215
Ethyl Acrylate	ND	ND	U	0.00780
Bromodichloromethane	ND	ND	U	0.00889
Trichloroethylene	0.00270	0.01	U	0.0170
Methyl Methacrylate	ND	ND	U	0.0412
cis-1,3-Dichloropropene	ND	ND	U	0.00753
Methyl Isobutyl Ketone	0.0175	0.07	U	0.0578

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK

Lab ID: 6061807-01

Sampled: 06/07/26 23:59

Pressure @ Receipt: 5.0

Canister #: 41626

Received: 06/18/26 12:08

Comments:

Analyzed: 06/22/26 14:49

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
trans-1,3-Dichloropropene	ND	ND	U	0.00822
1,1,2-Trichloroethane	ND	ND	U	0.00749
Toluene	0.113	0.43		0.0380
Dibromochloromethane	8.00E-4	0.01	U	0.00884
1,2-Dibromoethane	ND	ND	U	0.00660
n-Octane	0.0283	0.13		0.0258
Tetrachloroethylene	0.00430	0.03	U	0.00860
Chlorobenzene	ND	ND	U	0.0137
Ethylbenzene	0.0121	0.05	U	0.0130
m,p-Xylene	0.0321	0.14	U	0.0418
Bromoform	0.00170	0.02	U	0.0166
Styrene	ND	ND	CE, U	0.0273
1,1,2,2-Tetrachloroethane	ND	ND	U	0.0190
o-Xylene	0.0132	0.06	U	0.0235
1,3,5-Trimethylbenzene	0.00410	0.02	U	0.0316
1,2,4-Trimethylbenzene	ND	ND	CE, U	0.0320
m-Dichlorobenzene	9.00E-4	0.01	U	0.0277
p-Dichlorobenzene	0.00260	0.02	U	0.0287
o-Dichlorobenzene	8.00E-4	0.00	U	0.0364
1,2,4-Trichlorobenzene	0.00120	0.01	U	0.0792
Hexachloro-1,3-butadiene	8.00E-4	0.01	U	0.0701



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK

Lab ID: 6061807-02

Sampled: 06/13/26 23:59

Pressure @ Receipt: 5.0

Canister #: 42209

Received: 06/18/26 12:08

Comments:

Analyzed: 06/22/26 15:50

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Dichlorodifluoromethane	0.462	2.29		0.0237
Chloromethane	0.541	1.12		0.0213
Dichlorotetrafluoroethane	0.0170	0.12		0.0112
Vinyl chloride	6.00E-4	0.00	U	0.0140
1,3-Butadiene	0.00220	0.00	CF, LL, U	0.0215
Ethylene oxide	0.157	0.28		0.0276
Bromomethane	0.00930	0.04	U	0.0104
Chloroethane	0.00780	0.02	U	0.0136
Acetonitrile	190	320.00	CF, E, LK	0.184
Acrolein	0.191	0.44	CF, LK, QB-01	0.0977
Trichlorofluoromethane	0.207	1.17		0.00950
Acrylonitrile	0.0202	0.04		0.0116
1,1-Dichloroethene	3.00E-4	0.00	U	0.0158
Dichloromethane	0.0801	0.28		0.0489
Carbon Disulfide	0.0135	0.04	U	0.0473
Trichlorotrifluoroethane	0.0609	0.47		0.0210
trans-1,2-Dichloroethylene	0.00350	0.01	U	0.0171
1,1-Dichloroethane	9.00E-4	0.00	U	0.00655
Methyl tert-Butyl Ether	ND	ND	U	0.0101
Chloroprene	ND	ND	U	0.0123
cis-1,2-Dichloroethylene	ND	ND	U	0.0172
Bromochloromethane	5.00E-4	0.00	U	0.00905
Chloroform	0.0132	0.06	U	0.0134
Ethyl tert-Butyl Ether	ND	ND	U	0.00893
1,2-Dichloroethane	0.00850	0.03	U	0.0116
1,1,1-Trichloroethane	0.00140	0.01	U	0.00952
Benzene	0.0739	0.24		0.0158
Carbon Tetrachloride	0.0721	0.46		0.00750
tert-Amyl Methyl Ether	ND	ND	U	0.0126
1,2-Dichloropropane	ND	ND	U	0.0215
Ethyl Acrylate	ND	ND	U	0.00780
Bromodichloromethane	ND	ND	U	0.00889
Trichloroethylene	0.00230	0.01	U	0.0170
Methyl Methacrylate	ND	ND	U	0.0412
cis-1,3-Dichloropropene	ND	ND	U	0.00753
Methyl Isobutyl Ketone	0.0156	0.06	U	0.0578

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK

Lab ID: 6061807-02

Sampled: 06/13/26 23:59

Pressure @ Receipt: 5.0

Canister #: 42209

Received: 06/18/26 12:08

Comments:

Analyzed: 06/22/26 15:50

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
trans-1,3-Dichloropropene	ND	ND	U	0.00822
1,1,2-Trichloroethane	ND	ND	U	0.00749
Toluene	0.111	0.42		0.0380
Dibromochloromethane	7.00E-4	0.01	U	0.00884
1,2-Dibromoethane	ND	ND	U	0.00660
n-Octane	0.0267	0.13		0.0258
Tetrachloroethylene	0.00390	0.03	U	0.00860
Chlorobenzene	ND	ND	U	0.0137
Ethylbenzene	0.0119	0.05	U	0.0130
m,p-Xylene	0.0290	0.13	U	0.0418
Bromoform	0.00220	0.02	U	0.0166
Styrene	ND	ND	CE, U	0.0273
1,1,2,2-Tetrachloroethane	ND	ND	U	0.0190
o-Xylene	0.0127	0.06	U	0.0235
1,3,5-Trimethylbenzene	0.00260	0.01	U	0.0316
1,2,4-Trimethylbenzene	ND	ND	CE, U	0.0320
m-Dichlorobenzene	7.00E-4	0.00	U	0.0277
p-Dichlorobenzene	0.00210	0.01	U	0.0287
o-Dichlorobenzene	6.00E-4	0.00	U	0.0364
1,2,4-Trichlorobenzene	9.00E-4	0.01	U	0.0792
Hexachloro-1,3-butadiene	6.00E-4	0.01	U	0.0701



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK D1

Lab ID: 6071651-01

Sampled: 06/19/26 23:59

Pressure @ Receipt: 5.5

Canister #: 43346

Received: 07/16/26 11:26

Comments: Identified as Dup after analysis, reps not run

Analyzed: 07/18/26 03:56

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Dichlorodifluoromethane	0.492	2.44		0.0237
Chloromethane	0.550	1.14		0.0213
Dichlorotetrafluoroethane	0.0189	0.13		0.0112
Vinyl chloride	ND	ND	U	0.0140
1,3-Butadiene	0.00590	0.01	CF, LL, U	0.0215
Ethylene oxide	0.172	0.31		0.0276
Bromomethane	0.00930	0.04	U	0.0104
Chloroethane	0.0152	0.04		0.0136
Acetonitrile	218	367.00	E	0.184
Acrolein	0.233	0.54	CF, LK	0.0977
Trichlorofluoromethane	0.234	1.32		0.00950
Acrylonitrile	0.0145	0.03		0.0116
1,1-Dichloroethene	ND	ND	U	0.0158
Dichloromethane	0.129	0.45		0.0489
Carbon Disulfide	0.0118	0.04	U	0.0473
Trichlorotrifluoroethane	0.0762	0.59		0.0210
trans-1,2-Dichloroethylene	0.00340	0.01	U	0.0171
1,1-Dichloroethane	0.00100	0.00	U	0.00655
Methyl tert-Butyl Ether	ND	ND	U	0.0101
Chloroprene	ND	ND	U	0.0123
cis-1,2-Dichloroethylene	ND	ND	U	0.0172
Bromochloromethane	ND	ND	U	0.00905
Chloroform	0.0182	0.09		0.0134
Ethyl tert-Butyl Ether	ND	ND	U	0.00893
1,2-Dichloroethane	0.0143	0.06		0.0116
1,1,1-Trichloroethane	0.00120	0.01	U	0.00952
Benzene	0.0801	0.26		0.0158
Carbon Tetrachloride	0.0779	0.49		0.00750
tert-Amyl Methyl Ether	ND	ND	U	0.0126
1,2-Dichloropropane	ND	ND	U	0.0215
Ethyl Acrylate	ND	ND	U	0.00780
Bromodichloromethane	ND	ND	U	0.00889
Trichloroethylene	0.00240	0.01	U	0.0170
Methyl Methacrylate	ND	ND	U	0.0412
cis-1,3-Dichloropropene	ND	ND	U	0.00753
Methyl Isobutyl Ketone	0.0223	0.09	U	0.0578

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK D1

Lab ID: 6071651-01

Sampled: 06/19/26 23:59

Pressure @ Receipt: 5.5

Canister #: 43346

Received: 07/16/26 11:26

Comments: Identified as Dup after analysis, reps not run

Analyzed: 07/18/26 03:56

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
trans-1,3-Dichloropropene	ND	ND	U	0.00822
1,1,2-Trichloroethane	ND	ND	U	0.00749
Toluene	0.131	0.50		0.0380
Dibromochloromethane	ND	ND	U	0.00884
1,2-Dibromoethane	ND	ND	U	0.00660
n-Octane	0.0281	0.13		0.0258
Tetrachloroethylene	0.00430	0.03	U	0.00860
Chlorobenzene	ND	ND	U	0.0137
Ethylbenzene	0.0152	0.07		0.0130
m,p-Xylene	0.0441	0.19		0.0418
Bromoform	8.00E-4	0.01	U	0.0166
Styrene	ND	ND	CE, U	0.0273
1,1,2,2-Tetrachloroethane	ND	ND	U	0.0190
o-Xylene	0.0176	0.08	U	0.0235
1,3,5-Trimethylbenzene	0.00350	0.02	U	0.0316
1,2,4-Trimethylbenzene	ND	ND	CE, U	0.0320
m-Dichlorobenzene	ND	ND	U	0.0277
p-Dichlorobenzene	0.00210	0.01	U	0.0287
o-Dichlorobenzene	ND	ND	U	0.0364
1,2,4-Trichlorobenzene	3.00E-4	0.00	U	0.0792
Hexachloro-1,3-butadiene	ND	ND	LJ, U	0.0701



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK D2

Lab ID: 6071651-02

Sampled: 06/19/26 23:59

Pressure @ Receipt: 4.0

Canister #: 43332

Received: 07/16/26 11:26

Comments: Identified as Dup after analysis, reps not run, Duplicate Make

Analyzed: 07/18/26 04:57

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Dichlorodifluoromethane	0.532	2.64		0.0237
Chloromethane	0.578	1.20		0.0213
Dichlorotetrafluoroethane	0.0186	0.13		0.0112
Vinyl chloride	ND	ND	U	0.0140
1,3-Butadiene	ND	ND	CF, LL, U	0.0215
Ethylene oxide	0.244	0.44	CF, LK	0.0276
Bromomethane	0.0105	0.04		0.0104
Chloroethane	0.0125	0.03	U	0.0136
Acetonitrile	66.5	112.00	E	0.184
Acrolein	0.274	0.63	CF, LK	0.0977
Trichlorofluoromethane	0.228	1.28		0.00950
Acrylonitrile	0.0156	0.03		0.0116
1,1-Dichloroethene	ND	ND	U	0.0158
Dichloromethane	0.132	0.46		0.0489
Carbon Disulfide	0.0114	0.04	U	0.0473
Trichlorotrifluoroethane	0.0752	0.58		0.0210
trans-1,2-Dichloroethylene	0.00320	0.01	U	0.0171
1,1-Dichloroethane	ND	ND	U	0.00655
Methyl tert-Butyl Ether	ND	ND	U	0.0101
Chloroprene	ND	ND	U	0.0123
cis-1,2-Dichloroethylene	ND	ND	U	0.0172
Bromochloromethane	ND	ND	U	0.00905
Chloroform	0.0168	0.08		0.0134
Ethyl tert-Butyl Ether	ND	ND	U	0.00893
1,2-Dichloroethane	0.0139	0.06		0.0116
1,1,1-Trichloroethane	ND	ND	U	0.00952
Benzene	0.0816	0.26		0.0158
Carbon Tetrachloride	0.0754	0.48		0.00750
tert-Amyl Methyl Ether	ND	ND	U	0.0126
1,2-Dichloropropane	ND	ND	U	0.0215
Ethyl Acrylate	ND	ND	U	0.00780
Bromodichloromethane	ND	ND	U	0.00889
Trichloroethylene	0.00270	0.01	U	0.0170
Methyl Methacrylate	ND	ND	U	0.0412
cis-1,3-Dichloropropene	ND	ND	U	0.00753
Methyl Isobutyl Ketone	0.0242	0.10	U	0.0578

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK D2

Lab ID: 6071651-02

Sampled: 06/19/26 23:59

Pressure @ Receipt: 4.0

Canister #: 43332

Received: 07/16/26 11:26

Comments: Identified as Dup after analysis, reps not run, Duplicate Make

Analyzed: 07/18/26 04:57

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
trans-1,3-Dichloropropene	ND	ND	U	0.00822
1,1,2-Trichloroethane	ND	ND	U	0.00749
Toluene	0.130	0.49		0.0380
Dibromochloromethane	2.00E-4	0.00	U	0.00884
1,2-Dibromoethane	ND	ND	U	0.00660
n-Octane	0.0207	0.10	U	0.0258
Tetrachloroethylene	0.00450	0.03	U	0.00860
Chlorobenzene	ND	ND	U	0.0137
Ethylbenzene	0.0141	0.06		0.0130
m,p-Xylene	0.0327	0.14	U	0.0418
Bromoform	8.00E-4	0.01	U	0.0166
Styrene	ND	ND	CE, U	0.0273
1,1,2,2-Tetrachloroethane	ND	ND	U	0.0190
o-Xylene	0.0156	0.07	U	0.0235
1,3,5-Trimethylbenzene	0.00140	0.01	U	0.0316
1,2,4-Trimethylbenzene	ND	ND	CE, U	0.0320
m-Dichlorobenzene	6.00E-4	0.00	U	0.0277
p-Dichlorobenzene	0.00200	0.01	U	0.0287
o-Dichlorobenzene	ND	ND	U	0.0364
1,2,4-Trichlorobenzene	3.00E-4	0.00	U	0.0792
Hexachloro-1,3-butadiene	ND	ND	LJ, U	0.0701



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B6F1604 - Summa Canister Prep

Blank (B6F1604-BLK1)

Prepared: 06/05/26 Analyzed: 06/16/26

Dichlorodifluoromethane	ND	ppbv				U
Chloromethane	ND	ppbv				U
Dichlorotetrafluoroethane	ND	ppbv				U
Vinyl chloride	ND	ppbv				U
1,3-Butadiene	ND	ppbv				U
Ethylene oxide	ND	ppbv				U
Bromomethane	ND	ppbv				U
Chloroethane	ND	ppbv				U
Acetonitrile	ND	ppbv				U
Acrolein	ND	ppbv				U
Trichlorofluoromethane	ND	ppbv				U
Acrylonitrile	ND	ppbv				U
1,1-Dichloroethene	ND	ppbv				U
Dichloromethane	ND	ppbv				U
Carbon Disulfide	ND	ppbv				U
Trichlorotrifluoroethane	ND	ppbv				U
trans-1,2-Dichloroethylene	ND	ppbv				U
1,1-Dichloroethane	ND	ppbv				U
Methyl tert-Butyl Ether	ND	ppbv				U
Chloroprene	ND	ppbv				U
cis-1,2-Dichloroethylene	ND	ppbv				U
Bromochloromethane	ND	ppbv				U
Chloroform	ND	ppbv				U
Ethyl tert-Butyl Ether	ND	ppbv				U
1,2-Dichloroethane	ND	ppbv				U
1,1,1-Trichloroethane	ND	ppbv				U
Benzene	ND	ppbv				U
Carbon Tetrachloride	ND	ppbv				U
tert-Amyl Methyl Ether	ND	ppbv				U
1,2-Dichloropropane	ND	ppbv				U
Ethyl Acrylate	ND	ppbv				U
Bromodichloromethane	ND	ppbv				U
Trichloroethylene	ND	ppbv				U
Methyl Methacrylate	ND	ppbv				U
cis-1,3-Dichloropropene	ND	ppbv				U
Methyl Isobutyl Ketone	ND	ppbv				U
trans-1,3-Dichloropropene	ND	ppbv				U
1,1,2-Trichloroethane	ND	ppbv				U
Toluene	ND	ppbv				U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B6F1604 - Summa Canister Prep

Blank (B6F1604-BLK1) Continued

Prepared: 06/05/26 Analyzed: 06/16/26

Dibromochloromethane	ND	ppbv				U
1,2-Dibromoethane	ND	ppbv				U
n-Octane	ND	ppbv				U
Tetrachloroethylene	ND	ppbv				U
Chlorobenzene	ND	ppbv				U
Ethylbenzene	ND	ppbv				U
m,p-Xylene	ND	ppbv				U
Bromoform	ND	ppbv				U
Styrene	ND	ppbv				U
1,1,2,2-Tetrachloroethane	ND	ppbv				U
o-Xylene	ND	ppbv				U
1,3,5-Trimethylbenzene	ND	ppbv				U
1,2,4-Trimethylbenzene	ND	ppbv				U
m-Dichlorobenzene	ND	ppbv				U
p-Dichlorobenzene	ND	ppbv				U
o-Dichlorobenzene	ND	ppbv				U
1,2,4-Trichlorobenzene	ND	ppbv				QB-01, U
Hexachloro-1,3-butadiene	ND	ppbv				U

Batch B6F2201 - Summa Canister Prep

Blank (B6F2201-BLK1)

Prepared: 06/05/26 Analyzed: 06/22/26

Dichlorodifluoromethane	ND	ppbv				U
Chloromethane	ND	ppbv				U
Dichlorotetrafluoroethane	ND	ppbv				U
Vinyl chloride	ND	ppbv				U
1,3-Butadiene	ND	ppbv				U
Ethylene oxide	ND	ppbv				U
Bromomethane	ND	ppbv				U
Chloroethane	ND	ppbv				U
Acetonitrile	ND	ppbv				U
Acrolein	ND	ppbv				QB-01, U
Trichlorofluoromethane	ND	ppbv				U
Acrylonitrile	ND	ppbv				U
1,1-Dichloroethene	ND	ppbv				U
Dichloromethane	ND	ppbv				U
Carbon Disulfide	ND	ppbv				U
Trichlorotrifluoroethane	ND	ppbv				U
trans-1,2-Dichloroethylene	ND	ppbv				U
1,1-Dichloroethane	ND	ppbv				U
Methyl tert-Butyl Ether	ND	ppbv				U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B6F2201 - Summa Canister Prep

Blank (B6F2201-BLK1) Continued

Prepared: 06/05/26 Analyzed: 06/22/26

Chloroprene	ND	ppbv				U
cis-1,2-Dichloroethylene	ND	ppbv				U
Bromochloromethane	ND	ppbv				U
Chloroform	ND	ppbv				U
Ethyl tert-Butyl Ether	ND	ppbv				U
1,2-Dichloroethane	ND	ppbv				U
1,1,1-Trichloroethane	ND	ppbv				U
Benzene	ND	ppbv				U
Carbon Tetrachloride	ND	ppbv				U
tert-Amyl Methyl Ether	ND	ppbv				U
1,2-Dichloropropane	ND	ppbv				U
Ethyl Acrylate	ND	ppbv				U
Bromodichloromethane	ND	ppbv				U
Trichloroethylene	ND	ppbv				U
Methyl Methacrylate	ND	ppbv				U
cis-1,3-Dichloropropene	ND	ppbv				U
Methyl Isobutyl Ketone	ND	ppbv				U
trans-1,3-Dichloropropene	ND	ppbv				U
1,1,2-Trichloroethane	ND	ppbv				U
Toluene	ND	ppbv				U
Dibromochloromethane	ND	ppbv				U
1,2-Dibromoethane	ND	ppbv				U
n-Octane	ND	ppbv				U
Tetrachloroethylene	ND	ppbv				U
Chlorobenzene	ND	ppbv				U
Ethylbenzene	ND	ppbv				U
m,p-Xylene	ND	ppbv				U
Bromoform	ND	ppbv				U
Styrene	ND	ppbv				U
1,1,2,2-Tetrachloroethane	ND	ppbv				U
o-Xylene	ND	ppbv				U
1,3,5-Trimethylbenzene	ND	ppbv				U
1,2,4-Trimethylbenzene	ND	ppbv				U
m-Dichlorobenzene	ND	ppbv				U
p-Dichlorobenzene	ND	ppbv				U
o-Dichlorobenzene	ND	ppbv				U
1,2,4-Trichlorobenzene	ND	ppbv				U
Hexachloro-1,3-butadiene	ND	ppbv				U

Batch B6G1703 - Summa Canister Prep

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B6G1703 - Summa Canister Prep

Blank (B6G1703-BLK1)

Prepared: 06/29/26 Analyzed: 07/17/26

Dichlorodifluoromethane	ND	ppbv				U
Chloromethane	ND	ppbv				U
Dichlorotetrafluoroethane	ND	ppbv				U
Vinyl chloride	ND	ppbv				U
1,3-Butadiene	ND	ppbv				U
Ethylene oxide	ND	ppbv				U
Bromomethane	ND	ppbv				U
Chloroethane	ND	ppbv				U
Acetonitrile	ND	ppbv				U
Acrolein	ND	ppbv				U
Trichlorofluoromethane	ND	ppbv				U
Acrylonitrile	ND	ppbv				U
1,1-Dichloroethene	ND	ppbv				U
Dichloromethane	ND	ppbv				U
Carbon Disulfide	ND	ppbv				U
Trichlorotrifluoroethane	ND	ppbv				U
trans-1,2-Dichloroethylene	ND	ppbv				U
1,1-Dichloroethane	ND	ppbv				U
Methyl tert-Butyl Ether	ND	ppbv				U
Chloroprene	ND	ppbv				U
cis-1,2-Dichloroethylene	ND	ppbv				U
Bromochloromethane	ND	ppbv				U
Chloroform	ND	ppbv				U
Ethyl tert-Butyl Ether	ND	ppbv				U
1,2-Dichloroethane	ND	ppbv				U
1,1,1-Trichloroethane	ND	ppbv				U
Benzene	ND	ppbv				U
Carbon Tetrachloride	ND	ppbv				U
tert-Amyl Methyl Ether	ND	ppbv				U
1,2-Dichloropropane	ND	ppbv				U
Ethyl Acrylate	ND	ppbv				U
Bromodichloromethane	ND	ppbv				U
Trichloroethylene	ND	ppbv				U
Methyl Methacrylate	ND	ppbv				U
cis-1,3-Dichloropropene	ND	ppbv				U
Methyl Isobutyl Ketone	ND	ppbv				U
trans-1,3-Dichloropropene	ND	ppbv				U
1,1,2-Trichloroethane	ND	ppbv				U
Toluene	ND	ppbv				U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B6G1703 - Summa Canister Prep

Blank (B6G1703-BLK1) Continued

Prepared: 06/29/26 Analyzed: 07/17/26

Dibromochloromethane	ND	ppbv				U
1,2-Dibromoethane	ND	ppbv				U
n-Octane	ND	ppbv				U
Tetrachloroethylene	ND	ppbv				U
Chlorobenzene	ND	ppbv				U
Ethylbenzene	ND	ppbv				U
m,p-Xylene	ND	ppbv				U
Bromoform	ND	ppbv				U
Styrene	ND	ppbv				U
1,1,2,2-Tetrachloroethane	ND	ppbv				U
o-Xylene	ND	ppbv				U
1,3,5-Trimethylbenzene	ND	ppbv				U
1,2,4-Trimethylbenzene	ND	ppbv				U
m-Dichlorobenzene	ND	ppbv				U
p-Dichlorobenzene	ND	ppbv				U
o-Dichlorobenzene	ND	ppbv				U
1,2,4-Trichlorobenzene	ND	ppbv				U
Hexachloro-1,3-butadiene	ND	ppbv				LJ, U



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 2606064

Calibration Check (2606064-CCV1)

Prepared & Analyzed: 06/16/26

Dichlorodifluoromethane	1.07	ppbv	4.2	30.00
Chloromethane	1.09	ppbv	7.2	30.00
Dichlorotetrafluoroethane	1.08	ppbv	4.6	30.00
Vinyl chloride	1.10	ppbv	6.3	30.00
1,3-Butadiene	1.11	ppbv	7.2	30.00
Ethylene oxide	0.938	ppbv	-1.9	30.00
Bromomethane	1.09	ppbv	5.9	30.00
Chloroethane	1.12	ppbv	7.9	30.00
Acetonitrile	1.16	ppbv	12.0	30.00
Acrolein	1.08	ppbv	5.6	30.00
Trichlorofluoromethane	1.04	ppbv	3.2	30.00
Acrylonitrile	1.20	ppbv	8.3	30.00
1,1-Dichloroethene	1.14	ppbv	9.4	30.00
Dichloromethane	1.14	ppbv	10.5	30.00
Carbon Disulfide	1.17	ppbv	7.7	30.00
Trichlorotrifluoroethane	1.08	ppbv	5.3	30.00
trans-1,2-Dichloroethylene	1.11	ppbv	7.0	30.00
1,1-Dichloroethane	1.13	ppbv	9.1	30.00
Methyl tert-Butyl Ether	1.12	ppbv	8.1	30.00
Chloroprene	1.13	ppbv	9.2	30.00
cis-1,2-Dichloroethylene	1.13	ppbv	9.2	30.00
Bromochloromethane	1.07	ppbv	3.9	30.00
Chloroform	1.12	ppbv	6.7	30.00
Ethyl tert-Butyl Ether	1.14	ppbv	9.9	30.00
1,2-Dichloroethane	1.09	ppbv	5.3	30.00
1,1,1-Trichloroethane	1.09	ppbv	5.5	30.00
Benzene	1.09	ppbv	5.0	30.00
Carbon Tetrachloride	1.08	ppbv	5.6	30.00
tert-Amyl Methyl Ether	1.12	ppbv	8.2	30.00
1,2-Dichloropropane	1.19	ppbv	14.6	30.00
Ethyl Acrylate	1.22	ppbv	16.2	30.00
Bromodichloromethane	1.17	ppbv	13.4	30.00
Trichloroethylene	1.11	ppbv	7.8	30.00
Methyl Methacrylate	1.22	ppbv	17.0	30.00
cis-1,3-Dichloropropene	1.21	ppbv	15.9	30.00
Methyl Isobutyl Ketone	1.16	ppbv	11.2	30.00

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6
707 N. Robinson, PO Box 1677
Oklahoma City, OK 73101-1677
ATTN: Mr. Bryan Sims
PHONE: (405) 702-0100

FILE #: 3508.00
REPORTED: 08/12/26 12:37
SUBMITTED: 06/15/26 to 07/16/26
AQS SITE CODE: 40 109 1037
SITE CODE: OCOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 2606064

Calibration Check (2606064-CCV1) Continued

Prepared & Analyzed: 06/16/26

trans-1,3-Dichloropropene	1.20	ppbv	14.4	30.00	
1,1,2-Trichloroethane	1.15	ppbv	10.4	30.00	
Toluene	1.19	ppbv	14.8	30.00	
Dibromochloromethane	1.17	ppbv	13.1	30.00	
1,2-Dibromoethane	1.18	ppbv	13.1	30.00	
n-Octane	1.20	ppbv	15.1	30.00	
Tetrachloroethylene	1.15	ppbv	10.6	30.00	
Chlorobenzene	1.14	ppbv	7.9	30.00	
Ethylbenzene	1.13	ppbv	8.4	30.00	
m,p-Xylene	2.33	ppbv	11.5	30.00	
Bromoform	1.11	ppbv	6.3	30.00	
Styrene	1.18	ppbv	11.2	30.00	
1,1,2,2-Tetrachloroethane	1.16	ppbv	9.8	30.00	
o-Xylene	1.15	ppbv	8.5	30.00	
1,3,5-Trimethylbenzene	1.10	ppbv	4.1	30.00	
1,2,4-Trimethylbenzene	1.10	ppbv	3.9	30.00	
m-Dichlorobenzene	1.11	ppbv	6.6	30.00	
p-Dichlorobenzene	1.11	ppbv	5.9	30.00	
o-Dichlorobenzene	1.11	ppbv	6.2	30.00	
1,2,4-Trichlorobenzene	1.02	ppbv	-1.9	30.00	QB-01
Hexachloro-1,3-butadiene	1.09	ppbv	3.7	30.00	

Calibration Check (2606064-CCV2)

Prepared: 06/16/26 Analyzed: 06/17/26

Dichlorodifluoromethane	1.13	ppbv	10.3	30.00	
Chloromethane	1.19	ppbv	16.7	30.00	
Dichlorotetrafluoroethane	1.16	ppbv	11.8	30.00	
Vinyl chloride	1.12	ppbv	8.7	30.00	
1,3-Butadiene	1.01	ppbv	-2.0	30.00	
Ethylene oxide	1.02	ppbv	6.5	30.00	
Bromomethane	1.13	ppbv	9.5	30.00	
Chloroethane	1.18	ppbv	13.8	30.00	
Acetonitrile	1.25	ppbv	20.3	30.00	
Acrolein	1.01	ppbv	-0.7	30.00	
Trichlorofluoromethane	1.06	ppbv	5.4	30.00	
Acrylonitrile	1.20	ppbv	8.7	30.00	
1,1-Dichloroethene	1.12	ppbv	8.0	30.00	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 2606064

Calibration Check (2606064-CCV2) Continued

Prepared: 06/16/26 Analyzed: 06/17/26

Dichloromethane	1.19	ppbv	14.7	30.00
Carbon Disulfide	1.19	ppbv	9.8	30.00
Trichlorotrifluoroethane	1.13	ppbv	9.8	30.00
trans-1,2-Dichloroethylene	1.10	ppbv	5.7	30.00
1,1-Dichloroethane	1.16	ppbv	11.7	30.00
Methyl tert-Butyl Ether	1.05	ppbv	1.3	30.00
Chloroprene	1.07	ppbv	3.5	30.00
cis-1,2-Dichloroethylene	1.13	ppbv	9.4	30.00
Bromochloromethane	1.11	ppbv	7.9	30.00
Chloroform	1.15	ppbv	10.1	30.00
Ethyl tert-Butyl Ether	1.07	ppbv	3.3	30.00
1,2-Dichloroethane	1.12	ppbv	8.2	30.00
1,1,1-Trichloroethane	1.11	ppbv	7.6	30.00
Benzene	1.13	ppbv	8.5	30.00
Carbon Tetrachloride	1.09	ppbv	6.3	30.00
tert-Amyl Methyl Ether	1.05	ppbv	1.8	30.00
1,2-Dichloropropane	1.16	ppbv	12.2	30.00
Ethyl Acrylate	1.13	ppbv	8.1	30.00
Bromodichloromethane	1.13	ppbv	9.4	30.00
Trichloroethylene	1.09	ppbv	5.6	30.00
Methyl Methacrylate	1.12	ppbv	8.0	30.00
cis-1,3-Dichloropropene	1.02	ppbv	-2.7	30.00
Methyl Isobutyl Ketone	1.04	ppbv	-0.5	30.00
trans-1,3-Dichloropropene	1.11	ppbv	5.8	30.00
1,1,2-Trichloroethane	1.16	ppbv	10.9	30.00
Toluene	1.02	ppbv	-2.1	30.00
Dibromochloromethane	1.10	ppbv	6.4	30.00
1,2-Dibromoethane	1.09	ppbv	4.5	30.00
n-Octane	1.05	ppbv	0.8	30.00
Tetrachloroethylene	1.07	ppbv	2.2	30.00
Chlorobenzene	1.14	ppbv	8.8	30.00
Ethylbenzene	1.09	ppbv	4.1	30.00
m,p-Xylene	2.31	ppbv	10.5	30.00
Bromoform	1.16	ppbv	10.5	30.00
Styrene	1.17	ppbv	10.8	30.00
1,1,2,2-Tetrachloroethane	1.27	ppbv	20.5	30.00

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6
707 N. Robinson, PO Box 1677
Oklahoma City, OK 73101-1677
ATTN: Mr. Bryan Sims
PHONE: (405) 702-0100

FILE #: 3508.00
REPORTED: 08/12/26 12:37
SUBMITTED: 06/15/26 to 07/16/26
AQS SITE CODE: 40 109 1037
SITE CODE: OCOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 2606064

Calibration Check (2606064-CCV2) Continued

Prepared: 06/16/26 Analyzed: 06/17/26

o-Xylene	1.11	ppbv	4.7	30.00	
1,3,5-Trimethylbenzene	1.04	ppbv	-0.9	30.00	
1,2,4-Trimethylbenzene	1.06	ppbv	0.6	30.00	
m-Dichlorobenzene	1.14	ppbv	9.3	30.00	
p-Dichlorobenzene	1.12	ppbv	7.1	30.00	
o-Dichlorobenzene	1.13	ppbv	8.1	30.00	
1,2,4-Trichlorobenzene	1.02	ppbv	-1.3	30.00	QB-01
Hexachloro-1,3-butadiene	1.11	ppbv	5.6	30.00	

Sequence 2606080

Calibration Check (2606080-CCV1)

Prepared & Analyzed: 06/22/26

Dichlorodifluoromethane	1.10	ppbv	7.1	30.00	
Chloromethane	1.06	ppbv	3.7	30.00	
Dichlorotetrafluoroethane	1.09	ppbv	4.9	30.00	
Vinyl chloride	1.10	ppbv	6.5	30.00	
1,3-Butadiene	1.10	ppbv	6.7	30.00	
Ethylene oxide	0.979	ppbv	2.4	30.00	
Bromomethane	1.12	ppbv	8.6	30.00	
Chloroethane	1.10	ppbv	6.5	30.00	
Acetonitrile	1.12	ppbv	8.1	30.00	
Acrolein	1.05	ppbv	2.7	30.00	QB-01
Trichlorofluoromethane	1.13	ppbv	11.5	30.00	
Acrylonitrile	1.19	ppbv	7.8	30.00	
1,1-Dichloroethene	1.03	ppbv	-0.9	30.00	
Dichloromethane	1.11	ppbv	7.2	30.00	
Carbon Disulfide	1.02	ppbv	-5.9	30.00	
Trichlorotrifluoroethane	1.01	ppbv	-1.5	30.00	
trans-1,2-Dichloroethylene	1.13	ppbv	8.6	30.00	
1,1-Dichloroethane	1.12	ppbv	8.1	30.00	
Methyl tert-Butyl Ether	1.18	ppbv	13.5	30.00	
Chloroprene	1.10	ppbv	6.0	30.00	
cis-1,2-Dichloroethylene	1.12	ppbv	8.5	30.00	
Bromochloromethane	1.13	ppbv	10.3	30.00	
Chloroform	1.16	ppbv	10.4	30.00	
Ethyl tert-Butyl Ether	1.16	ppbv	11.9	30.00	
1,2-Dichloroethane	1.14	ppbv	10.6	30.00	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 2606080

Calibration Check (2606080-CCV1) Continued

Prepared & Analyzed: 06/22/26

1,1,1-Trichloroethane	1.17	ppbv	13.6	30.00
Benzene	1.12	ppbv	8.2	30.00
Carbon Tetrachloride	1.17	ppbv	14.3	30.00
tert-Amyl Methyl Ether	1.16	ppbv	11.8	30.00
1,2-Dichloropropane	1.18	ppbv	13.8	30.00
Ethyl Acrylate	1.07	ppbv	2.8	30.00
Bromodichloromethane	1.12	ppbv	8.1	30.00
Trichloroethylene	1.11	ppbv	7.4	30.00
Methyl Methacrylate	1.08	ppbv	3.7	30.00
cis-1,3-Dichloropropene	1.09	ppbv	4.2	30.00
Methyl Isobutyl Ketone	1.08	ppbv	3.5	30.00
trans-1,3-Dichloropropene	1.16	ppbv	10.3	30.00
1,1,2-Trichloroethane	1.11	ppbv	6.6	30.00
Toluene	1.13	ppbv	8.2	30.00
Dibromochloromethane	1.12	ppbv	8.7	30.00
1,2-Dibromoethane	1.12	ppbv	6.9	30.00
n-Octane	1.15	ppbv	11.1	30.00
Tetrachloroethylene	1.16	ppbv	11.1	30.00
Chlorobenzene	1.14	ppbv	8.1	30.00
Ethylbenzene	1.13	ppbv	7.7	30.00
m,p-Xylene	2.38	ppbv	14.2	30.00
Bromoform	1.18	ppbv	12.6	30.00
Styrene	1.23	ppbv	16.3	30.00
1,1,2,2-Tetrachloroethane	1.13	ppbv	7.2	30.00
o-Xylene	1.17	ppbv	10.4	30.00
1,3,5-Trimethylbenzene	1.12	ppbv	6.3	30.00
1,2,4-Trimethylbenzene	1.14	ppbv	8.6	30.00
m-Dichlorobenzene	1.16	ppbv	10.8	30.00
p-Dichlorobenzene	1.17	ppbv	11.6	30.00
o-Dichlorobenzene	1.15	ppbv	9.7	30.00
1,2,4-Trichlorobenzene	1.11	ppbv	7.0	30.00
Hexachloro-1,3-butadiene	1.14	ppbv	8.5	30.00

Calibration Check (2606080-CCV2)

Prepared: 06/22/26 Analyzed: 06/23/26

Dichlorodifluoromethane	1.08	ppbv	4.9	30.00
Chloromethane	1.07	ppbv	5.2	30.00

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 2606080

Calibration Check (2606080-CCV2) Continued

Prepared: 06/22/26 Analyzed: 06/23/26

Dichlorotetrafluoroethane	1.08	ppbv	4.3	30.00	QB-01
Vinyl chloride	1.04	ppbv	0.4	30.00	
1,3-Butadiene	0.971	ppbv	-6.1	30.00	
Ethylene oxide	1.00	ppbv	4.7	30.00	
Bromomethane	1.09	ppbv	5.2	30.00	
Chloroethane	1.14	ppbv	9.7	30.00	
Acetonitrile	1.15	ppbv	11.1	30.00	
Acrolein	1.11	ppbv	9.0	30.00	
Trichlorofluoromethane	1.07	ppbv	5.6	30.00	
Acrylonitrile	1.16	ppbv	5.2	30.00	
1,1-Dichloroethene	1.06	ppbv	1.7	30.00	
Dichloromethane	1.13	ppbv	9.0	30.00	
Carbon Disulfide	1.02	ppbv	-6.2	30.00	
Trichlorotrifluoroethane	0.979	ppbv	-5.0	30.00	
trans-1,2-Dichloroethylene	1.06	ppbv	2.3	30.00	
1,1-Dichloroethane	1.11	ppbv	7.2	30.00	
Methyl tert-Butyl Ether	1.08	ppbv	4.4	30.00	
Chloroprene	1.03	ppbv	-0.4	30.00	
cis-1,2-Dichloroethylene	1.10	ppbv	6.2	30.00	
Bromochloromethane	1.07	ppbv	4.5	30.00	
Chloroform	1.11	ppbv	6.2	30.00	
Ethyl tert-Butyl Ether	1.06	ppbv	2.7	30.00	
1,2-Dichloroethane	1.11	ppbv	7.1	30.00	
1,1,1-Trichloroethane	1.08	ppbv	5.0	30.00	
Benzene	1.07	ppbv	3.5	30.00	
Carbon Tetrachloride	1.06	ppbv	3.4	30.00	
tert-Amyl Methyl Ether	1.06	ppbv	2.2	30.00	
1,2-Dichloropropane	1.23	ppbv	18.5	30.00	
Ethyl Acrylate	1.11	ppbv	6.0	30.00	
Bromodichloromethane	1.13	ppbv	9.1	30.00	
Trichloroethylene	1.07	ppbv	3.1	30.00	
Methyl Methacrylate	1.10	ppbv	5.8	30.00	
cis-1,3-Dichloropropene	1.07	ppbv	2.6	30.00	
Methyl Isobutyl Ketone	1.10	ppbv	5.5	30.00	
trans-1,3-Dichloropropene	1.16	ppbv	10.4	30.00	
1,1,2-Trichloroethane	1.12	ppbv	7.5	30.00	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 2606080

Calibration Check (2606080-CCV2) Continued

Prepared: 06/22/26 Analyzed: 06/23/26

Toluene	1.11	ppbv	6.3	30.00
Dibromochloromethane	1.11	ppbv	7.1	30.00
1,2-Dibromoethane	1.09	ppbv	4.0	30.00
n-Octane	1.19	ppbv	14.7	30.00
Tetrachloroethylene	1.07	ppbv	2.4	30.00
Chlorobenzene	1.12	ppbv	6.2	30.00
Ethylbenzene	1.10	ppbv	4.8	30.00
m,p-Xylene	2.38	ppbv	14.0	30.00
Bromoform	1.12	ppbv	7.0	30.00
Styrene	1.22	ppbv	15.2	30.00
1,1,2,2-Tetrachloroethane	1.19	ppbv	13.0	30.00
o-Xylene	1.14	ppbv	7.7	30.00
1,3,5-Trimethylbenzene	1.05	ppbv	-0.6	30.00
1,2,4-Trimethylbenzene	1.08	ppbv	2.0	30.00
m-Dichlorobenzene	1.11	ppbv	6.2	30.00
p-Dichlorobenzene	1.11	ppbv	6.1	30.00
o-Dichlorobenzene	1.09	ppbv	3.9	30.00
1,2,4-Trichlorobenzene	0.998	ppbv	-3.9	30.00
Hexachloro-1,3-butadiene	1.07	ppbv	1.5	30.00

Sequence 2607066

Calibration Check (2607066-CCV1)

Prepared & Analyzed: 07/17/26

Dichlorodifluoromethane	1.20	ppbv	16.6	30.00
Chloromethane	1.20	ppbv	17.7	30.00
Dichlorotetrafluoroethane	1.20	ppbv	16.2	30.00
Vinyl chloride	1.17	ppbv	13.7	30.00
1,3-Butadiene	1.11	ppbv	7.2	30.00
Ethylene oxide	1.08	ppbv	13.2	30.00
Bromomethane	1.22	ppbv	18.7	30.00
Chloroethane	1.22	ppbv	17.9	30.00
Acetonitrile	1.13	ppbv	8.6	30.00
Acrolein	0.997	ppbv	-2.2	30.00
Trichlorofluoromethane	1.18	ppbv	17.1	30.00
Acrylonitrile	1.16	ppbv	5.5	30.00
1,1-Dichloroethene	1.17	ppbv	12.9	30.00
Dichloromethane	1.22	ppbv	18.0	30.00

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 2607066

Calibration Check (2607066-CCV1) Continued

Prepared & Analyzed: 07/17/26

Carbon Disulfide	1.26	ppbv	15.5	30.00
Trichlorotrifluoroethane	1.21	ppbv	17.6	30.00
trans-1,2-Dichloroethylene	1.17	ppbv	12.3	30.00
1,1-Dichloroethane	1.19	ppbv	14.8	30.00
Methyl tert-Butyl Ether	1.12	ppbv	8.3	30.00
Chloroprene	1.07	ppbv	3.4	30.00
cis-1,2-Dichloroethylene	1.16	ppbv	12.2	30.00
Bromochloromethane	1.18	ppbv	14.7	30.00
Chloroform	1.19	ppbv	13.8	30.00
Ethyl tert-Butyl Ether	1.12	ppbv	8.1	30.00
1,2-Dichloroethane	1.16	ppbv	12.4	30.00
1,1,1-Trichloroethane	1.17	ppbv	13.2	30.00
Benzene	1.14	ppbv	9.8	30.00
Carbon Tetrachloride	1.17	ppbv	14.4	30.00
tert-Amyl Methyl Ether	1.11	ppbv	7.8	30.00
1,2-Dichloropropane	1.13	ppbv	9.3	30.00
Ethyl Acrylate	1.09	ppbv	4.2	30.00
Bromodichloromethane	1.14	ppbv	10.4	30.00
Trichloroethylene	1.13	ppbv	9.1	30.00
Methyl Methacrylate	1.05	ppbv	0.7	30.00
cis-1,3-Dichloropropene	1.10	ppbv	5.3	30.00
Methyl Isobutyl Ketone	1.12	ppbv	7.9	30.00
trans-1,3-Dichloropropene	1.14	ppbv	9.0	30.00
1,1,2-Trichloroethane	1.16	ppbv	10.7	30.00
Toluene	1.09	ppbv	4.9	30.00
Dibromochloromethane	1.15	ppbv	11.6	30.00
1,2-Dibromoethane	1.12	ppbv	7.4	30.00
n-Octane	1.05	ppbv	1.6	30.00
Tetrachloroethylene	1.13	ppbv	8.3	30.00
Chlorobenzene	1.14	ppbv	8.8	30.00
Ethylbenzene	1.07	ppbv	2.5	30.00
m,p-Xylene	2.17	ppbv	3.7	30.00
Bromoform	1.19	ppbv	13.5	30.00
Styrene	1.07	ppbv	0.8	30.00
1,1,2,2-Tetrachloroethane	1.20	ppbv	13.4	30.00
o-Xylene	1.08	ppbv	2.2	30.00

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 2607066

Calibration Check (2607066-CCV1) Continued

Prepared & Analyzed: 07/17/26

1,3,5-Trimethylbenzene	1.03	ppbv	-2.5	30.00	
1,2,4-Trimethylbenzene	1.01	ppbv	-4.2	30.00	
m-Dichlorobenzene	1.10	ppbv	5.8	30.00	
p-Dichlorobenzene	1.10	ppbv	5.0	30.00	
o-Dichlorobenzene	1.10	ppbv	5.3	30.00	
1,2,4-Trichlorobenzene	1.07	ppbv	2.7	30.00	
Hexachloro-1,3-butadiene	1.05	ppbv	-0.4	30.00	LJ

Calibration Check (2607066-CCV2)

Prepared: 07/17/26 Analyzed: 07/18/26

Dichlorodifluoromethane	1.26	ppbv	22.7	30.00	
Chloromethane	1.26	ppbv	23.8	30.00	
Dichlorotetrafluoroethane	1.24	ppbv	20.1	30.00	
Vinyl chloride	1.21	ppbv	16.8	30.00	
1,3-Butadiene	1.10	ppbv	6.2	30.00	
Ethylene oxide	1.11	ppbv	16.4	30.00	
Bromomethane	1.23	ppbv	19.1	30.00	
Chloroethane	1.24	ppbv	20.0	30.00	
Acetonitrile	1.22	ppbv	17.7	30.00	
Acrolein	0.980	ppbv	-3.9	30.00	
Trichlorofluoromethane	1.20	ppbv	18.6	30.00	
Acrylonitrile	1.15	ppbv	4.2	30.00	
1,1-Dichloroethene	1.17	ppbv	12.5	30.00	
Dichloromethane	1.23	ppbv	18.5	30.00	
Carbon Disulfide	1.25	ppbv	15.0	30.00	
Trichlorotrifluoroethane	1.22	ppbv	18.1	30.00	
trans-1,2-Dichloroethylene	1.14	ppbv	9.9	30.00	
1,1-Dichloroethane	1.19	ppbv	14.9	30.00	
Methyl tert-Butyl Ether	1.08	ppbv	4.4	30.00	
Chloroprene	1.03	ppbv	-0.7	30.00	
cis-1,2-Dichloroethylene	1.16	ppbv	11.5	30.00	
Bromochloromethane	1.17	ppbv	13.5	30.00	
Chloroform	1.19	ppbv	13.5	30.00	
Ethyl tert-Butyl Ether	1.08	ppbv	4.0	30.00	
1,2-Dichloroethane	1.16	ppbv	12.6	30.00	
1,1,1-Trichloroethane	1.16	ppbv	12.5	30.00	
Benzene	1.11	ppbv	7.3	30.00	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 2607066

Calibration Check (2607066-CCV2) Continued

Prepared: 07/17/26 Analyzed: 07/18/26

Carbon Tetrachloride	1.17	ppbv	14.0	30.00
tert-Amyl Methyl Ether	1.05	ppbv	1.6	30.00
1,2-Dichloropropane	1.17	ppbv	12.6	30.00
Ethyl Acrylate	1.09	ppbv	3.8	30.00
Bromodichloromethane	1.18	ppbv	13.5	30.00
Trichloroethylene	1.11	ppbv	7.7	30.00
Methyl Methacrylate	1.04	ppbv	-0.06	30.00
cis-1,3-Dichloropropene	1.12	ppbv	7.3	30.00
Methyl Isobutyl Ketone	1.14	ppbv	9.9	30.00
trans-1,3-Dichloropropene	1.17	ppbv	11.4	30.00
1,1,2-Trichloroethane	1.20	ppbv	15.1	30.00
Toluene	1.10	ppbv	6.2	30.00
Dibromochloromethane	1.20	ppbv	15.7	30.00
1,2-Dibromoethane	1.16	ppbv	11.6	30.00
n-Octane	1.06	ppbv	2.2	30.00
Tetrachloroethylene	1.16	ppbv	10.9	30.00
Chlorobenzene	1.13	ppbv	7.5	30.00
Ethylbenzene	1.06	ppbv	0.9	30.00
m,p-Xylene	2.14	ppbv	2.6	30.00
Bromoform	1.20	ppbv	14.4	30.00
Styrene	1.05	ppbv	-0.6	30.00
1,1,2,2-Tetrachloroethane	1.22	ppbv	15.9	30.00
o-Xylene	1.06	ppbv	0.4	30.00
1,3,5-Trimethylbenzene	1.01	ppbv	-4.2	30.00
1,2,4-Trimethylbenzene	1.00	ppbv	-4.8	30.00
m-Dichlorobenzene	1.12	ppbv	7.1	30.00
p-Dichlorobenzene	1.11	ppbv	5.7	30.00
o-Dichlorobenzene	1.12	ppbv	6.7	30.00
1,2,4-Trichlorobenzene	1.10	ppbv	5.7	30.00
Hexachloro-1,3-butadiene	1.07	ppbv	1.2	30.00

LJ

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 08/12/26 12:37

SUBMITTED: 06/15/26 to 07/16/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Notes and Definitions

U	Under Detection Limit
QB-03	Analyte exceeds sampling media lot blank criteria.
QB-01	Analyte exceeds method blank criteria
LL	Analyte identified; Reported value may be biased low.
LK	Analyte identified; Reported value may be biased high.
LJ	Identification of analyte is acceptable; reported value is an estimate.
E	The concentration for this analyte is an estimated value above the calibration range of the instrument.
CF	Canister bias: NATTS/UATMP data for compounds that have failed certification for the canister
CE	Not reportable due to a co-eluting compound.
ND	Analyte NOT DETECTED
NR	Not Reported
MDL	Method Detection Limit
RPD	Relative Percent Difference

Note: This test is accredited under the 2016 TNI Standard; however the following analytes are not accredited: acetylene, bromodichloroethane, dichlorotetrafluoromethane, ethyl tert butyl ether, n-octane, tert amyl methyl ether, trichlorofluoroethane, and bromochloromethane.