



Eastern Research Group
601 Keystone Park Drive
Suite 700
Morrisville, NC 27560

May 14, 2026

Mr. Bryan Sims
Oklahoma Dept. of Environmental Quality
707 N. Robinson, PO Box 1677
Oklahoma City, OK 73101-1677
Project Name: OCOK

Dear Mr. Bryan Sims,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 03/20/26 15:50 through 04/01/26 15:01.

Values below the MDL for QC results in this report are recorded as ND, however the actual values are reported in the accompanying Excel report with a "U" flag (Under the detection limit). The actual values are reported in AQS.

This test is accredited under the 2016 TNI Standard for Environmental Laboratories (FL DOH Certification # E87673). All analyses were performed as described in the US EPA-approved QAPP, under the contract for National Hazardous Air Pollutant Support (US EPA Contract No. 68HERH22D0002). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7872.

Sincerely,

Randolph Bower
Program Manager
randy.bower@erg.com

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify randy.bower@erg.com and delete the report without retaining any copies.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 05/14/26 15:04

SUBMITTED: 03/20/26 to 04/01/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
OCOK D2	6032030-01	Air	03/15/26 23:59	03/20/26 15:50
OCOK	6032527-01	Air	03/21/26 23:59	03/25/26 15:09
OCOK	6040135-01	Air	03/27/26 23:59	04/01/26 15:01



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 05/14/26 15:04

SUBMITTED: 03/20/26 to 04/01/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK D2

Lab ID: 6032030-01

Sampled: 03/15/26 23:59

Pressure @ Receipt: 5.0

Canister #: 42165

Received: 03/20/26 15:50

Comments: D1 is invalid 6031819-04

Analyzed: 03/24/26 12:52

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Dichlorodifluoromethane	0.416	2.06		0.0237
Chloromethane	0.495	1.02		0.0213
Dichlorotetrafluoroethane	0.0169	0.12		0.0112
Vinyl chloride	ND	ND	U	0.0140
1,3-Butadiene	0.00150	0.00	CF, LL, U	0.0215
Ethylene oxide	0.0343	0.06		0.0276
Bromomethane	0.00710	0.03	U	0.0104
Chloroethane	0.00580	0.02	U	0.0136
Acetonitrile	6.65	11.20		0.184
Acrolein	0.0858	0.20	CF, LK, U	0.0977
Trichlorofluoromethane	0.239	1.35	LK	0.00950
Acrylonitrile	0.0102	0.02	U	0.0116
1,1-Dichloroethene	ND	ND	U	0.0158
Dichloromethane	0.266	0.93		0.0489
Carbon Disulfide	0.00390	0.01	U	0.0473
Trichlorotrifluoroethane	0.0662	0.51		0.0210
trans-1,2-Dichloroethylene	2.00E-4	0.00	U	0.0171
1,1-Dichloroethane	0.00100	0.00	U	0.00655
Methyl tert-Butyl Ether	0.00210	0.01	U	0.0101
Chloroprene	ND	ND	U	0.0123
cis-1,2-Dichloroethylene	ND	ND	U	0.0172
Bromochloromethane	ND	ND	U	0.00905
Chloroform	0.0163	0.08		0.0134
Ethyl tert-Butyl Ether	ND	ND	U	0.00893
1,2-Dichloroethane	0.0203	0.08		0.0116
1,1,1-Trichloroethane	0.00120	0.01	U	0.00952
Benzene	0.0997	0.32		0.0158
Carbon Tetrachloride	0.0759	0.48		0.00750
tert-Amyl Methyl Ether	ND	ND	U	0.0126
1,2-Dichloropropane	ND	ND	U	0.0215
Ethyl Acrylate	ND	ND	U	0.00780
Bromodichloromethane	3.00E-4	0.00	U	0.00889
Trichloroethylene	0.00380	0.02	U	0.0170
Methyl Methacrylate	ND	ND	U	0.0412
cis-1,3-Dichloropropene	ND	ND	U	0.00753
Methyl Isobutyl Ketone	0.00810	0.03	U	0.0578

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 05/14/26 15:04

SUBMITTED: 03/20/26 to 04/01/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK D2

Lab ID: 6032030-01

Sampled: 03/15/26 23:59

Pressure @ Receipt: 5.0

Canister #: 42165

Received: 03/20/26 15:50

Comments: D1 is invalid 6031819-04

Analyzed: 03/24/26 12:52

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
trans-1,3-Dichloropropene	ND	ND	U	0.00822
1,1,2-Trichloroethane	ND	ND	U	0.00749
Toluene	0.0510	0.19		0.0380
Dibromochloromethane	2.00E-4	0.00	U	0.00884
1,2-Dibromoethane	ND	ND	U	0.00660
n-Octane	0.0155	0.07	U	0.0258
Tetrachloroethylene	0.0148	0.10		0.00860
Chlorobenzene	ND	ND	U	0.0137
Ethylbenzene	0.00570	0.02	U	0.0130
m,p-Xylene	0.0146	0.06	U	0.0418
Bromoform	0.00130	0.01	U	0.0166
Styrene	ND	ND	CE, U	0.0273
1,1,2,2-Tetrachloroethane	ND	ND	U	0.0190
o-Xylene	0.00580	0.03	U	0.0235
1,3,5-Trimethylbenzene	0.00120	0.01	U	0.0316
1,2,4-Trimethylbenzene	ND	ND	U, CE	0.0320
m-Dichlorobenzene	4.00E-4	0.00	U	0.0277
p-Dichlorobenzene	0.00150	0.01	U	0.0287
o-Dichlorobenzene	4.00E-4	0.00	U	0.0364
1,2,4-Trichlorobenzene	7.00E-4	0.01	U	0.0792
Hexachloro-1,3-butadiene	3.00E-4	0.00	U	0.0701



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 05/14/26 15:04

SUBMITTED: 03/20/26 to 04/01/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK

Lab ID: 6032527-01

Sampled: 03/21/26 23:59

Pressure @ Receipt: 4.5

Canister #: 43401

Received: 03/25/26 15:09

Comments:

Analyzed: 04/07/26 15:41

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Dichlorodifluoromethane	0.482	2.39		0.0237
Chloromethane	0.550	1.14		0.0213
Dichlorotetrafluoroethane	0.0184	0.13		0.0112
Vinyl chloride	0.00170	0.00	U	0.0140
1,3-Butadiene	0.0101	0.02	U	0.0215
Ethylene oxide	0.0864	0.16	CF, LK	0.0276
Bromomethane	0.00930	0.04	U	0.0104
Chloroethane	0.0138	0.04	CF, LK	0.0136
Acetonitrile	294	495.00	E	0.184
Acrolein	0.289	0.66	CF, LK	0.0977
Trichlorofluoromethane	0.222	1.25		0.00950
Acrylonitrile	0.0246	0.05		0.0116
1,1-Dichloroethene	0.00130	0.01	U	0.0158
Dichloromethane	0.133	0.46		0.0489
Carbon Disulfide	0.0198	0.06	U	0.0473
Trichlorotrifluoroethane	0.0672	0.52		0.0210
trans-1,2-Dichloroethylene	0.00660	0.03	U	0.0171
1,1-Dichloroethane	0.00200	0.01	U	0.00655
Methyl tert-Butyl Ether	ND	ND	U	0.0101
Chloroprene	ND	ND	U	0.0123
cis-1,2-Dichloroethylene	ND	ND	U	0.0172
Bromochloromethane	0.00130	0.01	U	0.00905
Chloroform	0.0230	0.11		0.0134
Ethyl tert-Butyl Ether	ND	ND	U	0.00893
1,2-Dichloroethane	0.0151	0.06		0.0116
1,1,1-Trichloroethane	0.00270	0.01	U	0.00952
Benzene	0.205	0.66		0.0158
Carbon Tetrachloride	0.0708	0.45		0.00750
tert-Amyl Methyl Ether	9.00E-4	0.00	U	0.0126
1,2-Dichloropropane	ND	ND	U	0.0215
Ethyl Acrylate	ND	ND	U	0.00780
Bromodichloromethane	0.00330	0.02	LK, U	0.00889
Trichloroethylene	0.00380	0.02	U	0.0170
Methyl Methacrylate	ND	ND	U	0.0412
cis-1,3-Dichloropropene	ND	ND	U	0.00753
Methyl Isobutyl Ketone	0.0438	0.18	U	0.0578

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 05/14/26 15:04

SUBMITTED: 03/20/26 to 04/01/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK

Lab ID: 6032527-01

Sampled: 03/21/26 23:59

Pressure @ Receipt: 4.5

Canister #: 43401

Received: 03/25/26 15:09

Comments:

Analyzed: 04/07/26 15:41

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
trans-1,3-Dichloropropene	ND	ND	U	0.00822
1,1,2-Trichloroethane	ND	ND	U	0.00749
Toluene	0.472	1.78		0.0380
Dibromochloromethane	0.00170	0.01	U	0.00884
1,2-Dibromoethane	0.00190	0.01	U	0.00660
n-Octane	0.0756	0.35		0.0258
Tetrachloroethylene	0.0119	0.08		0.00860
Chlorobenzene	ND	ND	U	0.0137
Ethylbenzene	0.0458	0.20		0.0130
m,p-Xylene	0.132	0.57		0.0418
Bromoform	0.00250	0.03	U	0.0166
Styrene	ND	ND	CE, U	0.0273
1,1,2,2-Tetrachloroethane	0.00190	0.01	LK, U	0.0190
o-Xylene	0.0505	0.22		0.0235
1,3,5-Trimethylbenzene	0.0110	0.05	U	0.0316
1,2,4-Trimethylbenzene	ND	ND	CE, U	0.0320
m-Dichlorobenzene	0.00140	0.01	U	0.0277
p-Dichlorobenzene	0.00610	0.04	U	0.0287
o-Dichlorobenzene	0.00140	0.01	U	0.0364
1,2,4-Trichlorobenzene	0.00280	0.02	QB-01, U	0.0792
Hexachloro-1,3-butadiene	9.00E-4	0.01	U	0.0701



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 05/14/26 15:04

SUBMITTED: 03/20/26 to 04/01/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK

Lab ID: 6040135-01

Sampled: 03/27/26 23:59

Pressure @ Receipt: 4.5

Canister #: 18837

Received: 04/01/26 15:01

Comments:

Analyzed: 04/18/26 04:42

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
Dichlorodifluoromethane	0.510	2.53		0.0237
Chloromethane	0.448	0.93		0.0213
Dichlorotetrafluoroethane	0.0182	0.13		0.0112
Vinyl chloride	ND	ND	U	0.0140
1,3-Butadiene	0.00260	0.01	U	0.0215
Ethylene oxide	0.0324	0.06		0.0276
Bromomethane	0.00770	0.03	U	0.0104
Chloroethane	0.00720	0.02	U	0.0136
Acetonitrile	ND	ND	EC, U	0.184
Acrolein	0.136	0.31	CF, LK	0.0977
Trichlorofluoromethane	0.224	1.26		0.00950
Acrylonitrile	0.0183	0.04		0.0116
1,1-Dichloroethene	ND	ND	U	0.0158
Dichloromethane	0.224	0.78		0.0489
Carbon Disulfide	0.0148	0.05	U	0.0473
Trichlorotrifluoroethane	0.0613	0.47		0.0210
trans-1,2-Dichloroethylene	8.00E-4	0.00	U	0.0171
1,1-Dichloroethane	9.00E-4	0.00	U	0.00655
Methyl tert-Butyl Ether	0.00100	0.00	U	0.0101
Chloroprene	ND	ND	U	0.0123
cis-1,2-Dichloroethylene	ND	ND	U	0.0172
Bromochloromethane	2.00E-4	0.00	U	0.00905
Chloroform	0.0173	0.08		0.0134
Ethyl tert-Butyl Ether	ND	ND	U	0.00893
1,2-Dichloroethane	0.0191	0.08		0.0116
1,1,1-Trichloroethane	0.00120	0.01	U	0.00952
Benzene	0.117	0.38		0.0158
Carbon Tetrachloride	0.0709	0.45		0.00750
tert-Amyl Methyl Ether	ND	ND	U	0.0126
1,2-Dichloropropane	ND	ND	U	0.0215
Ethyl Acrylate	ND	ND	U	0.00780
Bromodichloromethane	6.00E-4	0.00	U	0.00889
Trichloroethylene	0.00210	0.01	U	0.0170
Methyl Methacrylate	ND	ND	U	0.0412
cis-1,3-Dichloropropene	ND	ND	U	0.00753
Methyl Isobutyl Ketone	0.0208	0.09	U	0.0578

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 05/14/26 15:04

SUBMITTED: 03/20/26 to 04/01/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Description: OCOK

Lab ID: 6040135-01

Sampled: 03/27/26 23:59

Pressure @ Receipt: 4.5

Canister #: 18837

Received: 04/01/26 15:01

Comments:

Analyzed: 04/18/26 04:42

Air Toxics by EPA Compendium Method TO-15

Analyte	Results		Flag	MDL
	ppbv	ug/m ³		ppbv
trans-1,3-Dichloropropene	ND	ND	U	0.00822
1,1,2-Trichloroethane	ND	ND	U	0.00749
Toluene	0.131	0.50		0.0380
Dibromochloromethane	2.00E-4	0.00	U	0.00884
1,2-Dibromoethane	ND	ND	U	0.00660
n-Octane	0.0207	0.10	U	0.0258
Tetrachloroethylene	0.00530	0.04	U	0.00860
Chlorobenzene	ND	ND	U	0.0137
Ethylbenzene	0.00900	0.04	U	0.0130
m,p-Xylene	0.0298	0.13	U	0.0418
Bromoform	0.00130	0.01	U	0.0166
Styrene	ND	ND	CE, U	0.0273
1,1,2,2-Tetrachloroethane	ND	ND	U	0.0190
o-Xylene	0.0136	0.06	U	0.0235
1,3,5-Trimethylbenzene	0.00270	0.01	U	0.0316
1,2,4-Trimethylbenzene	ND	ND	CE, U	0.0320
m-Dichlorobenzene	3.00E-4	0.00	U	0.0277
p-Dichlorobenzene	0.00110	0.01	U	0.0287
o-Dichlorobenzene	ND	ND	U	0.0364
1,2,4-Trichlorobenzene	8.00E-4	0.01	QB-01, U	0.0792
Hexachloro-1,3-butadiene	ND	ND	U	0.0701



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 05/14/26 15:04

SUBMITTED: 03/20/26 to 04/01/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B6C2410 - Summa Canister Prep

Blank (B6C2410-BLK1)

Prepared: 03/18/26 Analyzed: 03/24/26

Dichlorodifluoromethane	ND	ppbv				U
Chloromethane	ND	ppbv				U
Dichlorotetrafluoroethane	ND	ppbv				U
Vinyl chloride	ND	ppbv				U
1,3-Butadiene	ND	ppbv				U
Ethylene oxide	ND	ppbv				U
Bromomethane	ND	ppbv				U
Chloroethane	ND	ppbv				U
Acetonitrile	ND	ppbv				U
Acrolein	ND	ppbv				U
Trichlorofluoromethane	ND	ppbv				LK, U
Acrylonitrile	ND	ppbv				U
1,1-Dichloroethene	ND	ppbv				U
Dichloromethane	ND	ppbv				U
Carbon Disulfide	ND	ppbv				U
Trichlorotrifluoroethane	ND	ppbv				U
trans-1,2-Dichloroethylene	ND	ppbv				U
1,1-Dichloroethane	ND	ppbv				U
Methyl tert-Butyl Ether	ND	ppbv				U
Chloroprene	ND	ppbv				U
cis-1,2-Dichloroethylene	ND	ppbv				U
Bromochloromethane	ND	ppbv				U
Chloroform	ND	ppbv				U
Ethyl tert-Butyl Ether	ND	ppbv				U
1,2-Dichloroethane	ND	ppbv				U
1,1,1-Trichloroethane	ND	ppbv				U
Benzene	ND	ppbv				U
Carbon Tetrachloride	ND	ppbv				U
tert-Amyl Methyl Ether	ND	ppbv				U
1,2-Dichloropropane	ND	ppbv				U
Ethyl Acrylate	ND	ppbv				U
Bromodichloromethane	ND	ppbv				U
Trichloroethylene	ND	ppbv				U
Methyl Methacrylate	ND	ppbv				U
cis-1,3-Dichloropropene	ND	ppbv				U
Methyl Isobutyl Ketone	ND	ppbv				U
trans-1,3-Dichloropropene	ND	ppbv				U
1,1,2-Trichloroethane	ND	ppbv				U
Toluene	ND	ppbv				U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 05/14/26 15:04

SUBMITTED: 03/20/26 to 04/01/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B6C2410 - Summa Canister Prep

Blank (B6C2410-BLK1) Continued

Prepared: 03/18/26 Analyzed: 03/24/26

Dibromochloromethane	ND	ppbv				U
1,2-Dibromoethane	ND	ppbv				U
n-Octane	ND	ppbv				U
Tetrachloroethylene	ND	ppbv				U
Chlorobenzene	ND	ppbv				U
Ethylbenzene	ND	ppbv				U
m,p-Xylene	ND	ppbv				U
Bromoform	ND	ppbv				U
Styrene	ND	ppbv				U
1,1,2,2-Tetrachloroethane	ND	ppbv				U
o-Xylene	ND	ppbv				U
1,3,5-Trimethylbenzene	ND	ppbv				U
1,2,4-Trimethylbenzene	ND	ppbv				U
m-Dichlorobenzene	ND	ppbv				U
p-Dichlorobenzene	ND	ppbv				U
o-Dichlorobenzene	ND	ppbv				U
1,2,4-Trichlorobenzene	ND	ppbv				U
Hexachloro-1,3-butadiene	ND	ppbv				U

Batch B6D0705 - Summa Canister Prep

Blank (B6D0705-BLK1)

Prepared & Analyzed: 04/07/26

Dichlorodifluoromethane	ND	ppbv				U
Chloromethane	ND	ppbv				U
Dichlorotetrafluoroethane	ND	ppbv				U
Vinyl chloride	ND	ppbv				U
1,3-Butadiene	ND	ppbv				U
Ethylene oxide	ND	ppbv				U
Bromomethane	ND	ppbv				U
Chloroethane	ND	ppbv				U
Acetonitrile	ND	ppbv				U
Acrolein	ND	ppbv				U
Trichlorofluoromethane	ND	ppbv				U
Acrylonitrile	ND	ppbv				U
1,1-Dichloroethene	ND	ppbv				U
Dichloromethane	ND	ppbv				U
Carbon Disulfide	ND	ppbv				U
Trichlorotrifluoroethane	ND	ppbv				U
trans-1,2-Dichloroethylene	ND	ppbv				U
1,1-Dichloroethane	ND	ppbv				U
Methyl tert-Butyl Ether	ND	ppbv				U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 05/14/26 15:04

SUBMITTED: 03/20/26 to 04/01/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B6D0705 - Summa Canister Prep

Blank (B6D0705-BLK1) Continued

Prepared & Analyzed: 04/07/26

Chloroprene	ND	ppbv				U
cis-1,2-Dichloroethylene	ND	ppbv				U
Bromochloromethane	ND	ppbv				U
Chloroform	ND	ppbv				U
Ethyl tert-Butyl Ether	ND	ppbv				U
1,2-Dichloroethane	ND	ppbv				U
1,1,1-Trichloroethane	ND	ppbv				U
Benzene	ND	ppbv				U
Carbon Tetrachloride	ND	ppbv				U
tert-Amyl Methyl Ether	ND	ppbv				U
1,2-Dichloropropane	ND	ppbv				U
Ethyl Acrylate	ND	ppbv				U
Bromodichloromethane	ND	ppbv				LK, U
Trichloroethylene	ND	ppbv				U
Methyl Methacrylate	ND	ppbv				U
cis-1,3-Dichloropropene	ND	ppbv				U
Methyl Isobutyl Ketone	ND	ppbv				U
trans-1,3-Dichloropropene	ND	ppbv				U
1,1,2-Trichloroethane	ND	ppbv				U
Toluene	ND	ppbv				U
Dibromochloromethane	ND	ppbv				U
1,2-Dibromoethane	ND	ppbv				U
n-Octane	ND	ppbv				U
Tetrachloroethylene	ND	ppbv				U
Chlorobenzene	ND	ppbv				U
Ethylbenzene	ND	ppbv				U
m,p-Xylene	ND	ppbv				U
Bromoform	ND	ppbv				U
Styrene	ND	ppbv				U
1,1,2,2-Tetrachloroethane	ND	ppbv				LK, U
o-Xylene	ND	ppbv				U
1,3,5-Trimethylbenzene	ND	ppbv				U
1,2,4-Trimethylbenzene	ND	ppbv				U
m-Dichlorobenzene	ND	ppbv				U
p-Dichlorobenzene	ND	ppbv				U
o-Dichlorobenzene	ND	ppbv				U
1,2,4-Trichlorobenzene	ND	ppbv				QB-01, U
Hexachloro-1,3-butadiene	ND	ppbv				U

Batch B6D1602 - Summa Canister Prep

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 05/14/26 15:04

SUBMITTED: 03/20/26 to 04/01/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B6D1602 - Summa Canister Prep

Blank (B6D1602-BLK1)

Prepared: 04/07/26 Analyzed: 04/17/26

Dichlorodifluoromethane	ND	ppbv				U
Chloromethane	ND	ppbv				U
Dichlorotetrafluoroethane	ND	ppbv				U
Vinyl chloride	ND	ppbv				U
1,3-Butadiene	ND	ppbv				U
Ethylene oxide	ND	ppbv				U
Bromomethane	ND	ppbv				U
Chloroethane	ND	ppbv				U
Acetonitrile	ND	ppbv				U
Acrolein	ND	ppbv				U
Trichlorofluoromethane	ND	ppbv				U
Acrylonitrile	ND	ppbv				U
1,1-Dichloroethene	ND	ppbv				U
Dichloromethane	ND	ppbv				U
Carbon Disulfide	ND	ppbv				U
Trichlorotrifluoroethane	ND	ppbv				U
trans-1,2-Dichloroethylene	ND	ppbv				U
1,1-Dichloroethane	ND	ppbv				U
Methyl tert-Butyl Ether	ND	ppbv				U
Chloroprene	ND	ppbv				U
cis-1,2-Dichloroethylene	ND	ppbv				U
Bromochloromethane	ND	ppbv				U
Chloroform	ND	ppbv				U
Ethyl tert-Butyl Ether	ND	ppbv				U
1,2-Dichloroethane	ND	ppbv				U
1,1,1-Trichloroethane	ND	ppbv				U
Benzene	ND	ppbv				U
Carbon Tetrachloride	ND	ppbv				U
tert-Amyl Methyl Ether	ND	ppbv				U
1,2-Dichloropropane	ND	ppbv				U
Ethyl Acrylate	ND	ppbv				U
Bromodichloromethane	ND	ppbv				U
Trichloroethylene	ND	ppbv				U
Methyl Methacrylate	ND	ppbv				U
cis-1,3-Dichloropropene	ND	ppbv				U
Methyl Isobutyl Ketone	ND	ppbv				U
trans-1,3-Dichloropropene	ND	ppbv				U
1,1,2-Trichloroethane	ND	ppbv				U
Toluene	ND	ppbv				U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6
707 N. Robinson, PO Box 1677
Oklahoma City, OK 73101-1677
ATTN: Mr. Bryan Sims
PHONE: (405) 702-0100

FILE #: 3508.00
REPORTED: 05/14/26 15:04
SUBMITTED: 03/20/26 to 04/01/26
AQS SITE CODE: 40 109 1037
SITE CODE: OCOK

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B6D1602 - Summa Canister Prep

Blank (B6D1602-BLK1) Continued

Prepared: 04/07/26 Analyzed: 04/17/26

Dibromochloromethane	ND	ppbv				U
1,2-Dibromoethane	ND	ppbv				U
n-Octane	ND	ppbv				U
Tetrachloroethylene	ND	ppbv				U
Chlorobenzene	ND	ppbv				U
Ethylbenzene	ND	ppbv				U
m,p-Xylene	ND	ppbv				U
Bromoform	ND	ppbv				U
Styrene	ND	ppbv				U
1,1,2,2-Tetrachloroethane	ND	ppbv				U
o-Xylene	ND	ppbv				U
1,3,5-Trimethylbenzene	ND	ppbv				U
1,2,4-Trimethylbenzene	ND	ppbv				U
m-Dichlorobenzene	ND	ppbv				U
p-Dichlorobenzene	ND	ppbv				U
o-Dichlorobenzene	ND	ppbv				U
1,2,4-Trichlorobenzene	ND	ppbv				QB-01, U
Hexachloro-1,3-butadiene	ND	ppbv				U



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 05/14/26 15:04

SUBMITTED: 03/20/26 to 04/01/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 2603079

Calibration Check (2603079-CCV1)

Prepared & Analyzed: 03/24/26

Dichlorodifluoromethane	0.883	ppbv	-14.1	30.00
Chloromethane	1.05	ppbv	3.1	30.00
Dichlorotetrafluoroethane	1.02	ppbv	-1.9	30.00
Vinyl chloride	0.888	ppbv	-13.9	30.00
1,3-Butadiene	0.732	ppbv	-29.2	30.00
Ethylene oxide	1.15	ppbv	20.2	30.00
Bromomethane	0.958	ppbv	-7.1	30.00
Chloroethane	0.993	ppbv	-4.2	30.00
Acetonitrile	1.13	ppbv	8.6	30.00
Acrolein	1.17	ppbv	14.5	30.00
Trichlorofluoromethane	1.31	ppbv	29.4	30.00
Acrylonitrile	1.18	ppbv	6.8	30.00
1,1-Dichloroethene	1.05	ppbv	0.6	30.00
Dichloromethane	1.14	ppbv	9.7	30.00
Carbon Disulfide	0.989	ppbv	-9.1	30.00
Trichlorotrifluoroethane	0.931	ppbv	-9.6	30.00
trans-1,2-Dichloroethylene	1.02	ppbv	-2.3	30.00
1,1-Dichloroethane	1.11	ppbv	7.3	30.00
Methyl tert-Butyl Ether	1.06	ppbv	2.3	30.00
Chloroprene	1.08	ppbv	4.2	30.00
cis-1,2-Dichloroethylene	1.08	ppbv	4.0	30.00
Bromochloromethane	1.05	ppbv	1.8	30.00
Chloroform	1.15	ppbv	9.6	30.00
Ethyl tert-Butyl Ether	1.08	ppbv	3.8	30.00
1,2-Dichloroethane	1.14	ppbv	10.7	30.00
1,1,1-Trichloroethane	1.14	ppbv	10.8	30.00
Benzene	1.09	ppbv	5.2	30.00
Carbon Tetrachloride	1.09	ppbv	6.6	30.00
tert-Amyl Methyl Ether	1.06	ppbv	2.5	30.00
1,2-Dichloropropane	1.09	ppbv	5.2	30.00
Ethyl Acrylate	1.09	ppbv	4.0	30.00
Bromodichloromethane	1.09	ppbv	5.7	30.00
Trichloroethylene	1.05	ppbv	1.7	30.00
Methyl Methacrylate	1.10	ppbv	5.8	30.00
cis-1,3-Dichloropropene	1.07	ppbv	2.0	30.00
Methyl Isobutyl Ketone	1.17	ppbv	12.8	30.00

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6
707 N. Robinson, PO Box 1677
Oklahoma City, OK 73101-1677
ATTN: Mr. Bryan Sims
PHONE: (405) 702-0100

FILE #: 3508.00
REPORTED: 05/14/26 15:04
SUBMITTED: 03/20/26 to 04/01/26
AQS SITE CODE: 40 109 1037
SITE CODE: OCOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control Sequence 2603079

Calibration Check (2603079-CCV1) Continued

Prepared & Analyzed: 03/24/26

trans-1,3-Dichloropropene	1.07	ppbv	1.8	30.00
1,1,2-Trichloroethane	1.08	ppbv	2.8	30.00
Toluene	1.11	ppbv	6.5	30.00
Dibromochloromethane	1.07	ppbv	3.1	30.00
1,2-Dibromoethane	1.08	ppbv	3.4	30.00
n-Octane	1.11	ppbv	6.7	30.00
Tetrachloroethylene	1.08	ppbv	3.5	30.00
Chlorobenzene	1.07	ppbv	1.5	30.00
Ethylbenzene	1.06	ppbv	1.4	30.00
m,p-Xylene	2.19	ppbv	5.1	30.00
Bromoform	1.08	ppbv	3.5	30.00
Styrene	1.16	ppbv	10.1	30.00
1,1,2,2-Tetrachloroethane	1.19	ppbv	12.7	30.00
o-Xylene	1.19	ppbv	12.8	30.00
1,3,5-Trimethylbenzene	0.762	ppbv	-27.6	30.00
1,2,4-Trimethylbenzene	0.763	ppbv	-27.6	30.00
m-Dichlorobenzene	0.913	ppbv	-12.4	30.00
p-Dichlorobenzene	0.888	ppbv	-15.2	30.00
o-Dichlorobenzene	0.880	ppbv	-15.8	30.00
1,2,4-Trichlorobenzene	0.875	ppbv	-15.7	30.00
Hexachloro-1,3-butadiene	0.963	ppbv	-8.6	30.00

Calibration Check (2603079-CCV2)

Prepared: 03/24/26 Analyzed: 03/25/26

Dichlorodifluoromethane	0.857	ppbv	-16.6	30.00
Chloromethane	1.03	ppbv	0.9	30.00
Dichlorotetrafluoroethane	0.987	ppbv	-4.7	30.00
Vinyl chloride	0.893	ppbv	-13.5	30.00
1,3-Butadiene	0.736	ppbv	-28.9	30.00
Ethylene oxide	1.22	ppbv	28.0	30.00
Bromomethane	0.999	ppbv	-3.2	30.00
Chloroethane	1.00	ppbv	-3.2	30.00
Acetonitrile	1.14	ppbv	10.1	30.00
Acrolein	1.17	ppbv	15.1	30.00
Trichlorofluoromethane	1.43	ppbv	41.2	30.00
Acrylonitrile	1.18	ppbv	6.7	30.00
1,1-Dichloroethene	1.11	ppbv	7.0	30.00

LK

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 05/14/26 15:04

SUBMITTED: 03/20/26 to 04/01/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 2603079

Calibration Check (2603079-CCV2) Continued

Prepared: 03/24/26 Analyzed: 03/25/26

Dichloromethane	1.14	ppbv	10.4	30.00
Carbon Disulfide	1.03	ppbv	-5.8	30.00
Trichlorotrifluoroethane	0.973	ppbv	-5.5	30.00
trans-1,2-Dichloroethylene	1.02	ppbv	-1.9	30.00
1,1-Dichloroethane	1.13	ppbv	9.3	30.00
Methyl tert-Butyl Ether	1.07	ppbv	3.5	30.00
Chloroprene	1.09	ppbv	5.4	30.00
cis-1,2-Dichloroethylene	1.09	ppbv	5.5	30.00
Bromochloromethane	1.07	ppbv	3.7	30.00
Chloroform	1.19	ppbv	13.8	30.00
Ethyl tert-Butyl Ether	1.08	ppbv	4.6	30.00
1,2-Dichloroethane	1.19	ppbv	15.2	30.00
1,1,1-Trichloroethane	1.20	ppbv	16.1	30.00
Benzene	1.12	ppbv	7.4	30.00
Carbon Tetrachloride	1.13	ppbv	10.8	30.00
tert-Amyl Methyl Ether	1.08	ppbv	4.0	30.00
1,2-Dichloropropane	1.10	ppbv	5.5	30.00
Ethyl Acrylate	1.08	ppbv	3.7	30.00
Bromodichloromethane	1.11	ppbv	6.9	30.00
Trichloroethylene	1.05	ppbv	1.9	30.00
Methyl Methacrylate	1.11	ppbv	7.0	30.00
cis-1,3-Dichloropropene	1.07	ppbv	2.2	30.00
Methyl Isobutyl Ketone	1.18	ppbv	13.1	30.00
trans-1,3-Dichloropropene	1.08	ppbv	2.5	30.00
1,1,2-Trichloroethane	1.07	ppbv	2.7	30.00
Toluene	1.12	ppbv	7.6	30.00
Dibromochloromethane	1.08	ppbv	4.6	30.00
1,2-Dibromoethane	1.08	ppbv	3.9	30.00
n-Octane	1.11	ppbv	7.1	30.00
Tetrachloroethylene	1.10	ppbv	5.1	30.00
Chlorobenzene	1.06	ppbv	1.2	30.00
Ethylbenzene	1.03	ppbv	-1.9	30.00
m,p-Xylene	2.15	ppbv	2.8	30.00
Bromoform	1.00	ppbv	-4.1	30.00
Styrene	0.977	ppbv	-7.7	30.00
1,1,2,2-Tetrachloroethane	1.16	ppbv	10.1	30.00

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 05/14/26 15:04

SUBMITTED: 03/20/26 to 04/01/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 2603079

Calibration Check (2603079-CCV2) Continued

Prepared: 03/24/26 Analyzed: 03/25/26

o-Xylene	0.889	ppbv	-15.8	30.00
1,3,5-Trimethylbenzene	0.829	ppbv	-21.2	30.00
1,2,4-Trimethylbenzene	0.826	ppbv	-21.7	30.00
m-Dichlorobenzene	0.943	ppbv	-9.5	30.00
p-Dichlorobenzene	0.920	ppbv	-12.1	30.00
o-Dichlorobenzene	0.916	ppbv	-12.4	30.00
1,2,4-Trichlorobenzene	0.935	ppbv	-9.9	30.00
Hexachloro-1,3-butadiene	0.940	ppbv	-10.8	30.00

Sequence 2604023

Calibration Check (2604023-CCV1)

Prepared & Analyzed: 04/07/26

Dichlorodifluoromethane	1.05	ppbv	2.3	30.00
Chloromethane	1.07	ppbv	5.0	30.00
Dichlorotetrafluoroethane	1.09	ppbv	4.9	30.00
Vinyl chloride	0.985	ppbv	-4.5	30.00
1,3-Butadiene	0.896	ppbv	-13.4	30.00
Ethylene oxide	1.08	ppbv	13.3	30.00
Bromomethane	1.05	ppbv	2.1	30.00
Chloroethane	1.12	ppbv	7.8	30.00
Acetonitrile	1.16	ppbv	11.4	30.00
Acrolein	1.12	ppbv	9.4	30.00
Trichlorofluoromethane	1.10	ppbv	8.6	30.00
Acrylonitrile	1.15	ppbv	4.6	30.00
1,1-Dichloroethene	1.16	ppbv	11.6	30.00
Dichloromethane	1.13	ppbv	9.4	30.00
Carbon Disulfide	1.03	ppbv	-5.5	30.00
Trichlorotrifluoroethane	1.04	ppbv	1.2	30.00
trans-1,2-Dichloroethylene	1.05	ppbv	0.9	30.00
1,1-Dichloroethane	1.16	ppbv	11.7	30.00
Methyl tert-Butyl Ether	0.990	ppbv	-4.4	30.00
Chloroprene	0.977	ppbv	-5.8	30.00
cis-1,2-Dichloroethylene	1.12	ppbv	8.5	30.00
Bromochloromethane	1.02	ppbv	-1.2	30.00
Chloroform	1.14	ppbv	8.7	30.00
Ethyl tert-Butyl Ether	1.03	ppbv	-1.1	30.00
1,2-Dichloroethane	1.10	ppbv	6.6	30.00

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 05/14/26 15:04

SUBMITTED: 03/20/26 to 04/01/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 2604023

Calibration Check (2604023-CCV1) Continued

Prepared & Analyzed: 04/07/26

1,1,1-Trichloroethane	1.12	ppbv	8.7	30.00	
Benzene	1.03	ppbv	-0.5	30.00	
Carbon Tetrachloride	1.08	ppbv	5.7	30.00	
tert-Amyl Methyl Ether	0.922	ppbv	-10.9	30.00	
1,2-Dichloropropane	1.14	ppbv	10.2	30.00	
Ethyl Acrylate	1.08	ppbv	3.4	30.00	
Bromodichloromethane	1.23	ppbv	18.9	30.00	
Trichloroethylene	1.06	ppbv	2.5	30.00	
Methyl Methacrylate	1.09	ppbv	4.8	30.00	
cis-1,3-Dichloropropene	1.07	ppbv	2.4	30.00	
Methyl Isobutyl Ketone	1.13	ppbv	9.1	30.00	
trans-1,3-Dichloropropene	1.15	ppbv	10.0	30.00	
1,1,2-Trichloroethane	1.21	ppbv	16.1	30.00	
Toluene	1.07	ppbv	3.0	30.00	
Dibromochloromethane	1.10	ppbv	6.8	30.00	
1,2-Dibromoethane	1.17	ppbv	12.1	30.00	
n-Octane	1.10	ppbv	5.9	30.00	
Tetrachloroethylene	1.10	ppbv	5.5	30.00	
Chlorobenzene	1.17	ppbv	11.6	30.00	
Ethylbenzene	1.06	ppbv	1.7	30.00	
m,p-Xylene	2.27	ppbv	8.7	30.00	
Bromoform	1.17	ppbv	12.2	30.00	
Styrene	1.14	ppbv	7.7	30.00	
1,1,2,2-Tetrachloroethane	1.29	ppbv	22.2	30.00	
o-Xylene	1.06	ppbv	0.4	30.00	
1,3,5-Trimethylbenzene	1.00	ppbv	-5.0	30.00	
1,2,4-Trimethylbenzene	0.980	ppbv	-7.0	30.00	
m-Dichlorobenzene	1.08	ppbv	3.5	30.00	
p-Dichlorobenzene	1.06	ppbv	0.9	30.00	
o-Dichlorobenzene	1.06	ppbv	1.3	30.00	
1,2,4-Trichlorobenzene	1.06	ppbv	2.1	30.00	QB-01
Hexachloro-1,3-butadiene	1.20	ppbv	13.5	30.00	

Calibration Check (2604023-CCV2)

Prepared: 04/07/26 Analyzed: 04/08/26

Dichlorodifluoromethane	1.14	ppbv	10.5	30.00
Chloromethane	1.20	ppbv	17.2	30.00

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 05/14/26 15:04

SUBMITTED: 03/20/26 to 04/01/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 2604023

Calibration Check (2604023-CCV2) Continued

Prepared: 04/07/26 Analyzed: 04/08/26

Dichlorotetrafluoroethane	1.14	ppbv	9.9	30.00	
Vinyl chloride	1.05	ppbv	1.5	30.00	
1,3-Butadiene	0.921	ppbv	-11.0	30.00	
Ethylene oxide	1.23	ppbv	28.6	30.00	
Bromomethane	1.06	ppbv	3.0	30.00	
Chloroethane	1.19	ppbv	14.5	30.00	
Acetonitrile	1.23	ppbv	18.0	30.00	
Acrolein	1.19	ppbv	16.4	30.00	
Trichlorofluoromethane	1.20	ppbv	18.8	30.00	
Acrylonitrile	1.17	ppbv	6.2	30.00	
1,1-Dichloroethene	1.31	ppbv	25.8	30.00	
Dichloromethane	1.22	ppbv	17.7	30.00	
Carbon Disulfide	1.16	ppbv	6.7	30.00	
Trichlorotrifluoroethane	1.13	ppbv	10.1	30.00	
trans-1,2-Dichloroethylene	1.07	ppbv	2.6	30.00	
1,1-Dichloroethane	1.21	ppbv	16.5	30.00	
Methyl tert-Butyl Ether	0.969	ppbv	-6.5	30.00	
Chloroprene	0.970	ppbv	-6.5	30.00	
cis-1,2-Dichloroethylene	1.05	ppbv	1.8	30.00	
Bromochloromethane	0.971	ppbv	-5.5	30.00	
Chloroform	1.19	ppbv	14.0	30.00	
Ethyl tert-Butyl Ether	0.899	ppbv	-13.3	30.00	
1,2-Dichloroethane	1.18	ppbv	14.5	30.00	
1,1,1-Trichloroethane	1.18	ppbv	14.1	30.00	
Benzene	1.02	ppbv	-2.0	30.00	
Carbon Tetrachloride	1.13	ppbv	10.0	30.00	
tert-Amyl Methyl Ether	0.869	ppbv	-15.9	30.00	
1,2-Dichloropropane	1.24	ppbv	19.7	30.00	
Ethyl Acrylate	1.12	ppbv	7.5	30.00	
Bromodichloromethane	1.37	ppbv	31.8	30.00	LK
Trichloroethylene	1.04	ppbv	0.4	30.00	
Methyl Methacrylate	1.16	ppbv	11.6	30.00	
cis-1,3-Dichloropropene	1.10	ppbv	5.1	30.00	
Methyl Isobutyl Ketone	1.22	ppbv	17.8	30.00	
trans-1,3-Dichloropropene	1.24	ppbv	18.0	30.00	
1,1,2-Trichloroethane	1.31	ppbv	25.5	30.00	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 05/14/26 15:04

SUBMITTED: 03/20/26 to 04/01/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 2604023

Calibration Check (2604023-CCV2) Continued

Prepared: 04/07/26 Analyzed: 04/08/26

Toluene	1.10	ppbv	5.4	30.00	
Dibromochloromethane	1.14	ppbv	9.8	30.00	
1,2-Dibromoethane	1.26	ppbv	20.6	30.00	
n-Octane	1.17	ppbv	13.1	30.00	
Tetrachloroethylene	1.17	ppbv	12.2	30.00	
Chlorobenzene	1.26	ppbv	20.0	30.00	
Ethylbenzene	1.08	ppbv	3.4	30.00	
m,p-Xylene	2.32	ppbv	11.3	30.00	
Bromoform	1.26	ppbv	20.1	30.00	
Styrene	1.17	ppbv	10.6	30.00	
1,1,2,2-Tetrachloroethane	1.39	ppbv	32.0	30.00	LK
o-Xylene	1.07	ppbv	1.3	30.00	
1,3,5-Trimethylbenzene	1.01	ppbv	-3.6	30.00	
1,2,4-Trimethylbenzene	0.997	ppbv	-5.4	30.00	
m-Dichlorobenzene	1.06	ppbv	1.3	30.00	
p-Dichlorobenzene	1.02	ppbv	-2.0	30.00	
o-Dichlorobenzene	1.03	ppbv	-1.6	30.00	
1,2,4-Trichlorobenzene	1.10	ppbv	5.9	30.00	QB-01
Hexachloro-1,3-butadiene	1.20	ppbv	14.0	30.00	

Sequence 2604049

Calibration Check (2604049-CCV1)

Prepared & Analyzed: 04/17/26

Dichlorodifluoromethane	1.27	ppbv	23.1	30.00	
Chloromethane	1.09	ppbv	6.8	30.00	
Dichlorotetrafluoroethane	1.23	ppbv	18.6	30.00	
Vinyl chloride	1.06	ppbv	3.1	30.00	
1,3-Butadiene	1.05	ppbv	1.2	30.00	
Ethylene oxide	1.06	ppbv	10.4	30.00	
Bromomethane	1.14	ppbv	10.6	30.00	
Chloroethane	1.12	ppbv	7.9	30.00	
Acetonitrile	1.10	ppbv	6.5	30.00	
Acrolein	1.12	ppbv	9.6	30.00	
Trichlorofluoromethane	1.19	ppbv	18.0	30.00	
Acrylonitrile	1.13	ppbv	2.7	30.00	
1,1-Dichloroethene	1.18	ppbv	13.6	30.00	
Dichloromethane	1.14	ppbv	10.2	30.00	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 05/14/26 15:04

SUBMITTED: 03/20/26 to 04/01/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 2604049

Calibration Check (2604049-CCV1) Continued

Prepared & Analyzed: 04/17/26

Carbon Disulfide	0.887	ppbv	-18.5	30.00
Trichlorotrifluoroethane	0.863	ppbv	-16.2	30.00
trans-1,2-Dichloroethylene	1.06	ppbv	2.3	30.00
1,1-Dichloroethane	1.26	ppbv	21.8	30.00
Methyl tert-Butyl Ether	1.16	ppbv	11.5	30.00
Chloroprene	1.13	ppbv	9.1	30.00
cis-1,2-Dichloroethylene	1.14	ppbv	10.1	30.00
Bromochloromethane	1.08	ppbv	4.7	30.00
Chloroform	1.21	ppbv	15.8	30.00
Ethyl tert-Butyl Ether	1.18	ppbv	13.6	30.00
1,2-Dichloroethane	1.21	ppbv	17.1	30.00
1,1,1-Trichloroethane	1.26	ppbv	22.8	30.00
Benzene	1.24	ppbv	19.0	30.00
Carbon Tetrachloride	1.17	ppbv	14.7	30.00
tert-Amyl Methyl Ether	1.14	ppbv	10.2	30.00
1,2-Dichloropropane	1.17	ppbv	12.7	30.00
Ethyl Acrylate	1.16	ppbv	11.2	30.00
Bromodichloromethane	1.13	ppbv	8.7	30.00
Trichloroethylene	1.15	ppbv	11.0	30.00
Methyl Methacrylate	1.15	ppbv	10.6	30.00
cis-1,3-Dichloropropene	1.31	ppbv	25.6	30.00
Methyl Isobutyl Ketone	1.15	ppbv	10.5	30.00
trans-1,3-Dichloropropene	1.30	ppbv	23.8	30.00
1,1,2-Trichloroethane	1.07	ppbv	2.8	30.00
Toluene	1.17	ppbv	12.2	30.00
Dibromochloromethane	1.12	ppbv	8.5	30.00
1,2-Dibromoethane	1.07	ppbv	2.1	30.00
n-Octane	1.15	ppbv	10.5	30.00
Tetrachloroethylene	1.25	ppbv	19.5	30.00
Chlorobenzene	1.13	ppbv	7.5	30.00
Ethylbenzene	1.05	ppbv	0.7	30.00
m,p-Xylene	2.19	ppbv	5.0	30.00
Bromoform	1.32	ppbv	26.2	30.00
Styrene	1.14	ppbv	7.8	30.00
1,1,2,2-Tetrachloroethane	1.32	ppbv	24.9	30.00
o-Xylene	1.22	ppbv	15.1	30.00

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 05/14/26 15:04

SUBMITTED: 03/20/26 to 04/01/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 2604049

Calibration Check (2604049-CCV1) Continued

Prepared & Analyzed: 04/17/26

1,3,5-Trimethylbenzene	1.21	ppbv	15.0	30.00	
1,2,4-Trimethylbenzene	1.18	ppbv	12.0	30.00	
m-Dichlorobenzene	1.11	ppbv	6.4	30.00	
p-Dichlorobenzene	1.11	ppbv	6.1	30.00	
o-Dichlorobenzene	1.11	ppbv	6.5	30.00	
1,2,4-Trichlorobenzene	1.22	ppbv	17.1	30.00	QB-01
Hexachloro-1,3-butadiene	1.31	ppbv	24.5	30.00	

Calibration Check (2604049-CCV2)

Prepared: 04/17/26 Analyzed: 04/18/26

Dichlorodifluoromethane	1.23	ppbv	19.3	30.00	
Chloromethane	1.04	ppbv	1.6	30.00	
Dichlorotetrafluoroethane	1.22	ppbv	17.5	30.00	
Vinyl chloride	0.960	ppbv	-7.0	30.00	
1,3-Butadiene	0.961	ppbv	-7.1	30.00	
Ethylene oxide	1.07	ppbv	11.7	30.00	
Bromomethane	1.09	ppbv	5.9	30.00	
Chloroethane	1.10	ppbv	6.6	30.00	
Acetonitrile	1.32	ppbv	27.5	30.00	
Acrolein	1.11	ppbv	8.3	30.00	
Trichlorofluoromethane	1.19	ppbv	18.1	30.00	
Acrylonitrile	1.21	ppbv	10.0	30.00	
1,1-Dichloroethene	1.13	ppbv	8.3	30.00	
Dichloromethane	1.16	ppbv	11.9	30.00	
Carbon Disulfide	0.843	ppbv	-22.5	30.00	
Trichlorotrifluoroethane	0.838	ppbv	-18.6	30.00	
trans-1,2-Dichloroethylene	1.03	ppbv	-1.3	30.00	
1,1-Dichloroethane	1.12	ppbv	8.6	30.00	
Methyl tert-Butyl Ether	1.15	ppbv	10.6	30.00	
Chloroprene	1.11	ppbv	7.2	30.00	
cis-1,2-Dichloroethylene	1.14	ppbv	10.4	30.00	
Bromochloromethane	1.07	ppbv	4.1	30.00	
Chloroform	1.25	ppbv	19.1	30.00	
Ethyl tert-Butyl Ether	1.14	ppbv	10.1	30.00	
1,2-Dichloroethane	1.23	ppbv	19.2	30.00	
1,1,1-Trichloroethane	1.30	ppbv	26.1	30.00	
Benzene	1.10	ppbv	6.4	30.00	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 05/14/26 15:04

SUBMITTED: 03/20/26 to 04/01/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 2604049

Calibration Check (2604049-CCV2) Continued

Prepared: 04/17/26 Analyzed: 04/18/26

Carbon Tetrachloride	1.13	ppbv	10.0	30.00
tert-Amyl Methyl Ether	1.09	ppbv	5.7	30.00
1,2-Dichloropropane	1.18	ppbv	13.4	30.00
Ethyl Acrylate	1.10	ppbv	5.1	30.00
Bromodichloromethane	1.09	ppbv	5.2	30.00
Trichloroethylene	1.04	ppbv	0.9	30.00
Methyl Methacrylate	1.07	ppbv	3.0	30.00
cis-1,3-Dichloropropene	1.20	ppbv	15.2	30.00
Methyl Isobutyl Ketone	1.08	ppbv	4.2	30.00
trans-1,3-Dichloropropene	1.27	ppbv	21.2	30.00
1,1,2-Trichloroethane	1.02	ppbv	-2.1	30.00
Toluene	1.12	ppbv	7.5	30.00
Dibromochloromethane	1.08	ppbv	4.2	30.00
1,2-Dibromoethane	0.990	ppbv	-5.1	30.00
n-Octane	1.05	ppbv	1.5	30.00
Tetrachloroethylene	1.18	ppbv	13.5	30.00
Chlorobenzene	1.07	ppbv	1.3	30.00
Ethylbenzene	0.997	ppbv	-4.7	30.00
m,p-Xylene	2.08	ppbv	-0.4	30.00
Bromoform	1.32	ppbv	26.5	30.00
Styrene	1.10	ppbv	4.3	30.00
1,1,2,2-Tetrachloroethane	1.35	ppbv	27.7	30.00
o-Xylene	1.17	ppbv	10.4	30.00
1,3,5-Trimethylbenzene	1.13	ppbv	7.7	30.00
1,2,4-Trimethylbenzene	1.10	ppbv	4.7	30.00
m-Dichlorobenzene	1.06	ppbv	1.5	30.00
p-Dichlorobenzene	1.05	ppbv	0.6	30.00
o-Dichlorobenzene	1.06	ppbv	1.7	30.00
1,2,4-Trichlorobenzene	1.21	ppbv	16.9	30.00
Hexachloro-1,3-butadiene	1.34	ppbv	27.3	30.00

QB-01

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 05/14/26 15:04

SUBMITTED: 03/20/26 to 04/01/26

AQS SITE CODE: 40 109 1037

SITE CODE: OCOK

Notes and Definitions

U	Under Detection Limit
QB-01	Analyte exceeds method blank criteria
LL	Analyte identified; Reported value may be biased low.
LK	Analyte identified; Reported value may be biased high.
EC	Null data: Exceeds a critical criterion
E	The concentration for this analyte is an estimated value above the calibration range of the instrument.
CF	Canister bias: NATTS/UATMP data for compounds that have failed certification for the canister
CE	Not reportable due to a co-eluting compound.
ND	Analyte NOT DETECTED
NR	Not Reported
MDL	Method Detection Limit
RPD	Relative Percent Difference

Note: This test is accredited under the 2016 TNI Standard; however the following analytes are not accredited: acetylene, bromodichloroethane, dichlorotetrafluoromethane, ethyl tert butyl ether, n-octane, tert amyl methyl ether, trichlorofluoroethane, and bromochloromethane.