



Eastern Research Group
601 Keystone Park Drive
Suite 700
Morrisville, NC 27560

June 15, 2026

Mr. Bryan Sims
Oklahoma Dept. of Environmental Quality
707 N. Robinson, PO Box 1677
Oklahoma City, OK 73101-1677
Project Name: TMOK

Dear Mr. Bryan Sims,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 04/07/26 11:07 through 05/19/26 11:54.

Values below the MDL for QC results in this report are recorded as ND, however the actual values are reported in the accompanying Excel report with a "U" flag (Under the detection limit). The actual values are reported in AQS.

This test is accredited under the 2016 TNI Standard for Environmental Laboratories (FL DOH Certification # E87673). All analyses were performed as described in the US EPA-approved QAPP, under the contract for National Hazardous Air Pollutant Support (US EPA Contract No. 68HERH22D0002). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7872.

Sincerely,

Randolph Bower
Program Manager
randy.bower@erg.com

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify randy.bower@erg.com and delete the report without retaining any copies.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
TMOK	6040775-02	Air	04/02/26 23:59	04/07/26 11:07
TMOK	6041615-05	Air	04/08/26 23:59	04/16/26 12:39
TMOK	6042228-04	Air	04/14/26 23:59	04/22/26 14:05
TMOK	6042228-05	Air	04/20/26 23:59	04/22/26 14:05
TMOK FB	6042228-06	Air	04/20/26 23:59	04/22/26 14:05



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK

Temp Rec'd (°C): 6.5

Lab ID: 6040775-02

Sample Volume: 334.8 m³

Container #: 613

Sampled: 04/02/26 23:59

Received: 04/07/26 11:07

Analyzed: 04/29/26 01:48

Comments:

Air Toxics by EPA Compendium Method TO-13

Analyte	CAS Number	Results	Flag	MDL	% Rec.	% Rec Limits
		ng/m ³ Air		ng/m ³ Air		
Naphthalene	91-20-3	9.43	TT	1.18		
Acenaphthylene	208-96-8	ND	U, TT	0.00387		
Acenaphthene	83-32-9	1.69	TT	0.125		
Fluorene	86-73-7	2.07	TT	0.0461		
Phenanthrene	85-01-8	5.21	LB, TT	0.125		
Anthracene	120-12-7	0.0821	LB, TT	0.0363		
Fluoranthene	206-44-0	1.12	LB, TT	0.0504		
Pyrene	129-00-0	0.449	LB, TT	0.0553		
Benzo(a)anthracene	56-55-3	0.00806	U, TT	0.0134		
Chrysene	218-01-9	0.0302	TT	0.0125		
Benzo(b)fluoranthene	205-99-2	0.0188	U, TT	0.0191		
Benzo(k)fluoranthene	207-08-9	0.00627	U, TT	0.00806		
Benzo(e)pyrene	192-97-2	0.0137	TT	0.00717		
Benzo(a)pyrene	50-32-8	0.00747	U, TT	0.00823		
Perylene	198-55-0	ND	U, TT	0.00396		
Dibenz(a,h)anthracene	53-70-3	ND	U, TT	0.00621		
Indeno(1,2,3-c,d)pyrene	193-39-5	0.0102	TT	0.00808		
Benzo(g,h,i)perylene	191-24-2	0.0185	U, TT	0.0287		
Coronene	191-07-1	0.0116	U, TT	0.0123		
Surrogate: Fluorene-d10		0.850	TT		86.7 %	Limit 60-120
Surrogate: Fluoranthene-d10		2.89	TT		96.7 %	Limit 60-120
Surrogate: Pyrene-d10		0.821	TT		82.1 %	Limit 60-120
Surrogate: Benzo(a)pyrene-d12		2.74	TT		90.9 %	Limit 60-120



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK
Temp Rec'd (°C): 2.7

Lab ID: 6041615-05
Sample Volume: 353.5 m³
Container #: 32

Sampled: 04/08/26 23:59
Received: 04/16/26 12:39
Analyzed: 05/02/26 02:15

Comments:

Air Toxics by EPA Compendium Method TO-13

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>	<u>% Rec.</u>	<u>% Rec Limits</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>		
Naphthalene	91-20-3	24.2		1.12		
Acenaphthylene	208-96-8	ND	U	0.00367		
Acenaphthene	83-32-9	2.03	LB	0.118		
Fluorene	86-73-7	2.44	LB	0.0436		
Phenanthrene	85-01-8	4.98	LB	0.119		
Anthracene	120-12-7	0.0849	LB	0.0344		
Fluoranthene	206-44-0	1.31	LB	0.0477		
Pyrene	129-00-0	1.00	LB	0.0524		
Benzo(a)anthracene	56-55-3	0.115		0.0127		
Chrysene	218-01-9	0.220		0.0119		
Benzo(b)fluoranthene	205-99-2	0.0719		0.0181		
Benzo(k)fluoranthene	207-08-9	0.0190		0.00764		
Benzo(e)pyrene	192-97-2	0.0628		0.00679		
Benzo(a)pyrene	50-32-8	0.0308		0.00780		
Perylene	198-55-0	ND	U	0.00375		
Dibenz(a,h)anthracene	53-70-3	ND	U	0.00588		
Indeno(1,2,3-c,d)pyrene	193-39-5	0.0291		0.00765		
Benzo(g,h,i)perylene	191-24-2	0.0543		0.0272		
Coronene	191-07-1	ND	U	0.0116		
Surrogate: Fluorene-d10		0.896			91.4 %	Limit 60-120
Surrogate: Fluoranthene-d10		2.80			98.9 %	Limit 60-120
Surrogate: Pyrene-d10		0.732			73.3 %	Limit 60-120
Surrogate: Benzo(a)pyrene-d12		2.69			94.1 %	Limit 60-120



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK

Temp Rec'd (°C): 0.5

Lab ID: 6042228-04

Sample Volume: 343.2 m³

Container #: 289

Sampled: 04/14/26 23:59

Received: 04/22/26 14:05

Analyzed: 05/08/26 19:03

Comments:

Air Toxics by EPA Compendium Method TO-13

Analyte	CAS Number	Results	Flag	MDL	% Rec.	% Rec Limits
		ng/m ³ Air		ng/m ³ Air		
Naphthalene	91-20-3	11.7		1.15		
Acenaphthylene	208-96-8	ND	U	0.00378		
Acenaphthene	83-32-9	1.60		0.122		
Fluorene	86-73-7	1.80		0.0449		
Phenanthrene	85-01-8	3.92	LB	0.122		
Anthracene	120-12-7	0.0606	LB	0.0354		
Fluoranthene	206-44-0	1.01		0.0491		
Pyrene	129-00-0	0.447	LB	0.0539		
Benzo(a)anthracene	56-55-3	0.0102	U	0.0131		
Chrysene	218-01-9	0.0306		0.0122		
Benzo(b)fluoranthene	205-99-2	0.0204		0.0186		
Benzo(k)fluoranthene	207-08-9	0.00583	U	0.00787		
Benzo(e)pyrene	192-97-2	ND	U	0.00699		
Benzo(a)pyrene	50-32-8	ND	U	0.00803		
Perylene	198-55-0	ND	U	0.00386		
Dibenz(a,h)anthracene	53-70-3	ND	U	0.00606		
Indeno(1,2,3-c,d)pyrene	193-39-5	0.0102		0.00788		
Benzo(g,h,i)perylene	191-24-2	0.0233	U	0.0280		
Coronene	191-07-1	ND	U	0.0120		
Surrogate: Fluorene-d10		0.923			94.2 %	Limit 60-120
Surrogate: Fluoranthene-d10		2.66			91.3 %	Limit 60-120
Surrogate: Pyrene-d10		0.836			83.7 %	Limit 60-120
Surrogate: Benzo(a)pyrene-d12		2.63			89.3 %	Limit 60-120



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK

Temp Rec'd (°C): -0.5

Lab ID: 6042228-05

Sample Volume: 335.7 m³

Container #: 274

Sampled: 04/20/26 23:59

Received: 04/22/26 14:05

Analyzed: 05/08/26 20:50

Comments:

Air Toxics by EPA Compendium Method TO-13

Analyte	CAS Number	Results	Flag	MDL	% Rec.	% Rec Limits
		ng/m ³ Air		ng/m ³ Air		
Naphthalene	91-20-3	19.2		1.18		
Acenaphthylene	208-96-8	ND	U	0.00386		
Acenaphthene	83-32-9	1.30		0.124		
Fluorene	86-73-7	1.73		0.0459		
Phenanthrene	85-01-8	3.87	LB	0.125		
Anthracene	120-12-7	0.0471	LB	0.0362		
Fluoranthene	206-44-0	0.872		0.0502		
Pyrene	129-00-0	0.498	LB	0.0551		
Benzo(a)anthracene	56-55-3	0.0307		0.0134		
Chrysene	218-01-9	0.0915		0.0125		
Benzo(b)fluoranthene	205-99-2	0.0769		0.0190		
Benzo(k)fluoranthene	207-08-9	0.0226		0.00804		
Benzo(e)pyrene	192-97-2	0.0605		0.00715		
Benzo(a)pyrene	50-32-8	0.0325		0.00821		
Perylene	198-55-0	ND	U	0.00395		
Dibenz(a,h)anthracene	53-70-3	ND	U	0.00619		
Indeno(1,2,3-c,d)pyrene	193-39-5	0.0426		0.00806		
Benzo(g,h,i)perylene	191-24-2	0.0763		0.0286		
Coronene	191-07-1	0.0304		0.0122		
Surrogate: Fluorene-d10		0.871			88.8 %	Limit 60-120
Surrogate: Fluoranthene-d10		2.61			87.6 %	Limit 60-120
Surrogate: Pyrene-d10		0.772			77.2 %	Limit 60-120
Surrogate: Benzo(a)pyrene-d12		2.67			88.6 %	Limit 60-120



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK FB

Temp Rec'd (°C): -0.5

Lab ID: 6042228-06

Sample Volume: 335.7 m³

Container #: 40

Sampled: 04/20/26 23:59

Received: 04/22/26 14:05

Analyzed: 05/08/26 21:44

Comments:

Air Toxics by EPA Compendium Method TO-13

Analyte	CAS Number	Results	Flag	MDL	% Rec.	% Rec Limits
		ng/m ³ Air		ng/m ³ Air		
Naphthalene	91-20-3	0.298	U	1.18		
Acenaphthylene	208-96-8	ND	U	0.00386		
Acenaphthene	83-32-9	ND	U	0.124		
Fluorene	86-73-7	0.0155	U	0.0459		
Phenanthrene	85-01-8	0.0506	U, LB, QB-03	0.125		
Anthracene	120-12-7	0.0116	U, LB	0.0362		
Fluoranthene	206-44-0	0.0131	U	0.0502		
Pyrene	129-00-0	0.0122	U, LB	0.0551		
Benzo(a)anthracene	56-55-3	0.00298	U	0.0134		
Chrysene	218-01-9	0.00357	U	0.0125		
Benzo(b)fluoranthene	205-99-2	ND	U	0.0190		
Benzo(k)fluoranthene	207-08-9	ND	U	0.00804		
Benzo(e)pyrene	192-97-2	ND	U	0.00715		
Benzo(a)pyrene	50-32-8	ND	U	0.00821		
Perylene	198-55-0	ND	U	0.00395		
Dibenz(a,h)anthracene	53-70-3	ND	U	0.00619		
Indeno(1,2,3-c,d)pyrene	193-39-5	ND	U	0.00806		
Benzo(g,h,i)perylene	191-24-2	ND	U	0.0286		
Coronene	191-07-1	ND	U	0.0122		
Surrogate: Fluorene-d10		0.805			82.1 %	Limit 60-120
Surrogate: Fluoranthene-d10		2.58			86.6 %	Limit 60-120
Surrogate: Pyrene-d10		0.773			77.4 %	Limit 60-120
Surrogate: Benzo(a)pyrene-d12		2.59			85.9 %	Limit 60-120



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2604087 - B6D0808

Calibration Blank (2604087-CCB1)

Prepared & Analyzed: 04/28/26

Naphthalene	4.00E-4	ng/ul		ND					
Acenaphthylene	0.00	ng/ul		ND					U
Acenaphthene	0.00	ng/ul		ND					U
Fluorene	0.00	ng/ul		ND					U
Phenanthrene	6.00E-4	ng/ul		ND					
Anthracene	0.00	ng/ul		ND					U
Fluoranthene	0.00	ng/ul		ND					U
Pyrene	4.00E-4	ng/ul		ND					LB
Benzo(a)anthracene	0.00	ng/ul		ND					U
Chrysene	0.00	ng/ul		ND					U
Benzo(b)fluoranthene	0.00	ng/ul		ND					U
Benzo(k)fluoranthene	0.00	ng/ul		ND					U
Benzo(e)pyrene	0.00	ng/ul		ND					U
Benzo(a)pyrene	0.00	ng/ul		ND					U
Perylene	0.00	ng/ul		ND					U
Dibenz(a,h)anthracene	0.00	ng/ul		ND					U
Indeno(1,2,3-c,d)pyrene	0.00	ng/ul		ND					U
Benzo(g,h,i)perylene	0.00	ng/ul		ND					U
Coronene	0.00	ng/ul		ND					U
Surrogate: Fluorene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Fluoranthene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Pyrene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/ul		ND		60-120			U

Calibration Check (2604087-CCV1)

Prepared & Analyzed: 04/28/26

Naphthalene	7.70	ng/ul	7.5065	ND	103	70-130			
Acenaphthylene	0.536	ng/ul	0.50200	ND	107	70-130			
Acenaphthene	2.56	ng/ul	2.5030	ND	102	70-130			
Fluorene	2.52	ng/ul	2.5022	ND	101	70-130			
Phenanthrene	3.90	ng/ul	3.7538	ND	104	70-130			
Anthracene	0.504	ng/ul	0.50125	ND	101	70-130			LB
Fluoranthene	2.55	ng/ul	2.5015	ND	102	70-130			
Pyrene	1.46	ng/ul	1.2520	ND	116	70-130			LB
Benzo(a)anthracene	0.522	ng/ul	0.50200	ND	104	70-130			
Chrysene	0.523	ng/ul	0.50200	ND	104	70-130			
Benzo(b)fluoranthene	0.518	ng/ul	0.50125	ND	103	70-130			
Benzo(k)fluoranthene	0.513	ng/ul	0.50125	ND	102	70-130			
Benzo(e)pyrene	0.532	ng/ul	0.50125	ND	106	70-130			
Benzo(a)pyrene	0.514	ng/ul	0.50225	ND	102	70-130			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2604087 - B6D0808

Calibration Check (2604087-CCV1) Contin

Prepared & Analyzed: 04/28/26

Perylene	0.518	ng/ul	0.50125	ND	103	70-130
Dibenz(a,h)anthracene	0.513	ng/ul	0.50275	ND	102	70-130
Indeno(1,2,3-c,d)pyrene	0.515	ng/ul	0.50175	ND	103	70-130
Benzo(g,h,i)perylene	0.524	ng/ul	0.50150	ND	104	70-130
Coronene	0.523	ng/ul	0.50175	ND	104	70-130
Surrogate: Fluorene-d10	0.500	ng/ul	0.49000	ND	102	70-130
Surrogate: Fluoranthene-d10	0.509	ng/ul	0.50000	ND	102	70-130
Surrogate: Pyrene-d10	0.577	ng/ul	0.49950	ND	116	70-130
Surrogate: Benzo(a)pyrene-d12	0.523	ng/ul	0.50500	ND	104	70-130

Calibration Check (2604087-CCV2)

Prepared & Analyzed: 04/28/26

Naphthalene	7.69	ng/ul	7.5065	ND	102	70-130
Acenaphthylene	0.516	ng/ul	0.50200	ND	103	70-130
Acenaphthene	2.61	ng/ul	2.5030	ND	104	70-130
Fluorene	2.61	ng/ul	2.5022	ND	104	70-130
Phenanthrene	3.89	ng/ul	3.7538	ND	104	70-130
Anthracene	0.530	ng/ul	0.50125	ND	106	70-130
Fluoranthene	2.67	ng/ul	2.5015	ND	107	70-130
Pyrene	1.31	ng/ul	1.2520	ND	104	70-130
Benzo(a)anthracene	0.526	ng/ul	0.50200	ND	105	70-130
Chrysene	0.521	ng/ul	0.50200	ND	104	70-130
Benzo(b)fluoranthene	0.513	ng/ul	0.50125	ND	102	70-130
Benzo(k)fluoranthene	0.516	ng/ul	0.50125	ND	103	70-130
Benzo(e)pyrene	0.516	ng/ul	0.50125	ND	103	70-130
Benzo(a)pyrene	0.517	ng/ul	0.50225	ND	103	70-130
Perylene	0.518	ng/ul	0.50125	ND	103	70-130
Dibenz(a,h)anthracene	0.502	ng/ul	0.50275	ND	99.9	70-130
Indeno(1,2,3-c,d)pyrene	0.502	ng/ul	0.50175	ND	100	70-130
Benzo(g,h,i)perylene	0.503	ng/ul	0.50150	ND	100	70-130
Coronene	0.492	ng/ul	0.50175	ND	98.0	70-130
Surrogate: Fluorene-d10	0.512	ng/ul	0.49000	ND	104	70-130
Surrogate: Fluoranthene-d10	0.536	ng/ul	0.50000	ND	107	70-130
Surrogate: Pyrene-d10	0.518	ng/ul	0.49950	ND	104	70-130
Surrogate: Benzo(a)pyrene-d12	0.528	ng/ul	0.50500	ND	105	70-130

Calibration Check (2604087-CCV3)

Prepared: 04/28/26 Analyzed: 04/29/26

Naphthalene	7.68	ng/ul	7.5065	ND	102	70-130
Acenaphthylene	0.520	ng/ul	0.50200	ND	104	70-130
Acenaphthene	2.63	ng/ul	2.5030	ND	105	70-130
Fluorene	2.61	ng/ul	2.5022	ND	104	70-130

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2604087 - B6D0808

Calibration Check (2604087-CCV3) Contin

Prepared: 04/28/26 Analyzed: 04/29/26

Phenanthrene	3.89	ng/ul	3.7538	ND	104	70-130			
Anthracene	0.528	ng/ul	0.50125	ND	105	70-130			LB
Fluoranthene	2.66	ng/ul	2.5015	ND	106	70-130			
Pyrene	1.34	ng/ul	1.2520	ND	107	70-130			LB
Benzo(a)anthracene	0.523	ng/ul	0.50200	ND	104	70-130			
Chrysene	0.518	ng/ul	0.50200	ND	103	70-130			
Benzo(b)fluoranthene	0.519	ng/ul	0.50125	ND	103	70-130			
Benzo(k)fluoranthene	0.519	ng/ul	0.50125	ND	103	70-130			
Benzo(e)pyrene	0.522	ng/ul	0.50125	ND	104	70-130			
Benzo(a)pyrene	0.514	ng/ul	0.50225	ND	102	70-130			
Perylene	0.516	ng/ul	0.50125	ND	103	70-130			
Dibenz(a,h)anthracene	0.487	ng/ul	0.50275	ND	96.8	70-130			
Indeno(1,2,3-c,d)pyrene	0.488	ng/ul	0.50175	ND	97.3	70-130			
Benzo(g,h,i)perylene	0.496	ng/ul	0.50150	ND	99.0	70-130			
Coronene	0.466	ng/ul	0.50175	ND	92.9	70-130			
Surrogate: Fluorene-d10	0.512	ng/ul	0.49000	ND	104	70-130			
Surrogate: Fluoranthene-d10	0.533	ng/ul	0.50000	ND	107	70-130			
Surrogate: Pyrene-d10	0.537	ng/ul	0.49950	ND	107	70-130			
Surrogate: Benzo(a)pyrene-d12	0.527	ng/ul	0.50500	ND	104	70-130			

Instrument Blank (2604087-IBL1)

Prepared & Analyzed: 04/28/26

Naphthalene	ND	ng/ul		ND					U
Acenaphthylene	ND	ng/ul		ND					U
Acenaphthene	ND	ng/ul		ND					U
Fluorene	ND	ng/ul		ND					U
Phenanthrene	ND	ng/ul		ND					U
Anthracene	ND	ng/ul		ND					LB, U
Fluoranthene	ND	ng/ul		ND					U
Pyrene	ND	ng/ul		ND					LB, U
Benzo(a)anthracene	ND	ng/ul		ND					U
Chrysene	ND	ng/ul		ND					U
Benzo(b)fluoranthene	ND	ng/ul		ND					U
Benzo(k)fluoranthene	ND	ng/ul		ND					U
Benzo(e)pyrene	ND	ng/ul		ND					U
Benzo(a)pyrene	ND	ng/ul		ND					U
Perylene	ND	ng/ul		ND					U
Dibenz(a,h)anthracene	ND	ng/ul		ND					U
Indeno(1,2,3-c,d)pyrene	ND	ng/ul		ND					U
Benzo(g,h,i)perylene	ND	ng/ul		ND					U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2604087 - B6D0808

Instrument Blank (2604087-IBL1) Contini

Prepared & Analyzed: 04/28/26

Coronene	ND	ng/ul		ND					U
Surrogate: Fluorene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Fluoranthene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Pyrene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/ul		ND		60-120			U

Batch 2604101 - B6D2010

Calibration Blank (2604101-CCB1)

Prepared & Analyzed: 05/01/26

Naphthalene	0.00340	ng/ul		ND					
Acenaphthylene	0.00	ng/ul		ND					U
Acenaphthene	0.00150	ng/ul		ND					
Fluorene	0.00100	ng/ul		ND					
Phenanthrene	0.00340	ng/ul		ND					
Anthracene	0.00260	ng/ul		ND					LB
Fluoranthene	0.00230	ng/ul		ND					
Pyrene	9.00E-4	ng/ul		ND					
Benzo(a)anthracene	0.00	ng/ul		ND					U
Chrysene	0.00	ng/ul		ND					U
Benzo(b)fluoranthene	0.00	ng/ul		ND					U
Benzo(k)fluoranthene	0.00	ng/ul		ND					U
Benzo(e)pyrene	0.00	ng/ul		ND					U
Benzo(a)pyrene	0.00	ng/ul		ND					U
Perylene	0.00	ng/ul		ND					U
Dibenz(a,h)anthracene	0.00	ng/ul		ND					U
Indeno(1,2,3-c,d)pyrene	0.00	ng/ul		ND					U
Benzo(g,h,i)perylene	0.00	ng/ul		ND					U
Coronene	0.00	ng/ul		ND					U
Surrogate: Fluorene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Fluoranthene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Pyrene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/ul		ND		60-120			U

Calibration Check (2604101-CCV1)

Prepared & Analyzed: 05/01/26

Naphthalene	7.73	ng/ul	7.5065	ND	103	70-130			
Acenaphthylene	0.589	ng/ul	0.50200	ND	117	70-130			
Acenaphthene	2.56	ng/ul	2.5030	ND	102	70-130			
Fluorene	2.61	ng/ul	2.5022	ND	104	70-130			
Phenanthrene	3.82	ng/ul	3.7538	ND	102	70-130			
Anthracene	0.518	ng/ul	0.50125	ND	103	70-130			LB
Fluoranthene	2.62	ng/ul	2.5015	ND	105	70-130			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2604101 - B6D2010

Calibration Check (2604101-CCV1) Contin

Prepared & Analyzed: 05/01/26

Pyrene	1.28	ng/ul	1.2520	ND	103	70-130
Benzo(a)anthracene	0.525	ng/ul	0.50200	ND	105	70-130
Chrysene	0.519	ng/ul	0.50200	ND	103	70-130
Benzo(b)fluoranthene	0.526	ng/ul	0.50125	ND	105	70-130
Benzo(k)fluoranthene	0.520	ng/ul	0.50125	ND	104	70-130
Benzo(e)pyrene	0.520	ng/ul	0.50125	ND	104	70-130
Benzo(a)pyrene	0.501	ng/ul	0.50225	ND	99.8	70-130
Perylene	0.512	ng/ul	0.50125	ND	102	70-130
Dibenz(a,h)anthracene	0.464	ng/ul	0.50275	ND	92.4	70-130
Indeno(1,2,3-c,d)pyrene	0.477	ng/ul	0.50175	ND	95.1	70-130
Benzo(g,h,i)perylene	0.495	ng/ul	0.50150	ND	98.8	70-130
Coronene	0.466	ng/ul	0.50175	ND	92.9	70-130

Surrogate: Fluorene-d10	0.487	ng/ul	0.49000	ND	99.3	70-130
Surrogate: Fluoranthene-d10	0.526	ng/ul	0.50000	ND	105	70-130
Surrogate: Pyrene-d10	0.520	ng/ul	0.49950	ND	104	70-130
Surrogate: Benzo(a)pyrene-d12	0.520	ng/ul	0.50500	ND	103	70-130

Calibration Check (2604101-CCV2)

Prepared & Analyzed: 05/01/26

Naphthalene	7.70	ng/ul	7.5065	ND	103	70-130
Acenaphthylene	0.543	ng/ul	0.50200	ND	108	70-130
Acenaphthene	2.59	ng/ul	2.5030	ND	103	70-130
Fluorene	2.70	ng/ul	2.5022	ND	108	70-130
Phenanthrene	3.86	ng/ul	3.7538	ND	103	70-130
Anthracene	0.524	ng/ul	0.50125	ND	105	70-130
Fluoranthene	2.68	ng/ul	2.5015	ND	107	70-130
Pyrene	1.16	ng/ul	1.2520	ND	92.5	70-130
Benzo(a)anthracene	0.534	ng/ul	0.50200	ND	106	70-130
Chrysene	0.520	ng/ul	0.50200	ND	104	70-130
Benzo(b)fluoranthene	0.535	ng/ul	0.50125	ND	107	70-130
Benzo(k)fluoranthene	0.539	ng/ul	0.50125	ND	107	70-130
Benzo(e)pyrene	0.511	ng/ul	0.50125	ND	102	70-130
Benzo(a)pyrene	0.522	ng/ul	0.50225	ND	104	70-130
Perylene	0.520	ng/ul	0.50125	ND	104	70-130
Dibenz(a,h)anthracene	0.492	ng/ul	0.50275	ND	97.8	70-130
Indeno(1,2,3-c,d)pyrene	0.502	ng/ul	0.50175	ND	100	70-130
Benzo(g,h,i)perylene	0.513	ng/ul	0.50150	ND	102	70-130
Coronene	0.481	ng/ul	0.50175	ND	95.9	70-130

Surrogate: Fluorene-d10	0.531	ng/ul	0.49000	ND	108	70-130
Surrogate: Fluoranthene-d10	0.544	ng/ul	0.50000	ND	109	70-130

LB

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2604101 - B6D2010

Calibration Check (2604101-CCV2) Contin

Prepared & Analyzed: 05/01/26

Surrogate: Pyrene-d10	0.471	ng/ul	0.49950	ND	94.3	70-130
Surrogate: Benzo(a)pyrene-d12	0.537	ng/ul	0.50500	ND	106	70-130

Calibration Check (2604101-CCV3)

Prepared: 05/01/26 Analyzed: 05/02/26

Naphthalene	7.74	ng/ul	7.5065	ND	103	70-130
Acenaphthylene	0.544	ng/ul	0.50200	ND	108	70-130
Acenaphthene	2.60	ng/ul	2.5030	ND	104	70-130
Fluorene	2.71	ng/ul	2.5022	ND	108	70-130
Phenanthrene	3.85	ng/ul	3.7538	ND	102	70-130
Anthracene	0.527	ng/ul	0.50125	ND	105	70-130
Fluoranthene	2.66	ng/ul	2.5015	ND	106	70-130
Pyrene	1.16	ng/ul	1.2520	ND	92.8	70-130
Benzo(a)anthracene	0.531	ng/ul	0.50200	ND	106	70-130
Chrysene	0.519	ng/ul	0.50200	ND	103	70-130
Benzo(b)fluoranthene	0.536	ng/ul	0.50125	ND	107	70-130
Benzo(k)fluoranthene	0.546	ng/ul	0.50125	ND	109	70-130
Benzo(e)pyrene	0.509	ng/ul	0.50125	ND	102	70-130
Benzo(a)pyrene	0.526	ng/ul	0.50225	ND	105	70-130
Perylene	0.516	ng/ul	0.50125	ND	103	70-130
Dibenz(a,h)anthracene	0.492	ng/ul	0.50275	ND	98.0	70-130
Indeno(1,2,3-c,d)pyrene	0.502	ng/ul	0.50175	ND	100	70-130
Benzo(g,h,i)perylene	0.516	ng/ul	0.50150	ND	103	70-130
Coronene	0.481	ng/ul	0.50175	ND	95.9	70-130

LB

Surrogate: Fluorene-d10	0.552	ng/ul	0.49000	ND	113	70-130
Surrogate: Fluoranthene-d10	0.542	ng/ul	0.50000	ND	108	70-130
Surrogate: Pyrene-d10	0.466	ng/ul	0.49950	ND	93.2	70-130
Surrogate: Benzo(a)pyrene-d12	0.536	ng/ul	0.50500	ND	106	70-130

Instrument Blank (2604101-IBL1)

Prepared & Analyzed: 05/01/26

Naphthalene	ND	ng/ul	ND	U
Acenaphthylene	ND	ng/ul	ND	U
Acenaphthene	ND	ng/ul	ND	U
Fluorene	ND	ng/ul	ND	U
Phenanthrene	ND	ng/ul	ND	U
Anthracene	ND	ng/ul	ND	LB, U
Fluoranthene	ND	ng/ul	ND	U
Pyrene	ND	ng/ul	ND	U
Benzo(a)anthracene	ND	ng/ul	ND	U
Chrysene	ND	ng/ul	ND	U
Benzo(b)fluoranthene	ND	ng/ul	ND	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2604101 - B6D2010

Instrument Blank (2604101-IBL1) Contini

Prepared & Analyzed: 05/01/26

Benzo(k)fluoranthene	ND	ng/ul		ND					U
Benzo(e)pyrene	ND	ng/ul		ND					U
Benzo(a)pyrene	ND	ng/ul		ND					U
Perylene	ND	ng/ul		ND					U
Dibenz(a,h)anthracene	ND	ng/ul		ND					U
Indeno(1,2,3-c,d)pyrene	ND	ng/ul		ND					U
Benzo(g,h,i)perylene	ND	ng/ul		ND					U
Coronene	ND	ng/ul		ND					U
Surrogate: Fluorene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Fluoranthene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Pyrene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/ul		ND		60-120			U

Batch 2605015 - B6D2307

Calibration Blank (2605015-CCB1)

Prepared & Analyzed: 05/08/26

Naphthalene	0.00	ng/ul		ND					U
Acenaphthylene	0.00	ng/ul		ND					U
Acenaphthene	0.00	ng/ul		ND					U
Fluorene	0.00	ng/ul		ND					U
Phenanthrene	0.00130	ng/ul		ND					
Anthracene	0.00330	ng/ul		ND					LB
Fluoranthene	5.00E-4	ng/ul		ND					
Pyrene	0.00	ng/ul		ND					U
Benzo(a)anthracene	0.00	ng/ul		ND					U
Chrysene	0.00	ng/ul		ND					U
Benzo(b)fluoranthene	0.00	ng/ul		ND					U
Benzo(k)fluoranthene	0.00	ng/ul		ND					U
Benzo(e)pyrene	0.00	ng/ul		ND					U
Benzo(a)pyrene	0.00	ng/ul		ND					U
Perylene	0.00	ng/ul		ND					U
Dibenz(a,h)anthracene	0.00	ng/ul		ND					U
Indeno(1,2,3-c,d)pyrene	0.00	ng/ul		ND					U
Benzo(g,h,i)perylene	0.00	ng/ul		ND					U
Coronene	0.00	ng/ul		ND					U
Surrogate: Fluorene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Fluoranthene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Pyrene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/ul		ND		60-120			U

Calibration Check (2605015-CCV1)

Prepared & Analyzed: 05/08/26

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2605015 - B6D2307

Calibration Check (2605015-CCV1) Contin

Prepared & Analyzed: 05/08/26

Naphthalene	7.72	ng/ul	7.5065	ND	103	70-130			
Acenaphthylene	0.574	ng/ul	0.50200	ND	114	70-130			
Acenaphthene	2.53	ng/ul	2.5030	ND	101	70-130			
Fluorene	2.56	ng/ul	2.5022	ND	102	70-130			
Phenanthrene	3.84	ng/ul	3.7538	ND	102	70-130			
Anthracene	0.516	ng/ul	0.50125	ND	103	70-130			LB
Fluoranthene	2.58	ng/ul	2.5015	ND	103	70-130			
Pyrene	1.38	ng/ul	1.2520	ND	110	70-130			
Benzo(a)anthracene	0.511	ng/ul	0.50200	ND	102	70-130			
Chrysene	0.513	ng/ul	0.50200	ND	102	70-130			
Benzo(b)fluoranthene	0.511	ng/ul	0.50125	ND	102	70-130			
Benzo(k)fluoranthene	0.510	ng/ul	0.50125	ND	102	70-130			
Benzo(e)pyrene	0.528	ng/ul	0.50125	ND	105	70-130			
Benzo(a)pyrene	0.490	ng/ul	0.50225	ND	97.6	70-130			
Perylene	0.512	ng/ul	0.50125	ND	102	70-130			
Dibenz(a,h)anthracene	0.464	ng/ul	0.50275	ND	92.4	70-130			
Indeno(1,2,3-c,d)pyrene	0.479	ng/ul	0.50175	ND	95.5	70-130			
Benzo(g,h,i)perylene	0.509	ng/ul	0.50150	ND	102	70-130			
Coronene	0.488	ng/ul	0.50175	ND	97.2	70-130			
Surrogate: Fluorene-d10	0.462	ng/ul	0.49000	ND	94.3	70-130			
Surrogate: Fluoranthene-d10	0.518	ng/ul	0.50000	ND	104	70-130			
Surrogate: Pyrene-d10	0.552	ng/ul	0.49950	ND	111	70-130			
Surrogate: Benzo(a)pyrene-d12	0.508	ng/ul	0.50500	ND	101	70-130			

Calibration Check (2605015-CCV2)

Prepared & Analyzed: 05/08/26

Naphthalene	7.71	ng/ul	7.5065	ND	103	70-130			
Acenaphthylene	0.546	ng/ul	0.50200	ND	109	70-130			
Acenaphthene	2.57	ng/ul	2.5030	ND	103	70-130			
Fluorene	2.66	ng/ul	2.5022	ND	106	70-130			
Phenanthrene	3.83	ng/ul	3.7538	ND	102	70-130			
Anthracene	0.517	ng/ul	0.50125	ND	103	70-130			LB
Fluoranthene	2.63	ng/ul	2.5015	ND	105	70-130			
Pyrene	1.22	ng/ul	1.2520	ND	97.1	70-130			
Benzo(a)anthracene	0.522	ng/ul	0.50200	ND	104	70-130			
Chrysene	0.515	ng/ul	0.50200	ND	103	70-130			
Benzo(b)fluoranthene	0.526	ng/ul	0.50125	ND	105	70-130			
Benzo(k)fluoranthene	0.533	ng/ul	0.50125	ND	106	70-130			
Benzo(e)pyrene	0.511	ng/ul	0.50125	ND	102	70-130			
Benzo(a)pyrene	0.510	ng/ul	0.50225	ND	101	70-130			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2605015 - B6D2307

Calibration Check (2605015-CCV2) Contin

Prepared & Analyzed: 05/08/26

Perylene	0.515	ng/ul	0.50125	ND	103	70-130
Dibenz(a,h)anthracene	0.471	ng/ul	0.50275	ND	93.6	70-130
Indeno(1,2,3-c,d)pyrene	0.488	ng/ul	0.50175	ND	97.2	70-130
Benzo(g,h,i)perylene	0.515	ng/ul	0.50150	ND	103	70-130
Coronene	0.470	ng/ul	0.50175	ND	93.7	70-130
Surrogate: Fluorene-d10	0.494	ng/ul	0.49000	ND	101	70-130
Surrogate: Fluoranthene-d10	0.524	ng/ul	0.50000	ND	105	70-130
Surrogate: Pyrene-d10	0.488	ng/ul	0.49950	ND	97.8	70-130
Surrogate: Benzo(a)pyrene-d12	0.518	ng/ul	0.50500	ND	103	70-130

Calibration Check (2605015-CCV3)

Prepared: 05/08/26 Analyzed: 05/09/26

Naphthalene	7.70	ng/ul	7.5065	ND	103	70-130
Acenaphthylene	0.539	ng/ul	0.50200	ND	107	70-130
Acenaphthene	2.58	ng/ul	2.5030	ND	103	70-130
Fluorene	2.68	ng/ul	2.5022	ND	107	70-130
Phenanthrene	3.82	ng/ul	3.7538	ND	102	70-130
Anthracene	0.521	ng/ul	0.50125	ND	104	70-130
Fluoranthene	2.63	ng/ul	2.5015	ND	105	70-130
Pyrene	1.19	ng/ul	1.2520	ND	95.0	70-130
Benzo(a)anthracene	0.524	ng/ul	0.50200	ND	104	70-130
Chrysene	0.519	ng/ul	0.50200	ND	103	70-130
Benzo(b)fluoranthene	0.530	ng/ul	0.50125	ND	106	70-130
Benzo(k)fluoranthene	0.534	ng/ul	0.50125	ND	106	70-130
Benzo(e)pyrene	0.509	ng/ul	0.50125	ND	102	70-130
Benzo(a)pyrene	0.516	ng/ul	0.50225	ND	103	70-130
Perylene	0.517	ng/ul	0.50125	ND	103	70-130
Dibenz(a,h)anthracene	0.471	ng/ul	0.50275	ND	93.6	70-130
Indeno(1,2,3-c,d)pyrene	0.491	ng/ul	0.50175	ND	97.9	70-130
Benzo(g,h,i)perylene	0.517	ng/ul	0.50150	ND	103	70-130
Coronene	0.476	ng/ul	0.50175	ND	94.8	70-130
Surrogate: Fluorene-d10	0.493	ng/ul	0.49000	ND	101	70-130
Surrogate: Fluoranthene-d10	0.530	ng/ul	0.50000	ND	106	70-130
Surrogate: Pyrene-d10	0.470	ng/ul	0.49950	ND	94.2	70-130
Surrogate: Benzo(a)pyrene-d12	0.526	ng/ul	0.50500	ND	104	70-130

LB

Instrument Blank (2605015-IBL1)

Prepared & Analyzed: 05/08/26

Naphthalene	ND	ng/ul	ND	U
Acenaphthylene	ND	ng/ul	ND	U
Acenaphthene	ND	ng/ul	ND	U
Fluorene	ND	ng/ul	ND	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2605015 - B6D2307

Instrument Blank (2605015-IBL1) Contini

Prepared & Analyzed: 05/08/26

Phenanthrene	ND	ng/ul		ND					U
Anthracene	ND	ng/ul		ND					LB, U
Fluoranthene	ND	ng/ul		ND					U
Pyrene	ND	ng/ul		ND					U
Benzo(a)anthracene	ND	ng/ul		ND					U
Chrysene	ND	ng/ul		ND					U
Benzo(b)fluoranthene	ND	ng/ul		ND					U
Benzo(k)fluoranthene	ND	ng/ul		ND					U
Benzo(e)pyrene	ND	ng/ul		ND					U
Benzo(a)pyrene	ND	ng/ul		ND					U
Perylene	ND	ng/ul		ND					U
Dibenz(a,h)anthracene	ND	ng/ul		ND					U
Indeno(1,2,3-c,d)pyrene	ND	ng/ul		ND					U
Benzo(g,h,i)perylene	ND	ng/ul		ND					U
Coronene	ND	ng/ul		ND					U
Surrogate: Fluorene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Fluoranthene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Pyrene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/ul		ND		60-120			U

Batch B6D0808 - TO-13 extraction

Blank (B6D0808-BLK1)

Prepared: 04/08/26 Analyzed: 04/28/26

Naphthalene	ND	ng/m ³ Air							U
Acenaphthylene	ND	ng/m ³ Air							U
Acenaphthene	ND	ng/m ³ Air							U
Fluorene	ND	ng/m ³ Air							U
Phenanthrene	ND	ng/m ³ Air							LB, U
Anthracene	ND	ng/m ³ Air							U
Fluoranthene	ND	ng/m ³ Air							LB, U
Pyrene	ND	ng/m ³ Air							LB, U
Benzo(a)anthracene	ND	ng/m ³ Air							U
Chrysene	ND	ng/m ³ Air							U
Benzo(b)fluoranthene	ND	ng/m ³ Air							U
Benzo(k)fluoranthene	ND	ng/m ³ Air							U
Benzo(e)pyrene	ND	ng/m ³ Air							U
Benzo(a)pyrene	ND	ng/m ³ Air							U
Perylene	ND	ng/m ³ Air							U
Dibenz(a,h)anthracene	ND	ng/m ³ Air							U
Indeno(1,2,3-c,d)pyrene	ND	ng/m ³ Air							U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6D0808 - TO-13 extraction

Blank (B6D0808-BLK1) Continued

Prepared: 04/08/26 Analyzed: 04/28/26

Benzo(g,h,i)perylene	ND	ng/m ³ Air							U
Coronene	ND	ng/m ³ Air							U
Surrogate: Fluorene-d10	0.824	ng/ul	0.98000		84.1	60-120			
Surrogate: Fluoranthene-d10	2.98	ng/m ³ Air	3.3333		89.4	60-120			
Surrogate: Pyrene-d10	0.932	ng/ul	0.99900		93.3	60-120			
Surrogate: Benzo(a)pyrene-d12	3.01	ng/m ³ Air	3.3667		89.4	60-120			

LCS (B6D0808-BS1)

Prepared: 04/08/26 Analyzed: 04/28/26

Naphthalene	18.0	ng/m ³ Air	25.000	ND	71.8	60-120			
Acenaphthylene	1.20	ng/m ³ Air	1.6667	ND	71.9	60-120			
Acenaphthene	6.14	ng/m ³ Air	8.3333	ND	73.6	60-120			
Fluorene	6.15	ng/m ³ Air	8.3333	ND	73.8	60-120			
Phenanthrene	9.50	ng/m ³ Air	12.600	ND	75.4	60-120			LB
Anthracene	1.11	ng/m ³ Air	1.6633	ND	66.9	60-120			LB
Fluoranthene	6.37	ng/m ³ Air	8.4333	ND	75.5	60-120			LB
Pyrene	3.15	ng/m ³ Air	4.1333	ND	76.3	60-120			LB
Benzo(a)anthracene	1.33	ng/m ³ Air	1.6667	ND	79.5	60-120			
Chrysene	1.26	ng/m ³ Air	1.6667	ND	75.3	60-120			
Benzo(b)fluoranthene	1.29	ng/m ³ Air	1.6667	ND	77.2	60-120			
Benzo(k)fluoranthene	1.25	ng/m ³ Air	1.6433	ND	75.9	60-120			
Benzo(e)pyrene	1.25	ng/m ³ Air	1.6467	ND	75.8	60-120			
Benzo(a)pyrene	1.21	ng/m ³ Air	1.6667	ND	72.6	60-120			
Perylene	1.25	ng/m ³ Air	1.6633	ND	75.2	60-120			
Dibenz(a,h)anthracene	1.25	ng/m ³ Air	1.6667	ND	74.8	60-120			
Indeno(1,2,3-c,d)pyrene	1.28	ng/m ³ Air	1.6667	ND	76.8	60-120			
Benzo(g,h,i)perylene	1.23	ng/m ³ Air	1.6667	ND	74.0	60-120			
Coronene	0.268	ng/m ³ Air	0.33333	ND	80.3	60-120			
Surrogate: Fluorene-d10	0.863	ng/ul	0.98000	ND	88.1	60-120			
Surrogate: Fluoranthene-d10	3.07	ng/m ³ Air	3.3333	ND	92.1	60-120			
Surrogate: Pyrene-d10	0.918	ng/ul	0.99900	ND	91.9	60-120			
Surrogate: Benzo(a)pyrene-d12	3.09	ng/m ³ Air	3.3667	ND	91.8	60-120			

Calibration Blank (B6D0808-CCB1)

Prepared: 04/08/26 Analyzed: 04/28/26

Naphthalene	0.00	ng/m ³ Air		ND					U
Acenaphthylene	0.00	ng/m ³ Air		ND					U
Acenaphthene	0.00	ng/m ³ Air		ND					U
Fluorene	0.00	ng/m ³ Air		ND					U
Phenanthrene	6.00E-4	ng/m ³ Air		ND					LB
Anthracene	0.00	ng/m ³ Air		ND					U
Fluoranthene	4.00E-4	ng/m ³ Air		ND					LB

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6D0808 - TO-13 extraction

Calibration Blank (B6D0808-CCB1) Contin

Prepared: 04/08/26 Analyzed: 04/28/26

Pyrene	0.00	ng/m ³ Air		ND					U
Benzo(a)anthracene	0.00	ng/m ³ Air		ND					U
Chrysene	0.00	ng/m ³ Air		ND					U
Benzo(b)fluoranthene	0.00	ng/m ³ Air		ND					U
Benzo(k)fluoranthene	0.00	ng/m ³ Air		ND					U
Benzo(e)pyrene	0.00	ng/m ³ Air		ND					U
Benzo(a)pyrene	0.00	ng/m ³ Air		ND					U
Perylene	0.00	ng/m ³ Air		ND					U
Dibenz(a,h)anthracene	0.00	ng/m ³ Air		ND					U
Indeno(1,2,3-c,d)pyrene	0.00	ng/m ³ Air		ND					U
Benzo(g,h,i)perylene	0.00	ng/m ³ Air		ND					U
Coronene	0.00	ng/m ³ Air		ND					U
Surrogate: Fluorene-d10	0.00	ng/m ³ Air		ND		60-120			U
Surrogate: Fluoranthene-d10	0.00	ng/m ³ Air		ND		60-120			U
Surrogate: Pyrene-d10	0.00	ng/m ³ Air		ND		60-120			U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/m ³ Air		ND		60-120			U

Batch B6D2010 - TO-13 extraction

Blank (B6D2010-BLK1)

Prepared: 04/20/26 Analyzed: 05/01/26

Naphthalene	ND	ng/m ³ Air							U
Acenaphthylene	ND	ng/m ³ Air							U
Acenaphthene	ND	ng/m ³ Air							U
Fluorene	ND	ng/m ³ Air							LB, U
Phenanthrene	ND	ng/m ³ Air							LB, U
Anthracene	ND	ng/m ³ Air							LB, U
Fluoranthene	ND	ng/m ³ Air							LB, U
Pyrene	ND	ng/m ³ Air							LB, U
Benzo(a)anthracene	ND	ng/m ³ Air							U
Chrysene	ND	ng/m ³ Air							U
Benzo(b)fluoranthene	ND	ng/m ³ Air							U
Benzo(k)fluoranthene	ND	ng/m ³ Air							U
Benzo(e)pyrene	ND	ng/m ³ Air							U
Benzo(a)pyrene	ND	ng/m ³ Air							U
Perylene	ND	ng/m ³ Air							U
Dibenz(a,h)anthracene	ND	ng/m ³ Air							U
Indeno(1,2,3-c,d)pyrene	ND	ng/m ³ Air							U
Benzo(g,h,i)perylene	ND	ng/m ³ Air							U
Coronene	ND	ng/m ³ Air							U
Surrogate: Fluorene-d10	0.864	ng/ul		0.98000		88.1		60-120	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6D2010 - TO-13 extraction

Blank (B6D2010-BLK1) Continued

Prepared: 04/20/26 Analyzed: 05/01/26

Surrogate: Fluoranthene-d10	3.03	ng/m ³ Air	3.3333	91.0	60-120
Surrogate: Pyrene-d10	0.853	ng/ul	0.99900	85.4	60-120
Surrogate: Benzo(a)pyrene-d12	3.02	ng/m ³ Air	3.3667	89.8	60-120

LCS (B6D2010-BS1)

Prepared: 04/20/26 Analyzed: 05/01/26

Naphthalene	15.4	ng/m ³ Air	25.000	ND	61.7	60-120	
Acenaphthylene	1.06	ng/m ³ Air	1.6667	ND	63.6	60-120	
Acenaphthene	5.34	ng/m ³ Air	8.3333	ND	64.1	60-120	LB
Fluorene	5.45	ng/m ³ Air	8.3333	ND	65.4	60-120	LB
Phenanthrene	8.21	ng/m ³ Air	12.600	ND	65.1	60-120	LB
Anthracene	1.01	ng/m ³ Air	1.6633	ND	61.0	60-120	LB
Fluoranthene	5.62	ng/m ³ Air	8.4333	ND	66.6	60-120	LB
Pyrene	2.58	ng/m ³ Air	4.1333	ND	62.4	60-120	LB
Benzo(a)anthracene	1.20	ng/m ³ Air	1.6667	ND	71.8	60-120	
Chrysene	1.11	ng/m ³ Air	1.6667	ND	66.8	60-120	
Benzo(b)fluoranthene	1.17	ng/m ³ Air	1.6667	ND	70.4	60-120	
Benzo(k)fluoranthene	1.16	ng/m ³ Air	1.6433	ND	70.6	60-120	
Benzo(e)pyrene	1.11	ng/m ³ Air	1.6467	ND	67.4	60-120	
Benzo(a)pyrene	1.06	ng/m ³ Air	1.6667	ND	63.9	60-120	
Perylene	1.11	ng/m ³ Air	1.6633	ND	66.7	60-120	
Dibenz(a,h)anthracene	1.04	ng/m ³ Air	1.6667	ND	62.7	60-120	
Indeno(1,2,3-c,d)pyrene	1.09	ng/m ³ Air	1.6667	ND	65.6	60-120	
Benzo(g,h,i)perylene	1.07	ng/m ³ Air	1.6667	ND	64.4	60-120	
Coronene	0.209	ng/m ³ Air	0.33333	ND	62.7	60-120	

Surrogate: Fluorene-d10	0.802	ng/ul	0.98000	ND	81.9	60-120
Surrogate: Fluoranthene-d10	2.79	ng/m ³ Air	3.3333	ND	83.8	60-120
Surrogate: Pyrene-d10	0.773	ng/ul	0.99900	ND	77.4	60-120
Surrogate: Benzo(a)pyrene-d12	2.84	ng/m ³ Air	3.3667	ND	84.4	60-120

LCS (B6D2010-BS2)

Prepared: 04/20/26 Analyzed: 05/01/26

Naphthalene	16.0	ng/m ³ Air	25.000	ND	64.0	60-120	
Acenaphthylene	1.11	ng/m ³ Air	1.6667	ND	66.4	60-120	
Acenaphthene	5.63	ng/m ³ Air	8.3333	ND	67.6	60-120	LB
Fluorene	5.80	ng/m ³ Air	8.3333	ND	69.6	60-120	LB
Phenanthrene	8.67	ng/m ³ Air	12.600	ND	68.8	60-120	LB
Anthracene	1.05	ng/m ³ Air	1.6633	ND	62.9	60-120	LB
Fluoranthene	5.86	ng/m ³ Air	8.4333	ND	69.5	60-120	LB
Pyrene	2.65	ng/m ³ Air	4.1333	ND	64.1	60-120	LB
Benzo(a)anthracene	1.24	ng/m ³ Air	1.6667	ND	74.6	60-120	
Chrysene	1.17	ng/m ³ Air	1.6667	ND	70.0	60-120	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6D2010 - TO-13 extraction

LCS (B6D2010-BS2) Continued

Prepared: 04/20/26 Analyzed: 05/01/26

Benzo(b)fluoranthene	1.22	ng/m ³ Air	1.6667	ND	73.1	60-120
Benzo(k)fluoranthene	1.21	ng/m ³ Air	1.6433	ND	73.4	60-120
Benzo(e)pyrene	1.15	ng/m ³ Air	1.6467	ND	69.6	60-120
Benzo(a)pyrene	1.12	ng/m ³ Air	1.6667	ND	67.3	60-120
Perylene	1.15	ng/m ³ Air	1.6633	ND	69.4	60-120
Dibenz(a,h)anthracene	1.11	ng/m ³ Air	1.6667	ND	66.4	60-120
Indeno(1,2,3-c,d)pyrene	1.16	ng/m ³ Air	1.6667	ND	69.9	60-120
Benzo(g,h,i)perylene	1.14	ng/m ³ Air	1.6667	ND	68.6	60-120
Coronene	0.225	ng/m ³ Air	0.33333	ND	67.4	60-120

Surrogate: Fluorene-d10	0.851	ng/ul	0.98000	ND	86.8	60-120
Surrogate: Fluoranthene-d10	2.90	ng/m ³ Air	3.3333	ND	87.1	60-120
Surrogate: Pyrene-d10	0.773	ng/ul	0.99900	ND	77.3	60-120
Surrogate: Benzo(a)pyrene-d12	2.95	ng/m ³ Air	3.3667	ND	87.5	60-120

Calibration Blank (B6D2010-CCB1)

Prepared: 04/20/26 Analyzed: 05/01/26

Naphthalene	0.00	ng/m ³ Air		ND		U
Acenaphthylene	0.00	ng/m ³ Air		ND		U
Acenaphthene	8.00E-4	ng/m ³ Air		ND		LB
Fluorene	7.00E-4	ng/m ³ Air		ND		LB
Phenanthrene	0.00190	ng/m ³ Air		ND		LB
Anthracene	0.00370	ng/m ³ Air		ND		LB
Fluoranthene	0.00200	ng/m ³ Air		ND		LB
Pyrene	9.00E-4	ng/m ³ Air		ND		LB
Benzo(a)anthracene	0.00	ng/m ³ Air		ND		U
Chrysene	0.00	ng/m ³ Air		ND		U
Benzo(b)fluoranthene	0.00	ng/m ³ Air		ND		U
Benzo(k)fluoranthene	0.00	ng/m ³ Air		ND		U
Benzo(e)pyrene	0.00	ng/m ³ Air		ND		U
Benzo(a)pyrene	0.00	ng/m ³ Air		ND		U
Perylene	0.00	ng/m ³ Air		ND		U
Dibenz(a,h)anthracene	0.00	ng/m ³ Air		ND		U
Indeno(1,2,3-c,d)pyrene	0.00	ng/m ³ Air		ND		U
Benzo(g,h,i)perylene	0.00	ng/m ³ Air		ND		U
Coronene	0.00	ng/m ³ Air		ND		U
Surrogate: Fluorene-d10	0.00	ng/m ³ Air		ND	60-120	U
Surrogate: Fluoranthene-d10	0.00	ng/m ³ Air		ND	60-120	U
Surrogate: Pyrene-d10	0.00	ng/m ³ Air		ND	60-120	U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/m ³ Air		ND	60-120	U

Batch B6D2307 - TO-13 extraction

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6D2307 - TO-13 extraction

Blank (B6D2307-BLK1)

Prepared: 04/23/26 Analyzed: 05/08/26

Naphthalene	ND	ng/m ³ Air							U
Acenaphthylene	ND	ng/m ³ Air							U
Acenaphthene	ND	ng/m ³ Air							U
Fluorene	ND	ng/m ³ Air							U
Phenanthrene	ND	ng/m ³ Air							LB, U
Anthracene	ND	ng/m ³ Air							LB, U
Fluoranthene	ND	ng/m ³ Air							U
Pyrene	ND	ng/m ³ Air							LB, U
Benzo(a)anthracene	ND	ng/m ³ Air							U
Chrysene	ND	ng/m ³ Air							U
Benzo(b)fluoranthene	ND	ng/m ³ Air							U
Benzo(k)fluoranthene	ND	ng/m ³ Air							U
Benzo(e)pyrene	ND	ng/m ³ Air							U
Benzo(a)pyrene	ND	ng/m ³ Air							U
Perylene	ND	ng/m ³ Air							U
Dibenz(a,h)anthracene	ND	ng/m ³ Air							U
Indeno(1,2,3-c,d)pyrene	ND	ng/m ³ Air							U
Benzo(g,h,i)perylene	ND	ng/m ³ Air							U
Coronene	ND	ng/m ³ Air							U

Surrogate: Fluorene-d10	0.833	ng/ul	0.98000	85.0	60-120
Surrogate: Fluoranthene-d10	2.88	ng/m ³ Air	3.3333	86.4	60-120
Surrogate: Pyrene-d10	0.914	ng/ul	0.99900	91.5	60-120
Surrogate: Benzo(a)pyrene-d12	2.89	ng/m ³ Air	3.3667	85.9	60-120

LCS (B6D2307-BS1)

Prepared: 04/23/26 Analyzed: 05/08/26

Naphthalene	17.1	ng/m ³ Air	25.000	ND	68.5	60-120	
Acenaphthylene	1.16	ng/m ³ Air	1.6667	ND	69.8	60-120	
Acenaphthene	5.82	ng/m ³ Air	8.3333	ND	69.9	60-120	
Fluorene	5.97	ng/m ³ Air	8.3333	ND	71.6	60-120	
Phenanthrene	8.97	ng/m ³ Air	12.600	ND	71.2	60-120	LB
Anthracene	1.09	ng/m ³ Air	1.6633	ND	65.4	60-120	LB
Fluoranthene	6.03	ng/m ³ Air	8.4333	ND	71.4	60-120	
Pyrene	2.97	ng/m ³ Air	4.1333	ND	71.9	60-120	LB
Benzo(a)anthracene	1.28	ng/m ³ Air	1.6667	ND	76.6	60-120	
Chrysene	1.20	ng/m ³ Air	1.6667	ND	71.7	60-120	
Benzo(b)fluoranthene	1.25	ng/m ³ Air	1.6667	ND	75.0	60-120	
Benzo(k)fluoranthene	1.21	ng/m ³ Air	1.6433	ND	73.9	60-120	
Benzo(e)pyrene	1.20	ng/m ³ Air	1.6467	ND	73.2	60-120	
Benzo(a)pyrene	1.12	ng/m ³ Air	1.6667	ND	67.3	60-120	
Perylene	1.19	ng/m ³ Air	1.6633	ND	71.3	60-120	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6D2307 - TO-13 extraction

LCS (B6D2307-BS1) Continued

Prepared: 04/23/26 Analyzed: 05/08/26

Dibenz(a,h)anthracene	1.07	ng/m ³ Air	1.6667	ND	64.1	60-120
Indeno(1,2,3-c,d)pyrene	1.15	ng/m ³ Air	1.6667	ND	68.8	60-120
Benzo(g,h,i)perylene	1.17	ng/m ³ Air	1.6667	ND	70.1	60-120
Coronene	0.223	ng/m ³ Air	0.33333	ND	66.9	60-120
Surrogate: Fluorene-d10	0.886	ng/ul	0.98000	ND	90.4	60-120
Surrogate: Fluoranthene-d10	2.94	ng/m ³ Air	3.3333	ND	88.3	60-120
Surrogate: Pyrene-d10	0.882	ng/ul	0.99900	ND	88.3	60-120
Surrogate: Benzo(a)pyrene-d12	2.92	ng/m ³ Air	3.3667	ND	86.6	60-120

LCS (B6D2307-BS2)

Prepared: 04/23/26 Analyzed: 05/08/26

Naphthalene	16.4	ng/m ³ Air	25.000	ND	65.7	60-120
Acenaphthylene	1.09	ng/m ³ Air	1.6667	ND	65.2	60-120
Acenaphthene	5.60	ng/m ³ Air	8.3333	ND	67.2	60-120
Fluorene	5.78	ng/m ³ Air	8.3333	ND	69.4	60-120
Phenanthrene	8.79	ng/m ³ Air	12.600	ND	69.8	60-120
Anthracene	1.06	ng/m ³ Air	1.6633	ND	63.8	60-120
Fluoranthene	5.95	ng/m ³ Air	8.4333	ND	70.6	60-120
Pyrene	2.94	ng/m ³ Air	4.1333	ND	71.1	60-120
Benzo(a)anthracene	1.28	ng/m ³ Air	1.6667	ND	76.8	60-120
Chrysene	1.20	ng/m ³ Air	1.6667	ND	72.3	60-120
Benzo(b)fluoranthene	1.25	ng/m ³ Air	1.6667	ND	75.3	60-120
Benzo(k)fluoranthene	1.21	ng/m ³ Air	1.6433	ND	73.9	60-120
Benzo(e)pyrene	1.21	ng/m ³ Air	1.6467	ND	73.6	60-120
Benzo(a)pyrene	1.13	ng/m ³ Air	1.6667	ND	67.6	60-120
Perylene	1.19	ng/m ³ Air	1.6633	ND	71.4	60-120
Dibenz(a,h)anthracene	1.06	ng/m ³ Air	1.6667	ND	63.5	60-120
Indeno(1,2,3-c,d)pyrene	1.13	ng/m ³ Air	1.6667	ND	67.6	60-120
Benzo(g,h,i)perylene	1.15	ng/m ³ Air	1.6667	ND	69.2	60-120
Coronene	0.210	ng/m ³ Air	0.33333	ND	63.0	60-120
Surrogate: Fluorene-d10	0.828	ng/ul	0.98000	ND	84.5	60-120
Surrogate: Fluoranthene-d10	2.89	ng/m ³ Air	3.3333	ND	86.7	60-120
Surrogate: Pyrene-d10	0.865	ng/ul	0.99900	ND	86.5	60-120
Surrogate: Benzo(a)pyrene-d12	2.93	ng/m ³ Air	3.3667	ND	87.1	60-120

Calibration Blank (B6D2307-CCB1)

Prepared: 04/23/26 Analyzed: 05/08/26

Naphthalene	0.00	ng/m ³ Air		ND			U
Acenaphthylene	0.00	ng/m ³ Air		ND			U
Acenaphthene	0.00	ng/m ³ Air		ND			U
Fluorene	0.00	ng/m ³ Air		ND			U
Phenanthrene	0.00160	ng/m ³ Air		ND			LB

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6D2307 - TO-13 extraction

Calibration Blank (B6D2307-CCB1) Contin

Prepared: 04/23/26 Analyzed: 05/08/26

Anthracene	0.00490	ng/m ³ Air		ND					LB
Fluoranthene	0.00	ng/m ³ Air		ND					U
Pyrene	8.00E-4	ng/m ³ Air		ND					LB
Benzo(a)anthracene	0.00	ng/m ³ Air		ND					U
Chrysene	0.00	ng/m ³ Air		ND					U
Benzo(b)fluoranthene	0.00	ng/m ³ Air		ND					U
Benzo(k)fluoranthene	0.00	ng/m ³ Air		ND					U
Benzo(e)pyrene	0.00	ng/m ³ Air		ND					U
Benzo(a)pyrene	0.00	ng/m ³ Air		ND					U
Perylene	0.00	ng/m ³ Air		ND					U
Dibenz(a,h)anthracene	0.00	ng/m ³ Air		ND					U
Indeno(1,2,3-c,d)pyrene	0.00	ng/m ³ Air		ND					U
Benzo(g,h,i)perylene	0.00	ng/m ³ Air		ND					U
Coronene	0.00	ng/m ³ Air		ND					U
Surrogate: Fluorene-d10	0.00	ng/m ³ Air		ND		60-120			U
Surrogate: Fluoranthene-d10	0.00	ng/m ³ Air		ND		60-120			U
Surrogate: Pyrene-d10	0.00	ng/m ³ Air		ND		60-120			U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/m ³ Air		ND		60-120			U

Duplicate (B6D2307-DUP1)

Source: 6042228-04 Prepared: 04/23/26 Analyzed: 05/08/26

Naphthalene	11.6	ng/m ³ Air		11.70			0.450	10	
Acenaphthylene	ND	ng/m ³ Air		ND				10	U
Acenaphthene	1.60	ng/m ³ Air		1.60			0.218	10	
Fluorene	1.81	ng/m ³ Air		1.80			0.178	10	
Phenanthrene	3.91	ng/m ³ Air		3.92			0.164	10	LB
Anthracene	0.0597	ng/m ³ Air		0.06			1.45	10	LB
Fluoranthene	1.03	ng/m ³ Air		1.01			1.11	10	
Pyrene	0.446	ng/m ³ Air		0.45			0.130	10	LB
Benzo(a)anthracene	ND	ng/m ³ Air		ND				10	U
Chrysene	0.0376	ng/m ³ Air		0.03			20.5	10	
Benzo(b)fluoranthene	0.0210	ng/m ³ Air		0.02			2.82	10	
Benzo(k)fluoranthene	ND	ng/m ³ Air		ND				10	U
Benzo(e)pyrene	ND	ng/m ³ Air		ND				10	U
Benzo(a)pyrene	ND	ng/m ³ Air		ND				10	U
Perylene	ND	ng/m ³ Air		ND				10	U
Dibenz(a,h)anthracene	ND	ng/m ³ Air		ND				10	U
Indeno(1,2,3-c,d)pyrene	0.00962	ng/m ³ Air		0.01			5.88	10	
Benzo(g,h,i)perylene	ND	ng/m ³ Air		ND				10	U
Coronene	ND	ng/m ³ Air		ND				10	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6D2307 - TO-13 extraction

Duplicate (B6D2307-DUP1) Continued Source: 6042228-04 Prepared: 04/23/26 Analyzed: 05/08/26

Surrogate: Fluorene-d10	0.924	ng/ul	0.98000	ND	94.3	60-120
Surrogate: Fluoranthene-d10	2.69	ng/m ³ Air	2.9138	ND	92.5	60-120
Surrogate: Pyrene-d10	0.827	ng/ul	0.99900	ND	82.8	60-120
Surrogate: Benzo(a)pyrene-d12	2.63	ng/m ³ Air	2.9429	ND	89.2	60-120



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Sequence 2604087

Calibration Check (2604087-CCV1)

Prepared & Analyzed: 04/28/26

Naphthalene	7.70	ng/ul	2.6	30.00	
Acenaphthylene	0.536	ng/ul	6.8	30.00	
Acenaphthene	2.56	ng/ul	2.2	30.00	
Fluorene	2.52	ng/ul	0.8	30.00	
Phenanthrene	3.90	ng/ul	3.8	30.00	
Anthracene	0.504	ng/ul	0.6	30.00	LB
Fluoranthene	2.55	ng/ul	2.0	30.00	
Pyrene	1.46	ng/ul	16.2	30.00	LB
Benzo(a)anthracene	0.522	ng/ul	4.0	30.00	
Chrysene	0.523	ng/ul	4.1	30.00	
Benzo(b)fluoranthene	0.518	ng/ul	3.2	30.00	
Benzo(k)fluoranthene	0.513	ng/ul	2.4	30.00	
Benzo(e)pyrene	0.532	ng/ul	6.1	30.00	
Benzo(a)pyrene	0.514	ng/ul	2.4	30.00	
Perylene	0.518	ng/ul	3.3	30.00	
Dibenz(a,h)anthracene	0.513	ng/ul	2.1	30.00	
Indeno(1,2,3-c,d)pyrene	0.515	ng/ul	2.6	30.00	
Benzo(g,h,i)perylene	0.524	ng/ul	4.5	30.00	
Coronene	0.523	ng/ul	4.3	30.00	

Surrogate: Fluorene-d10

0.500

ng/ul

2.1

30.00

Surrogate: Fluoranthene-d10

0.509

ng/ul

1.9

30.00

Surrogate: Pyrene-d10

0.577

ng/ul

15.5

30.00

Surrogate: Benzo(a)pyrene-d12

0.523

ng/ul

3.6

30.00

Calibration Check (2604087-CCV2)

Prepared & Analyzed: 04/28/26

Naphthalene	7.69	ng/ul	2.4	30.00	
Acenaphthylene	0.516	ng/ul	2.8	30.00	
Acenaphthene	2.61	ng/ul	4.3	30.00	
Fluorene	2.61	ng/ul	4.3	30.00	
Phenanthrene	3.89	ng/ul	3.7	30.00	
Anthracene	0.530	ng/ul	5.6	30.00	LB
Fluoranthene	2.67	ng/ul	6.5	30.00	
Pyrene	1.31	ng/ul	4.3	30.00	LB
Benzo(a)anthracene	0.526	ng/ul	4.7	30.00	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Sequence 2604087

Calibration Check (2604087-CCV2) Continued

Prepared & Analyzed: 04/28/26

Chrysene	0.521	ng/ul	3.8	30.00
Benzo(b)fluoranthene	0.513	ng/ul	2.4	30.00
Benzo(k)fluoranthene	0.516	ng/ul	2.8	30.00
Benzo(e)pyrene	0.516	ng/ul	2.9	30.00
Benzo(a)pyrene	0.517	ng/ul	3.0	30.00
Perylene	0.518	ng/ul	3.4	30.00
Dibenz(a,h)anthracene	0.502	ng/ul	-0.08	30.00
Indeno(1,2,3-c,d)pyrene	0.502	ng/ul	-0.04	30.00
Benzo(g,h,i)perylene	0.503	ng/ul	0.3	30.00
Coronene	0.492	ng/ul	-2.0	30.00

Surrogate: Fluorene-d10

0.512

ng/ul

4.5

30.00

Surrogate: Fluoranthene-d10

0.536

ng/ul

7.3

30.00

Surrogate: Pyrene-d10

0.518

ng/ul

3.7

30.00

Surrogate: Benzo(a)pyrene-d12

0.528

ng/ul

4.6

30.00

Calibration Check (2604087-CCV3)

Prepared: 04/28/26 Analyzed: 04/29/26

Naphthalene	7.68	ng/ul	2.4	30.00
Acenaphthylene	0.520	ng/ul	3.5	30.00
Acenaphthene	2.63	ng/ul	4.9	30.00
Fluorene	2.61	ng/ul	4.2	30.00
Phenanthrene	3.89	ng/ul	3.7	30.00
Anthracene	0.528	ng/ul	5.4	30.00
Fluoranthene	2.66	ng/ul	6.2	30.00
Pyrene	1.34	ng/ul	7.4	30.00
Benzo(a)anthracene	0.523	ng/ul	4.3	30.00
Chrysene	0.518	ng/ul	3.2	30.00
Benzo(b)fluoranthene	0.519	ng/ul	3.5	30.00
Benzo(k)fluoranthene	0.519	ng/ul	3.5	30.00
Benzo(e)pyrene	0.522	ng/ul	4.2	30.00
Benzo(a)pyrene	0.514	ng/ul	2.3	30.00
Perylene	0.516	ng/ul	2.9	30.00
Dibenz(a,h)anthracene	0.487	ng/ul	-3.2	30.00
Indeno(1,2,3-c,d)pyrene	0.488	ng/ul	-2.7	30.00
Benzo(g,h,i)perylene	0.496	ng/ul	-1.0	30.00
Coronene	0.466	ng/ul	-7.1	30.00

Surrogate: Fluorene-d10

0.512

ng/ul

4.5

30.00

LB

LB

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Sequence 2604087

Calibration Check (2604087-CCV3) Continued

Prepared: 04/28/26 Analyzed: 04/29/26

Surrogate: Fluoranthene-d10	0.533	ng/ul	6.6	30.00
Surrogate: Pyrene-d10	0.537	ng/ul	7.5	30.00
Surrogate: Benzo(a)pyrene-d12	0.527	ng/ul	4.4	30.00

Sequence 2604101

Calibration Check (2604101-CCV1)

Prepared & Analyzed: 05/01/26

Naphthalene	7.73	ng/ul	3.0	30.00
Acenaphthylene	0.589	ng/ul	17.3	30.00
Acenaphthene	2.56	ng/ul	2.4	30.00
Fluorene	2.61	ng/ul	4.3	30.00
Phenanthrene	3.82	ng/ul	1.8	30.00
Anthracene	0.518	ng/ul	3.4	30.00
Fluoranthene	2.62	ng/ul	4.8	30.00
Pyrene	1.28	ng/ul	2.6	30.00
Benzo(a)anthracene	0.525	ng/ul	4.6	30.00
Chrysene	0.519	ng/ul	3.3	30.00
Benzo(b)fluoranthene	0.526	ng/ul	5.0	30.00
Benzo(k)fluoranthene	0.520	ng/ul	3.8	30.00
Benzo(e)pyrene	0.520	ng/ul	3.8	30.00
Benzo(a)pyrene	0.501	ng/ul	-0.2	30.00
Perylene	0.512	ng/ul	2.1	30.00
Dibenz(a,h)anthracene	0.464	ng/ul	-7.6	30.00
Indeno(1,2,3-c,d)pyrene	0.477	ng/ul	-4.9	30.00
Benzo(g,h,i)perylene	0.495	ng/ul	-1.2	30.00
Coronene	0.466	ng/ul	-7.1	30.00

LB

Surrogate: Fluorene-d10	0.487	ng/ul	-0.7	30.00
Surrogate: Fluoranthene-d10	0.526	ng/ul	5.1	30.00
Surrogate: Pyrene-d10	0.520	ng/ul	4.2	30.00
Surrogate: Benzo(a)pyrene-d12	0.520	ng/ul	2.9	30.00

Calibration Check (2604101-CCV2)

Prepared & Analyzed: 05/01/26

Naphthalene	7.70	ng/ul	2.6	30.00
Acenaphthylene	0.543	ng/ul	8.1	30.00
Acenaphthene	2.59	ng/ul	3.4	30.00
Fluorene	2.70	ng/ul	7.8	30.00
Phenanthrene	3.86	ng/ul	2.9	30.00
Anthracene	0.524	ng/ul	4.6	30.00

LB

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Sequence 2604101

Calibration Check (2604101-CCV2) Continued

Prepared & Analyzed: 05/01/26

Fluoranthene	2.68	ng/ul	7.1	30.00
Pyrene	1.16	ng/ul	-7.5	30.00
Benzo(a)anthracene	0.534	ng/ul	6.4	30.00
Chrysene	0.520	ng/ul	3.6	30.00
Benzo(b)fluoranthene	0.535	ng/ul	6.8	30.00
Benzo(k)fluoranthene	0.539	ng/ul	7.5	30.00
Benzo(e)pyrene	0.511	ng/ul	1.9	30.00
Benzo(a)pyrene	0.522	ng/ul	3.8	30.00
Perylene	0.520	ng/ul	3.7	30.00
Dibenz(a,h)anthracene	0.492	ng/ul	-2.2	30.00
Indeno(1,2,3-c,d)pyrene	0.502	ng/ul	0.003	30.00
Benzo(g,h,i)perylene	0.513	ng/ul	2.2	30.00
Coronene	0.481	ng/ul	-4.1	30.00
Surrogate: Fluorene-d10	0.531	ng/ul	8.3	30.00
Surrogate: Fluoranthene-d10	0.544	ng/ul	8.8	30.00
Surrogate: Pyrene-d10	0.471	ng/ul	-5.7	30.00
Surrogate: Benzo(a)pyrene-d12	0.537	ng/ul	6.4	30.00

Calibration Check (2604101-CCV3)

Prepared: 05/01/26 Analyzed: 05/02/26

Naphthalene	7.74	ng/ul	3.2	30.00
Acenaphthylene	0.544	ng/ul	8.4	30.00
Acenaphthene	2.60	ng/ul	4.0	30.00
Fluorene	2.71	ng/ul	8.2	30.00
Phenanthrene	3.85	ng/ul	2.5	30.00
Anthracene	0.527	ng/ul	5.2	30.00
Fluoranthene	2.66	ng/ul	6.4	30.00
Pyrene	1.16	ng/ul	-7.2	30.00
Benzo(a)anthracene	0.531	ng/ul	5.8	30.00
Chrysene	0.519	ng/ul	3.5	30.00
Benzo(b)fluoranthene	0.536	ng/ul	6.8	30.00
Benzo(k)fluoranthene	0.546	ng/ul	9.0	30.00
Benzo(e)pyrene	0.509	ng/ul	1.6	30.00
Benzo(a)pyrene	0.526	ng/ul	4.7	30.00
Perylene	0.516	ng/ul	2.9	30.00
Dibenz(a,h)anthracene	0.492	ng/ul	-2.0	30.00
Indeno(1,2,3-c,d)pyrene	0.502	ng/ul	0.1	30.00

LB

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Sequence 2604101

Calibration Check (2604101-CCV3) Continued

Prepared: 05/01/26 Analyzed: 05/02/26

Benzo(g,h,i)perylene	0.516	ng/ul	2.9	30.00
Coronene	0.481	ng/ul	-4.1	30.00
Surrogate: Fluorene-d10	0.552	ng/ul	12.8	30.00
Surrogate: Fluoranthene-d10	0.542	ng/ul	8.4	30.00
Surrogate: Pyrene-d10	0.466	ng/ul	-6.8	30.00
Surrogate: Benzo(a)pyrene-d12	0.536	ng/ul	6.1	30.00

Sequence 2605015

Calibration Check (2605015-CCV1)

Prepared & Analyzed: 05/08/26

Naphthalene	7.72	ng/ul	2.9	30.00
Acenaphthylene	0.574	ng/ul	14.3	30.00
Acenaphthene	2.53	ng/ul	1.1	30.00
Fluorene	2.56	ng/ul	2.3	30.00
Phenanthrene	3.84	ng/ul	2.4	30.00
Anthracene	0.516	ng/ul	2.9	30.00
Fluoranthene	2.58	ng/ul	3.0	30.00
Pyrene	1.38	ng/ul	10.0	30.00
Benzo(a)anthracene	0.511	ng/ul	1.7	30.00
Chrysene	0.513	ng/ul	2.2	30.00
Benzo(b)fluoranthene	0.511	ng/ul	1.9	30.00
Benzo(k)fluoranthene	0.510	ng/ul	1.8	30.00
Benzo(e)pyrene	0.528	ng/ul	5.4	30.00
Benzo(a)pyrene	0.490	ng/ul	-2.4	30.00
Perylene	0.512	ng/ul	2.1	30.00
Dibenz(a,h)anthracene	0.464	ng/ul	-7.6	30.00
Indeno(1,2,3-c,d)pyrene	0.479	ng/ul	-4.5	30.00
Benzo(g,h,i)perylene	0.509	ng/ul	1.5	30.00
Coronene	0.488	ng/ul	-2.8	30.00
Surrogate: Fluorene-d10	0.462	ng/ul	-5.7	30.00
Surrogate: Fluoranthene-d10	0.518	ng/ul	3.6	30.00
Surrogate: Pyrene-d10	0.552	ng/ul	10.6	30.00
Surrogate: Benzo(a)pyrene-d12	0.508	ng/ul	0.7	30.00

LB

Calibration Check (2605015-CCV2)

Prepared & Analyzed: 05/08/26

Naphthalene	7.71	ng/ul	2.7	30.00
Acenaphthylene	0.546	ng/ul	8.8	30.00
Acenaphthene	2.57	ng/ul	2.8	30.00

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Sequence 2605015

Calibration Check (2605015-CCV2) Continued

Prepared & Analyzed: 05/08/26

Fluorene	2.66	ng/ul	6.3	30.00	LB
Phenanthrene	3.83	ng/ul	2.1	30.00	
Anthracene	0.517	ng/ul	3.2	30.00	
Fluoranthene	2.63	ng/ul	5.2	30.00	
Pyrene	1.22	ng/ul	-2.9	30.00	
Benzo(a)anthracene	0.522	ng/ul	4.1	30.00	
Chrysene	0.515	ng/ul	2.6	30.00	
Benzo(b)fluoranthene	0.526	ng/ul	5.0	30.00	
Benzo(k)fluoranthene	0.533	ng/ul	6.3	30.00	
Benzo(e)pyrene	0.511	ng/ul	1.9	30.00	
Benzo(a)pyrene	0.510	ng/ul	1.5	30.00	
Perylene	0.515	ng/ul	2.7	30.00	
Dibenz(a,h)anthracene	0.471	ng/ul	-6.3	30.00	
Indeno(1,2,3-c,d)pyrene	0.488	ng/ul	-2.8	30.00	
Benzo(g,h,i)perylene	0.515	ng/ul	2.7	30.00	
Coronene	0.470	ng/ul	-6.3	30.00	
Surrogate: Fluorene-d10	0.494	ng/ul	0.8	30.00	
Surrogate: Fluoranthene-d10	0.524	ng/ul	4.7	30.00	
Surrogate: Pyrene-d10	0.488	ng/ul	-2.2	30.00	
Surrogate: Benzo(a)pyrene-d12	0.518	ng/ul	2.7	30.00	

Calibration Check (2605015-CCV3)

Prepared: 05/08/26 Analyzed: 05/09/26

Naphthalene	7.70	ng/ul	2.6	30.00	LB
Acenaphthylene	0.539	ng/ul	7.4	30.00	
Acenaphthene	2.58	ng/ul	3.0	30.00	
Fluorene	2.68	ng/ul	7.0	30.00	
Phenanthrene	3.82	ng/ul	1.8	30.00	
Anthracene	0.521	ng/ul	4.0	30.00	
Fluoranthene	2.63	ng/ul	5.2	30.00	
Pyrene	1.19	ng/ul	-5.0	30.00	
Benzo(a)anthracene	0.524	ng/ul	4.3	30.00	
Chrysene	0.519	ng/ul	3.3	30.00	
Benzo(b)fluoranthene	0.530	ng/ul	5.8	30.00	
Benzo(k)fluoranthene	0.534	ng/ul	6.4	30.00	
Benzo(e)pyrene	0.509	ng/ul	1.6	30.00	
Benzo(a)pyrene	0.516	ng/ul	2.8	30.00	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Sequence 2605015

Calibration Check (2605015-CCV3) Continued

Prepared: 05/08/26 Analyzed: 05/09/26

Perylene	0.517	ng/ul	3.1	30.00
Dibenz(a,h)anthracene	0.471	ng/ul	-6.4	30.00
Indeno(1,2,3-c,d)pyrene	0.491	ng/ul	-2.1	30.00
Benzo(g,h,i)perylene	0.517	ng/ul	3.1	30.00
Coronene	0.476	ng/ul	-5.2	30.00
Surrogate: Fluorene-d10	0.493	ng/ul	0.6	30.00
Surrogate: Fluoranthene-d10	0.530	ng/ul	6.0	30.00
Surrogate: Pyrene-d10	0.470	ng/ul	-5.8	30.00
Surrogate: Benzo(a)pyrene-d12	0.526	ng/ul	4.1	30.00



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 06/15/26 13:47

SUBMITTED: 04/07/26 to 04/22/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Notes and Definitions

U	Under Detection Limit
TT	Transport temperature is out of specs.
S-GC	Surrogate recovery outside of control limits. The data was accepted based on valid recovery of the remaining surrogate.
QB-03	Analyte exceeds sampling media lot blank criteria.
LB	Lab blank value above acceptable limit.
FX	Filter Integrity Issue
ND	Analyte NOT DETECTED
NR	Not Reported
MDL	Method Detection Limit
RPD	Relative Percent Difference

Note: Matrix Spikes were not performed as required by Compendium Method TO-13A. Matrix spikes are not required by ASTM D2609. This deviation from the method has been approved by the US EPA under the contract for UATMP, NATTS, CSATAM, PAMS, and NMOC Support (US EPA Contract No. 68-D-09-048).

Note: This test is accredited under the 2016 TNI Standard; however acenaphthylene is not accredited.