



Eastern Research Group
601 Keystone Park Drive
Suite 700
Morrisville, NC 27560

March 17, 2026

Mr. Bryan Sims
Oklahoma Dept. of Environmental Quality
707 N. Robinson, PO Box 1677
Oklahoma City, OK 73101-1677
Project Name: TMOK

Dear Mr. Bryan Sims,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 01/07/26 11:10 through 01/28/26 13:15.

Values below the MDL for QC results in this report are recorded as ND, however the actual values are reported in the accompanying Excel report with a "U" flag (Under the detection limit). The actual values are reported in AQS.

This test is accredited under the 2016 TNI Standard for Environmental Laboratories (FL DOH Certification # E87673). All analyses were performed as described in the US EPA-approved QAPP, under the contract for National Hazardous Air Pollutant Support (US EPA Contract No. 68HERH22D0002). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7872.

Sincerely,

Randolph Bower
Program Manager
randy.bower@erg.com

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify randy.bower@erg.com and delete the report without retaining any copies.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6
707 N. Robinson, PO Box 1677
Oklahoma City, OK 73101-1677
ATTN: Mr. Bryan Sims
PHONE: (405) 702-0100 **FAX:** -

FILE #: 0475
REPORTED: 03/17/26 08:39
SUBMITTED: 01/07/26 to 01/28/26
AQS SITE CODE: 40 143 1127
SITE CODE: TMOK

ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
TMOK	6010720-03	Air	01/02/26 23:59	01/07/26 11:10
TMOK	6012835-01	Air	01/08/26 23:59	01/28/26 13:15
TMOK	6012835-02	Air	01/11/26 23:59	01/28/26 13:15
TMOK	6012835-03	Air	01/14/26 23:59	01/28/26 13:15
TMOK	6012835-04	Air	01/21/26 23:59	01/28/26 13:15
TMOK FB	6012835-05	Air	01/21/26 23:59	01/28/26 13:15



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK	Lab ID: 6010720-03	Sampled: 01/02/26 23:59
Matrix: Air	Sample Volume: 369.3 m ³	Received: 01/07/26 11:10
Temp Rec'd (°C): 3.6	Container #: 354	Analysis Date: 02/12/26 18:19
Comments: CoC partially filled out.		

Air Toxics by EPA Compendium Method TO-13

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>	<u>% Rec.</u>	<u>% Rec Limits</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>		
Naphthalene	91-20-3	52.5		1.07		
Acenaphthylene	208-96-8	0.181		0.00351		
Acenaphthene	83-32-9	2.05		0.113		
Fluorene	86-73-7	2.74		0.0418		
Phenanthrene	85-01-8	5.06		0.114		
Anthracene	120-12-7	0.252	LB	0.0329		
Fluoranthene	206-44-0	0.986		0.0457		
Pyrene	129-00-0	0.531		0.0501		
Benzo(a)anthracene	56-55-3	0.0980		0.0122		
Chrysene	218-01-9	0.192		0.0114		
Benzo(b)fluoranthene	205-99-2	0.273		0.0173		
Benzo(k)fluoranthene	207-08-9	0.0899		0.00731		
Benzo(e)pyrene	192-97-2	0.196		0.00650		
Benzo(a)pyrene	50-32-8	0.125		0.00747		
Perylene	198-55-0	ND	U	0.00359		
Dibenz(a,h)anthracene	53-70-3	ND	U	0.00563		
Indeno(1,2,3-c,d)pyrene	193-39-5	0.188		0.00733		
Benzo(g,h,i)perylene	191-24-2	0.233		0.0260		
Coronene	191-07-1	0.0937		0.0111		
Surrogate: Fluorene-d10		0.823			81.5 %	Limit 60-120
Surrogate: Fluoranthene-d10		2.34			86.4 %	Limit 60-120
Surrogate: Pyrene-d10		0.676			67.0 %	Limit 60-120
Surrogate: Benzo(a)pyrene-d12		2.30			84.1 %	Limit 60-120



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK	Lab ID: 6012835-01	Sampled: 01/08/26 23:59
Matrix: Air	Sample Volume: 337 m ³	Received: 01/28/26 13:15
Temp Rec'd (°C): 4.7	Container #: 436	Analysis Date: 02/25/26 17:49
Comments: Arrived after extraction hold time		

Air Toxics by EPA Compendium Method TO-13

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>	<u>% Rec.</u>	<u>% Rec Limits</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>		
Naphthalene	91-20-3	51.2	S-Rec, TT	1.18		
Acenaphthylene	208-96-8	ND	U, S-Rec, TT	0.00385		
Acenaphthene	83-32-9	2.52	S-Rec, TT	0.124		
Fluorene	86-73-7	2.80	S-Rec, TT	0.0458		
Phenanthrene	85-01-8	5.34	S-Rec, TT	0.125		
Anthracene	120-12-7	0.259	LB, S-Rec, TT	0.0361		
Fluoranthene	206-44-0	0.893	S-Rec, TT	0.0500		
Pyrene	129-00-0	0.738	TT, S-Rec	0.0549		
Benzo(a)anthracene	56-55-3	0.0807	S-Rec, TT	0.0134		
Chrysene	218-01-9	0.161	S-Rec, TT	0.0125		
Benzo(b)fluoranthene	205-99-2	0.231	S-Rec, TT	0.0190		
Benzo(k)fluoranthene	207-08-9	0.0754	S-Rec, TT	0.00801		
Benzo(e)pyrene	192-97-2	0.200	S-Rec, TT	0.00712		
Benzo(a)pyrene	50-32-8	0.124	S-Rec, TT	0.00818		
Perylene	198-55-0	ND	U, S-Rec, TT	0.00393		
Dibenz(a,h)anthracene	53-70-3	0.0288	TT, S-Rec	0.00617		
Indeno(1,2,3-c,d)pyrene	193-39-5	0.168	S-Rec, TT	0.00803		
Benzo(g,h,i)perylene	191-24-2	0.304	S-Rec, TT	0.0285		
Coronene	191-07-1	0.150	S-Rec, TT	0.0122		
Surrogate: Fluorene-d10		0.798	S-Rec, TT		79.0 %	Limit 60-120
Surrogate: Fluoranthene-d10		2.52	S-Rec, TT		85.0 %	Limit 60-120
Surrogate: Pyrene-d10		0.690	S-Rec, TT		68.4 %	Limit 60-120
Surrogate: Benzo(a)pyrene-d12		2.48	S-Rec, TT		82.7 %	Limit 60-120



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK	Lab ID: 6012835-02	Sampled: 01/11/26 23:59
Matrix: Air	Sample Volume: 312.3 m ³	Received: 01/28/26 13:15
Temp Rec'd (°C): 4.4	Container #: 412	Analysis Date: 02/25/26 19:36
Comments: Use as makeup for 1-26-26, 6020315-01		

Air Toxics by EPA Compendium Method TO-13

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>	<u>% Rec.</u>	<u>% Rec Limits</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>		
Naphthalene	91-20-3	29.9	S-Rec, TT	1.27		
Acenaphthylene	208-96-8	ND	U, S-Rec, TT	0.00415		
Acenaphthene	83-32-9	1.23	S-Rec, TT	0.134		
Fluorene	86-73-7	1.51	S-Rec, TT	0.0494		
Phenanthrene	85-01-8	2.86	S-Rec, TT	0.134		
Anthracene	120-12-7	0.0730	LB, S-Rec, TT	0.0389		
Fluoranthene	206-44-0	0.635	S-Rec, TT	0.0540		
Pyrene	129-00-0	0.466	S-Rec, TT	0.0593		
Benzo(a)anthracene	56-55-3	0.0512	S-Rec, TT	0.0144		
Chrysene	218-01-9	0.118	S-Rec, TT	0.0134		
Benzo(b)fluoranthene	205-99-2	0.111	S-Rec, TT	0.0205		
Benzo(k)fluoranthene	207-08-9	0.0355	S-Rec, TT	0.00865		
Benzo(e)pyrene	192-97-2	0.0954	S-Rec, TT	0.00768		
Benzo(a)pyrene	50-32-8	0.0650	S-Rec, TT	0.00883		
Perylene	198-55-0	ND	U, S-Rec, TT	0.00425		
Dibenz(a,h)anthracene	53-70-3	ND	U, S-Rec, TT	0.00666		
Indeno(1,2,3-c,d)pyrene	193-39-5	0.0727	S-Rec, TT	0.00866		
Benzo(g,h,i)perylene	191-24-2	0.154	S-Rec, TT	0.0307		
Coronene	191-07-1	0.0887	S-Rec, TT	0.0132		
Surrogate: Fluorene-d10		0.802	S-Rec, TT		79.4 %	Limit 60-120
Surrogate: Fluoranthene-d10		2.84	S-Rec, TT		88.8 %	Limit 60-120
Surrogate: Pyrene-d10		0.693	S-Rec, TT		68.6 %	Limit 60-120
Surrogate: Benzo(a)pyrene-d12		2.80	S-Rec, TT		86.4 %	Limit 60-120



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK	Lab ID: 6012835-03	Sampled: 01/14/26 23:59
Matrix: Air	Sample Volume: 355.6 m ³	Received: 01/28/26 13:15
Temp Rec'd (°C): 4.7	Container #: 332	Analysis Date: 02/24/26 10:43
Comments: Arrived on extraction hold date		

Air Toxics by EPA Compendium Method TO-13

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>	<u>% Rec.</u>	<u>% Rec Limits</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>		
Naphthalene	91-20-3	6.90	TT	1.11		
Acenaphthylene	208-96-8	0.0796	TT	0.00364		
Acenaphthene	83-32-9	ND	U, TT	0.117		
Fluorene	86-73-7	0.396	TT	0.0434		
Phenanthrene	85-01-8	0.893	TT, LB, QB-03	0.118		
Anthracene	120-12-7	0.0326	U, LB, TT	0.0342		
Fluoranthene	206-44-0	0.248	LB, TT	0.0474		
Pyrene	129-00-0	0.138	LB, TT	0.0521		
Benzo(a)anthracene	56-55-3	0.0278	TT	0.0127		
Chrysene	218-01-9	0.0512	TT	0.0118		
Benzo(b)fluoranthene	205-99-2	0.0568	TT	0.0180		
Benzo(k)fluoranthene	207-08-9	0.0211	TT	0.00759		
Benzo(e)pyrene	192-97-2	0.0444	TT	0.00675		
Benzo(a)pyrene	50-32-8	0.0354	TT	0.00775		
Perylene	198-55-0	ND	U, TT	0.00373		
Dibenz(a,h)anthracene	53-70-3	ND	U, TT	0.00585		
Indeno(1,2,3-c,d)pyrene	193-39-5	0.0382	TT	0.00761		
Benzo(g,h,i)perylene	191-24-2	0.0537	TT	0.0270		
Coronene	191-07-1	ND	U, TT	0.0116		
Surrogate: Fluorene-d10		0.783	TT		77.5 %	Limit 60-120
Surrogate: Fluoranthene-d10		2.34	TT		83.1 %	Limit 60-120
Surrogate: Pyrene-d10		0.674	TT		66.8 %	Limit 60-120
Surrogate: Benzo(a)pyrene-d12		2.32	TT		81.7 %	Limit 60-120



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK	Lab ID: 6012835-04	Sampled: 01/21/26 23:59
Matrix: Air	Sample Volume: 358.8 m ³	Received: 01/28/26 13:15
Temp Rec'd (°C): 4.7	Container #: 502	Analysis Date: 02/25/26 20:30
Comments: Reschedule from 1-20-26		

Air Toxics by EPA Compendium Method TO-13

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>	<u>% Rec.</u>	<u>% Rec Limits</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>		
Naphthalene	91-20-3	52.6	TT	1.10		
Acenaphthylene	208-96-8	1.11	TT	0.00361		
Acenaphthene	83-32-9	1.48	TT	0.116		
Fluorene	86-73-7	1.66	TT	0.0430		
Phenanthrene	85-01-8	2.81	TT	0.117		
Anthracene	120-12-7	0.152	LB, TT	0.0339		
Fluoranthene	206-44-0	0.630	TT	0.0470		
Pyrene	129-00-0	0.475	TT	0.0516		
Benzo(a)anthracene	56-55-3	0.121	TT	0.0125		
Chrysene	218-01-9	0.181	TT	0.0117		
Benzo(b)fluoranthene	205-99-2	0.196	TT	0.0178		
Benzo(k)fluoranthene	207-08-9	0.0725	TT	0.00753		
Benzo(e)pyrene	192-97-2	0.156	TT	0.00669		
Benzo(a)pyrene	50-32-8	0.152	TT	0.00768		
Perylene	198-55-0	ND	U, TT	0.00370		
Dibenz(a,h)anthracene	53-70-3	ND	U, TT	0.00579		
Indeno(1,2,3-c,d)pyrene	193-39-5	0.132	TT	0.00754		
Benzo(g,h,i)perylene	191-24-2	0.226	TT	0.0268		
Coronene	191-07-1	0.103	TT	0.0115		
Surrogate: Fluorene-d10		0.754	TT		74.7 %	Limit 60-120
Surrogate: Fluoranthene-d10		2.35	TT		84.4 %	Limit 60-120
Surrogate: Pyrene-d10		0.658	TT		65.2 %	Limit 60-120
Surrogate: Benzo(a)pyrene-d12		2.31	TT		82.0 %	Limit 60-120



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK FB	Lab ID: 6012835-05	Sampled: 01/21/26 23:59
Matrix: Air	Sample Volume: 358.8 m ³	Received: 01/28/26 13:15
Temp Rec'd (°C): 4.4	Container #: 289	Analysis Date: 02/25/26 23:11
Comments:		

Air Toxics by EPA Compendium Method TO-13

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>	<u>% Rec.</u>	<u>% Rec Limits</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>		
Naphthalene	91-20-3	0.180	U, TT	1.10		
Acenaphthylene	208-96-8	ND	U, TT	0.00361		
Acenaphthene	83-32-9	ND	U, TT	0.116		
Fluorene	86-73-7	0.00474	U, TT	0.0430		
Phenanthrene	85-01-8	0.0134	U, TT	0.117		
Anthracene	120-12-7	0.00530	U, LB, TT	0.0339		
Fluoranthene	206-44-0	0.00613	U, TT	0.0470		
Pyrene	129-00-0	0.00613	U, TT	0.0516		
Benzo(a)anthracene	56-55-3	ND	U, TT	0.0125		
Chrysene	218-01-9	ND	U, TT	0.0117		
Benzo(b)fluoranthene	205-99-2	ND	U, TT	0.0178		
Benzo(k)fluoranthene	207-08-9	ND	U, TT	0.00753		
Benzo(e)pyrene	192-97-2	ND	U, TT	0.00669		
Benzo(a)pyrene	50-32-8	ND	U, TT	0.00768		
Perylene	198-55-0	ND	U, TT	0.00370		
Dibenz(a,h)anthracene	53-70-3	ND	U, TT	0.00579		
Indeno(1,2,3-c,d)pyrene	193-39-5	ND	U, TT	0.00754		
Benzo(g,h,i)perylene	191-24-2	ND	U, TT	0.0268		
Coronene	191-07-1	ND	U, TT	0.0115		
Surrogate: Fluorene-d10		0.770	TT		76.2 %	Limit 60-120
Surrogate: Fluoranthene-d10		2.25	TT		80.8 %	Limit 60-120
Surrogate: Pyrene-d10		0.712	TT		70.5 %	Limit 60-120
Surrogate: Benzo(a)pyrene-d12		2.37	TT		84.0 %	Limit 60-120



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2602028 - B6A1306

Calibration Blank (2602028-CCB1)

Prepared & Analyzed: 02/12/26

Naphthalene	0.00	ng/ul	ND						U
Acenaphthylene	0.00	ng/ul	ND						U
Acenaphthene	0.00	ng/ul	ND						U
Fluorene	0.00	ng/ul	ND						U
Phenanthrene	0.00	ng/ul	ND						U
Anthracene	0.00210	ng/ul	ND						LB
Fluoranthene	0.00	ng/ul	ND						U
Pyrene	0.00	ng/ul	ND						U
Benzo(a)anthracene	0.00	ng/ul	ND						U
Chrysene	0.00	ng/ul	ND						U
Benzo(b)fluoranthene	0.00	ng/ul	ND						U
Benzo(k)fluoranthene	0.00	ng/ul	ND						U
Benzo(e)pyrene	0.00	ng/ul	ND						U
Benzo(a)pyrene	0.00	ng/ul	ND						U
Perylene	0.00	ng/ul	ND						U
Dibenz(a,h)anthracene	0.00	ng/ul	ND						U
Indeno(1,2,3-c,d)pyrene	0.00	ng/ul	ND						U
Benzo(g,h,i)perylene	0.00	ng/ul	ND						U
Coronene	0.00	ng/ul	ND						U
Surrogate: Fluorene-d10	0.00	ng/ul	ND			60-120			U
Surrogate: Fluoranthene-d10	0.00	ng/ul	ND			60-120			U
Surrogate: Pyrene-d10	0.00	ng/ul	ND			60-120			U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/ul	ND			60-120			U

Calibration Check (2602028-CCV1)

Prepared & Analyzed: 02/12/26

Naphthalene	7.36	ng/ul	7.5065	ND	98.0	70-130			
Acenaphthylene	0.483	ng/ul	0.50200	ND	96.2	70-130			
Acenaphthene	2.41	ng/ul	2.5030	ND	96.3	70-130			
Fluorene	2.44	ng/ul	2.5022	ND	97.6	70-130			
Phenanthrene	3.68	ng/ul	3.7538	ND	98.1	70-130			
Anthracene	0.489	ng/ul	0.50125	ND	97.5	70-130			LB
Fluoranthene	2.48	ng/ul	2.5015	ND	99.0	70-130			
Pyrene	1.18	ng/ul	1.2520	ND	94.3	70-130			
Benzo(a)anthracene	0.507	ng/ul	0.50200	ND	101	70-130			
Chrysene	0.496	ng/ul	0.50200	ND	98.8	70-130			
Benzo(b)fluoranthene	0.495	ng/ul	0.50125	ND	98.8	70-130			
Benzo(k)fluoranthene	0.501	ng/ul	0.50125	ND	99.9	70-130			
Benzo(e)pyrene	0.488	ng/ul	0.50125	ND	97.4	70-130			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2602028 - B6A1306

Calibration Check (2602028-CCV1) Contin

Prepared & Analyzed: 02/12/26

Benzo(a)pyrene	0.500	ng/ul	0.50225	ND	99.5	70-130
Perylene	0.491	ng/ul	0.50125	ND	98.0	70-130
Dibenz(a,h)anthracene	0.469	ng/ul	0.50275	ND	93.4	70-130
Indeno(1,2,3-c,d)pyrene	0.475	ng/ul	0.50175	ND	94.7	70-130
Benzo(g,h,i)perylene	0.475	ng/ul	0.50150	ND	94.8	70-130
Coronene	0.444	ng/ul	0.50175	ND	88.5	70-130
Surrogate: Fluorene-d10	0.495	ng/ul	0.49000	ND	101	70-130
Surrogate: Fluoranthene-d10	0.490	ng/ul	0.50000	ND	98.0	70-130
Surrogate: Pyrene-d10	0.468	ng/ul	0.49950	ND	93.6	70-130
Surrogate: Benzo(a)pyrene-d12	0.494	ng/ul	0.50500	ND	97.7	70-130

Calibration Check (2602028-CCV2)

Prepared & Analyzed: 02/12/26

Naphthalene	7.35	ng/ul	7.5065	ND	97.9	70-130
Acenaphthylene	0.492	ng/ul	0.50200	ND	98.1	70-130
Acenaphthene	2.43	ng/ul	2.5030	ND	97.0	70-130
Fluorene	2.45	ng/ul	2.5022	ND	98.1	70-130
Phenanthrene	3.69	ng/ul	3.7538	ND	98.2	70-130
Anthracene	0.498	ng/ul	0.50125	ND	99.3	70-130
Fluoranthene	2.52	ng/ul	2.5015	ND	101	70-130
Pyrene	1.15	ng/ul	1.2520	ND	91.8	70-130
Benzo(a)anthracene	0.514	ng/ul	0.50200	ND	102	70-130
Chrysene	0.497	ng/ul	0.50200	ND	99.0	70-130
Benzo(b)fluoranthene	0.498	ng/ul	0.50125	ND	99.3	70-130
Benzo(k)fluoranthene	0.506	ng/ul	0.50125	ND	101	70-130
Benzo(e)pyrene	0.486	ng/ul	0.50125	ND	96.9	70-130
Benzo(a)pyrene	0.509	ng/ul	0.50225	ND	101	70-130
Perylene	0.490	ng/ul	0.50125	ND	97.8	70-130
Dibenz(a,h)anthracene	0.473	ng/ul	0.50275	ND	94.1	70-130
Indeno(1,2,3-c,d)pyrene	0.483	ng/ul	0.50175	ND	96.2	70-130
Benzo(g,h,i)perylene	0.480	ng/ul	0.50150	ND	95.7	70-130
Coronene	0.447	ng/ul	0.50175	ND	89.0	70-130
Surrogate: Fluorene-d10	0.499	ng/ul	0.49000	ND	102	70-130
Surrogate: Fluoranthene-d10	0.500	ng/ul	0.50000	ND	100	70-130
Surrogate: Pyrene-d10	0.454	ng/ul	0.49950	ND	90.9	70-130
Surrogate: Benzo(a)pyrene-d12	0.503	ng/ul	0.50500	ND	99.6	70-130

Batch 2602059 - B6A2806

Calibration Blank (2602059-CCB1)

Prepared: 02/23/26 Analyzed: 02/24/26

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2602059 - B6A2806

Calibration Blank (2602059-CCB1) Contin

Prepared: 02/23/26 Analyzed: 02/24/26

Naphthalene	0.00	ng/ul	ND						U
Acenaphthylene	0.00	ng/ul	ND						U
Acenaphthene	0.00	ng/ul	ND						U
Fluorene	0.00	ng/ul	ND						U
Phenanthrene	9.00E-4	ng/ul	ND						LB
Anthracene	0.00170	ng/ul	ND						LB
Fluoranthene	0.00	ng/ul	ND						U
Pyrene	0.00	ng/ul	ND						U
Benzo(a)anthracene	0.00	ng/ul	ND						U
Chrysene	0.00	ng/ul	ND						U
Benzo(b)fluoranthene	0.00	ng/ul	ND						U
Benzo(k)fluoranthene	0.00	ng/ul	ND						U
Benzo(e)pyrene	0.00	ng/ul	ND						U
Benzo(a)pyrene	0.00	ng/ul	ND						U
Perylene	0.00	ng/ul	ND						U
Dibenz(a,h)anthracene	0.00	ng/ul	ND						U
Indeno(1,2,3-c,d)pyrene	0.00	ng/ul	ND						U
Benzo(g,h,i)perylene	0.00	ng/ul	ND						U
Coronene	0.00	ng/ul	ND						U
Surrogate: Fluorene-d10	0.00	ng/ul	ND			60-120			U
Surrogate: Fluoranthene-d10	0.00	ng/ul	ND			60-120			U
Surrogate: Pyrene-d10	0.00	ng/ul	ND			60-120			U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/ul	ND			60-120			U

Calibration Check (2602059-CCV1)

Prepared & Analyzed: 02/23/26

Naphthalene	7.25	ng/ul	7.5065	ND	96.6	70-130			
Acenaphthylene	0.485	ng/ul	0.50200	ND	96.7	70-130			
Acenaphthene	2.38	ng/ul	2.5030	ND	95.3	70-130			
Fluorene	2.43	ng/ul	2.5022	ND	97.3	70-130			
Phenanthrene	3.60	ng/ul	3.7538	ND	95.9	70-130			LB
Anthracene	0.498	ng/ul	0.50125	ND	99.3	70-130			LB
Fluoranthene	2.48	ng/ul	2.5015	ND	98.9	70-130			LB
Pyrene	1.10	ng/ul	1.2520	ND	87.5	70-130			LB
Benzo(a)anthracene	0.500	ng/ul	0.50200	ND	99.5	70-130			
Chrysene	0.490	ng/ul	0.50200	ND	97.6	70-130			
Benzo(b)fluoranthene	0.486	ng/ul	0.50125	ND	97.0	70-130			
Benzo(k)fluoranthene	0.497	ng/ul	0.50125	ND	99.2	70-130			
Benzo(e)pyrene	0.469	ng/ul	0.50125	ND	93.5	70-130			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2602059 - B6A2806

Calibration Check (2602059-CCV1) Contin

Prepared & Analyzed: 02/23/26

Benzo(a)pyrene	0.501	ng/ul	0.50225	ND	99.8	70-130
Perylene	0.482	ng/ul	0.50125	ND	96.1	70-130
Dibenz(a,h)anthracene	0.501	ng/ul	0.50275	ND	99.7	70-130
Indeno(1,2,3-c,d)pyrene	0.506	ng/ul	0.50175	ND	101	70-130
Benzo(g,h,i)perylene	0.493	ng/ul	0.50150	ND	98.2	70-130
Coronene	0.482	ng/ul	0.50175	ND	96.0	70-130
Surrogate: Fluorene-d10	0.486	ng/ul	0.49000	ND	99.3	70-130
Surrogate: Fluoranthene-d10	0.491	ng/ul	0.50000	ND	98.2	70-130
Surrogate: Pyrene-d10	0.428	ng/ul	0.49950	ND	85.7	70-130
Surrogate: Benzo(a)pyrene-d12	0.492	ng/ul	0.50500	ND	97.4	70-130

Calibration Check (2602059-CCV2)

Prepared: 02/23/26 Analyzed: 02/24/26

Naphthalene	7.14	ng/ul	7.5065	ND	95.1	70-130
Acenaphthylene	0.488	ng/ul	0.50200	ND	97.2	70-130
Acenaphthene	2.39	ng/ul	2.5030	ND	95.4	70-130
Fluorene	2.45	ng/ul	2.5022	ND	98.1	70-130
Phenanthrene	3.64	ng/ul	3.7538	ND	97.0	70-130
Anthracene	0.502	ng/ul	0.50125	ND	100	70-130
Fluoranthene	2.50	ng/ul	2.5015	ND	100	70-130
Pyrene	1.08	ng/ul	1.2520	ND	86.5	70-130
Benzo(a)anthracene	0.504	ng/ul	0.50200	ND	100	70-130
Chrysene	0.485	ng/ul	0.50200	ND	96.7	70-130
Benzo(b)fluoranthene	0.484	ng/ul	0.50125	ND	96.6	70-130
Benzo(k)fluoranthene	0.495	ng/ul	0.50125	ND	98.8	70-130
Benzo(e)pyrene	0.466	ng/ul	0.50125	ND	92.9	70-130
Benzo(a)pyrene	0.502	ng/ul	0.50225	ND	100	70-130
Perylene	0.482	ng/ul	0.50125	ND	96.3	70-130
Dibenz(a,h)anthracene	0.499	ng/ul	0.50275	ND	99.3	70-130
Indeno(1,2,3-c,d)pyrene	0.502	ng/ul	0.50175	ND	100	70-130
Benzo(g,h,i)perylene	0.490	ng/ul	0.50150	ND	97.7	70-130
Coronene	0.481	ng/ul	0.50175	ND	95.8	70-130
Surrogate: Fluorene-d10	0.487	ng/ul	0.49000	ND	99.3	70-130
Surrogate: Fluoranthene-d10	0.494	ng/ul	0.50000	ND	98.9	70-130
Surrogate: Pyrene-d10	0.426	ng/ul	0.49950	ND	85.3	70-130
Surrogate: Benzo(a)pyrene-d12	0.495	ng/ul	0.50500	ND	98.0	70-130

LB

LB

LB

LB

Batch 2602068 - B6A2906

Calibration Blank (2602068-CCB1)

Prepared & Analyzed: 02/25/26

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2602068 - B6A2906

Calibration Blank (2602068-CCB1) Contin

Prepared & Analyzed: 02/25/26

Naphthalene	0.00	ng/ul	ND						U
Acenaphthylene	0.00	ng/ul	ND						U
Acenaphthene	0.00	ng/ul	ND						U
Fluorene	0.00	ng/ul	ND						U
Phenanthrene	0.00	ng/ul	ND						U
Anthracene	0.00150	ng/ul	ND						LB
Fluoranthene	0.00	ng/ul	ND						U
Pyrene	0.00	ng/ul	ND						U
Benzo(a)anthracene	0.00	ng/ul	ND						U
Chrysene	0.00	ng/ul	ND						U
Benzo(b)fluoranthene	0.00	ng/ul	ND						U
Benzo(k)fluoranthene	0.00	ng/ul	ND						U
Benzo(e)pyrene	0.00	ng/ul	ND						U
Benzo(a)pyrene	0.00	ng/ul	ND						U
Perylene	0.00	ng/ul	ND						U
Dibenz(a,h)anthracene	0.00	ng/ul	ND						U
Indeno(1,2,3-c,d)pyrene	0.00	ng/ul	ND						U
Benzo(g,h,i)perylene	0.00	ng/ul	ND						U
Coronene	0.00	ng/ul	ND						U
Surrogate: Fluorene-d10	0.00	ng/ul	ND			60-120			U
Surrogate: Fluoranthene-d10	0.00	ng/ul	ND			60-120			U
Surrogate: Pyrene-d10	0.00	ng/ul	ND			60-120			U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/ul	ND			60-120			U

Calibration Check (2602068-CCV1)

Prepared & Analyzed: 02/25/26

Naphthalene	7.23	ng/ul	7.5065	ND	96.3	70-130			
Acenaphthylene	0.482	ng/ul	0.50200	ND	96.0	70-130			
Acenaphthene	2.39	ng/ul	2.5030	ND	95.4	70-130			
Fluorene	2.42	ng/ul	2.5022	ND	96.7	70-130			
Phenanthrene	3.61	ng/ul	3.7538	ND	96.1	70-130			
Anthracene	0.491	ng/ul	0.50125	ND	97.9	70-130			LB
Fluoranthene	2.44	ng/ul	2.5015	ND	97.3	70-130			
Pyrene	1.12	ng/ul	1.2520	ND	89.4	70-130			
Benzo(a)anthracene	0.490	ng/ul	0.50200	ND	97.7	70-130			
Chrysene	0.481	ng/ul	0.50200	ND	95.8	70-130			
Benzo(b)fluoranthene	0.482	ng/ul	0.50125	ND	96.1	70-130			
Benzo(k)fluoranthene	0.493	ng/ul	0.50125	ND	98.3	70-130			
Benzo(e)pyrene	0.472	ng/ul	0.50125	ND	94.2	70-130			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2602068 - B6A2906

Calibration Check (2602068-CCV1) Contin

Prepared & Analyzed: 02/25/26

Benzo(a)pyrene	0.492	ng/ul	0.50225	ND	97.9	70-130
Perylene	0.480	ng/ul	0.50125	ND	95.8	70-130
Dibenz(a,h)anthracene	0.492	ng/ul	0.50275	ND	97.8	70-130
Indeno(1,2,3-c,d)pyrene	0.495	ng/ul	0.50175	ND	98.7	70-130
Benzo(g,h,i)perylene	0.481	ng/ul	0.50150	ND	95.9	70-130
Coronene	0.473	ng/ul	0.50175	ND	94.3	70-130
Surrogate: Fluorene-d10	0.481	ng/ul	0.49000	ND	98.2	70-130
Surrogate: Fluoranthene-d10	0.482	ng/ul	0.50000	ND	96.4	70-130
Surrogate: Pyrene-d10	0.442	ng/ul	0.49950	ND	88.5	70-130
Surrogate: Benzo(a)pyrene-d12	0.484	ng/ul	0.50500	ND	95.9	70-130

Calibration Check (2602068-CCV2)

Prepared & Analyzed: 02/25/26

Naphthalene	7.20	ng/ul	7.5065	ND	95.9	70-130
Acenaphthylene	0.480	ng/ul	0.50200	ND	95.7	70-130
Acenaphthene	2.37	ng/ul	2.5030	ND	94.6	70-130
Fluorene	2.43	ng/ul	2.5022	ND	97.1	70-130
Phenanthrene	3.62	ng/ul	3.7538	ND	96.5	70-130
Anthracene	0.496	ng/ul	0.50125	ND	98.9	70-130
Fluoranthene	2.46	ng/ul	2.5015	ND	98.5	70-130
Pyrene	1.07	ng/ul	1.2520	ND	85.8	70-130
Benzo(a)anthracene	0.501	ng/ul	0.50200	ND	99.7	70-130
Chrysene	0.486	ng/ul	0.50200	ND	96.8	70-130
Benzo(b)fluoranthene	0.478	ng/ul	0.50125	ND	95.5	70-130
Benzo(k)fluoranthene	0.492	ng/ul	0.50125	ND	98.2	70-130
Benzo(e)pyrene	0.464	ng/ul	0.50125	ND	92.5	70-130
Benzo(a)pyrene	0.498	ng/ul	0.50225	ND	99.2	70-130
Perylene	0.479	ng/ul	0.50125	ND	95.5	70-130
Dibenz(a,h)anthracene	0.498	ng/ul	0.50275	ND	99.1	70-130
Indeno(1,2,3-c,d)pyrene	0.502	ng/ul	0.50175	ND	100	70-130
Benzo(g,h,i)perylene	0.486	ng/ul	0.50150	ND	96.8	70-130
Coronene	0.472	ng/ul	0.50175	ND	94.2	70-130
Surrogate: Fluorene-d10	0.482	ng/ul	0.49000	ND	98.3	70-130
Surrogate: Fluoranthene-d10	0.494	ng/ul	0.50000	ND	98.7	70-130
Surrogate: Pyrene-d10	0.427	ng/ul	0.49950	ND	85.5	70-130
Surrogate: Benzo(a)pyrene-d12	0.488	ng/ul	0.50500	ND	96.7	70-130

Batch B6A1306 - TO-13 extraction

Blank (B6A1306-BLK1)

Prepared: 01/13/26 Analyzed: 02/12/26

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6A1306 - TO-13 extraction

Blank (B6A1306-BLK1) Continued

Prepared: 01/13/26 Analyzed: 02/12/26

Naphthalene	ND	ng/m ³ Air							U
Acenaphthylene	ND	ng/m ³ Air							U
Acenaphthene	ND	ng/m ³ Air							U
Fluorene	ND	ng/m ³ Air							U
Phenanthrene	ND	ng/m ³ Air							U
Anthracene	ND	ng/m ³ Air							LB, U
Fluoranthene	ND	ng/m ³ Air							U
Pyrene	ND	ng/m ³ Air							U
Benzo(a)anthracene	ND	ng/m ³ Air							U
Chrysene	ND	ng/m ³ Air							U
Benzo(b)fluoranthene	ND	ng/m ³ Air							U
Benzo(k)fluoranthene	ND	ng/m ³ Air							U
Benzo(e)pyrene	ND	ng/m ³ Air							U
Benzo(a)pyrene	ND	ng/m ³ Air							U
Perylene	ND	ng/m ³ Air							U
Dibenz(a,h)anthracene	ND	ng/m ³ Air							U
Indeno(1,2,3-c,d)pyrene	ND	ng/m ³ Air							U
Benzo(g,h,i)perylene	ND	ng/m ³ Air							U
Coronene	ND	ng/m ³ Air							U

Surrogate: Fluorene-d10	0.798	ng/ul	1.0100	79.0	60-120
Surrogate: Fluoranthene-d10	2.83	ng/m ³ Air	3.3333	84.9	60-120
Surrogate: Pyrene-d10	0.768	ng/ul	1.0100	76.0	60-120
Surrogate: Benzo(a)pyrene-d12	2.71	ng/m ³ Air	3.3667	80.6	60-120

LCS (B6A1306-BS1)

Prepared: 01/13/26 Analyzed: 02/12/26

Naphthalene	17.3	ng/m ³ Air	24.967	ND	69.5	60-120	
Acenaphthylene	1.01	ng/m ³ Air	1.6500	ND	61.5	60-120	
Acenaphthene	5.90	ng/m ³ Air	8.3000	ND	71.1	60-120	
Fluorene	6.10	ng/m ³ Air	8.3333	ND	73.2	60-120	
Phenanthrene	9.51	ng/m ³ Air	12.633	ND	75.3	60-120	
Anthracene	1.22	ng/m ³ Air	1.6667	ND	73.2	60-120	LB
Fluoranthene	6.35	ng/m ³ Air	8.3333	ND	76.2	60-120	
Pyrene	2.96	ng/m ³ Air	4.2333	ND	70.0	60-120	
Benzo(a)anthracene	1.30	ng/m ³ Air	1.6667	ND	78.0	60-120	
Chrysene	1.37	ng/m ³ Air	1.6667	ND	82.1	60-120	
Benzo(b)fluoranthene	1.35	ng/m ³ Air	1.6667	ND	80.9	60-120	
Benzo(k)fluoranthene	1.34	ng/m ³ Air	1.6567	ND	80.6	60-120	
Benzo(e)pyrene	1.26	ng/m ³ Air	1.6500	ND	76.1	60-120	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6A1306 - TO-13 extraction

LCS (B6A1306-BS1) Continued

Prepared: 01/13/26 Analyzed: 02/12/26

Benzo(a)pyrene	1.27	ng/m ³ Air	1.6667	ND	75.9	60-120			
Perylene	1.25	ng/m ³ Air	1.6667	ND	75.2	60-120			
Dibenz(a,h)anthracene	1.28	ng/m ³ Air	1.6667	ND	76.7	60-120			
Indeno(1,2,3-c,d)pyrene	1.25	ng/m ³ Air	1.6633	ND	74.9	60-120			
Benzo(g,h,i)perylene	1.21	ng/m ³ Air	1.6667	ND	72.8	60-120			
Coronene	0.237	ng/m ³ Air	0.33333	ND	71.2	60-120			
Surrogate: Fluorene-d10	0.732	ng/ul	1.0100	ND	72.5	60-120			
Surrogate: Fluoranthene-d10	2.63	ng/m ³ Air	3.3333	ND	78.9	60-120			
Surrogate: Pyrene-d10	0.699	ng/ul	1.0100	ND	69.2	60-120			
Surrogate: Benzo(a)pyrene-d12	2.69	ng/m ³ Air	3.3667	ND	79.8	60-120			

LCS Dup (B6A1306-BSD1)

Prepared: 01/13/26 Analyzed: 02/12/26

Naphthalene	19.3	ng/m ³ Air	24.967	ND	77.3	60-120	10.7	20	
Acenaphthylene	1.13	ng/m ³ Air	1.6500	ND	68.4	60-120	10.7	20	
Acenaphthene	6.54	ng/m ³ Air	8.3000	ND	78.8	60-120	10.3	20	
Fluorene	6.76	ng/m ³ Air	8.3333	ND	81.1	60-120	10.3	20	
Phenanthrene	10.4	ng/m ³ Air	12.633	ND	82.3	60-120	8.93	20	
Anthracene	1.34	ng/m ³ Air	1.6667	ND	80.1	60-120	9.11	20	
Fluoranthene	6.95	ng/m ³ Air	8.3333	ND	83.3	60-120	8.99	20	
Pyrene	3.20	ng/m ³ Air	4.2333	ND	75.7	60-120	7.86	20	
Benzo(a)anthracene	1.44	ng/m ³ Air	1.6667	ND	86.1	60-120	9.90	20	
Chrysene	1.50	ng/m ³ Air	1.6667	ND	89.8	60-120	8.93	20	
Benzo(b)fluoranthene	1.48	ng/m ³ Air	1.6667	ND	88.9	60-120	9.49	20	
Benzo(k)fluoranthene	1.46	ng/m ³ Air	1.6567	ND	88.1	60-120	8.85	20	
Benzo(e)pyrene	1.37	ng/m ³ Air	1.6500	ND	83.1	60-120	8.73	20	
Benzo(a)pyrene	1.38	ng/m ³ Air	1.6667	ND	82.8	60-120	8.67	20	
Perylene	1.36	ng/m ³ Air	1.6667	ND	81.8	60-120	8.48	20	
Dibenz(a,h)anthracene	1.42	ng/m ³ Air	1.6667	ND	85.2	60-120	10.5	20	
Indeno(1,2,3-c,d)pyrene	1.40	ng/m ³ Air	1.6633	ND	84.3	60-120	11.8	20	
Benzo(g,h,i)perylene	1.35	ng/m ³ Air	1.6667	ND	81.1	60-120	10.7	20	
Coronene	0.270	ng/m ³ Air	0.33333	ND	81.1	60-120	13.0	20	
Surrogate: Fluorene-d10	0.802	ng/ul	1.0100	ND	79.4	60-120			
Surrogate: Fluoranthene-d10	2.83	ng/m ³ Air	3.3333	ND	84.8	60-120			
Surrogate: Pyrene-d10	0.761	ng/ul	1.0100	ND	75.3	60-120			
Surrogate: Benzo(a)pyrene-d12	2.85	ng/m ³ Air	3.3667	ND	84.5	60-120			

Calibration Blank (B6A1306-CCB1)

Prepared: 01/13/26 Analyzed: 02/12/26

Naphthalene	0.00	ng/m ³ Air		ND					
-------------	------	-----------------------	--	----	--	--	--	--	--

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6A1306 - TO-13 extraction

Calibration Blank (B6A1306-CCB1) Contin

Prepared: 01/13/26 Analyzed: 02/12/26

Acenaphthylene	0.00	ng/m ³ Air	ND						U
Acenaphthene	0.00	ng/m ³ Air	ND						U
Fluorene	0.00	ng/m ³ Air	ND						U
Phenanthrene	0.00	ng/m ³ Air	ND						U
Anthracene	0.00160	ng/m ³ Air	ND						LB
Fluoranthene	0.00	ng/m ³ Air	ND						U
Pyrene	0.00	ng/m ³ Air	ND						U
Benzo(a)anthracene	0.00	ng/m ³ Air	ND						U
Chrysene	0.00	ng/m ³ Air	ND						U
Benzo(b)fluoranthene	0.00	ng/m ³ Air	ND						U
Benzo(k)fluoranthene	0.00	ng/m ³ Air	ND						U
Benzo(e)pyrene	0.00	ng/m ³ Air	ND						U
Benzo(a)pyrene	0.00	ng/m ³ Air	ND						U
Perylene	0.00	ng/m ³ Air	ND						U
Dibenz(a,h)anthracene	0.00	ng/m ³ Air	ND						U
Indeno(1,2,3-c,d)pyrene	0.00	ng/m ³ Air	ND						U
Benzo(g,h,i)perylene	0.00	ng/m ³ Air	ND						U
Coronene	0.00	ng/m ³ Air	ND						U
Surrogate: Fluorene-d10	0.00	ng/m ³ Air	ND			60-120			U
Surrogate: Fluoranthene-d10	0.00	ng/m ³ Air	ND			60-120			U
Surrogate: Pyrene-d10	0.00	ng/m ³ Air	ND			60-120			U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/m ³ Air	ND			60-120			U

Batch B6A2806 - TO-13 extraction

Blank (B6A2806-BLK1)

Prepared: 01/28/26 Analyzed: 02/23/26

Naphthalene	ND	ng/m ³ Air							U
Acenaphthylene	ND	ng/m ³ Air							U
Acenaphthene	ND	ng/m ³ Air							U
Fluorene	ND	ng/m ³ Air							U
Phenanthrene	ND	ng/m ³ Air							LB, U
Anthracene	ND	ng/m ³ Air							LB, U
Fluoranthene	ND	ng/m ³ Air							LB, U
Pyrene	ND	ng/m ³ Air							LB, U
Benzo(a)anthracene	ND	ng/m ³ Air							U
Chrysene	ND	ng/m ³ Air							U
Benzo(b)fluoranthene	ND	ng/m ³ Air							U
Benzo(k)fluoranthene	ND	ng/m ³ Air							U
Benzo(e)pyrene	ND	ng/m ³ Air							U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6A2806 - TO-13 extraction

Blank (B6A2806-BLK1) Continued

Prepared: 01/28/26 Analyzed: 02/23/26

Benzo(a)pyrene	ND	ng/m ³ Air							U
Perylene	ND	ng/m ³ Air							U
Dibenz(a,h)anthracene	ND	ng/m ³ Air							U
Indeno(1,2,3-c,d)pyrene	ND	ng/m ³ Air							U
Benzo(g,h,i)perylene	ND	ng/m ³ Air							U
Coronene	ND	ng/m ³ Air							U
Surrogate: Fluorene-d10	0.766	ng/ul	1.0100		75.8	60-120			
Surrogate: Fluoranthene-d10	2.73	ng/m ³ Air	3.3333		81.8	60-120			
Surrogate: Pyrene-d10	0.693	ng/ul	1.0100		68.7	60-120			
Surrogate: Benzo(a)pyrene-d12	2.77	ng/m ³ Air	3.3667		82.2	60-120			

LCS (B6A2806-BS1)

Prepared: 01/28/26 Analyzed: 02/23/26

Naphthalene	17.5	ng/m ³ Air	24.967	ND	70.2	60-120			
Acenaphthylene	1.03	ng/m ³ Air	1.6500	ND	62.3	60-120			
Acenaphthene	5.96	ng/m ³ Air	8.3000	ND	71.8	60-120			
Fluorene	6.21	ng/m ³ Air	8.3333	ND	74.5	60-120			
Phenanthrene	9.54	ng/m ³ Air	12.633	ND	75.5	60-120			LB
Anthracene	1.23	ng/m ³ Air	1.6667	ND	73.8	60-120			LB
Fluoranthene	6.45	ng/m ³ Air	8.3333	ND	77.4	60-120			LB
Pyrene	2.81	ng/m ³ Air	4.2333	ND	66.4	60-120			LB
Benzo(a)anthracene	1.31	ng/m ³ Air	1.6667	ND	78.3	60-120			
Chrysene	1.37	ng/m ³ Air	1.6667	ND	82.0	60-120			
Benzo(b)fluoranthene	1.35	ng/m ³ Air	1.6667	ND	81.2	60-120			
Benzo(k)fluoranthene	1.35	ng/m ³ Air	1.6567	ND	81.5	60-120			
Benzo(e)pyrene	1.23	ng/m ³ Air	1.6500	ND	74.4	60-120			
Benzo(a)pyrene	1.28	ng/m ³ Air	1.6667	ND	77.0	60-120			
Perylene	1.25	ng/m ³ Air	1.6667	ND	75.3	60-120			
Dibenz(a,h)anthracene	1.41	ng/m ³ Air	1.6667	ND	84.4	60-120			
Indeno(1,2,3-c,d)pyrene	1.36	ng/m ³ Air	1.6633	ND	81.7	60-120			
Benzo(g,h,i)perylene	1.29	ng/m ³ Air	1.6667	ND	77.6	60-120			
Coronene	0.267	ng/m ³ Air	0.33333	ND	80.1	60-120			
Surrogate: Fluorene-d10	0.740	ng/ul	1.0100	ND	73.2	60-120			
Surrogate: Fluoranthene-d10	2.58	ng/m ³ Air	3.3333	ND	77.3	60-120			
Surrogate: Pyrene-d10	0.661	ng/ul	1.0100	ND	65.4	60-120			
Surrogate: Benzo(a)pyrene-d12	2.60	ng/m ³ Air	3.3667	ND	77.2	60-120			

Calibration Blank (B6A2806-CCB1)

Prepared: 01/28/26 Analyzed: 02/23/26

Naphthalene	0.00	ng/m ³ Air		ND					U
-------------	------	-----------------------	--	----	--	--	--	--	---

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6A2806 - TO-13 extraction

Calibration Blank (B6A2806-CCB1) Contin

Prepared: 01/28/26 Analyzed: 02/23/26

Acenaphthylene	0.00	ng/m ³ Air	ND						U
Acenaphthene	0.00	ng/m ³ Air	ND						U
Fluorene	0.00	ng/m ³ Air	ND						U
Phenanthrene	0.00120	ng/m ³ Air	ND						LB
Anthracene	0.00160	ng/m ³ Air	ND						LB
Fluoranthene	0.00	ng/m ³ Air	ND						U
Pyrene	0.00130	ng/m ³ Air	ND						LB
Benzo(a)anthracene	0.00	ng/m ³ Air	ND						U
Chrysene	0.00	ng/m ³ Air	ND						U
Benzo(b)fluoranthene	0.00	ng/m ³ Air	ND						U
Benzo(k)fluoranthene	0.00	ng/m ³ Air	ND						U
Benzo(e)pyrene	0.00	ng/m ³ Air	ND						U
Benzo(a)pyrene	0.00	ng/m ³ Air	ND						U
Perylene	0.00	ng/m ³ Air	ND						U
Dibenz(a,h)anthracene	0.00	ng/m ³ Air	ND						U
Indeno(1,2,3-c,d)pyrene	0.00	ng/m ³ Air	ND						U
Benzo(g,h,i)perylene	0.00	ng/m ³ Air	ND						U
Coronene	0.00	ng/m ³ Air	ND						U
Surrogate: Fluorene-d10	0.00	ng/m ³ Air	ND			60-120			U
Surrogate: Fluoranthene-d10	0.00	ng/m ³ Air	ND			60-120			U
Surrogate: Pyrene-d10	0.00	ng/m ³ Air	ND			60-120			U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/m ³ Air	ND			60-120			U

Batch B6A2906 - TO-13 extraction

Blank (B6A2906-BLK1)

Prepared: 01/29/26 Analyzed: 02/25/26

Naphthalene	ND	ng/m ³ Air							U
Acenaphthylene	ND	ng/m ³ Air							U
Acenaphthene	ND	ng/m ³ Air							U
Fluorene	ND	ng/m ³ Air							U
Phenanthrene	ND	ng/m ³ Air							U
Anthracene	ND	ng/m ³ Air							LB, U
Fluoranthene	ND	ng/m ³ Air							U
Pyrene	ND	ng/m ³ Air							U
Benzo(a)anthracene	ND	ng/m ³ Air							U
Chrysene	ND	ng/m ³ Air							U
Benzo(b)fluoranthene	ND	ng/m ³ Air							U
Benzo(k)fluoranthene	ND	ng/m ³ Air							U
Benzo(e)pyrene	ND	ng/m ³ Air							U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6A2906 - TO-13 extraction

Blank (B6A2906-BLK1) Continued

Prepared: 01/29/26 Analyzed: 02/25/26

Benzo(a)pyrene	ND	ng/m ³ Air							U
Perylene	ND	ng/m ³ Air							U
Dibenz(a,h)anthracene	ND	ng/m ³ Air							U
Indeno(1,2,3-c,d)pyrene	ND	ng/m ³ Air							U
Benzo(g,h,i)perylene	ND	ng/m ³ Air							U
Coronene	ND	ng/m ³ Air							U
Surrogate: Fluorene-d10	0.679	ng/ul	1.0100		67.2	60-120			
Surrogate: Fluoranthene-d10	2.42	ng/m ³ Air	3.3333		72.7	60-120			
Surrogate: Pyrene-d10	0.654	ng/ul	1.0100		64.7	60-120			
Surrogate: Benzo(a)pyrene-d12	2.46	ng/m ³ Air	3.3667		73.2	60-120			

LCS (B6A2906-BS1)

Prepared: 01/29/26 Analyzed: 02/25/26

Naphthalene	18.0	ng/m ³ Air	24.967	ND	72.3	60-120			
Acenaphthylene	1.04	ng/m ³ Air	1.6500	ND	63.3	60-120			
Acenaphthene	6.13	ng/m ³ Air	8.3000	ND	73.9	60-120			
Fluorene	6.33	ng/m ³ Air	8.3333	ND	75.9	60-120			
Phenanthrene	9.72	ng/m ³ Air	12.633	ND	76.9	60-120			
Anthracene	1.25	ng/m ³ Air	1.6667	ND	75.2	60-120			LB
Fluoranthene	6.51	ng/m ³ Air	8.3333	ND	78.1	60-120			
Pyrene	2.94	ng/m ³ Air	4.2333	ND	69.4	60-120			
Benzo(a)anthracene	1.33	ng/m ³ Air	1.6667	ND	79.8	60-120			
Chrysene	1.38	ng/m ³ Air	1.6667	ND	82.9	60-120			
Benzo(b)fluoranthene	1.37	ng/m ³ Air	1.6667	ND	82.5	60-120			
Benzo(k)fluoranthene	1.36	ng/m ³ Air	1.6567	ND	82.1	60-120			
Benzo(e)pyrene	1.26	ng/m ³ Air	1.6500	ND	76.5	60-120			
Benzo(a)pyrene	1.29	ng/m ³ Air	1.6667	ND	77.4	60-120			
Perylene	1.27	ng/m ³ Air	1.6667	ND	76.4	60-120			
Dibenz(a,h)anthracene	1.39	ng/m ³ Air	1.6667	ND	83.5	60-120			
Indeno(1,2,3-c,d)pyrene	1.35	ng/m ³ Air	1.6633	ND	81.4	60-120			
Benzo(g,h,i)perylene	1.31	ng/m ³ Air	1.6667	ND	78.4	60-120			
Coronene	0.274	ng/m ³ Air	0.33333	ND	82.2	60-120			
Surrogate: Fluorene-d10	0.752	ng/ul	1.0100	ND	74.4	60-120			
Surrogate: Fluoranthene-d10	2.60	ng/m ³ Air	3.3333	ND	78.0	60-120			
Surrogate: Pyrene-d10	0.696	ng/ul	1.0100	ND	68.9	60-120			
Surrogate: Benzo(a)pyrene-d12	2.61	ng/m ³ Air	3.3667	ND	77.4	60-120			

Calibration Blank (B6A2906-CCB1)

Prepared: 01/29/26 Analyzed: 02/25/26

Naphthalene	0.00	ng/m ³ Air		ND					U
-------------	------	-----------------------	--	----	--	--	--	--	---

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6A2906 - TO-13 extraction

Calibration Blank (B6A2906-CCB1) Contin

Prepared: 01/29/26 Analyzed: 02/25/26

Acenaphthylene	0.00	ng/m ³ Air	ND						U
Acenaphthene	0.00	ng/m ³ Air	ND						U
Fluorene	0.00	ng/m ³ Air	ND						U
Phenanthrene	0.00	ng/m ³ Air	ND						U
Anthracene	0.00160	ng/m ³ Air	ND						LB
Fluoranthene	0.00	ng/m ³ Air	ND						U
Pyrene	0.00	ng/m ³ Air	ND						U
Benzo(a)anthracene	0.00	ng/m ³ Air	ND						U
Chrysene	0.00	ng/m ³ Air	ND						U
Benzo(b)fluoranthene	0.00	ng/m ³ Air	ND						U
Benzo(k)fluoranthene	0.00	ng/m ³ Air	ND						U
Benzo(e)pyrene	0.00	ng/m ³ Air	ND						U
Benzo(a)pyrene	0.00	ng/m ³ Air	ND						U
Perylene	0.00	ng/m ³ Air	ND						U
Dibenz(a,h)anthracene	0.00	ng/m ³ Air	ND						U
Indeno(1,2,3-c,d)pyrene	0.00	ng/m ³ Air	ND						U
Benzo(g,h,i)perylene	0.00	ng/m ³ Air	ND						U
Coronene	0.00	ng/m ³ Air	ND						U
Surrogate: Fluorene-d10	0.00	ng/m ³ Air	ND			60-120			U
Surrogate: Fluoranthene-d10	0.00	ng/m ³ Air	ND			60-120			U
Surrogate: Pyrene-d10	0.00	ng/m ³ Air	ND			60-120			U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/m ³ Air	ND			60-120			U

Duplicate (B6A2906-DUP1)

Source: 6012835-01 Prepared: 01/29/26 Analyzed: 02/25/26

Naphthalene	51.2	ng/m ³ Air	51.20		0.0637	10		S-Rec, TT
Acenaphthylene	ND	ng/m ³ Air	ND			10		S-Rec, TT, U
Acenaphthene	2.51	ng/m ³ Air	2.52		0.306	10		S-Rec, TT
Fluorene	2.80	ng/m ³ Air	2.80		0.0106	10		S-Rec, TT
Phenanthrene	5.35	ng/m ³ Air	5.34		0.261	10		S-Rec, TT
Anthracene	0.263	ng/m ³ Air	0.26		1.48	10		LB, S-Rec, TT
Fluoranthene	0.899	ng/m ³ Air	0.89		0.695	10		S-Rec, TT
Pyrene	0.722	ng/m ³ Air	0.74		2.28	10		S-Rec, TT
Benzo(a)anthracene	0.0804	ng/m ³ Air	0.08		0.368	10		S-Rec, TT
Chrysene	0.159	ng/m ³ Air	0.16		1.48	10		S-Rec, TT
Benzo(b)fluoranthene	0.228	ng/m ³ Air	0.23		1.16	10		S-Rec, TT
Benzo(k)fluoranthene	0.0754	ng/m ³ Air	0.08		0.00	10		S-Rec, TT
Benzo(e)pyrene	0.198	ng/m ³ Air	0.20		1.19	10		S-Rec, TT
Benzo(a)pyrene	0.124	ng/m ³ Air	0.12		0.00	10		S-Rec, TT

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6A2906 - TO-13 extraction

Duplicate (B6A2906-DUP1) Continued Source: 6012835-01 Prepared: 01/29/26 Analyzed: 02/25/26

Perylene	ND	ng/m ³ Air	ND				10	S-Rec, TT, U
Dibenz(a,h)anthracene	0.0323	ng/m ³ Air	0.03				11.7	10 S-Rec, TT
Indeno(1,2,3-c,d)pyrene	0.172	ng/m ³ Air	0.17				2.10	10 S-Rec, TT
Benzo(g,h,i)perylene	0.311	ng/m ³ Air	0.30				2.22	10 S-Rec, TT
Coronene	0.153	ng/m ³ Air	0.15				2.15	10 S-Rec, TT
Surrogate: Fluorene-d10	0.784	ng/ul	1.0100 ND	77.6	60-120			S-Rec, TT
Surrogate: Fluoranthene-d10	2.56	ng/m ³ Air	2.9674 ND	86.3	60-120			S-Rec, TT
Surrogate: Pyrene-d10	0.680	ng/ul	1.0100 ND	67.3	60-120			S-Rec, TT
Surrogate: Benzo(a)pyrene-d12	2.47	ng/m ³ Air	2.9970 ND	82.4	60-120			S-Rec, TT



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Sequence 2602028

Calibration Check (2602028-CCV1)

Prepared & Analyzed: 02/12/26

Naphthalene	7.36	ng/ul	-2.0	30.00	LB
Acenaphthylene	0.483	ng/ul	-3.8	30.00	
Acenaphthene	2.41	ng/ul	-3.7	30.00	
Fluorene	2.44	ng/ul	-2.4	30.00	
Phenanthrene	3.68	ng/ul	-1.9	30.00	
Anthracene	0.489	ng/ul	-2.5	30.00	
Fluoranthene	2.48	ng/ul	-1.0	30.00	
Pyrene	1.18	ng/ul	-5.7	30.00	
Benzo(a)anthracene	0.507	ng/ul	1.0	30.00	
Chrysene	0.496	ng/ul	-1.2	30.00	
Benzo(b)fluoranthene	0.495	ng/ul	-1.2	30.00	
Benzo(k)fluoranthene	0.501	ng/ul	-0.1	30.00	
Benzo(e)pyrene	0.488	ng/ul	-2.6	30.00	
Benzo(a)pyrene	0.500	ng/ul	-0.5	30.00	
Perylene	0.491	ng/ul	-2.0	30.00	
Dibenz(a,h)anthracene	0.469	ng/ul	-6.6	30.00	
Indeno(1,2,3-c,d)pyrene	0.475	ng/ul	-5.3	30.00	
Benzo(g,h,i)perylene	0.475	ng/ul	-5.2	30.00	
Coronene	0.444	ng/ul	-11.5	30.00	
Surrogate: Fluorene-d10	0.495	ng/ul	1.0	30.00	
Surrogate: Fluoranthene-d10	0.490	ng/ul	-2.0	30.00	
Surrogate: Pyrene-d10	0.468	ng/ul	-6.4	30.00	
Surrogate: Benzo(a)pyrene-d12	0.494	ng/ul	-2.2	30.00	

Calibration Check (2602028-CCV2)

Prepared & Analyzed: 02/12/26

Naphthalene	7.35	ng/ul	-2.1	30.00	LB
Acenaphthylene	0.492	ng/ul	-1.9	30.00	
Acenaphthene	2.43	ng/ul	-3.0	30.00	
Fluorene	2.45	ng/ul	-1.9	30.00	
Phenanthrene	3.69	ng/ul	-1.8	30.00	
Anthracene	0.498	ng/ul	-0.7	30.00	
Fluoranthene	2.52	ng/ul	0.8	30.00	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Sequence 2602028

Calibration Check (2602028-CCV2) Continued

Prepared & Analyzed: 02/12/26

Pyrene	1.15	ng/ul	-8.2	30.00	
Benzo(a)anthracene	0.514	ng/ul	2.4	30.00	
Chrysene	0.497	ng/ul	-1.0	30.00	
Benzo(b)fluoranthene	0.498	ng/ul	-0.7	30.00	
Benzo(k)fluoranthene	0.506	ng/ul	1.0	30.00	
Benzo(e)pyrene	0.486	ng/ul	-3.1	30.00	
Benzo(a)pyrene	0.509	ng/ul	1.4	30.00	
Perylene	0.490	ng/ul	-2.2	30.00	
Dibenz(a,h)anthracene	0.473	ng/ul	-5.9	30.00	
Indeno(1,2,3-c,d)pyrene	0.483	ng/ul	-3.7	30.00	
Benzo(g,h,i)perylene	0.480	ng/ul	-4.3	30.00	
Coronene	0.447	ng/ul	-11.0	30.00	
Surrogate: Fluorene-d10	0.499	ng/ul	1.8	30.00	
Surrogate: Fluoranthene-d10	0.500	ng/ul	0.07	30.00	
Surrogate: Pyrene-d10	0.454	ng/ul	-9.1	30.00	
Surrogate: Benzo(a)pyrene-d12	0.503	ng/ul	-0.4	30.00	

Sequence 2602059

Calibration Check (2602059-CCV1)

Prepared & Analyzed: 02/23/26

Naphthalene	7.25	ng/ul	-3.4	30.00	
Acenaphthylene	0.485	ng/ul	-3.3	30.00	
Acenaphthene	2.38	ng/ul	-4.7	30.00	
Fluorene	2.43	ng/ul	-2.7	30.00	
Phenanthrene	3.60	ng/ul	-4.1	30.00	LB
Anthracene	0.498	ng/ul	-0.7	30.00	LB
Fluoranthene	2.48	ng/ul	-1.1	30.00	LB
Pyrene	1.10	ng/ul	-12.5	30.00	LB
Benzo(a)anthracene	0.500	ng/ul	-0.5	30.00	
Chrysene	0.490	ng/ul	-2.4	30.00	
Benzo(b)fluoranthene	0.486	ng/ul	-3.0	30.00	
Benzo(k)fluoranthene	0.497	ng/ul	-0.8	30.00	
Benzo(e)pyrene	0.469	ng/ul	-6.4	30.00	
Benzo(a)pyrene	0.501	ng/ul	-0.2	30.00	
Perylene	0.482	ng/ul	-3.9	30.00	
Dibenz(a,h)anthracene	0.501	ng/ul	-0.3	30.00	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Sequence 2602059

Calibration Check (2602059-CCV1) Continued

Prepared & Analyzed: 02/23/26

Indeno(1,2,3-c,d)pyrene	0.506	ng/ul	0.7	30.00	
Benzo(g,h,i)perylene	0.493	ng/ul	-1.8	30.00	
Coronene	0.482	ng/ul	-4.0	30.00	
Surrogate: Fluorene-d10	0.486	ng/ul	-0.7	30.00	
Surrogate: Fluoranthene-d10	0.491	ng/ul	-1.8	30.00	
Surrogate: Pyrene-d10	0.428	ng/ul	-14.3	30.00	
Surrogate: Benzo(a)pyrene-d12	0.492	ng/ul	-2.5	30.00	

Calibration Check (2602059-CCV2)

Prepared: 02/23/26 Analyzed: 02/24/26

Naphthalene	7.14	ng/ul	-4.9	30.00	
Acenaphthylene	0.488	ng/ul	-2.8	30.00	
Acenaphthene	2.39	ng/ul	-4.6	30.00	
Fluorene	2.45	ng/ul	-1.9	30.00	
Phenanthrene	3.64	ng/ul	-3.0	30.00	LB
Anthracene	0.502	ng/ul	0.08	30.00	LB
Fluoranthene	2.50	ng/ul	0.1	30.00	LB
Pyrene	1.08	ng/ul	-13.5	30.00	LB
Benzo(a)anthracene	0.504	ng/ul	0.4	30.00	
Chrysene	0.485	ng/ul	-3.3	30.00	
Benzo(b)fluoranthene	0.484	ng/ul	-3.4	30.00	
Benzo(k)fluoranthene	0.495	ng/ul	-1.2	30.00	
Benzo(e)pyrene	0.466	ng/ul	-7.1	30.00	
Benzo(a)pyrene	0.502	ng/ul	0.02	30.00	
Perylene	0.482	ng/ul	-3.7	30.00	
Dibenz(a,h)anthracene	0.499	ng/ul	-0.7	30.00	
Indeno(1,2,3-c,d)pyrene	0.502	ng/ul	0.09	30.00	
Benzo(g,h,i)perylene	0.490	ng/ul	-2.3	30.00	
Coronene	0.481	ng/ul	-4.2	30.00	
Surrogate: Fluorene-d10	0.487	ng/ul	-0.7	30.00	
Surrogate: Fluoranthene-d10	0.494	ng/ul	-1.1	30.00	
Surrogate: Pyrene-d10	0.426	ng/ul	-14.7	30.00	
Surrogate: Benzo(a)pyrene-d12	0.495	ng/ul	-2.0	30.00	

Sequence 2602068

Calibration Check (2602068-CCV1)

Prepared & Analyzed: 02/25/26

Naphthalene	7.23	ng/ul	-3.7	30.00	
-------------	------	-------	------	-------	--

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Sequence 2602068

Calibration Check (2602068-CCV1) Continued

Prepared & Analyzed: 02/25/26

Acenaphthylene	0.482	ng/ul	-4.0	30.00	LB
Acenaphthene	2.39	ng/ul	-4.6	30.00	
Fluorene	2.42	ng/ul	-3.3	30.00	
Phenanthrene	3.61	ng/ul	-3.9	30.00	
Anthracene	0.491	ng/ul	-2.1	30.00	
Fluoranthene	2.44	ng/ul	-2.7	30.00	
Pyrene	1.12	ng/ul	-10.6	30.00	
Benzo(a)anthracene	0.490	ng/ul	-2.3	30.00	
Chrysene	0.481	ng/ul	-4.2	30.00	
Benzo(b)fluoranthene	0.482	ng/ul	-3.9	30.00	
Benzo(k)fluoranthene	0.493	ng/ul	-1.7	30.00	
Benzo(e)pyrene	0.472	ng/ul	-5.7	30.00	
Benzo(a)pyrene	0.492	ng/ul	-2.1	30.00	
Perylene	0.480	ng/ul	-4.2	30.00	
Dibenz(a,h)anthracene	0.492	ng/ul	-2.2	30.00	
Indeno(1,2,3-c,d)pyrene	0.495	ng/ul	-1.3	30.00	
Benzo(g,h,i)perylene	0.481	ng/ul	-4.1	30.00	
Coronene	0.473	ng/ul	-5.7	30.00	
Surrogate: Fluorene-d10	0.481	ng/ul	-1.8	30.00	
Surrogate: Fluoranthene-d10	0.482	ng/ul	-3.6	30.00	
Surrogate: Pyrene-d10	0.442	ng/ul	-11.5	30.00	
Surrogate: Benzo(a)pyrene-d12	0.484	ng/ul	-4.1	30.00	

Calibration Check (2602068-CCV2)

Prepared & Analyzed: 02/25/26

Naphthalene	7.20	ng/ul	-4.1	30.00	LB
Acenaphthylene	0.480	ng/ul	-4.3	30.00	
Acenaphthene	2.37	ng/ul	-5.4	30.00	
Fluorene	2.43	ng/ul	-2.9	30.00	
Phenanthrene	3.62	ng/ul	-3.5	30.00	
Anthracene	0.496	ng/ul	-1.1	30.00	
Fluoranthene	2.46	ng/ul	-1.5	30.00	
Pyrene	1.07	ng/ul	-14.2	30.00	
Benzo(a)anthracene	0.501	ng/ul	-0.3	30.00	
Chrysene	0.486	ng/ul	-3.2	30.00	
Benzo(b)fluoranthene	0.478	ng/ul	-4.5	30.00	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Sequence 2602068

Calibration Check (2602068-CCV2) Continued

Prepared & Analyzed: 02/25/26

Benzo(k)fluoranthene	0.492	ng/ul	-1.8	30.00
Benzo(e)pyrene	0.464	ng/ul	-7.5	30.00
Benzo(a)pyrene	0.498	ng/ul	-0.8	30.00
Perylene	0.479	ng/ul	-4.5	30.00
Dibenz(a,h)anthracene	0.498	ng/ul	-0.9	30.00
Indeno(1,2,3-c,d)pyrene	0.502	ng/ul	-0.05	30.00
Benzo(g,h,i)perylene	0.486	ng/ul	-3.2	30.00
Coronene	0.472	ng/ul	-5.8	30.00
Surrogate: Fluorene-d10	0.482	ng/ul	-1.7	30.00
Surrogate: Fluoranthene-d10	0.494	ng/ul	-1.3	30.00
Surrogate: Pyrene-d10	0.427	ng/ul	-14.5	30.00
Surrogate: Benzo(a)pyrene-d12	0.488	ng/ul	-3.3	30.00



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 **FAX:** -

FILE #: 0475

REPORTED: 03/17/26 08:39

SUBMITTED: 01/07/26 to 01/28/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Notes and Definitions

U	Under Detection Limit
TT	Transport temperature is out of specs.
S-Rec	Sample received by laboratory outside of initial extraction hold time - 14 days -
S-GC	Surrogate recovery outside of control limits. The data was accepted based on valid recovery of the remaining surrogate.
QB-03	Analyte exceeds sampling media lot blank criteria.
LB	Lab blank value above acceptable limit.
FX	Filter Integrity Issue
D	This result obtained by dilution.
ND	Analyte NOT DETECTED
NR	Not Reported
MDL	Method Detection Limit
RPD	Relative Percent Difference

Note: Matrix Spikes were not performed as required by Compendium Method TO-13A. Matrix spikes are not required by ASTM D2609. This deviation from the method has been approved by the US EPA under the contract for UATMP, NATTS, CSATAM, PAMS, and NMOC Support (US EPA Contract No. 68-D-09-048).

Note: This test is accredited under the 2016 TNI Standard; however acenaphthylene is not accredited.