



Eastern Research Group
601 Keystone Park Drive
Suite 700
Morrisville, NC 27560

May 15, 2026

Mr. Bryan Sims
Oklahoma Dept. of Environmental Quality
707 N. Robinson, PO Box 1677
Oklahoma City, OK 73101-1677
Project Name: TMOK

Dear Mr. Bryan Sims,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 03/05/26 11:48 through 04/01/26 13:04.

Values below the MDL for QC results in this report are recorded as ND, however the actual values are reported in the accompanying Excel report with a "U" flag (Under the detection limit). The actual values are reported in AQS.

This test is accredited under the 2016 TNI Standard for Environmental Laboratories (FL DOH Certification # E87673). All analyses were performed as described in the US EPA-approved QAPP, under the contract for National Hazardous Air Pollutant Support (US EPA Contract No. 68HERH22D0002). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7872.

Sincerely,

Randolph Bower
Program Manager
randy.bower@erg.com

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify randy.bower@erg.com and delete the report without retaining any copies.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
TMOK	6030509-02	Air	03/03/26 23:59	03/05/26 11:48
TMOK	6031817-06	Air	03/09/26 23:59	03/18/26 11:17
TMOK	6031817-07	Air	03/15/26 23:59	03/18/26 11:17
TMOK	6040116-06	Air	03/21/26 23:59	04/01/26 13:04
TMOK	6040116-07	Air	03/27/26 23:59	04/01/26 13:04
TMOK FB	6040116-08	Air	03/27/26 23:59	04/01/26 13:04



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK
Temp Rec'd (°C): 2.7

Lab ID: 6030509-02
Sample Volume: 339.3 m³
Container #: 510

Sampled: 03/03/26 23:59
Received: 03/05/26 11:48
Analyzed: 04/02/26 15:05

Comments:

Air Toxics by EPA Compendium Method TO-13

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>	<u>% Rec.</u>	<u>% Rec Limits</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>		
Naphthalene	91-20-3	26.2		1.17		
Acenaphthylene	208-96-8	0.0772		0.00382		
Acenaphthene	83-32-9	2.20		0.123		
Fluorene	86-73-7	2.79	QB-03	0.0454		
Phenanthrene	85-01-8	6.03	QB-03	0.124		
Anthracene	120-12-7	0.137		0.0358		
Fluoranthene	206-44-0	1.25		0.0497		
Pyrene	129-00-0	0.872	LB	0.0546		
Benzo(a)anthracene	56-55-3	0.0663		0.0133		
Chrysene	218-01-9	0.133		0.0124		
Benzo(b)fluoranthene	205-99-2	0.113		0.0188		
Benzo(k)fluoranthene	207-08-9	0.0424		0.00796		
Benzo(e)pyrene	192-97-2	0.0917		0.00707		
Benzo(a)pyrene	50-32-8	0.0684		0.00813		
Perylene	198-55-0	ND	U	0.00391		
Dibenz(a,h)anthracene	53-70-3	ND	U	0.00613		
Indeno(1,2,3-c,d)pyrene	193-39-5	0.0575		0.00798		
Benzo(g,h,i)perylene	191-24-2	0.0922		0.0283		
Coronene	191-07-1	0.0283		0.0121		
Surrogate: Fluorene-d10		0.924			94.3 %	Limit 60-120
Surrogate: Fluoranthene-d10		2.69			91.1 %	Limit 60-120
Surrogate: Pyrene-d10		0.852			85.3 %	Limit 60-120
Surrogate: Benzo(a)pyrene-d12		2.64			88.6 %	Limit 60-120



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK
Temp Rec'd (°C): 2.7

Lab ID: 6031817-06
Sample Volume: 342.8 m³
Container #: 40

Sampled: 03/09/26 23:59
Received: 03/18/26 11:17
Analyzed: 04/08/26 06:38

Comments:

Air Toxics by EPA Compendium Method TO-13

Analyte	CAS Number	Results	Flag	MDL	% Rec.	% Rec Limits
		ng/m ³ Air		ng/m ³ Air		
Naphthalene	91-20-3	18.2		1.16		
Acenaphthylene	208-96-8	ND	U	0.00378		
Acenaphthene	83-32-9	2.41		0.122		
Fluorene	86-73-7	2.85		0.0450		
Phenanthrene	85-01-8	6.06	LB, QB-03	0.123		
Anthracene	120-12-7	0.0642		0.0354		
Fluoranthene	206-44-0	1.47		0.0492		
Pyrene	129-00-0	0.688		0.0540		
Benzo(a)anthracene	56-55-3	0.0210		0.0131		
Chrysene	218-01-9	0.0598		0.0123		
Benzo(b)fluoranthene	205-99-2	0.0499		0.0186		
Benzo(k)fluoranthene	207-08-9	0.0198		0.00788		
Benzo(e)pyrene	192-97-2	0.0400		0.00700		
Benzo(a)pyrene	50-32-8	0.0292		0.00804		
Perylene	198-55-0	ND	U	0.00387		
Dibenz(a,h)anthracene	53-70-3	ND	U	0.00606		
Indeno(1,2,3-c,d)pyrene	193-39-5	0.0318		0.00789		
Benzo(g,h,i)perylene	191-24-2	0.0583		0.0280		
Coronene	191-07-1	ND	U	0.0120		
Surrogate: Fluorene-d10		0.763			77.8 %	Limit 60-120
Surrogate: Fluoranthene-d10		2.54			87.2 %	Limit 60-120
Surrogate: Pyrene-d10		0.747			74.8 %	Limit 60-120
Surrogate: Benzo(a)pyrene-d12		2.56			87.0 %	Limit 60-120



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK
Temp Rec'd (°C): 2.7

Lab ID: 6031817-07
Sample Volume: 339 m³
Container #: 454

Sampled: 03/15/26 23:59
Received: 03/18/26 11:17
Analyzed: 04/09/26 11:46

Comments:

Air Toxics by EPA Compendium Method TO-13

Analyte	CAS Number	Results	Flag	MDL	% Rec.	% Rec Limits
		ng/m ³ Air		ng/m ³ Air		
Naphthalene	91-20-3	10.2		1.17		
Acenaphthylene	208-96-8	ND	U	0.00382		
Acenaphthene	83-32-9	1.01		0.123		
Fluorene	86-73-7	1.40		0.0455		
Phenanthrene	85-01-8	2.49	LB, QB-03	0.124		
Anthracene	120-12-7	0.0528	LB	0.0358		
Fluoranthene	206-44-0	0.769		0.0497		
Pyrene	129-00-0	0.418	LB	0.0546		
Benzo(a)anthracene	56-55-3	0.0726		0.0133		
Chrysene	218-01-9	0.159		0.0124		
Benzo(b)fluoranthene	205-99-2	0.188		0.0188		
Benzo(k)fluoranthene	207-08-9	0.0575		0.00796		
Benzo(e)pyrene	192-97-2	0.141		0.00708		
Benzo(a)pyrene	50-32-8	0.123		0.00813		
Perylene	198-55-0	ND	U	0.00391		
Dibenz(a,h)anthracene	53-70-3	0.0263		0.00613		
Indeno(1,2,3-c,d)pyrene	193-39-5	0.114		0.00798		
Benzo(g,h,i)perylene	191-24-2	0.141		0.0283		
Coronene	191-07-1	ND	U	0.0121		
Surrogate: Fluorene-d10		0.844			86.1 %	Limit 60-120
Surrogate: Fluoranthene-d10		2.84			96.3 %	Limit 60-120
Surrogate: Pyrene-d10		0.876			87.7 %	Limit 60-120
Surrogate: Benzo(a)pyrene-d12		2.84			95.2 %	Limit 60-120



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK
Temp Rec'd (°C): 8.6

Lab ID: 6040116-06
Sample Volume: 334 m³
Container #: 59

Sampled: 03/21/26 23:59
Received: 04/01/26 13:04
Analyzed: 04/18/26 05:29

Comments:

Air Toxics by EPA Compendium Method TO-13

Analyte	CAS Number	Results	Flag	MDL	% Rec.	% Rec Limits
		ng/m ³ Air		ng/m ³ Air		
Naphthalene	91-20-3	35.6	TT	1.19		
Acenaphthylene	208-96-8	ND	U, TT	0.00388		
Acenaphthene	83-32-9	4.50	TT	0.125		
Fluorene	86-73-7	7.24	TT	0.0462		
Phenanthrene	85-01-8	13.0	LB, TT	0.126		
Anthracene	120-12-7	0.0743	LB, TT	0.0364		
Fluoranthene	206-44-0	2.68	LB, TT	0.0505		
Pyrene	129-00-0	1.09	TT	0.0554		
Benzo(a)anthracene	56-55-3	0.0545	TT	0.0135		
Chrysene	218-01-9	0.171	TT	0.0126		
Benzo(b)fluoranthene	205-99-2	0.119	TT	0.0191		
Benzo(k)fluoranthene	207-08-9	0.0305	TT	0.00808		
Benzo(e)pyrene	192-97-2	0.0880	TT	0.00719		
Benzo(a)pyrene	50-32-8	0.0404	TT	0.00825		
Perylene	198-55-0	ND	U, TT	0.00397		
Dibenz(a,h)anthracene	53-70-3	ND	U, TT	0.00622		
Indeno(1,2,3-c,d)pyrene	193-39-5	0.0578	TT	0.00810		
Benzo(g,h,i)perylene	191-24-2	0.0841	TT	0.0287		
Coronene	191-07-1	0.0305	TT	0.0123		
Surrogate: Fluorene-d10		0.886	TT		90.4 %	Limit 60-120
Surrogate: Fluoranthene-d10		2.72	TT		91.0 %	Limit 60-120
Surrogate: Pyrene-d10		0.728	TT		72.9 %	Limit 60-120
Surrogate: Benzo(a)pyrene-d12		2.82	TT		93.2 %	Limit 60-120



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK
Temp Rec'd (°C): -0.5

Lab ID: 6040116-07
Sample Volume: 323.7 m³
Container #: 316

Sampled: 03/27/26 23:59
Received: 04/01/26 13:04
Analyzed: 04/18/26 06:23

Comments:

Air Toxics by EPA Compendium Method TO-13

Analyte	CAS Number	Results	Flag	MDL	% Rec.	% Rec Limits
		ng/m ³ Air		ng/m ³ Air		
Naphthalene	91-20-3	8.31	QB-03	1.22		
Acenaphthylene	208-96-8	ND	U	0.00400		
Acenaphthene	83-32-9	0.693		0.129		
Fluorene	86-73-7	0.923		0.0476		
Phenanthrene	85-01-8	1.58	LB, QB-03	0.130		
Anthracene	120-12-7	0.0343	U, LB	0.0375		
Fluoranthene	206-44-0	0.366	LB	0.0521		
Pyrene	129-00-0	0.193		0.0572		
Benzo(a)anthracene	56-55-3	0.0284		0.0139		
Chrysene	218-01-9	0.0494		0.0130		
Benzo(b)fluoranthene	205-99-2	0.0479		0.0197		
Benzo(k)fluoranthene	207-08-9	ND	U	0.00834		
Benzo(e)pyrene	192-97-2	0.0349		0.00741		
Benzo(a)pyrene	50-32-8	0.0315		0.00852		
Perylene	198-55-0	ND	U	0.00410		
Dibenz(a,h)anthracene	53-70-3	ND	U	0.00642		
Indeno(1,2,3-c,d)pyrene	193-39-5	0.0281		0.00836		
Benzo(g,h,i)perylene	191-24-2	0.0405		0.0297		
Coronene	191-07-1	ND	U	0.0127		
Surrogate: Fluorene-d10		0.887			90.5 %	Limit 60-120
Surrogate: Fluoranthene-d10		2.89			93.7 %	Limit 60-120
Surrogate: Pyrene-d10		0.738			73.9 %	Limit 60-120
Surrogate: Benzo(a)pyrene-d12		2.89			92.7 %	Limit 60-120



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK FB
Temp Rec'd (°C): -0.5

Lab ID: 6040116-08
Sample Volume: 323.7 m³
Container #: 9

Sampled: 03/27/26 23:59
Received: 04/01/26 13:04
Analyzed: 04/18/26 07:16

Comments:

Air Toxics by EPA Compendium Method TO-13

Analyte	CAS Number	Results	Flag	MDL	% Rec.	% Rec Limits
		ng/m ³ Air		ng/m ³ Air		
Naphthalene	91-20-3	0.233	U, QB-03	1.22		
Acenaphthylene	208-96-8	ND	U	0.00400		
Acenaphthene	83-32-9	ND	U	0.129		
Fluorene	86-73-7	0.00741	U	0.0476		
Phenanthrene	85-01-8	0.0210	U, LB, QB-03	0.130		
Anthracene	120-12-7	0.00587	U, LB	0.0375		
Fluoranthene	206-44-0	0.00741	U, LB	0.0521		
Pyrene	129-00-0	0.00680	U	0.0572		
Benzo(a)anthracene	56-55-3	ND	U	0.0139		
Chrysene	218-01-9	ND	U	0.0130		
Benzo(b)fluoranthene	205-99-2	ND	U	0.0197		
Benzo(k)fluoranthene	207-08-9	ND	U	0.00834		
Benzo(e)pyrene	192-97-2	ND	U	0.00741		
Benzo(a)pyrene	50-32-8	ND	U	0.00852		
Perylene	198-55-0	ND	U	0.00410		
Dibenz(a,h)anthracene	53-70-3	ND	U	0.00642		
Indeno(1,2,3-c,d)pyrene	193-39-5	ND	U	0.00836		
Benzo(g,h,i)perylene	191-24-2	ND	U	0.0297		
Coronene	191-07-1	ND	U	0.0127		
Surrogate: Fluorene-d10		0.770			78.5 %	Limit 60-120
Surrogate: Fluoranthene-d10		2.62			84.9 %	Limit 60-120
Surrogate: Pyrene-d10		0.702			70.3 %	Limit 60-120
Surrogate: Benzo(a)pyrene-d12		2.65			85.0 %	Limit 60-120



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2604005 - B6C1010

Calibration Blank (2604005-CCB1)

Prepared & Analyzed: 04/02/26

Naphthalene	5.00E-4	ng/ul		ND					
Acenaphthylene	0.00	ng/ul		ND					U
Acenaphthene	0.00	ng/ul		ND					U
Fluorene	3.00E-4	ng/ul		ND					
Phenanthrene	0.00110	ng/ul		ND					
Anthracene	0.00	ng/ul		ND					U
Fluoranthene	8.00E-4	ng/ul		ND					
Pyrene	6.00E-4	ng/ul		ND					
Benzo(a)anthracene	0.00	ng/ul		ND					U
Chrysene	0.00	ng/ul		ND					U
Benzo(b)fluoranthene	0.00	ng/ul		ND					U
Benzo(k)fluoranthene	0.00	ng/ul		ND					U
Benzo(e)pyrene	0.00	ng/ul		ND					U
Benzo(a)pyrene	0.00	ng/ul		ND					U
Perylene	0.00	ng/ul		ND					U
Dibenz(a,h)anthracene	0.00	ng/ul		ND					U
Indeno(1,2,3-c,d)pyrene	0.00	ng/ul		ND					U
Benzo(g,h,i)perylene	0.00	ng/ul		ND					U
Coronene	0.00	ng/ul		ND					U
Surrogate: Fluorene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Fluoranthene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Pyrene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/ul		ND		60-120			U

Calibration Check (2604005-CCV1)

Prepared & Analyzed: 04/02/26

Naphthalene	7.87	ng/ul	7.5065	ND	105	70-130
Acenaphthylene	0.567	ng/ul	0.50200	ND	113	70-130
Acenaphthene	2.65	ng/ul	2.5030	ND	106	70-130
Fluorene	2.65	ng/ul	2.5022	ND	106	70-130
Phenanthrene	4.01	ng/ul	3.7538	ND	107	70-130
Anthracene	0.530	ng/ul	0.50125	ND	106	70-130
Fluoranthene	2.64	ng/ul	2.5015	ND	106	70-130
Pyrene	1.40	ng/ul	1.2520	ND	112	70-130
Benzo(a)anthracene	0.540	ng/ul	0.50200	ND	108	70-130
Chrysene	0.540	ng/ul	0.50200	ND	108	70-130
Benzo(b)fluoranthene	0.542	ng/ul	0.50125	ND	108	70-130
Benzo(k)fluoranthene	0.540	ng/ul	0.50125	ND	108	70-130
Benzo(e)pyrene	0.547	ng/ul	0.50125	ND	109	70-130
Benzo(a)pyrene	0.542	ng/ul	0.50225	ND	108	70-130

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2604005 - B6C1010

Calibration Check (2604005-CCV1) Contin

Prepared & Analyzed: 04/02/26

Perylene	0.540	ng/ul	0.50125	ND	108	70-130
Dibenz(a,h)anthracene	0.547	ng/ul	0.50275	ND	109	70-130
Indeno(1,2,3-c,d)pyrene	0.540	ng/ul	0.50175	ND	108	70-130
Benzo(g,h,i)perylene	0.544	ng/ul	0.50150	ND	109	70-130
Coronene	0.529	ng/ul	0.50175	ND	105	70-130
Surrogate: Fluorene-d10	0.524	ng/ul	0.49000	ND	107	70-130
Surrogate: Fluoranthene-d10	0.538	ng/ul	0.50000	ND	108	70-130
Surrogate: Pyrene-d10	0.561	ng/ul	0.49950	ND	112	70-130
Surrogate: Benzo(a)pyrene-d12	0.555	ng/ul	0.50500	ND	110	70-130

Calibration Check (2604005-CCV2)

Prepared & Analyzed: 04/02/26

Naphthalene	7.86	ng/ul	7.5065	ND	105	70-130
Acenaphthylene	0.537	ng/ul	0.50200	ND	107	70-130
Acenaphthene	2.67	ng/ul	2.5030	ND	106	70-130
Fluorene	2.68	ng/ul	2.5022	ND	107	70-130
Phenanthrene	4.00	ng/ul	3.7538	ND	107	70-130
Anthracene	0.540	ng/ul	0.50125	ND	108	70-130
Fluoranthene	2.71	ng/ul	2.5015	ND	108	70-130
Pyrene	1.32	ng/ul	1.2520	ND	105	70-130
Benzo(a)anthracene	0.546	ng/ul	0.50200	ND	109	70-130
Chrysene	0.539	ng/ul	0.50200	ND	107	70-130
Benzo(b)fluoranthene	0.535	ng/ul	0.50125	ND	107	70-130
Benzo(k)fluoranthene	0.537	ng/ul	0.50125	ND	107	70-130
Benzo(e)pyrene	0.533	ng/ul	0.50125	ND	106	70-130
Benzo(a)pyrene	0.538	ng/ul	0.50225	ND	107	70-130
Perylene	0.535	ng/ul	0.50125	ND	107	70-130
Dibenz(a,h)anthracene	0.537	ng/ul	0.50275	ND	107	70-130
Indeno(1,2,3-c,d)pyrene	0.529	ng/ul	0.50175	ND	105	70-130
Benzo(g,h,i)perylene	0.530	ng/ul	0.50150	ND	106	70-130
Coronene	0.518	ng/ul	0.50175	ND	103	70-130
Surrogate: Fluorene-d10	0.522	ng/ul	0.49000	ND	107	70-130
Surrogate: Fluoranthene-d10	0.551	ng/ul	0.50000	ND	110	70-130
Surrogate: Pyrene-d10	0.529	ng/ul	0.49950	ND	106	70-130
Surrogate: Benzo(a)pyrene-d12	0.554	ng/ul	0.50500	ND	110	70-130

Calibration Check (2604005-CCV3)

Prepared: 04/02/26 Analyzed: 04/03/26

Naphthalene	7.85	ng/ul	7.5065	ND	105	70-130
Acenaphthylene	0.538	ng/ul	0.50200	ND	107	70-130
Acenaphthene	2.67	ng/ul	2.5030	ND	107	70-130
Fluorene	2.68	ng/ul	2.5022	ND	107	70-130

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2604005 - B6C1010

Calibration Check (2604005-CCV3) Contin

Prepared: 04/02/26 Analyzed: 04/03/26

Phenanthrene	4.01	ng/ul	3.7538	ND	107	70-130
Anthracene	0.542	ng/ul	0.50125	ND	108	70-130
Fluoranthene	2.72	ng/ul	2.5015	ND	109	70-130
Pyrene	1.31	ng/ul	1.2520	ND	105	70-130
Benzo(a)anthracene	0.546	ng/ul	0.50200	ND	109	70-130
Chrysene	0.538	ng/ul	0.50200	ND	107	70-130
Benzo(b)fluoranthene	0.536	ng/ul	0.50125	ND	107	70-130
Benzo(k)fluoranthene	0.541	ng/ul	0.50125	ND	108	70-130
Benzo(e)pyrene	0.534	ng/ul	0.50125	ND	107	70-130
Benzo(a)pyrene	0.540	ng/ul	0.50225	ND	108	70-130
Perylene	0.537	ng/ul	0.50125	ND	107	70-130
Dibenz(a,h)anthracene	0.543	ng/ul	0.50275	ND	108	70-130
Indeno(1,2,3-c,d)pyrene	0.532	ng/ul	0.50175	ND	106	70-130
Benzo(g,h,i)perylene	0.531	ng/ul	0.50150	ND	106	70-130
Coronene	0.508	ng/ul	0.50175	ND	101	70-130

Surrogate: Fluorene-d10 0.524 ng/ul 0.49000 ND 107 70-130

Surrogate: Fluoranthene-d10 0.556 ng/ul 0.50000 ND 111 70-130

Surrogate: Pyrene-d10 0.529 ng/ul 0.49950 ND 106 70-130

Surrogate: Benzo(a)pyrene-d12 0.557 ng/ul 0.50500 ND 110 70-130

Batch 2604022 - B6C1807

Calibration Blank (2604022-CCB1)

Prepared & Analyzed: 04/07/26

Naphthalene	0.00180	ng/ul		ND		
Acenaphthylene	0.00	ng/ul		ND		U
Acenaphthene	0.00	ng/ul		ND		U
Fluorene	8.00E-4	ng/ul		ND		
Phenanthrene	0.00190	ng/ul		ND		
Anthracene	0.00	ng/ul		ND		U
Fluoranthene	0.00170	ng/ul		ND		
Pyrene	0.00110	ng/ul		ND		
Benzo(a)anthracene	5.00E-4	ng/ul		ND		
Chrysene	4.00E-4	ng/ul		ND		
Benzo(b)fluoranthene	0.00	ng/ul		ND		U
Benzo(k)fluoranthene	0.00	ng/ul		ND		U
Benzo(e)pyrene	0.00	ng/ul		ND		U
Benzo(a)pyrene	0.00	ng/ul		ND		U
Perylene	0.00	ng/ul		ND		U
Dibenz(a,h)anthracene	0.00	ng/ul		ND		U
Indeno(1,2,3-c,d)pyrene	0.00	ng/ul		ND		U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2604022 - B6C1807

Calibration Blank (2604022-CCB1) Contin

Prepared & Analyzed: 04/07/26

Benzo(g,h,i)perylene	0.00	ng/ul		ND					U
Coronene	0.00	ng/ul		ND					U
Surrogate: Fluorene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Fluoranthene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Pyrene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/ul		ND		60-120			U

Calibration Check (2604022-CCV1)

Prepared & Analyzed: 04/07/26

Naphthalene	7.71	ng/ul	7.5065	ND	103	70-130			
Acenaphthylene	0.533	ng/ul	0.50200	ND	106	70-130			
Acenaphthene	2.61	ng/ul	2.5030	ND	104	70-130			
Fluorene	2.59	ng/ul	2.5022	ND	103	70-130			
Phenanthrene	3.94	ng/ul	3.7538	ND	105	70-130			
Anthracene	0.520	ng/ul	0.50125	ND	104	70-130			
Fluoranthene	2.61	ng/ul	2.5015	ND	104	70-130			
Pyrene	1.41	ng/ul	1.2520	ND	113	70-130			
Benzo(a)anthracene	0.532	ng/ul	0.50200	ND	106	70-130			
Chrysene	0.531	ng/ul	0.50200	ND	106	70-130			
Benzo(b)fluoranthene	0.531	ng/ul	0.50125	ND	106	70-130			
Benzo(k)fluoranthene	0.528	ng/ul	0.50125	ND	105	70-130			
Benzo(e)pyrene	0.540	ng/ul	0.50125	ND	108	70-130			
Benzo(a)pyrene	0.524	ng/ul	0.50225	ND	104	70-130			
Perylene	0.529	ng/ul	0.50125	ND	106	70-130			
Dibenz(a,h)anthracene	0.524	ng/ul	0.50275	ND	104	70-130			
Indeno(1,2,3-c,d)pyrene	0.522	ng/ul	0.50175	ND	104	70-130			
Benzo(g,h,i)perylene	0.532	ng/ul	0.50150	ND	106	70-130			
Coronene	0.521	ng/ul	0.50175	ND	104	70-130			
Surrogate: Fluorene-d10	0.510	ng/ul	0.49000	ND	104	70-130			
Surrogate: Fluoranthene-d10	0.526	ng/ul	0.50000	ND	105	70-130			
Surrogate: Pyrene-d10	0.564	ng/ul	0.49950	ND	113	70-130			
Surrogate: Benzo(a)pyrene-d12	0.538	ng/ul	0.50500	ND	106	70-130			

Calibration Check (2604022-CCV2)

Prepared & Analyzed: 04/07/26

Naphthalene	7.70	ng/ul	7.5065	ND	103	70-130			
Acenaphthylene	0.522	ng/ul	0.50200	ND	104	70-130			
Acenaphthene	2.61	ng/ul	2.5030	ND	104	70-130			
Fluorene	2.59	ng/ul	2.5022	ND	104	70-130			
Phenanthrene	3.93	ng/ul	3.7538	ND	105	70-130			
Anthracene	0.536	ng/ul	0.50125	ND	107	70-130			
Fluoranthene	2.68	ng/ul	2.5015	ND	107	70-130			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2604022 - B6C1807

Calibration Check (2604022-CCV2) Contin

Prepared & Analyzed: 04/07/26

Pyrene	1.31	ng/ul	1.2520	ND	105	70-130
Benzo(a)anthracene	0.534	ng/ul	0.50200	ND	106	70-130
Chrysene	0.527	ng/ul	0.50200	ND	105	70-130
Benzo(b)fluoranthene	0.530	ng/ul	0.50125	ND	106	70-130
Benzo(k)fluoranthene	0.530	ng/ul	0.50125	ND	106	70-130
Benzo(e)pyrene	0.529	ng/ul	0.50125	ND	106	70-130
Benzo(a)pyrene	0.530	ng/ul	0.50225	ND	105	70-130
Perylene	0.527	ng/ul	0.50125	ND	105	70-130
Dibenz(a,h)anthracene	0.530	ng/ul	0.50275	ND	105	70-130
Indeno(1,2,3-c,d)pyrene	0.525	ng/ul	0.50175	ND	105	70-130
Benzo(g,h,i)perylene	0.523	ng/ul	0.50150	ND	104	70-130
Coronene	0.516	ng/ul	0.50175	ND	103	70-130

Surrogate: Fluorene-d10	0.508	ng/ul	0.49000	ND	104	70-130
Surrogate: Fluoranthene-d10	0.546	ng/ul	0.50000	ND	109	70-130
Surrogate: Pyrene-d10	0.528	ng/ul	0.49950	ND	106	70-130
Surrogate: Benzo(a)pyrene-d12	0.545	ng/ul	0.50500	ND	108	70-130

Calibration Check (2604022-CCV3)

Prepared: 04/07/26 Analyzed: 04/08/26

Naphthalene	7.72	ng/ul	7.5065	ND	103	70-130
Acenaphthylene	0.526	ng/ul	0.50200	ND	105	70-130
Acenaphthene	2.62	ng/ul	2.5030	ND	105	70-130
Fluorene	2.62	ng/ul	2.5022	ND	105	70-130
Phenanthrene	3.96	ng/ul	3.7538	ND	106	70-130
Anthracene	0.537	ng/ul	0.50125	ND	107	70-130
Fluoranthene	2.75	ng/ul	2.5015	ND	110	70-130
Pyrene	1.28	ng/ul	1.2520	ND	102	70-130
Benzo(a)anthracene	0.538	ng/ul	0.50200	ND	107	70-130
Chrysene	0.529	ng/ul	0.50200	ND	105	70-130
Benzo(b)fluoranthene	0.527	ng/ul	0.50125	ND	105	70-130
Benzo(k)fluoranthene	0.532	ng/ul	0.50125	ND	106	70-130
Benzo(e)pyrene	0.524	ng/ul	0.50125	ND	105	70-130
Benzo(a)pyrene	0.532	ng/ul	0.50225	ND	106	70-130
Perylene	0.528	ng/ul	0.50125	ND	105	70-130
Dibenz(a,h)anthracene	0.525	ng/ul	0.50275	ND	104	70-130
Indeno(1,2,3-c,d)pyrene	0.518	ng/ul	0.50175	ND	103	70-130
Benzo(g,h,i)perylene	0.517	ng/ul	0.50150	ND	103	70-130
Coronene	0.498	ng/ul	0.50175	ND	99.2	70-130

Surrogate: Fluorene-d10	0.512	ng/ul	0.49000	ND	105	70-130
Surrogate: Fluoranthene-d10	0.557	ng/ul	0.50000	ND	111	70-130

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2604022 - B6C1807

Calibration Check (2604022-CCV3) Contin

Prepared: 04/07/26 Analyzed: 04/08/26

Surrogate: Pyrene-d10	0.514	ng/ul	0.49950	ND	103	70-130			
Surrogate: Benzo(a)pyrene-d12	0.545	ng/ul	0.50500	ND	108	70-130			

Batch 2604028 - B6C2309

Calibration Blank (2604028-CCB1)

Prepared & Analyzed: 04/09/26

Naphthalene	0.00250	ng/ul		ND					
Acenaphthylene	0.00	ng/ul		ND					U
Acenaphthene	0.00	ng/ul		ND					U
Fluorene	0.00	ng/ul		ND					U
Phenanthrene	0.00280	ng/ul		ND					
Anthracene	0.00320	ng/ul		ND					LB
Fluoranthene	0.00170	ng/ul		ND					
Pyrene	0.00	ng/ul		ND					U
Benzo(a)anthracene	0.00	ng/ul		ND					U
Chrysene	0.00	ng/ul		ND					U
Benzo(b)fluoranthene	0.00	ng/ul		ND					U
Benzo(k)fluoranthene	0.00	ng/ul		ND					U
Benzo(e)pyrene	0.00	ng/ul		ND					U
Benzo(a)pyrene	0.00	ng/ul		ND					U
Perylene	0.00	ng/ul		ND					U
Dibenz(a,h)anthracene	0.00	ng/ul		ND					U
Indeno(1,2,3-c,d)pyrene	0.00	ng/ul		ND					U
Benzo(g,h,i)perylene	0.00	ng/ul		ND					U
Coronene	0.00	ng/ul		ND					U
Surrogate: Fluorene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Fluoranthene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Pyrene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/ul		ND		60-120			U

Calibration Check (2604028-CCV1)

Prepared & Analyzed: 04/09/26

Naphthalene	7.90	ng/ul	7.5065	ND	105	70-130			
Acenaphthylene	0.553	ng/ul	0.50200	ND	110	70-130			
Acenaphthene	2.60	ng/ul	2.5030	ND	104	70-130			
Fluorene	2.58	ng/ul	2.5022	ND	103	70-130			
Phenanthrene	4.02	ng/ul	3.7538	ND	107	70-130			
Anthracene	0.514	ng/ul	0.50125	ND	103	70-130			LB
Fluoranthene	2.67	ng/ul	2.5015	ND	107	70-130			
Pyrene	1.51	ng/ul	1.2520	ND	120	70-130			
Benzo(a)anthracene	0.532	ng/ul	0.50200	ND	106	70-130			
Chrysene	0.530	ng/ul	0.50200	ND	106	70-130			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2604028 - B6C2309

Calibration Check (2604028-CCV1) Contin

Prepared & Analyzed: 04/09/26

Benzo(b)fluoranthene	0.520	ng/ul	0.50125	ND	104	70-130			
Benzo(k)fluoranthene	0.517	ng/ul	0.50125	ND	103	70-130			
Benzo(e)pyrene	0.552	ng/ul	0.50125	ND	110	70-130			
Benzo(a)pyrene	0.516	ng/ul	0.50225	ND	103	70-130			
Perylene	0.536	ng/ul	0.50125	ND	107	70-130			
Dibenz(a,h)anthracene	0.531	ng/ul	0.50275	ND	106	70-130			
Indeno(1,2,3-c,d)pyrene	0.531	ng/ul	0.50175	ND	106	70-130			
Benzo(g,h,i)perylene	0.539	ng/ul	0.50150	ND	108	70-130			
Coronene	0.548	ng/ul	0.50175	ND	109	70-130			LB

Surrogate: Fluorene-d10

0.509

ng/ul

0.49000

ND

104

70-130

Surrogate: Fluoranthene-d10

0.540

ng/ul

0.50000

ND

108

70-130

Surrogate: Pyrene-d10

0.604

ng/ul

0.49950

ND

121

70-130

Surrogate: Benzo(a)pyrene-d12

0.527

ng/ul

0.50500

ND

104

70-130

Calibration Check (2604028-CCV2)

Prepared & Analyzed: 04/09/26

Naphthalene	7.97	ng/ul	7.5065	ND	106	70-130			
Acenaphthylene	0.528	ng/ul	0.50200	ND	105	70-130			
Acenaphthene	2.64	ng/ul	2.5030	ND	106	70-130			
Fluorene	2.69	ng/ul	2.5022	ND	108	70-130			
Phenanthrene	4.06	ng/ul	3.7538	ND	108	70-130			
Anthracene	0.528	ng/ul	0.50125	ND	105	70-130			LB
Fluoranthene	2.76	ng/ul	2.5015	ND	110	70-130			
Pyrene	1.36	ng/ul	1.2520	ND	109	70-130			
Benzo(a)anthracene	0.547	ng/ul	0.50200	ND	109	70-130			
Chrysene	0.536	ng/ul	0.50200	ND	107	70-130			
Benzo(b)fluoranthene	0.533	ng/ul	0.50125	ND	106	70-130			
Benzo(k)fluoranthene	0.539	ng/ul	0.50125	ND	108	70-130			
Benzo(e)pyrene	0.543	ng/ul	0.50125	ND	108	70-130			
Benzo(a)pyrene	0.534	ng/ul	0.50225	ND	106	70-130			
Perylene	0.541	ng/ul	0.50125	ND	108	70-130			
Dibenz(a,h)anthracene	0.547	ng/ul	0.50275	ND	109	70-130			
Indeno(1,2,3-c,d)pyrene	0.548	ng/ul	0.50175	ND	109	70-130			
Benzo(g,h,i)perylene	0.555	ng/ul	0.50150	ND	111	70-130			
Coronene	0.542	ng/ul	0.50175	ND	108	70-130			LB

Surrogate: Fluorene-d10

0.525

ng/ul

0.49000

ND

107

70-130

Surrogate: Fluoranthene-d10

0.546

ng/ul

0.50000

ND

109

70-130

Surrogate: Pyrene-d10

0.548

ng/ul

0.49950

ND

110

70-130

Surrogate: Benzo(a)pyrene-d12

0.543

ng/ul

0.50500

ND

108

70-130

Calibration Check (2604028-CCV3)

Prepared: 04/09/26 Analyzed: 04/10/26

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2604028 - B6C2309

Calibration Check (2604028-CCV3) Contin

Prepared: 04/09/26 Analyzed: 04/10/26

Naphthalene	7.94	ng/ul	7.5065	ND	106	70-130			
Acenaphthylene	0.532	ng/ul	0.50200	ND	106	70-130			
Acenaphthene	2.65	ng/ul	2.5030	ND	106	70-130			
Fluorene	2.71	ng/ul	2.5022	ND	108	70-130			
Phenanthrene	4.01	ng/ul	3.7538	ND	107	70-130			
Anthracene	0.529	ng/ul	0.50125	ND	105	70-130			LB
Fluoranthene	2.74	ng/ul	2.5015	ND	110	70-130			
Pyrene	1.30	ng/ul	1.2520	ND	104	70-130			
Benzo(a)anthracene	0.543	ng/ul	0.50200	ND	108	70-130			
Chrysene	0.532	ng/ul	0.50200	ND	106	70-130			
Benzo(b)fluoranthene	0.528	ng/ul	0.50125	ND	105	70-130			
Benzo(k)fluoranthene	0.535	ng/ul	0.50125	ND	107	70-130			
Benzo(e)pyrene	0.532	ng/ul	0.50125	ND	106	70-130			
Benzo(a)pyrene	0.533	ng/ul	0.50225	ND	106	70-130			
Perylene	0.532	ng/ul	0.50125	ND	106	70-130			
Dibenz(a,h)anthracene	0.548	ng/ul	0.50275	ND	109	70-130			
Indeno(1,2,3-c,d)pyrene	0.550	ng/ul	0.50175	ND	110	70-130			
Benzo(g,h,i)perylene	0.552	ng/ul	0.50150	ND	110	70-130			
Coronene	0.539	ng/ul	0.50175	ND	107	70-130			LB
Surrogate: Fluorene-d10	0.542	ng/ul	0.49000	ND	111	70-130			
Surrogate: Fluoranthene-d10	0.563	ng/ul	0.50000	ND	113	70-130			
Surrogate: Pyrene-d10	0.531	ng/ul	0.49950	ND	106	70-130			
Surrogate: Benzo(a)pyrene-d12	0.549	ng/ul	0.50500	ND	109	70-130			

Batch 2604055 - B6D0104

Calibration Blank (2604055-CCB1)

Prepared: 04/17/26 Analyzed: 04/18/26

Naphthalene	0.00	ng/ul		ND					U
Acenaphthylene	0.00	ng/ul		ND					U
Acenaphthene	0.00	ng/ul		ND					U
Fluorene	0.00	ng/ul		ND					U
Phenanthrene	0.00180	ng/ul		ND					
Anthracene	0.00220	ng/ul		ND					LB
Fluoranthene	8.00E-4	ng/ul		ND					
Pyrene	6.00E-4	ng/ul		ND					
Benzo(a)anthracene	0.00	ng/ul		ND					U
Chrysene	0.00	ng/ul		ND					U
Benzo(b)fluoranthene	0.00	ng/ul		ND					U
Benzo(k)fluoranthene	0.00	ng/ul		ND					U
Benzo(e)pyrene	0.00	ng/ul		ND					U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2604055 - B6D0104

Calibration Blank (2604055-CCB1) Contin

Prepared: 04/17/26 Analyzed: 04/18/26

Benzo(a)pyrene	0.00	ng/ul		ND					U
Perylene	0.00	ng/ul		ND					U
Dibenz(a,h)anthracene	0.00	ng/ul		ND					U
Indeno(1,2,3-c,d)pyrene	0.00	ng/ul		ND					U
Benzo(g,h,i)perylene	0.00	ng/ul		ND					U
Coronene	0.00	ng/ul		ND					U
Surrogate: Fluorene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Fluoranthene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Pyrene-d10	0.00	ng/ul		ND		60-120			U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/ul		ND		60-120			U

Calibration Check (2604055-CCV1)

Prepared & Analyzed: 04/17/26

Naphthalene	7.48	ng/ul	7.5065	ND	99.6	70-130			
Acenaphthylene	0.526	ng/ul	0.50200	ND	105	70-130			
Acenaphthene	2.48	ng/ul	2.5030	ND	99.2	70-130			
Fluorene	2.53	ng/ul	2.5022	ND	101	70-130			
Phenanthrene	3.75	ng/ul	3.7538	ND	99.8	70-130			
Anthracene	0.490	ng/ul	0.50125	ND	97.7	70-130			LB
Fluoranthene	2.54	ng/ul	2.5015	ND	102	70-130			
Pyrene	1.21	ng/ul	1.2520	ND	96.9	70-130			
Benzo(a)anthracene	0.507	ng/ul	0.50200	ND	101	70-130			
Chrysene	0.501	ng/ul	0.50200	ND	99.8	70-130			
Benzo(b)fluoranthene	0.521	ng/ul	0.50125	ND	104	70-130			
Benzo(k)fluoranthene	0.515	ng/ul	0.50125	ND	103	70-130			
Benzo(e)pyrene	0.505	ng/ul	0.50125	ND	101	70-130			
Benzo(a)pyrene	0.501	ng/ul	0.50225	ND	99.8	70-130			
Perylene	0.502	ng/ul	0.50125	ND	100	70-130			
Dibenz(a,h)anthracene	0.480	ng/ul	0.50275	ND	95.4	70-130			
Indeno(1,2,3-c,d)pyrene	0.489	ng/ul	0.50175	ND	97.5	70-130			
Benzo(g,h,i)perylene	0.498	ng/ul	0.50150	ND	99.2	70-130			
Coronene	0.479	ng/ul	0.50175	ND	95.4	70-130			
Surrogate: Fluorene-d10	0.500	ng/ul	0.49000	ND	102	70-130			
Surrogate: Fluoranthene-d10	0.508	ng/ul	0.50000	ND	102	70-130			
Surrogate: Pyrene-d10	0.483	ng/ul	0.49950	ND	96.7	70-130			
Surrogate: Benzo(a)pyrene-d12	0.507	ng/ul	0.50500	ND	100	70-130			

Calibration Check (2604055-CCV2)

Prepared: 04/17/26 Analyzed: 04/18/26

Naphthalene	7.54	ng/ul	7.5065	ND	100	70-130			
Acenaphthylene	0.528	ng/ul	0.50200	ND	105	70-130			
Acenaphthene	2.51	ng/ul	2.5030	ND	100	70-130			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2604055 - B6D0104

Calibration Check (2604055-CCV2) Contin

Prepared: 04/17/26 Analyzed: 04/18/26

Fluorene	2.60	ng/ul	2.5022	ND	104	70-130			
Phenanthrene	3.79	ng/ul	3.7538	ND	101	70-130			
Anthracene	0.504	ng/ul	0.50125	ND	101	70-130			LB
Fluoranthene	2.57	ng/ul	2.5015	ND	103	70-130			
Pyrene	1.15	ng/ul	1.2520	ND	91.5	70-130			
Benzo(a)anthracene	0.517	ng/ul	0.50200	ND	103	70-130			
Chrysene	0.510	ng/ul	0.50200	ND	102	70-130			
Benzo(b)fluoranthene	0.525	ng/ul	0.50125	ND	105	70-130			
Benzo(k)fluoranthene	0.530	ng/ul	0.50125	ND	106	70-130			
Benzo(e)pyrene	0.495	ng/ul	0.50125	ND	98.8	70-130			
Benzo(a)pyrene	0.513	ng/ul	0.50225	ND	102	70-130			
Perylene	0.506	ng/ul	0.50125	ND	101	70-130			
Dibenz(a,h)anthracene	0.478	ng/ul	0.50275	ND	95.1	70-130			
Indeno(1,2,3-c,d)pyrene	0.490	ng/ul	0.50175	ND	97.7	70-130			
Benzo(g,h,i)perylene	0.506	ng/ul	0.50150	ND	101	70-130			
Coronene	0.470	ng/ul	0.50175	ND	93.7	70-130			
Surrogate: Fluorene-d10	0.515	ng/ul	0.49000	ND	105	70-130			
Surrogate: Fluoranthene-d10	0.513	ng/ul	0.50000	ND	103	70-130			
Surrogate: Pyrene-d10	0.452	ng/ul	0.49950	ND	90.6	70-130			
Surrogate: Benzo(a)pyrene-d12	0.517	ng/ul	0.50500	ND	102	70-130			

Calibration Check (2604055-CCV3)

Prepared: 04/17/26 Analyzed: 04/18/26

Naphthalene	7.50	ng/ul	7.5065	ND	99.9	70-130			
Acenaphthylene	0.534	ng/ul	0.50200	ND	106	70-130			
Acenaphthene	2.54	ng/ul	2.5030	ND	101	70-130			
Fluorene	2.64	ng/ul	2.5022	ND	105	70-130			
Phenanthrene	3.74	ng/ul	3.7538	ND	99.6	70-130			
Anthracene	0.507	ng/ul	0.50125	ND	101	70-130			LB
Fluoranthene	2.56	ng/ul	2.5015	ND	102	70-130			
Pyrene	1.13	ng/ul	1.2520	ND	90.5	70-130			
Benzo(a)anthracene	0.519	ng/ul	0.50200	ND	103	70-130			
Chrysene	0.511	ng/ul	0.50200	ND	102	70-130			
Benzo(b)fluoranthene	0.527	ng/ul	0.50125	ND	105	70-130			
Benzo(k)fluoranthene	0.534	ng/ul	0.50125	ND	107	70-130			
Benzo(e)pyrene	0.490	ng/ul	0.50125	ND	97.8	70-130			
Benzo(a)pyrene	0.515	ng/ul	0.50225	ND	103	70-130			
Perylene	0.507	ng/ul	0.50125	ND	101	70-130			
Dibenz(a,h)anthracene	0.490	ng/ul	0.50275	ND	97.5	70-130			
Indeno(1,2,3-c,d)pyrene	0.501	ng/ul	0.50175	ND	99.8	70-130			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch 2604055 - B6D0104

Calibration Check (2604055-CCV3) Contin

Prepared: 04/17/26 Analyzed: 04/18/26

Benzo(g,h,i)perylene	0.507	ng/ul	0.50150	ND	101	70-130
Coronene	0.478	ng/ul	0.50175	ND	95.2	70-130
Surrogate: Fluorene-d10	0.514	ng/ul	0.49000	ND	105	70-130
Surrogate: Fluoranthene-d10	0.515	ng/ul	0.50000	ND	103	70-130
Surrogate: Pyrene-d10	0.448	ng/ul	0.49950	ND	89.8	70-130
Surrogate: Benzo(a)pyrene-d12	0.518	ng/ul	0.50500	ND	102	70-130

Batch B6C1010 - TO-13 extraction

Blank (B6C1010-BLK1)

Prepared: 03/10/26 Analyzed: 04/02/26

Naphthalene	ND	ng/m³ Air					U
Acenaphthylene	ND	ng/m³ Air					U
Acenaphthene	ND	ng/m³ Air					U
Fluorene	ND	ng/m³ Air					U
Phenanthrene	ND	ng/m³ Air					U
Anthracene	ND	ng/m³ Air					U
Fluoranthene	ND	ng/m³ Air					U
Pyrene	ND	ng/m³ Air					LB, U
Benzo(a)anthracene	ND	ng/m³ Air					U
Chrysene	ND	ng/m³ Air					U
Benzo(b)fluoranthene	ND	ng/m³ Air					U
Benzo(k)fluoranthene	ND	ng/m³ Air					U
Benzo(e)pyrene	ND	ng/m³ Air					U
Benzo(a)pyrene	ND	ng/m³ Air					U
Perylene	ND	ng/m³ Air					U
Dibenz(a,h)anthracene	ND	ng/m³ Air					U
Indeno(1,2,3-c,d)pyrene	ND	ng/m³ Air					U
Benzo(g,h,i)perylene	ND	ng/m³ Air					U
Coronene	ND	ng/m³ Air					U
Surrogate: Fluorene-d10	0.848	ng/ul	0.98000	86.6	60-120		
Surrogate: Fluoranthene-d10	3.07	ng/m³ Air	3.3333	92.1	60-120		
Surrogate: Pyrene-d10	0.899	ng/ul	0.99900	90.0	60-120		
Surrogate: Benzo(a)pyrene-d12	3.16	ng/m³ Air	3.3667	93.8	60-120		

LCS (B6C1010-BS1)

Prepared: 03/10/26 Analyzed: 04/02/26

Naphthalene	20.2	ng/m ³ Air	25.000	ND	80.8	60-120
Acenaphthylene	1.39	ng/m ³ Air	1.6667	ND	83.4	60-120
Acenaphthene	6.97	ng/m ³ Air	8.3333	ND	83.7	60-120
Fluorene	6.98	ng/m ³ Air	8.3333	ND	83.7	60-120
Phenanthrene	10.8	ng/m ³ Air	12.600	ND	85.6	60-120
Anthracene	1.26	ng/m ³ Air	1.6633	ND	75.8	60-120

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6C1010 - TO-13 extraction

LCS (B6C1010-BS1) Continued

Prepared: 03/10/26 Analyzed: 04/02/26

Fluoranthene	6.98	ng/m ³ Air	8.4333	ND	82.8	60-120			
Pyrene	3.55	ng/m ³ Air	4.1333	ND	85.8	60-120			LB
Benzo(a)anthracene	1.50	ng/m ³ Air	1.6667	ND	90.2	60-120			
Chrysene	1.42	ng/m ³ Air	1.6667	ND	85.4	60-120			
Benzo(b)fluoranthene	1.47	ng/m ³ Air	1.6667	ND	88.2	60-120			
Benzo(k)fluoranthene	1.42	ng/m ³ Air	1.6433	ND	86.6	60-120			
Benzo(e)pyrene	1.42	ng/m ³ Air	1.6467	ND	86.4	60-120			
Benzo(a)pyrene	1.37	ng/m ³ Air	1.6667	ND	82.0	60-120			
Perylene	1.41	ng/m ³ Air	1.6633	ND	84.8	60-120			
Dibenz(a,h)anthracene	1.40	ng/m ³ Air	1.6667	ND	84.1	60-120			
Indeno(1,2,3-c,d)pyrene	1.43	ng/m ³ Air	1.6667	ND	85.7	60-120			
Benzo(g,h,i)perylene	1.38	ng/m ³ Air	1.6667	ND	82.9	60-120			
Coronene	0.290	ng/m ³ Air	0.33333	ND	87.0	60-120			
Surrogate: Fluorene-d10	0.834	ng/ul	0.98000	ND	85.1	60-120			
Surrogate: Fluoranthene-d10	2.94	ng/m ³ Air	3.3333	ND	88.2	60-120			
Surrogate: Pyrene-d10	0.886	ng/ul	0.99900	ND	88.7	60-120			
Surrogate: Benzo(a)pyrene-d12	3.04	ng/m ³ Air	3.3667	ND	90.2	60-120			

Calibration Blank (B6C1010-CCB1)

Prepared: 03/10/26 Analyzed: 04/02/26

Naphthalene	0.00	ng/m ³ Air		ND					U
Acenaphthylene	0.00	ng/m ³ Air		ND					U
Acenaphthene	0.00	ng/m ³ Air		ND					U
Fluorene	0.00	ng/m ³ Air		ND					U
Phenanthrene	0.00	ng/m ³ Air		ND					U
Anthracene	0.00	ng/m ³ Air		ND					U
Fluoranthene	0.00	ng/m ³ Air		ND					U
Pyrene	4.00E-4	ng/m ³ Air		ND					LB
Benzo(a)anthracene	0.00	ng/m ³ Air		ND					U
Chrysene	0.00	ng/m ³ Air		ND					U
Benzo(b)fluoranthene	0.00	ng/m ³ Air		ND					U
Benzo(k)fluoranthene	0.00	ng/m ³ Air		ND					U
Benzo(e)pyrene	0.00	ng/m ³ Air		ND					U
Benzo(a)pyrene	0.00	ng/m ³ Air		ND					U
Perylene	0.00	ng/m ³ Air		ND					U
Dibenz(a,h)anthracene	0.00	ng/m ³ Air		ND					U
Indeno(1,2,3-c,d)pyrene	0.00	ng/m ³ Air		ND					U
Benzo(g,h,i)perylene	0.00	ng/m ³ Air		ND					U
Coronene	0.00	ng/m ³ Air		ND					U
Surrogate: Fluorene-d10	0.00	ng/m ³ Air		ND		60-120			U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6C1010 - TO-13 extraction

Calibration Blank (B6C1010-CCB1) Contin

Prepared: 03/10/26 Analyzed: 04/02/26

Surrogate: Fluoranthene-d10	0.00	ng/m ³ Air		ND		60-120			U
Surrogate: Pyrene-d10	0.00	ng/m ³ Air		ND		60-120			U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/m ³ Air		ND		60-120			U

Batch B6C1105 - TO-13 extraction

Blank (B6C1105-BLK1)

Prepared: 03/11/26 Analyzed: 03/25/26

Naphthalene	ND	ng/m ³ Air							U
Acenaphthylene	ND	ng/m ³ Air							U
Acenaphthene	ND	ng/m ³ Air							U
Fluorene	ND	ng/m ³ Air							U
Phenanthrene	ND	ng/m ³ Air							LB, U
Anthracene	ND	ng/m ³ Air							LB, U
Fluoranthene	ND	ng/m ³ Air							LB, U
Pyrene	ND	ng/m ³ Air							LB, U
Benzo(a)anthracene	ND	ng/m ³ Air							U
Chrysene	ND	ng/m ³ Air							U
Benzo(b)fluoranthene	ND	ng/m ³ Air							U
Benzo(k)fluoranthene	ND	ng/m ³ Air							U
Benzo(e)pyrene	ND	ng/m ³ Air							U
Benzo(a)pyrene	ND	ng/m ³ Air							U
Perylene	ND	ng/m ³ Air							U
Dibenz(a,h)anthracene	ND	ng/m ³ Air							U
Indeno(1,2,3-c,d)pyrene	ND	ng/m ³ Air							U
Benzo(g,h,i)perylene	ND	ng/m ³ Air							U
Coronene	ND	ng/m ³ Air							U

Surrogate: Fluorene-d10	0.822	ng/ul	0.98000		83.9	60-120			
Surrogate: Fluoranthene-d10	3.04	ng/m ³ Air	3.3333		91.2	60-120			
Surrogate: Pyrene-d10	0.877	ng/ul	0.99900		87.8	60-120			
Surrogate: Benzo(a)pyrene-d12	2.94	ng/m ³ Air	3.3667		87.2	60-120			

LCS (B6C1105-BS1)

Prepared: 03/11/26 Analyzed: 03/25/26

Naphthalene	21.1	ng/m ³ Air	25.000	ND	84.5	60-120			
Acenaphthylene	1.31	ng/m ³ Air	1.6667	ND	78.5	60-120			
Acenaphthene	7.27	ng/m ³ Air	8.3333	ND	87.2	60-120			
Fluorene	7.40	ng/m ³ Air	8.3333	ND	88.8	60-120			
Phenanthrene	11.1	ng/m ³ Air	12.600	ND	88.0	60-120			LB
Anthracene	1.31	ng/m ³ Air	1.6633	ND	79.0	60-120			LB
Fluoranthene	7.49	ng/m ³ Air	8.4333	ND	88.9	60-120			LB
Pyrene	3.60	ng/m ³ Air	4.1333	ND	87.0	60-120			LB
Benzo(a)anthracene	1.54	ng/m ³ Air	1.6667	ND	92.1	60-120			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6C1105 - TO-13 extraction

LCS (B6C1105-BS1) Continued

Prepared: 03/11/26 Analyzed: 03/25/26

Chrysene	1.45	ng/m ³ Air	1.6667	ND	87.2	60-120
Benzo(b)fluoranthene	1.51	ng/m ³ Air	1.6667	ND	90.3	60-120
Benzo(k)fluoranthene	1.47	ng/m ³ Air	1.6433	ND	89.2	60-120
Benzo(e)pyrene	1.46	ng/m ³ Air	1.6467	ND	88.6	60-120
Benzo(a)pyrene	1.39	ng/m ³ Air	1.6667	ND	83.6	60-120
Perylene	1.44	ng/m ³ Air	1.6633	ND	86.8	60-120
Dibenz(a,h)anthracene	1.39	ng/m ³ Air	1.6667	ND	83.6	60-120
Indeno(1,2,3-c,d)pyrene	1.45	ng/m ³ Air	1.6667	ND	87.0	60-120
Benzo(g,h,i)perylene	1.38	ng/m ³ Air	1.6667	ND	83.1	60-120
Coronene	0.270	ng/m ³ Air	0.33333	ND	81.1	60-120

Surrogate: Fluorene-d10	0.892	ng/ul	0.98000	ND	91.1	60-120
Surrogate: Fluoranthene-d10	3.10	ng/m ³ Air	3.3333	ND	93.0	60-120
Surrogate: Pyrene-d10	0.877	ng/ul	0.99900	ND	87.8	60-120
Surrogate: Benzo(a)pyrene-d12	3.05	ng/m ³ Air	3.3667	ND	90.6	60-120

Calibration Blank (B6C1105-CCB1)

Prepared: 03/11/26 Analyzed: 03/25/26

Naphthalene	0.00	ng/m ³ Air		ND		U
Acenaphthylene	0.00	ng/m ³ Air		ND		U
Acenaphthene	0.00	ng/m ³ Air		ND		U
Fluorene	0.00	ng/m ³ Air		ND		U
Phenanthrene	0.00150	ng/m ³ Air		ND		LB
Anthracene	0.00190	ng/m ³ Air		ND		LB
Fluoranthene	0.00240	ng/m ³ Air		ND		LB
Pyrene	0.00500	ng/m ³ Air		ND		LB
Benzo(a)anthracene	0.00	ng/m ³ Air		ND		U
Chrysene	0.00	ng/m ³ Air		ND		U
Benzo(b)fluoranthene	0.00	ng/m ³ Air		ND		U
Benzo(k)fluoranthene	0.00	ng/m ³ Air		ND		U
Benzo(e)pyrene	0.00	ng/m ³ Air		ND		U
Benzo(a)pyrene	0.00	ng/m ³ Air		ND		U
Perylene	0.00	ng/m ³ Air		ND		U
Dibenz(a,h)anthracene	0.00	ng/m ³ Air		ND		U
Indeno(1,2,3-c,d)pyrene	0.00	ng/m ³ Air		ND		U
Benzo(g,h,i)perylene	0.00	ng/m ³ Air		ND		U
Coronene	0.00	ng/m ³ Air		ND		U
Surrogate: Fluorene-d10	0.00	ng/m ³ Air		ND	60-120	U
Surrogate: Fluoranthene-d10	0.00	ng/m ³ Air		ND	60-120	U
Surrogate: Pyrene-d10	0.00	ng/m ³ Air		ND	60-120	U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/m ³ Air		ND	60-120	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6C1807 - TO-13 extraction

Blank (B6C1807-BLK1)

Prepared: 03/18/26 Analyzed: 04/07/26

Naphthalene	ND	ng/m ³ Air							U
Acenaphthylene	ND	ng/m ³ Air							U
Acenaphthene	ND	ng/m ³ Air							U
Fluorene	ND	ng/m ³ Air							U
Phenanthrene	ND	ng/m ³ Air							LB, U
Anthracene	ND	ng/m ³ Air							U
Fluoranthene	ND	ng/m ³ Air							U
Pyrene	ND	ng/m ³ Air							U
Benzo(a)anthracene	ND	ng/m ³ Air							U
Chrysene	ND	ng/m ³ Air							U
Benzo(b)fluoranthene	ND	ng/m ³ Air							U
Benzo(k)fluoranthene	ND	ng/m ³ Air							U
Benzo(e)pyrene	ND	ng/m ³ Air							U
Benzo(a)pyrene	ND	ng/m ³ Air							U
Perylene	ND	ng/m ³ Air							U
Dibenz(a,h)anthracene	ND	ng/m ³ Air							U
Indeno(1,2,3-c,d)pyrene	ND	ng/m ³ Air							U
Benzo(g,h,i)perylene	ND	ng/m ³ Air							U
Coronene	ND	ng/m ³ Air							U

Surrogate: Fluorene-d10	0.858	ng/ul	0.98000		87.5	60-120
Surrogate: Fluoranthene-d10	3.04	ng/m ³ Air	3.3333		91.2	60-120
Surrogate: Pyrene-d10	0.874	ng/ul	0.99900		87.5	60-120
Surrogate: Benzo(a)pyrene-d12	3.05	ng/m ³ Air	3.3667		90.5	60-120

LCS (B6C1807-BS1)

Prepared: 03/18/26 Analyzed: 04/07/26

Naphthalene	20.7	ng/m ³ Air	25.000	ND	82.6	60-120	
Acenaphthylene	1.38	ng/m ³ Air	1.6667	ND	82.5	60-120	
Acenaphthene	7.08	ng/m ³ Air	8.3333	ND	84.9	60-120	
Fluorene	7.11	ng/m ³ Air	8.3333	ND	85.3	60-120	
Phenanthrene	11.1	ng/m ³ Air	12.600	ND	87.8	60-120	LB
Anthracene	1.29	ng/m ³ Air	1.6633	ND	77.4	60-120	
Fluoranthene	7.24	ng/m ³ Air	8.4333	ND	85.8	60-120	
Pyrene	3.93	ng/m ³ Air	4.1333	ND	95.1	60-120	
Benzo(a)anthracene	1.52	ng/m ³ Air	1.6667	ND	91.5	60-120	
Chrysene	1.45	ng/m ³ Air	1.6667	ND	87.0	60-120	
Benzo(b)fluoranthene	1.49	ng/m ³ Air	1.6667	ND	89.5	60-120	
Benzo(k)fluoranthene	1.42	ng/m ³ Air	1.6433	ND	86.2	60-120	
Benzo(e)pyrene	1.47	ng/m ³ Air	1.6467	ND	89.5	60-120	
Benzo(a)pyrene	1.36	ng/m ³ Air	1.6667	ND	81.8	60-120	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6C1807 - TO-13 extraction

LCS (B6C1807-BS1) Continued

Prepared: 03/18/26 Analyzed: 04/07/26

Perylene	1.43	ng/m ³ Air	1.6633	ND	86.1	60-120
Dibenz(a,h)anthracene	1.35	ng/m ³ Air	1.6667	ND	81.1	60-120
Indeno(1,2,3-c,d)pyrene	1.40	ng/m ³ Air	1.6667	ND	83.9	60-120
Benzo(g,h,i)perylene	1.39	ng/m ³ Air	1.6667	ND	83.3	60-120
Coronene	0.296	ng/m ³ Air	0.33333	ND	88.8	60-120

Surrogate: Fluorene-d10	0.788	ng/ul	0.98000	ND	80.4	60-120
Surrogate: Fluoranthene-d10	2.92	ng/m ³ Air	3.3333	ND	87.5	60-120
Surrogate: Pyrene-d10	0.900	ng/ul	0.99900	ND	90.1	60-120
Surrogate: Benzo(a)pyrene-d12	2.89	ng/m ³ Air	3.3667	ND	85.8	60-120

Calibration Blank (B6C1807-CCB1)

Prepared: 03/18/26 Analyzed: 04/07/26

Naphthalene	0.00	ng/m ³ Air		ND			U
Acenaphthylene	0.00	ng/m ³ Air		ND			U
Acenaphthene	0.00	ng/m ³ Air		ND			U
Fluorene	0.00	ng/m ³ Air		ND			U
Phenanthrene	5.00E-4	ng/m ³ Air		ND			LB
Anthracene	0.00	ng/m ³ Air		ND			U
Fluoranthene	0.00	ng/m ³ Air		ND			U
Pyrene	0.00	ng/m ³ Air		ND			U
Benzo(a)anthracene	0.00	ng/m ³ Air		ND			U
Chrysene	0.00	ng/m ³ Air		ND			U
Benzo(b)fluoranthene	0.00	ng/m ³ Air		ND			U
Benzo(k)fluoranthene	0.00	ng/m ³ Air		ND			U
Benzo(e)pyrene	0.00	ng/m ³ Air		ND			U
Benzo(a)pyrene	0.00	ng/m ³ Air		ND			U
Perylene	0.00	ng/m ³ Air		ND			U
Dibenz(a,h)anthracene	0.00	ng/m ³ Air		ND			U
Indeno(1,2,3-c,d)pyrene	0.00	ng/m ³ Air		ND			U
Benzo(g,h,i)perylene	0.00	ng/m ³ Air		ND			U
Coronene	0.00	ng/m ³ Air		ND			U
Surrogate: Fluorene-d10	0.00	ng/m ³ Air		ND		60-120	U
Surrogate: Fluoranthene-d10	0.00	ng/m ³ Air		ND		60-120	U
Surrogate: Pyrene-d10	0.00	ng/m ³ Air		ND		60-120	U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/m ³ Air		ND		60-120	U

Batch B6C2309 - TO-13 extraction

Blank (B6C2309-BLK1)

Prepared: 03/23/26 Analyzed: 04/09/26

Naphthalene	ND	ng/m ³ Air					U
Acenaphthylene	ND	ng/m ³ Air					U
Acenaphthene	ND	ng/m ³ Air					U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6C2309 - TO-13 extraction

Blank (B6C2309-BLK1) Continued

Prepared: 03/23/26 Analyzed: 04/09/26

Fluorene	ND	ng/m ³ Air							U
Phenanthrene	ND	ng/m ³ Air							LB, U
Anthracene	ND	ng/m ³ Air							LB, U
Fluoranthene	ND	ng/m ³ Air							U
Pyrene	ND	ng/m ³ Air							U
Benzo(a)anthracene	ND	ng/m ³ Air							U
Chrysene	ND	ng/m ³ Air							U
Benzo(b)fluoranthene	ND	ng/m ³ Air							U
Benzo(k)fluoranthene	ND	ng/m ³ Air							U
Benzo(e)pyrene	ND	ng/m ³ Air							U
Benzo(a)pyrene	ND	ng/m ³ Air							U
Perylene	ND	ng/m ³ Air							U
Dibenz(a,h)anthracene	ND	ng/m ³ Air							U
Indeno(1,2,3-c,d)pyrene	ND	ng/m ³ Air							U
Benzo(g,h,i)perylene	ND	ng/m ³ Air							U
Coronene	ND	ng/m ³ Air							U

Surrogate: Fluorene-d10 0.746 ng/ul 0.98000 76.1 60-120

Surrogate: Fluoranthene-d10 2.86 ng/m³ Air 3.3333 85.7 60-120

Surrogate: Pyrene-d10 0.898 ng/ul 0.99900 89.9 60-120

Surrogate: Benzo(a)pyrene-d12 2.84 ng/m³ Air 3.3667 84.5 60-120

LCS (B6C2309-BS1)

Prepared: 03/23/26 Analyzed: 04/09/26

Naphthalene	21.0	ng/m ³ Air	25.000	ND	84.0	60-120	
Acenaphthylene	1.34	ng/m ³ Air	1.6667	ND	80.6	60-120	
Acenaphthene	7.25	ng/m ³ Air	8.3333	ND	87.0	60-120	
Fluorene	7.27	ng/m ³ Air	8.3333	ND	87.3	60-120	
Phenanthrene	11.1	ng/m ³ Air	12.600	ND	88.4	60-120	LB
Anthracene	1.32	ng/m ³ Air	1.6633	ND	79.2	60-120	LB
Fluoranthene	7.33	ng/m ³ Air	8.4333	ND	86.9	60-120	
Pyrene	3.82	ng/m ³ Air	4.1333	ND	92.4	60-120	LB
Benzo(a)anthracene	1.54	ng/m ³ Air	1.6667	ND	92.5	60-120	
Chrysene	1.47	ng/m ³ Air	1.6667	ND	88.0	60-120	
Benzo(b)fluoranthene	1.46	ng/m ³ Air	1.6667	ND	87.8	60-120	
Benzo(k)fluoranthene	1.43	ng/m ³ Air	1.6433	ND	86.8	60-120	
Benzo(e)pyrene	1.48	ng/m ³ Air	1.6467	ND	90.0	60-120	
Benzo(a)pyrene	1.38	ng/m ³ Air	1.6667	ND	82.7	60-120	
Perylene	1.45	ng/m ³ Air	1.6633	ND	87.0	60-120	
Dibenz(a,h)anthracene	1.47	ng/m ³ Air	1.6667	ND	88.0	60-120	
Indeno(1,2,3-c,d)pyrene	1.51	ng/m ³ Air	1.6667	ND	90.4	60-120	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6C2309 - TO-13 extraction

LCS (B6C2309-BS1) Continued

Prepared: 03/23/26 Analyzed: 04/09/26

Benzo(g,h,i)perylene	1.45	ng/m ³ Air	1.6667	ND	87.3	60-120			
Coronene	0.298	ng/m ³ Air	0.33333	ND	89.3	60-120			LB
Surrogate: Fluorene-d10	0.849	ng/ul	0.98000	ND	86.7	60-120			
Surrogate: Fluoranthene-d10	2.84	ng/m ³ Air	3.3333	ND	85.2	60-120			
Surrogate: Pyrene-d10	0.889	ng/ul	0.99900	ND	89.0	60-120			
Surrogate: Benzo(a)pyrene-d12	2.86	ng/m ³ Air	3.3667	ND	84.9	60-120			

Calibration Blank (B6C2309-CCB1)

Prepared: 03/23/26 Analyzed: 04/09/26

Naphthalene	0.00	ng/m ³ Air		ND					U
Acenaphthylene	0.00	ng/m ³ Air		ND					U
Acenaphthene	0.00	ng/m ³ Air		ND					U
Fluorene	0.00	ng/m ³ Air		ND					U
Phenanthrene	0.00140	ng/m ³ Air		ND					LB
Anthracene	0.00700	ng/m ³ Air		ND					LB
Fluoranthene	0.00	ng/m ³ Air		ND					U
Pyrene	9.00E-4	ng/m ³ Air		ND					LB
Benzo(a)anthracene	0.00	ng/m ³ Air		ND					U
Chrysene	0.00	ng/m ³ Air		ND					U
Benzo(b)fluoranthene	0.00	ng/m ³ Air		ND					U
Benzo(k)fluoranthene	0.00	ng/m ³ Air		ND					U
Benzo(e)pyrene	0.00	ng/m ³ Air		ND					U
Benzo(a)pyrene	0.00	ng/m ³ Air		ND					U
Perylene	0.00	ng/m ³ Air		ND					U
Dibenz(a,h)anthracene	0.00	ng/m ³ Air		ND					U
Indeno(1,2,3-c,d)pyrene	0.00	ng/m ³ Air		ND					U
Benzo(g,h,i)perylene	0.00	ng/m ³ Air		ND					U
Coronene	0.00	ng/m ³ Air		ND					U
Surrogate: Fluorene-d10	0.00	ng/m ³ Air		ND		60-120			U
Surrogate: Fluoranthene-d10	0.00	ng/m ³ Air		ND		60-120			U
Surrogate: Pyrene-d10	0.00	ng/m ³ Air		ND		60-120			U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/m ³ Air		ND		60-120			U

Batch B6D0104 - TO-13 extraction

Blank (B6D0104-BLK1)

Prepared: 04/01/26 Analyzed: 04/17/26

Naphthalene	ND	ng/m ³ Air							U
Acenaphthylene	ND	ng/m ³ Air							U
Acenaphthene	ND	ng/m ³ Air							U
Fluorene	ND	ng/m ³ Air							U
Phenanthrene	ND	ng/m ³ Air							LB, U
Anthracene	ND	ng/m ³ Air							LB, U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6D0104 - TO-13 extraction

Blank (B6D0104-BLK1) Continued

Prepared: 04/01/26 Analyzed: 04/17/26

Fluoranthene	ND	ng/m ³ Air							LB, U
Pyrene	ND	ng/m ³ Air							U
Benzo(a)anthracene	ND	ng/m ³ Air							U
Chrysene	ND	ng/m ³ Air							U
Benzo(b)fluoranthene	ND	ng/m ³ Air							U
Benzo(k)fluoranthene	ND	ng/m ³ Air							U
Benzo(e)pyrene	ND	ng/m ³ Air							U
Benzo(a)pyrene	ND	ng/m ³ Air							U
Perylene	ND	ng/m ³ Air							U
Dibenz(a,h)anthracene	ND	ng/m ³ Air							U
Indeno(1,2,3-c,d)pyrene	ND	ng/m ³ Air							U
Benzo(g,h,i)perylene	ND	ng/m ³ Air							U
Coronene	ND	ng/m ³ Air							U
Surrogate: Fluorene-d10	0.842	ng/ul	0.98000		85.9	60-120			
Surrogate: Fluoranthene-d10	2.95	ng/m ³ Air	3.3333		88.5	60-120			
Surrogate: Pyrene-d10	0.814	ng/ul	0.99900		81.5	60-120			
Surrogate: Benzo(a)pyrene-d12	2.93	ng/m ³ Air	3.3667		86.9	60-120			

LCS (B6D0104-BS1)

Prepared: 04/01/26 Analyzed: 04/17/26

Naphthalene	16.5	ng/m ³ Air	25.000	ND	66.1	60-120			
Acenaphthylene	1.12	ng/m ³ Air	1.6667	ND	67.4	60-120			
Acenaphthene	5.69	ng/m ³ Air	8.3333	ND	68.3	60-120			
Fluorene	5.79	ng/m ³ Air	8.3333	ND	69.5	60-120			
Phenanthrene	8.75	ng/m ³ Air	12.600	ND	69.4	60-120			LB
Anthracene	1.04	ng/m ³ Air	1.6633	ND	62.4	60-120			LB
Fluoranthene	5.90	ng/m ³ Air	8.4333	ND	69.9	60-120			LB
Pyrene	2.79	ng/m ³ Air	4.1333	ND	67.5	60-120			
Benzo(a)anthracene	1.26	ng/m ³ Air	1.6667	ND	75.4	60-120			
Chrysene	1.19	ng/m ³ Air	1.6667	ND	71.2	60-120			
Benzo(b)fluoranthene	1.25	ng/m ³ Air	1.6667	ND	75.3	60-120			
Benzo(k)fluoranthene	1.21	ng/m ³ Air	1.6433	ND	73.6	60-120			
Benzo(e)pyrene	1.19	ng/m ³ Air	1.6467	ND	72.1	60-120			
Benzo(a)pyrene	1.14	ng/m ³ Air	1.6667	ND	68.2	60-120			
Perylene	1.18	ng/m ³ Air	1.6633	ND	70.8	60-120			
Dibenz(a,h)anthracene	1.06	ng/m ³ Air	1.6667	ND	63.8	60-120			
Indeno(1,2,3-c,d)pyrene	1.12	ng/m ³ Air	1.6667	ND	67.3	60-120			
Benzo(g,h,i)perylene	1.10	ng/m ³ Air	1.6667	ND	66.3	60-120			
Coronene	0.201	ng/m ³ Air	0.33333	ND	60.3	60-120			
Surrogate: Fluorene-d10	0.771	ng/ul	0.98000	ND	78.7	60-120			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Batch B6D0104 - TO-13 extraction

LCS (B6D0104-BS1) Continued

Prepared: 04/01/26 Analyzed: 04/17/26

Surrogate: Fluoranthene-d10	2.72	ng/m ³ Air	3.3333	ND	81.6	60-120
Surrogate: Pyrene-d10	0.750	ng/ul	0.99900	ND	75.1	60-120
Surrogate: Benzo(a)pyrene-d12	2.75	ng/m ³ Air	3.3667	ND	81.7	60-120

Calibration Blank (B6D0104-CCB1)

Prepared: 04/01/26 Analyzed: 04/17/26

Naphthalene	0.00	ng/m ³ Air		ND			U
Acenaphthylene	0.00	ng/m ³ Air		ND			U
Acenaphthene	0.00	ng/m ³ Air		ND			U
Fluorene	0.00	ng/m ³ Air		ND			U
Phenanthrene	0.00120	ng/m ³ Air		ND			LB
Anthracene	0.00330	ng/m ³ Air		ND			LB
Fluoranthene	6.00E-4	ng/m ³ Air		ND			LB
Pyrene	0.00	ng/m ³ Air		ND			U
Benzo(a)anthracene	0.00	ng/m ³ Air		ND			U
Chrysene	0.00	ng/m ³ Air		ND			U
Benzo(b)fluoranthene	0.00	ng/m ³ Air		ND			U
Benzo(k)fluoranthene	0.00	ng/m ³ Air		ND			U
Benzo(e)pyrene	0.00	ng/m ³ Air		ND			U
Benzo(a)pyrene	0.00	ng/m ³ Air		ND			U
Perylene	0.00	ng/m ³ Air		ND			U
Dibenz(a,h)anthracene	0.00	ng/m ³ Air		ND			U
Indeno(1,2,3-c,d)pyrene	0.00	ng/m ³ Air		ND			U
Benzo(g,h,i)perylene	0.00	ng/m ³ Air		ND			U
Coronene	0.00	ng/m ³ Air		ND			U
Surrogate: Fluorene-d10	0.00	ng/m ³ Air		ND		60-120	U
Surrogate: Fluoranthene-d10	0.00	ng/m ³ Air		ND		60-120	U
Surrogate: Pyrene-d10	0.00	ng/m ³ Air		ND		60-120	U
Surrogate: Benzo(a)pyrene-d12	0.00	ng/m ³ Air		ND		60-120	U



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Sequence 2604005

Calibration Check (2604005-CCV1)

Prepared & Analyzed: 04/02/26

Naphthalene	7.87	ng/ul	4.8	30.00
Acenaphthylene	0.567	ng/ul	13.0	30.00
Acenaphthene	2.65	ng/ul	5.8	30.00
Fluorene	2.65	ng/ul	5.8	30.00
Phenanthrene	4.01	ng/ul	6.9	30.00
Anthracene	0.530	ng/ul	5.7	30.00
Fluoranthene	2.64	ng/ul	5.5	30.00
Pyrene	1.40	ng/ul	11.5	30.00
Benzo(a)anthracene	0.540	ng/ul	7.7	30.00
Chrysene	0.540	ng/ul	7.6	30.00
Benzo(b)fluoranthene	0.542	ng/ul	8.2	30.00
Benzo(k)fluoranthene	0.540	ng/ul	7.7	30.00
Benzo(e)pyrene	0.547	ng/ul	9.1	30.00
Benzo(a)pyrene	0.542	ng/ul	7.9	30.00
Perylene	0.540	ng/ul	7.7	30.00
Dibenz(a,h)anthracene	0.547	ng/ul	8.9	30.00
Indeno(1,2,3-c,d)pyrene	0.540	ng/ul	7.5	30.00
Benzo(g,h,i)perylene	0.544	ng/ul	8.5	30.00
Coronene	0.529	ng/ul	5.5	30.00

Surrogate: Fluorene-d10

0.524

ng/ul

6.8

30.00

Surrogate: Fluoranthene-d10

0.538

ng/ul

7.6

30.00

Surrogate: Pyrene-d10

0.561

ng/ul

12.4

30.00

Surrogate: Benzo(a)pyrene-d12

0.555

ng/ul

9.9

30.00

Calibration Check (2604005-CCV2)

Prepared & Analyzed: 04/02/26

Naphthalene	7.86	ng/ul	4.8	30.00
Acenaphthylene	0.537	ng/ul	7.0	30.00
Acenaphthene	2.67	ng/ul	6.5	30.00
Fluorene	2.68	ng/ul	6.9	30.00
Phenanthrene	4.00	ng/ul	6.6	30.00
Anthracene	0.540	ng/ul	7.8	30.00
Fluoranthene	2.71	ng/ul	8.2	30.00
Pyrene	1.32	ng/ul	5.2	30.00
Benzo(a)anthracene	0.546	ng/ul	8.8	30.00

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Sequence 2604005

Calibration Check (2604005-CCV2) Continued

Prepared & Analyzed: 04/02/26

Chrysene	0.539	ng/ul	7.3	30.00
Benzo(b)fluoranthene	0.535	ng/ul	6.6	30.00
Benzo(k)fluoranthene	0.537	ng/ul	7.1	30.00
Benzo(e)pyrene	0.533	ng/ul	6.4	30.00
Benzo(a)pyrene	0.538	ng/ul	7.1	30.00
Perylene	0.535	ng/ul	6.8	30.00
Dibenz(a,h)anthracene	0.537	ng/ul	6.8	30.00
Indeno(1,2,3-c,d)pyrene	0.529	ng/ul	5.4	30.00
Benzo(g,h,i)perylene	0.530	ng/ul	5.8	30.00
Coronene	0.518	ng/ul	3.2	30.00

Surrogate: Fluorene-d10	0.522	ng/ul	6.5	30.00
Surrogate: Fluoranthene-d10	0.551	ng/ul	10.2	30.00
Surrogate: Pyrene-d10	0.529	ng/ul	5.8	30.00
Surrogate: Benzo(a)pyrene-d12	0.554	ng/ul	9.8	30.00

Calibration Check (2604005-CCV3)

Prepared: 04/02/26 Analyzed: 04/03/26

Naphthalene	7.85	ng/ul	4.5	30.00
Acenaphthylene	0.538	ng/ul	7.2	30.00
Acenaphthene	2.67	ng/ul	6.7	30.00
Fluorene	2.68	ng/ul	6.9	30.00
Phenanthrene	4.01	ng/ul	6.8	30.00
Anthracene	0.542	ng/ul	8.2	30.00
Fluoranthene	2.72	ng/ul	8.8	30.00
Pyrene	1.31	ng/ul	4.8	30.00
Benzo(a)anthracene	0.546	ng/ul	8.7	30.00
Chrysene	0.538	ng/ul	7.1	30.00
Benzo(b)fluoranthene	0.536	ng/ul	7.0	30.00
Benzo(k)fluoranthene	0.541	ng/ul	7.9	30.00
Benzo(e)pyrene	0.534	ng/ul	6.6	30.00
Benzo(a)pyrene	0.540	ng/ul	7.6	30.00
Perylene	0.537	ng/ul	7.1	30.00
Dibenz(a,h)anthracene	0.543	ng/ul	8.0	30.00
Indeno(1,2,3-c,d)pyrene	0.532	ng/ul	6.0	30.00
Benzo(g,h,i)perylene	0.531	ng/ul	5.9	30.00
Coronene	0.508	ng/ul	1.2	30.00

Surrogate: Fluorene-d10	0.524	ng/ul	6.9	30.00
-------------------------	-------	-------	-----	-------

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Sequence 2604005

Calibration Check (2604005-CCV3) Continued

Prepared: 04/02/26 Analyzed: 04/03/26

Surrogate: Fluoranthene-d10	0.556	ng/ul	11.2	30.00
Surrogate: Pyrene-d10	0.529	ng/ul	5.9	30.00
Surrogate: Benzo(a)pyrene-d12	0.557	ng/ul	10.3	30.00

Sequence 2604022

Calibration Check (2604022-CCV1)

Prepared & Analyzed: 04/07/26

Naphthalene	7.71	ng/ul	2.7	30.00
Acenaphthylene	0.533	ng/ul	6.2	30.00
Acenaphthene	2.61	ng/ul	4.3	30.00
Fluorene	2.59	ng/ul	3.4	30.00
Phenanthrene	3.94	ng/ul	4.9	30.00
Anthracene	0.520	ng/ul	3.7	30.00
Fluoranthene	2.61	ng/ul	4.2	30.00
Pyrene	1.41	ng/ul	12.8	30.00
Benzo(a)anthracene	0.532	ng/ul	6.1	30.00
Chrysene	0.531	ng/ul	5.7	30.00
Benzo(b)fluoranthene	0.531	ng/ul	5.9	30.00
Benzo(k)fluoranthene	0.528	ng/ul	5.4	30.00
Benzo(e)pyrene	0.540	ng/ul	7.8	30.00
Benzo(a)pyrene	0.524	ng/ul	4.3	30.00
Perylene	0.529	ng/ul	5.6	30.00
Dibenz(a,h)anthracene	0.524	ng/ul	4.3	30.00
Indeno(1,2,3-c,d)pyrene	0.522	ng/ul	4.1	30.00
Benzo(g,h,i)perylene	0.532	ng/ul	6.1	30.00
Coronene	0.521	ng/ul	3.9	30.00

Surrogate: Fluorene-d10	0.510	ng/ul	4.1	30.00
Surrogate: Fluoranthene-d10	0.526	ng/ul	5.3	30.00
Surrogate: Pyrene-d10	0.564	ng/ul	13.0	30.00
Surrogate: Benzo(a)pyrene-d12	0.538	ng/ul	6.4	30.00

Calibration Check (2604022-CCV2)

Prepared & Analyzed: 04/07/26

Naphthalene	7.70	ng/ul	2.5	30.00
Acenaphthylene	0.522	ng/ul	4.0	30.00
Acenaphthene	2.61	ng/ul	4.3	30.00
Fluorene	2.59	ng/ul	3.7	30.00
Phenanthrene	3.93	ng/ul	4.8	30.00
Anthracene	0.536	ng/ul	6.9	30.00

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Sequence 2604022

Calibration Check (2604022-CCV2) Continued

Prepared & Analyzed: 04/07/26

Fluoranthene	2.68	ng/ul	7.3	30.00
Pyrene	1.31	ng/ul	4.9	30.00
Benzo(a)anthracene	0.534	ng/ul	6.3	30.00
Chrysene	0.527	ng/ul	4.9	30.00
Benzo(b)fluoranthene	0.530	ng/ul	5.7	30.00
Benzo(k)fluoranthene	0.530	ng/ul	5.7	30.00
Benzo(e)pyrene	0.529	ng/ul	5.5	30.00
Benzo(a)pyrene	0.530	ng/ul	5.4	30.00
Perylene	0.527	ng/ul	5.2	30.00
Dibenz(a,h)anthracene	0.530	ng/ul	5.5	30.00
Indeno(1,2,3-c,d)pyrene	0.525	ng/ul	4.6	30.00
Benzo(g,h,i)perylene	0.523	ng/ul	4.3	30.00
Coronene	0.516	ng/ul	2.9	30.00
Surrogate: Fluorene-d10	0.508	ng/ul	3.7	30.00
Surrogate: Fluoranthene-d10	0.546	ng/ul	9.2	30.00
Surrogate: Pyrene-d10	0.528	ng/ul	5.6	30.00
Surrogate: Benzo(a)pyrene-d12	0.545	ng/ul	8.0	30.00

Calibration Check (2604022-CCV3)

Prepared: 04/07/26 Analyzed: 04/08/26

Naphthalene	7.72	ng/ul	2.8	30.00
Acenaphthylene	0.526	ng/ul	4.7	30.00
Acenaphthene	2.62	ng/ul	4.8	30.00
Fluorene	2.62	ng/ul	4.6	30.00
Phenanthrene	3.96	ng/ul	5.6	30.00
Anthracene	0.537	ng/ul	7.1	30.00
Fluoranthene	2.75	ng/ul	10.1	30.00
Pyrene	1.28	ng/ul	2.2	30.00
Benzo(a)anthracene	0.538	ng/ul	7.2	30.00
Chrysene	0.529	ng/ul	5.4	30.00
Benzo(b)fluoranthene	0.527	ng/ul	5.2	30.00
Benzo(k)fluoranthene	0.532	ng/ul	6.1	30.00
Benzo(e)pyrene	0.524	ng/ul	4.6	30.00
Benzo(a)pyrene	0.532	ng/ul	5.8	30.00
Perylene	0.528	ng/ul	5.2	30.00
Dibenz(a,h)anthracene	0.525	ng/ul	4.4	30.00
Indeno(1,2,3-c,d)pyrene	0.518	ng/ul	3.2	30.00

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Sequence 2604022

Calibration Check (2604022-CCV3) Continued

Prepared: 04/07/26 Analyzed: 04/08/26

Benzo(g,h,i)perylene	0.517	ng/ul	3.1	30.00	
Coronene	0.498	ng/ul	-0.8	30.00	
Surrogate: Fluorene-d10	0.512	ng/ul	4.5	30.00	
Surrogate: Fluoranthene-d10	0.557	ng/ul	11.4	30.00	
Surrogate: Pyrene-d10	0.514	ng/ul	2.9	30.00	
Surrogate: Benzo(a)pyrene-d12	0.545	ng/ul	7.9	30.00	

Sequence 2604028

Calibration Check (2604028-CCV1)

Prepared & Analyzed: 04/09/26

Naphthalene	7.90	ng/ul	5.2	30.00	
Acenaphthylene	0.553	ng/ul	10.2	30.00	
Acenaphthene	2.60	ng/ul	4.0	30.00	
Fluorene	2.58	ng/ul	3.2	30.00	
Phenanthrene	4.02	ng/ul	7.1	30.00	
Anthracene	0.514	ng/ul	2.5	30.00	LB
Fluoranthene	2.67	ng/ul	6.9	30.00	
Pyrene	1.51	ng/ul	20.4	30.00	
Benzo(a)anthracene	0.532	ng/ul	5.9	30.00	
Chrysene	0.530	ng/ul	5.6	30.00	
Benzo(b)fluoranthene	0.520	ng/ul	3.8	30.00	
Benzo(k)fluoranthene	0.517	ng/ul	3.1	30.00	
Benzo(e)pyrene	0.552	ng/ul	10.2	30.00	
Benzo(a)pyrene	0.516	ng/ul	2.7	30.00	
Perylene	0.536	ng/ul	6.9	30.00	
Dibenz(a,h)anthracene	0.531	ng/ul	5.7	30.00	
Indeno(1,2,3-c,d)pyrene	0.531	ng/ul	5.8	30.00	
Benzo(g,h,i)perylene	0.539	ng/ul	7.5	30.00	
Coronene	0.548	ng/ul	9.2	30.00	LB
Surrogate: Fluorene-d10	0.509	ng/ul	3.9	30.00	
Surrogate: Fluoranthene-d10	0.540	ng/ul	8.0	30.00	
Surrogate: Pyrene-d10	0.604	ng/ul	20.8	30.00	
Surrogate: Benzo(a)pyrene-d12	0.527	ng/ul	4.4	30.00	

Calibration Check (2604028-CCV2)

Prepared & Analyzed: 04/09/26

Naphthalene	7.97	ng/ul	6.2	30.00	
Acenaphthylene	0.528	ng/ul	5.1	30.00	
Acenaphthene	2.64	ng/ul	5.6	30.00	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Sequence 2604028

Calibration Check (2604028-CCV2) Continued

Prepared & Analyzed: 04/09/26

Fluorene	2.69	ng/ul	7.5	30.00	
Phenanthrene	4.06	ng/ul	8.0	30.00	
Anthracene	0.528	ng/ul	5.3	30.00	LB
Fluoranthene	2.76	ng/ul	10.1	30.00	
Pyrene	1.36	ng/ul	8.6	30.00	
Benzo(a)anthracene	0.547	ng/ul	9.0	30.00	
Chrysene	0.536	ng/ul	6.9	30.00	
Benzo(b)fluoranthene	0.533	ng/ul	6.4	30.00	
Benzo(k)fluoranthene	0.539	ng/ul	7.5	30.00	
Benzo(e)pyrene	0.543	ng/ul	8.3	30.00	
Benzo(a)pyrene	0.534	ng/ul	6.4	30.00	
Perylene	0.541	ng/ul	7.9	30.00	
Dibenz(a,h)anthracene	0.547	ng/ul	8.7	30.00	
Indeno(1,2,3-c,d)pyrene	0.548	ng/ul	9.3	30.00	
Benzo(g,h,i)perylene	0.555	ng/ul	10.7	30.00	
Coronene	0.542	ng/ul	7.9	30.00	LB
Surrogate: Fluorene-d10	0.525	ng/ul	7.2	30.00	
Surrogate: Fluoranthene-d10	0.546	ng/ul	9.2	30.00	
Surrogate: Pyrene-d10	0.548	ng/ul	9.7	30.00	
Surrogate: Benzo(a)pyrene-d12	0.543	ng/ul	7.6	30.00	

Calibration Check (2604028-CCV3)

Prepared: 04/09/26 Analyzed: 04/10/26

Naphthalene	7.94	ng/ul	5.8	30.00	
Acenaphthylene	0.532	ng/ul	5.9	30.00	
Acenaphthene	2.65	ng/ul	5.7	30.00	
Fluorene	2.71	ng/ul	8.2	30.00	
Phenanthrene	4.01	ng/ul	6.9	30.00	
Anthracene	0.529	ng/ul	5.5	30.00	LB
Fluoranthene	2.74	ng/ul	9.6	30.00	
Pyrene	1.30	ng/ul	3.5	30.00	
Benzo(a)anthracene	0.543	ng/ul	8.2	30.00	
Chrysene	0.532	ng/ul	5.9	30.00	
Benzo(b)fluoranthene	0.528	ng/ul	5.4	30.00	
Benzo(k)fluoranthene	0.535	ng/ul	6.8	30.00	
Benzo(e)pyrene	0.532	ng/ul	6.1	30.00	
Benzo(a)pyrene	0.533	ng/ul	6.0	30.00	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Sequence 2604028

Calibration Check (2604028-CCV3) Continued

Prepared: 04/09/26 Analyzed: 04/10/26

Perylene	0.532	ng/ul	6.1	30.00	
Dibenz(a,h)anthracene	0.548	ng/ul	9.0	30.00	
Indeno(1,2,3-c,d)pyrene	0.550	ng/ul	9.5	30.00	
Benzo(g,h,i)perylene	0.552	ng/ul	10.0	30.00	
Coronene	0.539	ng/ul	7.5	30.00	LB
Surrogate: Fluorene-d10	0.542	ng/ul	10.6	30.00	
Surrogate: Fluoranthene-d10	0.563	ng/ul	12.6	30.00	
Surrogate: Pyrene-d10	0.531	ng/ul	6.3	30.00	
Surrogate: Benzo(a)pyrene-d12	0.549	ng/ul	8.7	30.00	

Sequence 2604055

Calibration Check (2604055-CCV1)

Prepared & Analyzed: 04/17/26

Naphthalene	7.48	ng/ul	-0.4	30.00	
Acenaphthylene	0.526	ng/ul	4.7	30.00	
Acenaphthene	2.48	ng/ul	-0.8	30.00	
Fluorene	2.53	ng/ul	1.3	30.00	
Phenanthrene	3.75	ng/ul	-0.2	30.00	
Anthracene	0.490	ng/ul	-2.3	30.00	LB
Fluoranthene	2.54	ng/ul	1.5	30.00	
Pyrene	1.21	ng/ul	-3.1	30.00	
Benzo(a)anthracene	0.507	ng/ul	1.0	30.00	
Chrysene	0.501	ng/ul	-0.2	30.00	
Benzo(b)fluoranthene	0.521	ng/ul	3.9	30.00	
Benzo(k)fluoranthene	0.515	ng/ul	2.7	30.00	
Benzo(e)pyrene	0.505	ng/ul	0.8	30.00	
Benzo(a)pyrene	0.501	ng/ul	-0.2	30.00	
Perylene	0.502	ng/ul	0.07	30.00	
Dibenz(a,h)anthracene	0.480	ng/ul	-4.6	30.00	
Indeno(1,2,3-c,d)pyrene	0.489	ng/ul	-2.5	30.00	
Benzo(g,h,i)perylene	0.498	ng/ul	-0.8	30.00	
Coronene	0.479	ng/ul	-4.6	30.00	
Surrogate: Fluorene-d10	0.500	ng/ul	2.1	30.00	
Surrogate: Fluoranthene-d10	0.508	ng/ul	1.6	30.00	
Surrogate: Pyrene-d10	0.483	ng/ul	-3.3	30.00	
Surrogate: Benzo(a)pyrene-d12	0.507	ng/ul	0.4	30.00	

Calibration Check (2604055-CCV2)

Prepared: 04/17/26 Analyzed: 04/18/26

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Sequence 2604055

Calibration Check (2604055-CCV2) Continued

Prepared: 04/17/26 Analyzed: 04/18/26

Naphthalene	7.54	ng/ul	0.5	30.00	
Acenaphthylene	0.528	ng/ul	5.1	30.00	
Acenaphthene	2.51	ng/ul	0.1	30.00	
Fluorene	2.60	ng/ul	3.9	30.00	
Phenanthrene	3.79	ng/ul	0.9	30.00	
Anthracene	0.504	ng/ul	0.6	30.00	LB
Fluoranthene	2.57	ng/ul	2.7	30.00	
Pyrene	1.15	ng/ul	-8.5	30.00	
Benzo(a)anthracene	0.517	ng/ul	3.0	30.00	
Chrysene	0.510	ng/ul	1.7	30.00	
Benzo(b)fluoranthene	0.525	ng/ul	4.8	30.00	
Benzo(k)fluoranthene	0.530	ng/ul	5.7	30.00	
Benzo(e)pyrene	0.495	ng/ul	-1.2	30.00	
Benzo(a)pyrene	0.513	ng/ul	2.1	30.00	
Perylene	0.506	ng/ul	1.0	30.00	
Dibenz(a,h)anthracene	0.478	ng/ul	-4.9	30.00	
Indeno(1,2,3-c,d)pyrene	0.490	ng/ul	-2.3	30.00	
Benzo(g,h,i)perylene	0.506	ng/ul	0.8	30.00	
Coronene	0.470	ng/ul	-6.3	30.00	
Surrogate: Fluorene-d10	0.515	ng/ul	5.0	30.00	
Surrogate: Fluoranthene-d10	0.513	ng/ul	2.7	30.00	
Surrogate: Pyrene-d10	0.452	ng/ul	-9.4	30.00	
Surrogate: Benzo(a)pyrene-d12	0.517	ng/ul	2.4	30.00	

Calibration Check (2604055-CCV3)

Prepared: 04/17/26 Analyzed: 04/18/26

Naphthalene	7.50	ng/ul	-0.06	30.00	
Acenaphthylene	0.534	ng/ul	6.4	30.00	
Acenaphthene	2.54	ng/ul	1.4	30.00	
Fluorene	2.64	ng/ul	5.4	30.00	
Phenanthrene	3.74	ng/ul	-0.4	30.00	
Anthracene	0.507	ng/ul	1.1	30.00	LB
Fluoranthene	2.56	ng/ul	2.4	30.00	
Pyrene	1.13	ng/ul	-9.5	30.00	
Benzo(a)anthracene	0.519	ng/ul	3.4	30.00	
Chrysene	0.511	ng/ul	1.8	30.00	
Benzo(b)fluoranthene	0.527	ng/ul	5.1	30.00	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-13 - Quality Control

Sequence 2604055

Calibration Check (2604055-CCV3) Continued

Prepared: 04/17/26 Analyzed: 04/18/26

Benzo(k)fluoranthene	0.534	ng/ul	6.5	30.00
Benzo(e)pyrene	0.490	ng/ul	-2.2	30.00
Benzo(a)pyrene	0.515	ng/ul	2.5	30.00
Perylene	0.507	ng/ul	1.1	30.00
Dibenz(a,h)anthracene	0.490	ng/ul	-2.5	30.00
Indeno(1,2,3-c,d)pyrene	0.501	ng/ul	-0.2	30.00
Benzo(g,h,i)perylene	0.507	ng/ul	1.0	30.00
Coronene	0.478	ng/ul	-4.8	30.00
Surrogate: Fluorene-d10	0.514	ng/ul	4.8	30.00
Surrogate: Fluoranthene-d10	0.515	ng/ul	3.0	30.00
Surrogate: Pyrene-d10	0.448	ng/ul	-10.2	30.00
Surrogate: Benzo(a)pyrene-d12	0.518	ng/ul	2.5	30.00



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 0475

REPORTED: 05/15/26 12:22

SUBMITTED: 03/05/26 to 04/01/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Notes and Definitions

U	Under Detection Limit
TT	Transport temperature is out of specs.
S-GC	Surrogate recovery outside of control limits. The data was accepted based on valid recovery of the remaining surrogate.
QB-03	Analyte exceeds sampling media lot blank criteria.
O-05	This sample was extracted outside of the EPA recommended holding time.
LB	Lab blank value above acceptable limit.
FX	Filter Integrity Issue
D	This result obtained by dilution.
ND	Analyte NOT DETECTED
NR	Not Reported
MDL	Method Detection Limit
RPD	Relative Percent Difference

Note: Matrix Spikes were not performed as required by Compendium Method TO-13A. Matrix spikes are not required by ASTM D2609. This deviation from the method has been approved by the US EPA under the contract for UATMP, NATTS, CSATAM, PAMS, and NMOC Support (US EPA Contract No. 68-D-09-048).

Note: This test is accredited under the 2016 TNI Standard; however acenaphthylene is not accredited.