



Eastern Research Group
601 Keystone Park Drive
Suite 700
Morrisville, NC 27560

April 16, 2026

Mr. Bryan Sims
Oklahoma Dept. of Environmental Quality
707 N. Robinson, PO Box 1677
Oklahoma City, OK 73101-1677
Project Name: TMOK

Dear Mr. Bryan Sims,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 01/14/26 12:42 through 03/06/26 12:18.

Values below the MDL for QC results in this report are recorded as ND, however the actual values are reported in the accompanying Excel report with a "U" flag (Under the detection limit). The actual values are reported in AQS.

This test is accredited under the 2016 TNI Standard for Environmental Laboratories (FL DOH Certification # E87673). All analyses were performed as described in the US EPA-approved QAPP, under the contract for National Hazardous Air Pollutant Support (US EPA Contract No. 68HERH22D0002). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7872.

Sincerely,

Randolph Bower
Program Manager
randy.bower@erg.com

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify randy.bower@erg.com and delete the report without retaining any copies.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 **FAX:** -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
TMOK T3524361	6011543-01	Air	10/22/25 23:59	01/14/26 12:42
TMOK T3524359	6011543-02	Air	10/28/25 23:59	01/14/26 12:42
TMOK T3593593	6011543-03	Air	11/03/25 23:59	01/14/26 12:42
TMOK T3593591	6011543-04	Air	11/09/25 23:59	01/14/26 12:42
TMOK T3521942	6011543-05	Air	11/15/25 23:59	01/14/26 12:42
TMOK T3521940	6011543-06	Air	11/21/25 23:59	01/14/26 12:42
TMOK T3521938	6011543-07	Air	11/27/25 00:00	01/14/26 12:42
TMOK T3521937 FB	6011543-08	Air	11/28/25 23:59	01/14/26 12:42
TMOK T3593549	6011543-09	Air	12/03/25 23:59	01/14/26 12:42
TMOK T3593547	6011543-10	Air	12/09/25 23:59	01/14/26 12:42
TMOK T3524931	6011543-11	Air	12/15/25 23:59	01/14/26 12:42
TMOK T3524929	6011543-12	Air	12/21/25 23:59	01/14/26 12:42
TMOK T3594059	6031136-01	Air	12/27/25 23:59	03/06/26 12:18
TMOK T3594056	6031136-02	Air	01/02/26 23:59	03/06/26 12:18
TMOK T3594091	6031136-03	Air	01/08/26 23:59	03/06/26 12:18
TMOK T5511410	6031136-04	Air	01/14/26 23:59	03/06/26 12:18
TMOK T5511408	6031136-05	Air	01/20/26 23:59	03/06/26 12:18
TMOK T5512467	6031136-06	Air	01/26/26 23:59	03/06/26 12:18
TMOK T5512466 FB	6031136-07	Air	01/27/26 23:00	03/06/26 12:18
TMOK T5512463	6031136-08	Air	02/01/26 23:59	03/06/26 12:18
TMOK T5512827	6031136-09	Air	02/07/26 23:59	03/06/26 12:18

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 **FAX:** -

TMOK T5512830 6031136-10

TMOK T5512900 6031136-11

Air

Air

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

02/13/26 23:59 03/06/26 12:18

02/19/26 23:59 03/06/26 12:18



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T3524361

Lab ID: 6011543-01

Sampled: 10/22/25 23:59

Matrix: Air

Sample Volume: 24 m³

Received: 01/14/26 12:42

Filter ID:

Analysis Date: 03/13/26 14:50

Comments: OK127T31906

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	3.14		0.0548
Arsenic	7440-38-2	1.79		0.0245
Beryllium	7440-41-7	0.0224		0.00374
Cadmium	7440-43-9	0.115		0.00365
Chromium	7440-47-3	8.37		2.74
Cobalt	7440-48-4	0.330		0.0120
Lead	7439-92-1	3.63		0.0782
Manganese	7439-96-5	21.8		0.553
Nickel	7440-02-0	1.69		0.225
Selenium	7782-49-2	0.304		0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T3524359

Lab ID: 6011543-02

Sampled: 10/28/25 23:59

Matrix: Air

Sample Volume: 24 m³

Received: 01/14/26 12:42

Filter ID:

Analysis Date: 03/13/26 15:15

Comments: OK127T31908

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.674		0.0548
Arsenic	7440-38-2	0.389		0.0245
Beryllium	7440-41-7	-3.94E-4	U	0.00374
Cadmium	7440-43-9	0.0499		0.00365
Chromium	7440-47-3	5.73		2.74
Cobalt	7440-48-4	0.142		0.0120
Lead	7439-92-1	0.498		0.0782
Manganese	7439-96-5	3.14		0.553
Nickel	7440-02-0	0.711		0.225
Selenium	7782-49-2	0.187		0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T3593593	Lab ID: 6011543-03	Sampled: 11/03/25 23:59
Matrix: Air	Sample Volume: 24 m ³	Received: 01/14/26 12:42
	Filter ID:	Analysis Date: 03/13/26 15:22
Comments: OK127T31911		

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	1.93		0.0548
Arsenic	7440-38-2	0.637		0.0245
Beryllium	7440-41-7	0.00847		0.00374
Cadmium	7440-43-9	0.100		0.00365
Chromium	7440-47-3	7.27		2.74
Cobalt	7440-48-4	0.269		0.0120
Lead	7439-92-1	2.25		0.0782
Manganese	7439-96-5	15.6		0.553
Nickel	7440-02-0	1.42		0.225
Selenium	7782-49-2	0.477		0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T3593591	Lab ID: 6011543-04	Sampled: 11/09/25 23:59
Matrix: Air	Sample Volume: 24 m ³	Received: 01/14/26 12:42
	Filter ID:	Analysis Date: 03/13/26 15:30
Comments: OK127T31913		

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.132		0.0548
Arsenic	7440-38-2	0.0856		0.0245
Beryllium	7440-41-7	-0.00193	U	0.00374
Cadmium	7440-43-9	0.0217		0.00365
Chromium	7440-47-3	5.89		2.74
Cobalt	7440-48-4	0.0279		0.0120
Lead	7439-92-1	0.429		0.0782
Manganese	7439-96-5	2.88		0.553
Nickel	7440-02-0	0.505		0.225
Selenium	7782-49-2	0.107		0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T3521942	Lab ID: 6011543-05	Sampled: 11/15/25 23:59
Matrix: Air	Sample Volume: 24 m ³	Received: 01/14/26 12:42
	Filter ID:	Analysis Date: 03/13/26 14:19
Comments: OK127T31915		

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	1.82		0.0548
Arsenic	7440-38-2	0.438		0.0245
Beryllium	7440-41-7	0.0144		0.00374
Cadmium	7440-43-9	0.0793		0.00365
Chromium	7440-47-3	8.55		2.74
Cobalt	7440-48-4	0.119		0.0120
Lead	7439-92-1	1.59		0.0782
Manganese	7439-96-5	10.5		0.553
Nickel	7440-02-0	0.703		0.225
Selenium	7782-49-2	0.547		0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T3521940

Lab ID: 6011543-06

Sampled: 11/21/25 23:59

Matrix: Air

Sample Volume: 24 m³

Received: 01/14/26 12:42

Filter ID:

Analysis Date: 03/13/26 15:37

Comments: OK127T31917

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.279		0.0548
Arsenic	7440-38-2	0.172		0.0245
Beryllium	7440-41-7	1.47E-5	U	0.00374
Cadmium	7440-43-9	0.0218		0.00365
Chromium	7440-47-3	7.24		2.74
Cobalt	7440-48-4	0.107		0.0120
Lead	7439-92-1	0.523		0.0782
Manganese	7439-96-5	4.26		0.553
Nickel	7440-02-0	0.559		0.225
Selenium	7782-49-2	0.387		0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T3521938	Lab ID: 6011543-07	Sampled: 11/27/25 00:00
Matrix: Air	Sample Volume: 24 m ³	Received: 01/14/26 12:42
	Filter ID:	Analysis Date: 03/13/26 15:44
Comments: OK127T31919		

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	2.16		0.0548
Arsenic	7440-38-2	1.58		0.0245
Beryllium	7440-41-7	6.77E-4	U	0.00374
Cadmium	7440-43-9	0.0938		0.00365
Chromium	7440-47-3	7.05		2.74
Cobalt	7440-48-4	0.0629		0.0120
Lead	7439-92-1	1.99		0.0782
Manganese	7439-96-5	4.07		0.553
Nickel	7440-02-0	0.471		0.225
Selenium	7782-49-2	0.177		0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T3521937 FB	Lab ID: 6011543-08	Sampled: 11/28/25 23:59
Matrix: Air	Sample Volume: 24 m ³	Received: 01/14/26 12:42
	Filter ID:	Analysis Date: 03/13/26 15:52

Comments: OK127T31920 - Field Blank

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	-0.00495	U	0.0548
Arsenic	7440-38-2	-0.0117	U	0.0245
Beryllium	7440-41-7	-0.00521	U, BR	0.00374
Cadmium	7440-43-9	4.57E-4	U	0.00365
Chromium	7440-47-3	6.11	FB-01	2.74
Cobalt	7440-48-4	0.00362	U	0.0120
Lead	7439-92-1	0.00875	U	0.0782
Manganese	7439-96-5	0.131	U	0.553
Nickel	7440-02-0	0.272	FB-01	0.225
Selenium	7782-49-2	0.00580	U	0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T3593549	Lab ID: 6011543-09	Sampled: 12/03/25 23:59
Matrix: Air	Sample Volume: 24 m ³	Received: 01/14/26 12:42
	Filter ID:	Analysis Date: 03/13/26 15:58
Comments: OK127T31922		

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	2.15		0.0548
Arsenic	7440-38-2	0.596		0.0245
Beryllium	7440-41-7	0.00183	U	0.00374
Cadmium	7440-43-9	0.102		0.00365
Chromium	7440-47-3	6.81		2.74
Cobalt	7440-48-4	0.149		0.0120
Lead	7439-92-1	2.15		0.0782
Manganese	7439-96-5	7.12		0.553
Nickel	7440-02-0	0.966		0.225
Selenium	7782-49-2	0.397		0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T3593547

Lab ID: 6011543-10

Sampled: 12/09/25 23:59

Matrix: Air

Sample Volume: 24 m³

Received: 01/14/26 12:42

Filter ID:

Analysis Date: 03/13/26 16:06

Comments: OK127T31924

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	1.25		0.0548
Arsenic	7440-38-2	0.507		0.0245
Beryllium	7440-41-7	0.00524		0.00374
Cadmium	7440-43-9	0.110		0.00365
Chromium	7440-47-3	6.86		2.74
Cobalt	7440-48-4	0.115		0.0120
Lead	7439-92-1	3.30		0.0782
Manganese	7439-96-5	9.94		0.553
Nickel	7440-02-0	1.15		0.225
Selenium	7782-49-2	0.646		0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T3524931	Lab ID: 6011543-11	Sampled: 12/15/25 23:59
Matrix: Air	Sample Volume: 24 m ³	Received: 01/14/26 12:42
	Filter ID:	Analysis Date: 03/13/26 16:14
Comments: OK127T31926		

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	1.31		0.0548
Arsenic	7440-38-2	0.495		0.0245
Beryllium	7440-41-7	0.0103		0.00374
Cadmium	7440-43-9	0.0845		0.00365
Chromium	7440-47-3	7.95		2.74
Cobalt	7440-48-4	0.147		0.0120
Lead	7439-92-1	3.52		0.0782
Manganese	7439-96-5	11.1		0.553
Nickel	7440-02-0	2.08		0.225
Selenium	7782-49-2	0.321		0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T3524929	Lab ID: 6011543-12	Sampled: 12/21/25 23:59
Matrix: Air	Sample Volume: 24 m ³	Received: 01/14/26 12:42
	Filter ID:	Analysis Date: 03/13/26 16:21
Comments: OK127T31928		

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	2.85		0.0548
Arsenic	7440-38-2	0.619		0.0245
Beryllium	7440-41-7	0.00458		0.00374
Cadmium	7440-43-9	0.0642		0.00365
Chromium	7440-47-3	7.79		2.74
Cobalt	7440-48-4	0.113		0.0120
Lead	7439-92-1	2.13		0.0782
Manganese	7439-96-5	6.26		0.553
Nickel	7440-02-0	0.489		0.225
Selenium	7782-49-2	0.181		0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T3594059

Lab ID: 6031136-01

Sampled: 12/27/25 23:59

Matrix: Air

Sample Volume: 24 m³

Received: 03/06/26 12:18

Filter ID:

Analysis Date: 04/01/26 18:23

Comments: OK127T31930

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	1.83		0.0548
Arsenic	7440-38-2	1.12		0.0245
Beryllium	7440-41-7	0.00750		0.00374
Cadmium	7440-43-9	0.219		0.00365
Chromium	7440-47-3	6.26		2.74
Cobalt	7440-48-4	0.234		0.0120
Lead	7439-92-1	2.90		0.0782
Manganese	7439-96-5	6.97		0.553
Nickel	7440-02-0	0.768		0.225
Selenium	7782-49-2	0.517	LJ, QX	0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T3594056	Lab ID: 6031136-02	Sampled: 01/02/26 23:59
Matrix: Air	Sample Volume: 24 m ³	Received: 03/06/26 12:18
	Filter ID:	Analysis Date: 04/01/26 18:32
Comments: OK127T31933		

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	3.08		0.0548
Arsenic	7440-38-2	1.15		0.0245
Beryllium	7440-41-7	0.0175		0.00374
Cadmium	7440-43-9	0.272		0.00365
Chromium	7440-47-3	7.59		2.74
Cobalt	7440-48-4	0.180		0.0120
Lead	7439-92-1	5.05		0.0782
Manganese	7439-96-5	13.2		0.553
Nickel	7440-02-0	1.17		0.225
Selenium	7782-49-2	0.725	LJ, QX	0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T3594091	Lab ID: 6031136-03	Sampled: 01/08/26 23:59
Matrix: Air	Sample Volume: 24 m ³	Received: 03/06/26 12:18
	Filter ID:	Analysis Date: 04/01/26 15:08
Comments: OK127T31935		

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.486		0.0548
Arsenic	7440-38-2	0.281		0.0245
Beryllium	7440-41-7	0.00385		0.00374
Cadmium	7440-43-9	0.0464		0.00365
Chromium	7440-47-3	6.53		2.74
Cobalt	7440-48-4	0.108		0.0120
Lead	7439-92-1	0.756		0.0782
Manganese	7439-96-5	4.27		0.553
Nickel	7440-02-0	0.750		0.225
Selenium	7782-49-2	0.380	LJ, QX	0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T5511410	Lab ID: 6031136-04	Sampled: 01/14/26 23:59
Matrix: Air	Sample Volume: 24 m ³	Received: 03/06/26 12:18
	Filter ID:	Analysis Date: 04/01/26 18:42
Comments: OK127T31937		

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.212		0.0548
Arsenic	7440-38-2	0.0560		0.0245
Beryllium	7440-41-7	0.00163	U	0.00374
Cadmium	7440-43-9	0.0112		0.00365
Chromium	7440-47-3	3.75		2.74
Cobalt	7440-48-4	0.0563		0.0120
Lead	7439-92-1	0.262		0.0782
Manganese	7439-96-5	6.86		0.553
Nickel	7440-02-0	0.519		0.225
Selenium	7782-49-2	0.0872	LJ, QX	0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T5511408	Lab ID: 6031136-05	Sampled: 01/20/26 23:59
Matrix: Air	Sample Volume: 24 m ³	Received: 03/06/26 12:18
	Filter ID:	Analysis Date: 04/01/26 18:52
Comments: OK127T31939		

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	1.53		0.0548
Arsenic	7440-38-2	0.591		0.0245
Beryllium	7440-41-7	0.0226		0.00374
Cadmium	7440-43-9	0.135		0.00365
Chromium	7440-47-3	6.60		2.74
Cobalt	7440-48-4	0.273		0.0120
Lead	7439-92-1	5.88		0.0782
Manganese	7439-96-5	18.5		0.553
Nickel	7440-02-0	1.81		0.225
Selenium	7782-49-2	0.462	LJ, QX	0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T5512467

Lab ID: 6031136-06

Sampled: 01/26/26 23:59

Matrix: Air

Sample Volume: 24 m³

Received: 03/06/26 12:18

Filter ID:

Analysis Date: 04/01/26 19:02

Comments: OK127T31941

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.681		0.0548
Arsenic	7440-38-2	0.785		0.0245
Beryllium	7440-41-7	0.00302	U	0.00374
Cadmium	7440-43-9	0.145		0.00365
Chromium	7440-47-3	5.45		2.74
Cobalt	7440-48-4	0.0749		0.0120
Lead	7439-92-1	2.35		0.0782
Manganese	7439-96-5	3.45		0.553
Nickel	7440-02-0	1.15		0.225
Selenium	7782-49-2	0.233	LJ, QX	0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T5512466 FB	Lab ID: 6031136-07	Sampled: 01/27/26 23:00
Matrix: Air	Sample Volume: 24 m ³	Received: 03/06/26 12:18
	Filter ID:	Analysis Date: 04/01/26 19:12

Comments: OK127T31942 - Field Blank

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	8.65E-4	U	0.0548
Arsenic	7440-38-2	-0.00400	U	0.0245
Beryllium	7440-41-7	-5.70E-4	U	0.00374
Cadmium	7440-43-9	3.95E-4	U	0.00365
Chromium	7440-47-3	4.74	FB-01	2.74
Cobalt	7440-48-4	0.0138	FB-01	0.0120
Lead	7439-92-1	-0.00717	U	0.0782
Manganese	7439-96-5	0.394	U	0.553
Nickel	7440-02-0	1.64	FB-01	0.225
Selenium	7782-49-2	0.00721	U, LJ, QX	0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T5512463	Lab ID: 6031136-08	Sampled: 02/01/26 23:59
Matrix: Air	Sample Volume: 24 m ³	Received: 03/06/26 12:18
	Filter ID:	Analysis Date: 04/01/26 19:22
Comments: OK127T31944		

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.729		0.0548
Arsenic	7440-38-2	0.384		0.0245
Beryllium	7440-41-7	0.00458		0.00374
Cadmium	7440-43-9	0.0829		0.00365
Chromium	7440-47-3	4.50		2.74
Cobalt	7440-48-4	0.0722		0.0120
Lead	7439-92-1	1.13		0.0782
Manganese	7439-96-5	4.73		0.553
Nickel	7440-02-0	0.649		0.225
Selenium	7782-49-2	0.468	LJ, QX	0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T5512827

Lab ID: 6031136-09

Sampled: 02/07/26 23:59

Matrix: Air

Sample Volume: 24 m³

Received: 03/06/26 12:18

Filter ID:

Analysis Date: 04/01/26 19:31

Comments: OK127T31946

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	1.32		0.0548
Arsenic	7440-38-2	0.442		0.0245
Beryllium	7440-41-7	0.0104		0.00374
Cadmium	7440-43-9	0.118		0.00365
Chromium	7440-47-3	4.76		2.74
Cobalt	7440-48-4	0.138		0.0120
Lead	7439-92-1	1.26		0.0782
Manganese	7439-96-5	7.50		0.553
Nickel	7440-02-0	0.786		0.225
Selenium	7782-49-2	0.499	LJ, QX	0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T5512830	Lab ID: 6031136-10	Sampled: 02/13/26 23:59
Matrix: Air	Sample Volume: 24 m ³	Received: 03/06/26 12:18
	Filter ID:	Analysis Date: 04/03/26 18:41
Comments: OK127T31948		

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	6.85		0.0548
Arsenic	7440-38-2	0.924		0.0245
Beryllium	7440-41-7	0.0228		0.00374
Cadmium	7440-43-9	0.227		0.00365
Chromium	7440-47-3	6.71		2.74
Cobalt	7440-48-4	0.358		0.0120
Lead	7439-92-1	2.69		0.0782
Manganese	7439-96-5	15.0		0.553
Nickel	7440-02-0	1.57		0.225
Selenium	7782-49-2	0.721		0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Description: TMOK T5512900	Lab ID: 6031136-11	Sampled: 02/19/26 23:59
Matrix: Air	Sample Volume: 24 m ³	Received: 03/06/26 12:18
	Filter ID:	Analysis Date: 04/03/26 20:17
Comments: OK127T31950		

Inorganics by Compendium Method IO-3.5

<u>Analyte</u>	<u>CAS Number</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
		<u>ng/m³ Air</u>		<u>ng/m³ Air</u>
Antimony	7440-36-0	0.558		0.0548
Arsenic	7440-38-2	0.318		0.0245
Beryllium	7440-41-7	0.0378		0.00374
Cadmium	7440-43-9	0.0550		0.00365
Chromium	7440-47-3	5.68		2.74
Cobalt	7440-48-4	0.255		0.0120
Lead	7439-92-1	1.19		0.0782
Manganese	7439-96-5	17.2		0.553
Nickel	7440-02-0	1.14		0.225
Selenium	7782-49-2	0.313		0.0383



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2603027 - B6B2704

Calibration Blank (2603027-CCB1)

Prepared: 03/09/26 Analyzed: 03/13/26

Antimony	-1.30		ng/l							U
Arsenic	-3.88		ng/l							U
Beryllium	1.06		ng/l							
Cadmium	1.05		ng/l							
Chromium	-3.94		ng/l							U
Cobalt	-0.189		ng/l							U
Lead	12.9		ng/l							
Manganese	3.35		ng/l							
Nickel	-3.43		ng/l							U
Selenium	2.26		ng/l							

Calibration Blank (2603027-CCB2)

Prepared: 03/09/26 Analyzed: 03/13/26

Antimony	-1.38		ng/l							U
Arsenic	-2.26		ng/l							U
Beryllium	0.0852		ng/l							
Cadmium	0.665		ng/l							
Chromium	-7.63		ng/l							U
Cobalt	-0.0568		ng/l							U
Lead	10.5		ng/l							
Manganese	2.08		ng/l							
Nickel	-0.234		ng/l							U
Selenium	1.35		ng/l							

Calibration Blank (2603027-CCB3)

Prepared: 03/09/26 Analyzed: 03/13/26

Antimony	-1.56		ng/l							U
Arsenic	-2.34		ng/l							U
Beryllium	-0.286		ng/l							U
Cadmium	0.701		ng/l							
Chromium	-6.01		ng/l							U
Cobalt	-0.0133		ng/l							U
Lead	7.72		ng/l							
Manganese	2.33		ng/l							
Nickel	0.162		ng/l							
Selenium	4.26		ng/l							

Calibration Blank (2603027-CCB4)

Prepared: 03/09/26 Analyzed: 03/13/26

Antimony	-1.63		ng/l							U
Arsenic	-1.59		ng/l							U
Beryllium	-0.817		ng/l							U
Cadmium	0.0925		ng/l							
Chromium	-7.67		ng/l							U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2603027 - B6B2704

Calibration Blank (2603027-CCB4) Contin

Prepared: 03/09/26 Analyzed: 03/11/26

Cobalt	-0.0660		ng/l							U
Lead	6.35		ng/l							
Manganese	0.180		ng/l							
Nickel	1.24		ng/l							
Selenium	7.50		ng/l							

Calibration Check (2603027-CCV1)

Prepared: 03/09/26 Analyzed: 03/13/26

Antimony	10100		ng/l	9998.0		101	90-110			
Arsenic	9920		ng/l	10000		99.2	90-110			
Beryllium	5440		ng/l	5001.5		109	90-110			
Cadmium	51600		ng/l	50035		103	90-110			
Chromium	118000		ng/l	120020		98.1	90-110			
Cobalt	4720		ng/l	5002.0		94.3	90-110			
Lead	199000		ng/l	200020		99.4	90-110			
Manganese	100000		ng/l	100040		100	90-110			
Nickel	23800		ng/l	24998		95.1	90-110			
Selenium	10100		ng/l	10001		101	90-110			

Calibration Check (2603027-CCV2)

Prepared: 03/09/26 Analyzed: 03/13/26

Antimony	9670		ng/l	9998.0		96.8	90-110			
Arsenic	10100		ng/l	10000		101	90-110			
Beryllium	5240		ng/l	5001.5		105	90-110			
Cadmium	51900		ng/l	50035		104	90-110			
Chromium	118000		ng/l	120020		98.6	90-110			
Cobalt	4810		ng/l	5002.0		96.1	90-110			
Lead	203000		ng/l	200020		101	90-110			
Manganese	101000		ng/l	100040		100	90-110			
Nickel	24100		ng/l	24998		96.6	90-110			
Selenium	10400		ng/l	10001		104	90-110			

Calibration Check (2603027-CCV3)

Prepared: 03/09/26 Analyzed: 03/13/26

Antimony	9390		ng/l	9998.0		93.9	90-110			
Arsenic	10000		ng/l	10000		100	90-110			
Beryllium	5130		ng/l	5001.5		103	90-110			
Cadmium	51900		ng/l	50035		104	90-110			
Chromium	119000		ng/l	120020		99.4	90-110			
Cobalt	4790		ng/l	5002.0		95.7	90-110			
Lead	203000		ng/l	200020		101	90-110			
Manganese	99700		ng/l	100040		99.6	90-110			
Nickel	24100		ng/l	24998		96.3	90-110			
Selenium	10200		ng/l	10001		102	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2603027 - B6B2704

Calibration Check (2603027-CCV4)

Prepared: 03/09/26 Analyzed: 03/13/26

Antimony	9760		ng/l	9998.0		97.6	90-110
Arsenic	10000		ng/l	10000		100	90-110
Beryllium	5100		ng/l	5001.5		102	90-110
Cadmium	51200		ng/l	50035		102	90-110
Chromium	119000		ng/l	120020		99.0	90-110
Cobalt	4840		ng/l	5002.0		96.7	90-110
Lead	200000		ng/l	200020		100	90-110
Manganese	100000		ng/l	100040		100	90-110
Nickel	24200		ng/l	24998		96.7	90-110
Selenium	10300		ng/l	10001		103	90-110

High Cal Check (2603027-HCV1)

Prepared: 03/09/26 Analyzed: 03/13/26

Antimony	20400		ng/l	19996		102	95-105
Arsenic	19800		ng/l	20000		99.0	95-105
Beryllium	9890		ng/l	10003		98.9	95-105
Cadmium	100000		ng/l	100070		100	95-105
Chromium	235000		ng/l	240050		97.9	95-105
Cobalt	9680		ng/l	10004		96.8	95-105
Lead	403000		ng/l	400040		101	95-105
Manganese	194000		ng/l	200080		97.1	95-105
Nickel	48500		ng/l	49995		97.0	95-105
Selenium	19800		ng/l	20002		99.2	95-105

Initial Cal Blank (2603027-ICB1)

Prepared: 03/09/26 Analyzed: 03/13/26

Antimony	-0.886		ng/l				U
Arsenic	-2.96		ng/l				U
Beryllium	0.739		ng/l				
Cadmium	0.390		ng/l				
Chromium	-6.56		ng/l				U
Cobalt	0.0522		ng/l				
Lead	9.66		ng/l				
Manganese	1.61		ng/l				
Nickel	-0.560		ng/l				U
Selenium	1.41		ng/l				

Initial Cal Check (2603027-ICV1)

Prepared: 03/09/26 Analyzed: 03/13/26

Antimony	11000		ng/l	10000		110	90-110
Arsenic	10000		ng/l	10000		100	90-110
Beryllium	4950		ng/l	5000.0		98.9	90-110
Cadmium	50300		ng/l	50000		101	90-110
Chromium	118000		ng/l	120000		98.3	90-110

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2603027 - B6B2704

Initial Cal Check (2603027-ICV1) Continu

Prepared: 03/09/26 Analyzed: 03/10/26

Cobalt	5040		ng/l	5000.0		101	90-110			
Lead	198000		ng/l	200000		98.8	90-110			
Manganese	102000		ng/l	100000		102	90-110			
Nickel	25100		ng/l	25000		100	90-110			
Selenium	10300		ng/l	10000		103	90-110			

Interference Check A (2603027-IFA1)

Prepared: 03/09/26 Analyzed: 03/13/26

Antimony	31.8		ng/l				0-200			
Arsenic	1.41		ng/l				0-200			
Beryllium	-0.881		ng/l				0-200			U
Cadmium	16.8		ng/l				0-200			
Chromium	13.2		ng/l				0-200			
Cobalt	23.5		ng/l				0-200			
Lead	44.8		ng/l				0-200			
Manganese	33.9		ng/l				0-200			
Nickel	17.3		ng/l				0-200			
Selenium	4.42		ng/l				0-200			

Interference Check B (2603027-IFB1)

Prepared: 03/09/26 Analyzed: 03/13/26

Antimony	10100		ng/l	9998.0		101	80-120			
Arsenic	9770		ng/l	10000		97.7	80-120			
Beryllium	5100		ng/l	5001.5		102	80-120			
Cadmium	50300		ng/l	50035		101	80-120			
Chromium	115000		ng/l	120020		96.2	80-120			
Cobalt	4710		ng/l	5002.0		94.2	80-120			
Lead	204000		ng/l	200020		102	80-120			
Manganese	100000		ng/l	100040		100	80-120			
Nickel	23400		ng/l	24998		93.5	80-120			
Selenium	9820		ng/l	10001		98.2	80-120			

Batch 2604001 - B6C2408

Calibration Blank (2604001-CCB1)

Prepared & Analyzed: 04/01/26

Antimony	-2.36		ng/l							U
Arsenic	0.563		ng/l							
Beryllium	-0.0202		ng/l							U
Cadmium	0.0761		ng/l							
Chromium	2.51		ng/l							
Cobalt	-0.0316		ng/l							U
Lead	3.98		ng/l							
Manganese	2.41		ng/l							
Nickel	0.343		ng/l							

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2604001 - B6C2408

Calibration Blank (2604001-CCB1) Contin

Prepared & Analyzed: 04/01/26

Selenium	4.85		ng/l							LJ, QX
----------	------	--	------	--	--	--	--	--	--	--------

Calibration Blank (2604001-CCB2)

Prepared & Analyzed: 04/01/26

Antimony	-2.15		ng/l							U
Arsenic	0.0943		ng/l							
Beryllium	-0.164		ng/l							U
Cadmium	0.126		ng/l							
Chromium	2.95		ng/l							
Cobalt	0.0971		ng/l							
Lead	7.03		ng/l							
Manganese	2.19		ng/l							
Nickel	0.579		ng/l							
Selenium	3.78		ng/l							LJ, QX

Calibration Blank (2604001-CCB3)

Prepared & Analyzed: 04/01/26

Antimony	-2.37		ng/l							U
Arsenic	-0.910		ng/l							U
Beryllium	-0.270		ng/l							U
Cadmium	0.200		ng/l							
Chromium	2.60		ng/l							
Cobalt	0.0176		ng/l							
Lead	6.05		ng/l							
Manganese	2.70		ng/l							
Nickel	0.286		ng/l							
Selenium	0.456		ng/l							LJ, QX

Calibration Blank (2604001-CCB4)

Prepared & Analyzed: 04/01/26

Antimony	-2.25		ng/l							U
Arsenic	0.965		ng/l							
Beryllium	-0.422		ng/l							U
Cadmium	0.343		ng/l							
Chromium	2.34		ng/l							
Cobalt	-0.00261		ng/l							U
Lead	5.34		ng/l							
Manganese	1.84		ng/l							
Nickel	0.397		ng/l							
Selenium	3.94		ng/l							LJ, QX

Calibration Check (2604001-CCV1)

Prepared & Analyzed: 04/01/26

Antimony	9970		ng/l	9998.0		99.8	90-110			
Arsenic	10000		ng/l	10000		100	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2604001 - B6C2408

Calibration Check (2604001-CCV1) Contin

Prepared & Analyzed: 04/01/26

Beryllium	4970		ng/l	5001.5		99.3	90-110			
Cadmium	50500		ng/l	50035		101	90-110			
Chromium	121000		ng/l	120020		101	90-110			
Cobalt	5060		ng/l	5002.0		101	90-110			
Lead	196000		ng/l	200020		98.1	90-110			
Manganese	97700		ng/l	100040		97.6	90-110			
Nickel	25200		ng/l	24998		101	90-110			
Selenium	10000		ng/l	10001		100	90-110			LJ, QX

Calibration Check (2604001-CCV2)

Prepared & Analyzed: 04/01/26

Antimony	9900		ng/l	9998.0		99.0	90-110			
Arsenic	10200		ng/l	10000		102	90-110			
Beryllium	4790		ng/l	5001.5		95.8	90-110			
Cadmium	50500		ng/l	50035		101	90-110			
Chromium	122000		ng/l	120020		102	90-110			
Cobalt	5150		ng/l	5002.0		103	90-110			
Lead	198000		ng/l	200020		98.8	90-110			
Manganese	97700		ng/l	100040		97.7	90-110			
Nickel	25500		ng/l	24998		102	90-110			
Selenium	10100		ng/l	10001		101	90-110			LJ, QX

Calibration Check (2604001-CCV3)

Prepared & Analyzed: 04/01/26

Antimony	9860		ng/l	9998.0		98.6	90-110			
Arsenic	10000		ng/l	10000		100	90-110			
Beryllium	4550		ng/l	5001.5		90.9	90-110			
Cadmium	50500		ng/l	50035		101	90-110			
Chromium	121000		ng/l	120020		101	90-110			
Cobalt	5100		ng/l	5002.0		102	90-110			
Lead	198000		ng/l	200020		99.0	90-110			
Manganese	97200		ng/l	100040		97.1	90-110			
Nickel	25300		ng/l	24998		101	90-110			
Selenium	10100		ng/l	10001		101	90-110			LJ, QX

Calibration Check (2604001-CCV4)

Prepared & Analyzed: 04/01/26

Antimony	9920		ng/l	9998.0		99.2	90-110			
Arsenic	10100		ng/l	10000		101	90-110			
Beryllium	4770		ng/l	5001.5		95.3	90-110			
Cadmium	50700		ng/l	50035		101	90-110			
Chromium	121000		ng/l	120020		101	90-110			
Cobalt	5050		ng/l	5002.0		101	90-110			
Lead	198000		ng/l	200020		99.1	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2604001 - B6C2408

Calibration Check (2604001-CCV4) Contin

Prepared & Analyzed: 04/01/26

Manganese	96200		ng/l	100040		96.2	90-110			
Nickel	25300		ng/l	24998		101	90-110			
Selenium	10100		ng/l	10001		101	90-110			LJ, QX

High Cal Check (2604001-HCV1)

Prepared & Analyzed: 04/01/26

Antimony	19900		ng/l	19996		99.6	95-105			
Arsenic	19900		ng/l	20000		99.5	95-105			
Beryllium	9630		ng/l	10003		96.3	95-105			
Cadmium	100000		ng/l	100070		100	95-105			
Chromium	239000		ng/l	240050		99.6	95-105			
Cobalt	10000		ng/l	10004		100	95-105			
Lead	398000		ng/l	400040		99.5	95-105			
Manganese	201000		ng/l	200080		100	95-105			
Nickel	50100		ng/l	49995		100	95-105			
Selenium	20300		ng/l	20002		101	95-105			LJ, QX

Initial Cal Blank (2604001-ICB1)

Prepared & Analyzed: 04/01/26

Antimony	-2.45		ng/l							U
Arsenic	-0.949		ng/l							U
Beryllium	0.0298		ng/l							
Cadmium	0.323		ng/l							
Chromium	2.50		ng/l							
Cobalt	0.223		ng/l							
Lead	4.56		ng/l							
Manganese	2.32		ng/l							
Nickel	0.859		ng/l							
Selenium	0.907		ng/l							LJ, QX

Initial Cal Check (2604001-ICV1)

Prepared & Analyzed: 04/01/26

Antimony	9820		ng/l	10000		98.2	90-110			
Arsenic	10000		ng/l	10000		100	90-110			
Beryllium	4820		ng/l	5000.0		96.4	90-110			
Cadmium	49900		ng/l	50000		99.9	90-110			
Chromium	117000		ng/l	120000		97.8	90-110			
Cobalt	5070		ng/l	5000.0		101	90-110			
Lead	196000		ng/l	200000		98.1	90-110			
Manganese	97000		ng/l	100000		97.0	90-110			
Nickel	25500		ng/l	25000		102	90-110			
Selenium	10200		ng/l	10000		102	90-110			LJ, QX

Interference Check A (2604001-IFA1)

Prepared & Analyzed: 04/01/26

Antimony	-1.85		ng/l				0-200			U
----------	-------	--	------	--	--	--	-------	--	--	---

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2604001 - B6C2408

Interference Check A (2604001-IFA1) Co

Prepared & Analyzed: 04/01/26

Arsenic	-2.69		ng/l				0-200			U
Beryllium	0.0167		ng/l				0-200			
Cadmium	1.26		ng/l				0-200			
Chromium	2.51		ng/l				0-200			
Cobalt	2.89		ng/l				0-200			
Lead	1.80		ng/l				0-200			
Manganese	-6.86		ng/l				0-200			U
Nickel	7.91		ng/l				0-200			
Selenium	-2.55		ng/l				0-200			LJ, QX, U

Interference Check B (2604001-IFB1)

Prepared & Analyzed: 04/01/26

Antimony	10100		ng/l	9998.0		101	80-120			
Arsenic	10200		ng/l	10000		102	80-120			
Beryllium	5080		ng/l	5001.5		102	80-120			
Cadmium	51200		ng/l	50035		102	80-120			
Chromium	123000		ng/l	120020		102	80-120			
Cobalt	5220		ng/l	5002.0		104	80-120			
Lead	205000		ng/l	200020		102	80-120			
Manganese	99200		ng/l	100040		99.2	80-120			
Nickel	25900		ng/l	24998		104	80-120			
Selenium	10300		ng/l	10001		103	80-120			LJ, QX

Batch 2604010 - B6C2601

Calibration Blank (2604010-CCB1)

Prepared & Analyzed: 04/03/26

Antimony	-0.439		ng/l							U
Arsenic	-7.52		ng/l							U
Beryllium	0.0390		ng/l							
Cadmium	0.430		ng/l							
Chromium	-48.4		ng/l							U
Cobalt	0.00235		ng/l							
Lead	6.23		ng/l							
Manganese	-1.20		ng/l							U
Nickel	-6.79		ng/l							U
Selenium	6.28		ng/l							

Calibration Blank (2604010-CCB2)

Prepared & Analyzed: 04/03/26

Antimony	-0.234		ng/l							U
Arsenic	-5.75		ng/l							U
Beryllium	0.386		ng/l							
Cadmium	0.630		ng/l							
Chromium	-48.7		ng/l							U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2604010 - B6C2601

Calibration Blank (2604010-CCB2) Contin

Prepared & Analyzed: 04/03/26

Cobalt	0.0172		ng/l							
Lead	4.42		ng/l							
Manganese	-0.959		ng/l							U
Nickel	-5.03		ng/l							U
Selenium	2.91		ng/l							

Calibration Blank (2604010-CCB3)

Prepared & Analyzed: 04/03/26

Antimony	-0.0889		ng/l							U
Arsenic	-0.219		ng/l							U
Beryllium	-0.379		ng/l							U
Cadmium	0.782		ng/l							
Chromium	-48.0		ng/l							U
Cobalt	-0.0857		ng/l							U
Lead	6.89		ng/l							
Manganese	-1.70		ng/l							U
Nickel	-4.89		ng/l							U
Selenium	4.07		ng/l							

Calibration Blank (2604010-CCB4)

Prepared: 04/03/26 Analyzed: 04/04/26

Antimony	-0.344		ng/l							U
Arsenic	-8.76		ng/l							U
Beryllium	-1.18		ng/l							U
Cadmium	0.496		ng/l							
Chromium	-49.0		ng/l							U
Cobalt	-0.0418		ng/l							U
Lead	2.20		ng/l							
Manganese	-2.11		ng/l							U
Nickel	-6.32		ng/l							U
Selenium	4.23		ng/l							

Calibration Blank (2604010-CCB5)

Prepared: 04/03/26 Analyzed: 04/04/26

Antimony	-0.110		ng/l							U
Arsenic	3.89		ng/l							
Beryllium	-0.402		ng/l							U
Cadmium	0.785		ng/l							
Chromium	-46.0		ng/l							U
Cobalt	0.0810		ng/l							
Lead	6.89		ng/l							
Manganese	-1.28		ng/l							U
Nickel	-3.40		ng/l							U
Selenium	5.54		ng/l							

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2604010 - B6C2601

Calibration Check (2604010-CCV1)

Prepared & Analyzed: 04/03/26

Antimony	10100		ng/l	9998.0		101	90-110			
Arsenic	9890		ng/l	10000		98.9	90-110			
Beryllium	5180		ng/l	5001.5		104	90-110			
Cadmium	51100		ng/l	50035		102	90-110			
Chromium	120000		ng/l	120020		99.8	90-110			
Cobalt	4710		ng/l	5002.0		94.2	90-110			
Lead	200000		ng/l	200020		100	90-110			
Manganese	95400		ng/l	100040		95.4	90-110			
Nickel	23300		ng/l	24998		93.3	90-110			
Selenium	10200		ng/l	10001		102	90-110			

Calibration Check (2604010-CCV2)

Prepared & Analyzed: 04/03/26

Antimony	10200		ng/l	9998.0		102	90-110			
Arsenic	9880		ng/l	10000		98.8	90-110			
Beryllium	5350		ng/l	5001.5		107	90-110			
Cadmium	51200		ng/l	50035		102	90-110			
Chromium	120000		ng/l	120020		99.6	90-110			
Cobalt	4690		ng/l	5002.0		93.8	90-110			
Lead	201000		ng/l	200020		101	90-110			
Manganese	95800		ng/l	100040		95.7	90-110			
Nickel	23200		ng/l	24998		92.6	90-110			
Selenium	10100		ng/l	10001		101	90-110			

Calibration Check (2604010-CCV3)

Prepared & Analyzed: 04/03/26

Antimony	10300		ng/l	9998.0		103	90-110			
Arsenic	9940		ng/l	10000		99.4	90-110			
Beryllium	5130		ng/l	5001.5		102	90-110			
Cadmium	51100		ng/l	50035		102	90-110			
Chromium	121000		ng/l	120020		101	90-110			
Cobalt	4720		ng/l	5002.0		94.3	90-110			
Lead	202000		ng/l	200020		101	90-110			
Manganese	95900		ng/l	100040		95.9	90-110			
Nickel	23500		ng/l	24998		93.9	90-110			
Selenium	10200		ng/l	10001		102	90-110			

Calibration Check (2604010-CCV4)

Prepared: 04/03/26 Analyzed: 04/04/26

Antimony	10200		ng/l	9998.0		102	90-110			
Arsenic	9900		ng/l	10000		99.0	90-110			
Beryllium	5350		ng/l	5001.5		107	90-110			
Cadmium	50600		ng/l	50035		101	90-110			
Chromium	121000		ng/l	120020		101	90-110			

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2604010 - B6C2601

Calibration Check (2604010-CCV4) Contin

Prepared: 04/03/26 Analyzed: 04/04/26

Cobalt	4740		ng/l	5002.0		94.7	90-110			
Lead	201000		ng/l	200020		101	90-110			
Manganese	95600		ng/l	100040		95.6	90-110			
Nickel	23500		ng/l	24998		93.9	90-110			
Selenium	10100		ng/l	10001		101	90-110			

Calibration Check (2604010-CCV5)

Prepared: 04/03/26 Analyzed: 04/04/26

Antimony	10100		ng/l	9998.0		101	90-110			
Arsenic	9980		ng/l	10000		99.8	90-110			
Beryllium	4880		ng/l	5001.5		97.5	90-110			
Cadmium	50200		ng/l	50035		100	90-110			
Chromium	121000		ng/l	120020		101	90-110			
Cobalt	4770		ng/l	5002.0		95.4	90-110			
Lead	201000		ng/l	200020		101	90-110			
Manganese	97500		ng/l	100040		97.4	90-110			
Nickel	23700		ng/l	24998		94.8	90-110			
Selenium	10200		ng/l	10001		102	90-110			

High Cal Check (2604010-HCV1)

Prepared & Analyzed: 04/03/26

Antimony	19900		ng/l	19996		99.7	95-105			
Arsenic	20100		ng/l	20000		100	95-105			
Beryllium	10100		ng/l	10003		101	95-105			
Cadmium	99800		ng/l	100070		99.7	95-105			
Chromium	237000		ng/l	240050		98.6	95-105			
Cobalt	9730		ng/l	10004		97.2	95-105			
Lead	404000		ng/l	400040		101	95-105			
Manganese	198000		ng/l	200080		98.7	95-105			
Nickel	48400		ng/l	49995		96.8	95-105			
Selenium	20200		ng/l	20002		101	95-105			

Initial Cal Blank (2604010-ICB1)

Prepared & Analyzed: 04/03/26

Antimony	-0.203		ng/l							U
Arsenic	-0.445		ng/l							U
Beryllium	-0.268		ng/l							U
Cadmium	0.755		ng/l							
Chromium	-46.6		ng/l							U
Cobalt	-0.0981		ng/l							U
Lead	15.0		ng/l							
Manganese	-1.37		ng/l							U
Nickel	-5.10		ng/l							U
Selenium	5.31		ng/l							

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch 2604010 - B6C2601

Initial Cal Check (2604010-ICV1)

Prepared & Analyzed: 04/03/26

Antimony	9940		ng/l	10000		99.4	90-110			
Arsenic	10100		ng/l	10000		101	90-110			
Beryllium	5280		ng/l	5000.0		106	90-110			
Cadmium	49600		ng/l	50000		99.1	90-110			
Chromium	119000		ng/l	120000		99.5	90-110			
Cobalt	4950		ng/l	5000.0		99.0	90-110			
Lead	200000		ng/l	200000		100	90-110			
Manganese	98300		ng/l	100000		98.3	90-110			
Nickel	24800		ng/l	25000		99.2	90-110			
Selenium	10400		ng/l	10000		104	90-110			

Interference Check A (2604010-IFA1)

Prepared & Analyzed: 04/03/26

Antimony	1.39		ng/l				0-200			
Arsenic	4.77		ng/l				0-200			
Beryllium	-0.278		ng/l				0-200			U
Cadmium	15.0		ng/l				0-200			
Chromium	-33.6		ng/l				0-200			U
Cobalt	25.2		ng/l				0-200			
Lead	37.5		ng/l				0-200			
Manganese	29.9		ng/l				0-200			
Nickel	27.2		ng/l				0-200			
Selenium	1.01		ng/l				0-200			

Interference Check B (2604010-IFB1)

Prepared & Analyzed: 04/03/26

Antimony	10100		ng/l	9998.0		101	80-120			
Arsenic	10000		ng/l	10000		100	80-120			
Beryllium	4870		ng/l	5001.5		97.4	80-120			
Cadmium	50700		ng/l	50035		101	80-120			
Chromium	119000		ng/l	120020		98.9	80-120			
Cobalt	4730		ng/l	5002.0		94.7	80-120			
Lead	207000		ng/l	200020		103	80-120			
Manganese	95700		ng/l	100040		95.6	80-120			
Nickel	23200		ng/l	24998		92.9	80-120			
Selenium	10000		ng/l	10001		99.9	80-120			

Batch B6B2704 - ICP-MS Extraction

Blank (B6B2704-BLK1)

Prepared: 02/27/26 Analyzed: 03/13/26

Antimony	-0.00480	0.0547	ng/m ³ Air							U
Arsenic	-0.0145	0.0245	ng/m ³ Air							U
Beryllium	-0.00358	0.00373	ng/m ³ Air							U
Cadmium	-5.94E-4	0.00364	ng/m ³ Air							U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B6B2704 - ICP-MS Extraction

Blank (B6B2704-BLK1) Continued

Prepared: 02/27/26 Analyzed: 03/10/26

Chromium	0.152	2.74	ng/m ³ Air							U
Cobalt	-0.00364	0.0120	ng/m ³ Air							U
Lead	0.00555	0.0781	ng/m ³ Air							U
Manganese	0.0468	0.552	ng/m ³ Air							U
Nickel	-0.0363	0.225	ng/m ³ Air							U
Selenium	0.00607	0.0382	ng/m ³ Air							U

LCS (B6B2704-BS1)

Prepared: 02/27/26 Analyzed: 03/13/26

Antimony	10.8	0.0547	ng/m ³ Air	10.397		104	80-120			
Arsenic	21.4	0.0245	ng/m ³ Air	20.799		103	80-120			
Beryllium	11.4	0.00373	ng/m ³ Air	10.402		109	80-120			
Cadmium	11.0	0.00364	ng/m ³ Air	10.407		105	80-120			
Chromium	107	2.74	ng/m ³ Air	104.01		103	80-120			
Cobalt	10.1	0.0120	ng/m ³ Air	10.403		97.1	80-120			
Lead	107	0.0781	ng/m ³ Air	104.00		102	80-120			
Manganese	63.3	0.552	ng/m ³ Air	62.421		101	80-120			
Nickel	20.2	0.225	ng/m ³ Air	20.797		97.0	80-120			
Selenium	21.9	0.0382	ng/m ³ Air	20.801		105	80-120			

LCS (B6B2704-BS2)

Prepared: 02/27/26 Analyzed: 03/13/26

Antimony	10.3	0.0547	ng/m ³ Air	10.397		98.9	80-120			
Arsenic	21.6	0.0245	ng/m ³ Air	20.799		104	80-120			
Beryllium	11.4	0.00373	ng/m ³ Air	10.402		110	80-120			
Cadmium	10.8	0.00364	ng/m ³ Air	10.407		104	80-120			
Chromium	108	2.74	ng/m ³ Air	104.01		104	80-120			
Cobalt	10.3	0.0120	ng/m ³ Air	10.403		99.1	80-120			
Lead	106	0.0781	ng/m ³ Air	104.00		102	80-120			
Manganese	63.5	0.552	ng/m ³ Air	62.421		102	80-120			
Nickel	20.5	0.225	ng/m ³ Air	20.797		98.7	80-120			
Selenium	21.9	0.0382	ng/m ³ Air	20.801		105	80-120			

LCS Dup (B6B2704-BSD1)

Prepared: 02/27/26 Analyzed: 03/13/26

Antimony	11.0	0.0547	ng/m ³ Air	10.397		106	80-120	1.65	20	
Arsenic	21.0	0.0245	ng/m ³ Air	20.799		101	80-120	1.63	20	
Beryllium	11.2	0.00373	ng/m ³ Air	10.402		108	80-120	1.24	20	
Cadmium	10.7	0.00364	ng/m ³ Air	10.407		103	80-120	2.19	20	
Chromium	105	2.74	ng/m ³ Air	104.01		101	80-120	2.02	20	
Cobalt	9.92	0.0120	ng/m ³ Air	10.403		95.4	80-120	1.85	20	
Lead	106	0.0781	ng/m ³ Air	104.00		102	80-120	0.864	20	
Manganese	62.0	0.552	ng/m ³ Air	62.421		99.4	80-120	1.97	20	
Nickel	19.9	0.225	ng/m ³ Air	20.797		95.7	80-120	1.38	20	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B6B2704 - ICP-MS Extraction

LCS Dup (B6B2704-BSD1) Continued

Prepared: 02/27/26 Analyzed: 03/10/26

Selenium	21.3	0.0382	ng/m ³ Air	20.801	102	80-120	2.71	20
----------	------	--------	-----------------------	--------	-----	--------	------	----

Duplicate (B6B2704-DUP1)

Source: 6011543-05

Prepared: 02/27/26 Analyzed: 03/13/26

Antimony	1.75	0.0548	ng/m ³ Air	1.82	3.90	10
Arsenic	0.428	0.0245	ng/m ³ Air	0.438	2.20	10
Beryllium	0.0112	0.00374	ng/m ³ Air	0.0144	25.3	10
Cadmium	0.0813	0.00365	ng/m ³ Air	0.0793	2.52	10
Chromium	8.43	2.74	ng/m ³ Air	8.55	1.41	10
Cobalt	0.120	0.0120	ng/m ³ Air	0.119	0.309	10
Lead	1.59	0.0782	ng/m ³ Air	1.59	0.366	10
Manganese	10.5	0.553	ng/m ³ Air	10.5	0.326	10
Nickel	0.708	0.225	ng/m ³ Air	0.703	0.746	10
Selenium	0.523	0.0383	ng/m ³ Air	0.547	4.40	10

Post Spike (B6B2704-PS1)

Source: 6011543-05

Prepared: 02/27/26 Analyzed: 03/13/26

Antimony	4.01	0.0548	ng/m ³ Air	2.0833	1.82	105	75-125
Arsenic	11.1	0.0245	ng/m ³ Air	10.417	0.438	102	75-125
Beryllium	2.31	0.00374	ng/m ³ Air	2.0833	0.0144	110	75-125
Cadmium	1.18	0.00365	ng/m ³ Air	1.0417	0.0793	105	75-125
Chromium	19.0	2.74	ng/m ³ Air	10.417	8.55	101	75-125
Cobalt	2.15	0.0120	ng/m ³ Air	2.0833	0.119	97.5	75-125
Lead	22.2	0.0782	ng/m ³ Air	20.833	1.59	98.9	75-125
Manganese	31.2	0.553	ng/m ³ Air	20.833	10.5	99.4	75-125
Nickel	20.8	0.225	ng/m ³ Air	20.833	0.703	96.6	75-125
Selenium	11.3	0.0383	ng/m ³ Air	10.417	0.547	104	75-125

Dilution Check (B6B2704-SRL1)

Source: 6011543-05

Prepared: 02/27/26 Analyzed: 03/13/26

Antimony	1.74	0.274	ng/m ³ Air	1.82	4.61	10
Arsenic	0.353	0.123	ng/m ³ Air	0.438	21.4	10
Beryllium	-0.00819	0.0187	ng/m ³ Air	ND	10	U
Cadmium	0.0775	0.0182	ng/m ³ Air	0.0793	2.27	10
Chromium	8.33	13.7	ng/m ³ Air	ND	10	U
Cobalt	0.104	0.0601	ng/m ³ Air	0.119	13.6	10
Lead	1.55	0.391	ng/m ³ Air	1.59	2.56	10
Manganese	10.5	2.76	ng/m ³ Air	10.5	0.426	10
Nickel	0.544	1.13	ng/m ³ Air	ND	10	U
Selenium	0.499	0.191	ng/m ³ Air	0.547	9.02	10

Batch B6C2505 - ICP-MS Extraction

Blank (B6C2505-BLK1)

Prepared: 03/25/26 Analyzed: 04/01/26

Antimony	-0.00294	0.0547	ng/m ³ Air			U
----------	----------	--------	-----------------------	--	--	---

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B6C2505 - ICP-MS Extraction

Blank (B6C2505-BLK1) Continued

Prepared: 03/25/26 Analyzed: 04/01/26

Arsenic	-0.00514	0.0245	ng/m ³ Air							U
Beryllium	3.11E-4	0.00373	ng/m ³ Air							U
Cadmium	5.91E-4	0.00364	ng/m ³ Air							U
Chromium	0.392	2.74	ng/m ³ Air							U
Cobalt	0.00220	0.0120	ng/m ³ Air							U
Lead	-0.0133	0.0781	ng/m ³ Air							U
Manganese	0.181	0.552	ng/m ³ Air							U
Nickel	0.0266	0.225	ng/m ³ Air							U
Selenium	-9.20E-4	0.0382	ng/m ³ Air							LJ, QX, U

LCS (B6C2505-BS1)

Prepared: 03/25/26 Analyzed: 04/01/26

Antimony	10.0	0.0547	ng/m ³ Air	10.397		96.5	80-120			
Arsenic	20.7	0.0245	ng/m ³ Air	20.799		99.7	80-120			
Beryllium	9.36	0.00373	ng/m ³ Air	10.402		90.0	80-120			
Cadmium	10.2	0.00364	ng/m ³ Air	10.407		98.4	80-120			
Chromium	102	2.74	ng/m ³ Air	104.01		97.7	80-120			
Cobalt	10.5	0.0120	ng/m ³ Air	10.403		100	80-120			
Lead	101	0.0781	ng/m ³ Air	104.00		97.1	80-120			
Manganese	61.2	0.552	ng/m ³ Air	62.421		98.0	80-120			
Nickel	21.3	0.225	ng/m ³ Air	20.797		102	80-120			
Selenium	20.9	0.0382	ng/m ³ Air	20.801		101	80-120			LJ, QX

LCS (B6C2505-BS2)

Prepared: 03/25/26 Analyzed: 04/01/26

Antimony	9.85	0.0547	ng/m ³ Air	10.397		94.7	80-120			
Arsenic	20.1	0.0245	ng/m ³ Air	20.799		96.5	80-120			
Beryllium	8.77	0.00373	ng/m ³ Air	10.402		84.3	80-120			
Cadmium	10.1	0.00364	ng/m ³ Air	10.407		96.6	80-120			
Chromium	99.8	2.74	ng/m ³ Air	104.01		96.0	80-120			
Cobalt	10.3	0.0120	ng/m ³ Air	10.403		99.2	80-120			
Lead	99.6	0.0781	ng/m ³ Air	104.00		95.7	80-120			
Manganese	60.5	0.552	ng/m ³ Air	62.421		96.8	80-120			
Nickel	21.0	0.225	ng/m ³ Air	20.797		101	80-120			
Selenium	20.6	0.0382	ng/m ³ Air	20.801		99.1	80-120			LJ, QX

LCS Dup (B6C2505-BSD1)

Prepared: 03/25/26 Analyzed: 04/01/26

Antimony	10.2	0.0547	ng/m ³ Air	10.397		98.0	80-120	1.64	20	
Arsenic	20.9	0.0245	ng/m ³ Air	20.799		101	80-120	0.854	20	
Beryllium	9.57	0.00373	ng/m ³ Air	10.402		92.0	80-120	2.23	20	
Cadmium	10.5	0.00364	ng/m ³ Air	10.407		101	80-120	2.38	20	
Chromium	103	2.74	ng/m ³ Air	104.01		99.0	80-120	1.30	20	
Cobalt	10.7	0.0120	ng/m ³ Air	10.403		103	80-120	2.04	20	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B6C2505 - ICP-MS Extraction

LCS Dup (B6C2505-BSD1) Continued

Prepared: 03/25/26 Analyzed: 04/01/26

Lead	103	0.0781	ng/m ³ Air	104.00		98.9	80-120	1.84	20	
Manganese	62.0	0.552	ng/m ³ Air	62.421		99.3	80-120	1.24	20	
Nickel	21.8	0.225	ng/m ³ Air	20.797		105	80-120	2.17	20	
Selenium	21.5	0.0382	ng/m ³ Air	20.801		103	80-120	2.54	20	LJ, QX

Duplicate (B6C2505-DUP1)

Source: 6031136-03

Prepared: 03/25/26 Analyzed: 04/01/26

Antimony	0.492	0.0548	ng/m ³ Air		0.486			1.22	10	
Arsenic	0.257	0.0245	ng/m ³ Air		0.281			9.03	10	
Beryllium	0.00401	0.00374	ng/m ³ Air		0.00385			4.24	10	
Cadmium	0.0454	0.00365	ng/m ³ Air		0.0464			2.23	10	
Chromium	6.12	2.74	ng/m ³ Air		6.53			6.46	10	
Cobalt	0.105	0.0120	ng/m ³ Air		0.108			2.98	10	
Lead	0.756	0.0782	ng/m ³ Air		0.756			0.0133	10	
Manganese	4.21	0.553	ng/m ³ Air		4.27			1.50	10	
Nickel	0.701	0.225	ng/m ³ Air		0.750			6.68	10	
Selenium	0.397	0.0383	ng/m ³ Air		0.380			4.52	10	LJ, QX

Post Spike (B6C2505-PS1)

Source: 6031136-03

Prepared: 03/25/26 Analyzed: 04/01/26

Antimony	2.53	0.0548	ng/m ³ Air	2.0833	0.486	98.3	75-125			
Arsenic	10.8	0.0245	ng/m ³ Air	10.417	0.281	101	75-125			
Beryllium	1.95	0.00374	ng/m ³ Air	2.0833	0.00385	93.4	75-125			
Cadmium	1.11	0.00365	ng/m ³ Air	1.0417	0.0464	102	75-125			
Chromium	16.2	2.74	ng/m ³ Air	10.417	6.53	92.5	75-125			
Cobalt	2.32	0.0120	ng/m ³ Air	2.0833	0.108	106	75-125			
Lead	20.5	0.0782	ng/m ³ Air	20.833	0.756	94.7	75-125			
Manganese	24.7	0.553	ng/m ³ Air	20.833	4.27	98.1	75-125			
Nickel	22.7	0.225	ng/m ³ Air	20.833	0.750	105	75-125			
Selenium	11.2	0.0383	ng/m ³ Air	10.417	0.380	104	75-125			LJ, QX

Dilution Check (B6C2505-SRL1)

Source: 6031136-03

Prepared: 03/25/26 Analyzed: 04/01/26

Antimony	0.464	0.274	ng/m ³ Air		0.486			4.50	10	
Arsenic	0.221	0.123	ng/m ³ Air		0.281			23.9	10	
Beryllium	0.00215	0.0187	ng/m ³ Air		ND				10	U
Cadmium	0.0454	0.0182	ng/m ³ Air		0.0464			2.16	10	
Chromium	6.00	13.7	ng/m ³ Air		ND				10	U
Cobalt	0.105	0.0601	ng/m ³ Air		0.108			2.51	10	
Lead	0.660	0.391	ng/m ³ Air		0.756			13.5	10	
Manganese	4.04	2.76	ng/m ³ Air		4.27			5.53	10	
Nickel	0.671	1.13	ng/m ³ Air		ND				10	U
Selenium	0.356	0.191	ng/m ³ Air		0.380			6.42	10	LJ, QX

Batch B6C2601 - ICP-MS Extraction

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B6C2601 - ICP-MS Extraction

Blank (B6C2601-BLK1)

Prepared: 03/26/26 Analyzed: 04/03/26

Antimony	-0.00552	0.0547	ng/m ³ Air							U
Arsenic	-0.0121	0.0245	ng/m ³ Air							U
Beryllium	-5.85E-4	0.00373	ng/m ³ Air							U
Cadmium	0.00198	0.00364	ng/m ³ Air							U
Chromium	0.0916	2.74	ng/m ³ Air							U
Cobalt	0.00139	0.0120	ng/m ³ Air							U
Lead	0.0138	0.0781	ng/m ³ Air							U
Manganese	0.155	0.552	ng/m ³ Air							U
Nickel	-0.00939	0.225	ng/m ³ Air							U
Selenium	0.00534	0.0382	ng/m ³ Air							U

LCS (B6C2601-BS1)

Prepared: 03/26/26 Analyzed: 04/03/26

Antimony	10.0	0.0547	ng/m ³ Air	10.397		96.3	80-120			
Arsenic	19.7	0.0245	ng/m ³ Air	20.799		94.6	80-120			
Beryllium	10.3	0.00373	ng/m ³ Air	10.402		99.4	80-120			
Cadmium	9.95	0.00364	ng/m ³ Air	10.407		95.6	80-120			
Chromium	99.8	2.74	ng/m ³ Air	104.01		95.9	80-120			
Cobalt	9.26	0.0120	ng/m ³ Air	10.403		89.0	80-120			
Lead	101	0.0781	ng/m ³ Air	104.00		96.9	80-120			
Manganese	58.5	0.552	ng/m ³ Air	62.421		93.7	80-120			
Nickel	18.8	0.225	ng/m ³ Air	20.797		90.4	80-120			
Selenium	20.2	0.0382	ng/m ³ Air	20.801		97.2	80-120			

LCS (B6C2601-BS2)

Prepared: 03/26/26 Analyzed: 04/03/26

Antimony	10.1	0.0547	ng/m ³ Air	10.397		97.3	80-120			
Arsenic	20.2	0.0245	ng/m ³ Air	20.799		97.0	80-120			
Beryllium	10.6	0.00373	ng/m ³ Air	10.402		102	80-120			
Cadmium	10.1	0.00364	ng/m ³ Air	10.407		97.2	80-120			
Chromium	101	2.74	ng/m ³ Air	104.01		97.4	80-120			
Cobalt	9.48	0.0120	ng/m ³ Air	10.403		91.1	80-120			
Lead	102	0.0781	ng/m ³ Air	104.00		98.4	80-120			
Manganese	58.9	0.552	ng/m ³ Air	62.421		94.4	80-120			
Nickel	19.4	0.225	ng/m ³ Air	20.797		93.2	80-120			
Selenium	20.7	0.0382	ng/m ³ Air	20.801		99.5	80-120			

LCS Dup (B6C2601-BSD1)

Prepared: 03/26/26 Analyzed: 04/03/26

Antimony	10.3	0.0547	ng/m ³ Air	10.397		98.8	80-120	2.58	20	
Arsenic	20.1	0.0245	ng/m ³ Air	20.799		96.7	80-120	2.24	20	
Beryllium	10.5	0.00373	ng/m ³ Air	10.402		101	80-120	1.38	20	
Cadmium	10.2	0.00364	ng/m ³ Air	10.407		98.3	80-120	2.77	20	
Chromium	101	2.74	ng/m ³ Air	104.01		96.8	80-120	0.878	20	

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 FAX: -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Analyte	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-------

Inorganics by Compendium Method IO-3.5 - Quality Control

Batch B6C2601 - ICP-MS Extraction

LCS Dup (B6C2601-BSD1) Continued

Prepared: 03/26/26 Analyzed: 04/03/26

Cobalt	9.38	0.0120	ng/m ³ Air	10.403		90.2	80-120	1.27	20	
Lead	102	0.0781	ng/m ³ Air	104.00		98.4	80-120	1.59	20	
Manganese	59.0	0.552	ng/m ³ Air	62.421		94.5	80-120	0.876	20	
Nickel	18.9	0.225	ng/m ³ Air	20.797		91.1	80-120	0.726	20	
Selenium	20.7	0.0382	ng/m ³ Air	20.801		99.4	80-120	2.24	20	



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100 **FAX:** -

FILE #: 0475

REPORTED: 04/16/26 12:15

SUBMITTED: 01/14/26 to 03/06/26

AQS SITE CODE: 40 143 1127

SITE CODE: TMOK

Notes and Definitions

U	Under Detection Limit
QX	Compound does not meet QC criteria. Results should be considered an estimate.
LJ	Identification of analyte is acceptable; reported value is an estimate.
FB-01	Analyte exceeds Field Blank criteria.
BR	Sample Value Below Acceptable Range
ND	Analyte NOT DETECTED
NR	Not Reported
MDL	Method Detection Limit
RPD	Relative Percent Difference

Note: This test is accredited under the 2016 TNI Standard.