



Eastern Research Group
601 Keystone Park Drive
Suite 700
Morrisville, NC 27560

July 08, 2026

Mr. Bryan Sims
Oklahoma Dept. of Environmental Quality
707 N. Robinson, PO Box 1677
Oklahoma City, OK 73101-1677
Project Name: TOOK

Dear Mr. Bryan Sims,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 05/13/26 13:42 through 06/03/26 15:08.

Values below the MDL for QC results in this report are recorded as ND, however the actual values are reported in the accompanying Excel report with a "U" flag (Under the detection limit). The actual values are reported in AQS.

This test is accredited under the 2016 TNI Standard for Environmental Laboratories (FL DOH Certification # E87673). All analyses were performed as described in the US EPA-approved QAPP, under the contract for National Hazardous Air Pollutant Support (US EPA Contract No. 68HERH22D0002). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7872.

Sincerely,

Randolph Bower
Program Manager
randy.bower@erg.com

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify randy.bower@erg.com and delete the report without retaining any copies.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 07/08/26 09:24

SUBMITTED: 05/13/26 to 06/03/26

AQS SITE CODE: 40 143 0235

SITE CODE: TOOK

ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
TOOK	6051326-01	Air	05/08/26 23:59	05/13/26 13:42
TOOK D2	6051949-04	Air	05/14/26 23:59	05/19/26 11:46
TOOK FB	6060323-01	Air	05/26/26 23:59	06/03/26 15:08
TOOK	6060323-02	Air	05/26/26 23:59	06/03/26 15:08



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 07/08/26 09:24

SUBMITTED: 05/13/26 to 06/03/26

AQS SITE CODE: 40 143 0235

SITE CODE: TOOK

Description: TOOK

Lab ID: 6051326-01

Sampled: 05/08/26 23:59

Temp Rec'd (°C): 4.9

Sample Volume: 1162.1 L

Received: 05/13/26 13:42

Cartridge Pouch #: 26G1043

Analyzed: 05/19/26 20:57

Comments:

Air Toxics by EPA Compendium Method TO-11A

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
	<u>ug/m³ Air</u>		<u>ug/m³ Air</u>
Formaldehyde	2.94		0.0545
Acetaldehyde	2.17		0.0225
Acetone	2.82		0.0835
Propionaldehyde	0.604		0.178
Crotonaldehyde	ND	U	0.0163
Butyraldehyde	0.281		0.00964
2-Butanone	0.495		0.0363
Benzaldehyde	0.148		0.0373
Valeraldehyde	0.292		0.0104
Hexaldehyde	0.203		0.0105



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 07/08/26 09:24

SUBMITTED: 05/13/26 to 06/03/26

AQS SITE CODE: 40 143 0235

SITE CODE: TOOK

Description: TOOK D2	Lab ID: 6051949-04	Sampled: 05/14/26 23:59
Temp Rec'd (°C): 4.5	Sample Volume: 1157.8 L	Received: 05/19/26 11:46
	Cartridge Pouch #: 26G1045	Analyzed: 05/22/26 20:26

Comments: Temperature tolerance

Air Toxics by EPA Compendium Method TO-11A

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
	<u>ug/m³ Air</u>		<u>ug/m³ Air</u>
Formaldehyde	4.47		0.0547
Acetaldehyde	2.14		0.0226
Acetone	2.11		0.0838
Propionaldehyde	0.564		0.179
Crotonaldehyde	ND	U	0.0164
Butyraldehyde	0.184		0.00967
2-Butanone	0.258		0.0364
Benzaldehyde	0.0892		0.0374
Valeraldehyde	0.183		0.0105
Hexaldehyde	0.126		0.0105



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 07/08/26 09:24

SUBMITTED: 05/13/26 to 06/03/26

AQS SITE CODE: 40 143 0235

SITE CODE: TOOK

Description: TOOK FB

Lab ID: 6060323-01

Sampled: 05/26/26 23:59

Temp Rec'd (°C): 4.8

Sample Volume: 1160.8 L

Received: 06/03/26 15:08

Cartridge Pouch #: 26G1047

Analyzed: 06/04/26 22:49

Comments: Samples discovered as swapped after analysis. Updating to reflect correction.

Air Toxics by EPA Compendium Method TO-11A

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
	<u>ug/m³ Air</u>		<u>ug/m³ Air</u>
Formaldehyde	0.0347	U	0.0545
Acetaldehyde	0.0237		0.0226
Acetone	0.0337	U	0.0836
Propionaldehyde	0.0289	U	0.178
Crotonaldehyde	ND	U	0.0164
Butyraldehyde	ND	U	0.00965
2-Butanone	ND	U	0.0364
Benzaldehyde	0.0282	U	0.0373
Valeraldehyde	ND	U	0.0104
Hexaldehyde	ND	U	0.0105



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 07/08/26 09:24

SUBMITTED: 05/13/26 to 06/03/26

AQS SITE CODE: 40 143 0235

SITE CODE: TOOK

Description: TOOK

Lab ID: 6060323-02

Sampled: 05/26/26 23:59

Temp Rec'd (°C): 4.8

Sample Volume: 1160.8 L

Received: 06/03/26 15:08

Cartridge Pouch #: 26G1048

Analyzed: 06/04/26 23:22

Comments: Samples discovered as swapped after analysis. Updating to reflect correction.

Air Toxics by EPA Compendium Method TO-11A

<u>Analyte</u>	<u>Results</u>	<u>Flag</u>	<u>MDL</u>
	<u>ug/m³ Air</u>		<u>ug/m³ Air</u>
Formaldehyde	4.04		0.0545
Acetaldehyde	2.22		0.0226
Acetone	1.26		0.0836
Propionaldehyde	0.406		0.178
Crotonaldehyde	1.73		0.0164
Butyraldehyde	0.279		0.00965
2-Butanone	0.230		0.0364
Benzaldehyde	0.136		0.0373
Valeraldehyde	0.236		0.0104
Hexaldehyde	0.206		0.0105



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 07/08/26 09:24

SUBMITTED: 05/13/26 to 06/03/26

AQS SITE CODE: 40 143 0235

SITE CODE: TOOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch 2605066 - B6E1503

Calibration Blank (2605066-CCB1)

Prepared & Analyzed: 05/19/26

Formaldehyde	0.00	ug/ml							U
Acetaldehyde	0.00	ug/ml							U
Acetone	0.00	ug/ml							U
Propionaldehyde	0.00	ug/ml							U
Crotonaldehyde	0.00	ug/ml							U
Butyraldehyde	0.00	ug/ml							U
2-Butanone	0.00	ug/ml							U
Benzaldehyde	0.00	ug/ml							U
Valeraldehyde	0.00	ug/ml							U
Hexaldehyde	0.00	ug/ml							U

Calibration Blank (2605066-CCB2)

Prepared & Analyzed: 05/19/26

Formaldehyde	0.00	ug/ml							U
Acetaldehyde	0.00	ug/ml							U
Acetone	0.00	ug/ml							U
Propionaldehyde	0.00	ug/ml							U
Crotonaldehyde	0.00	ug/ml							U
Butyraldehyde	0.00	ug/ml							U
2-Butanone	0.00	ug/ml							U
Benzaldehyde	0.00	ug/ml							U
Valeraldehyde	0.00	ug/ml							U
Hexaldehyde	0.00	ug/ml							U

Calibration Check (2605066-CCV1)

Prepared & Analyzed: 05/19/26

Formaldehyde	0.143	ug/ml	0.15000	95.2	84.9-115.1
Acetaldehyde	0.147	ug/ml	0.15000	97.7	84.9-115.1
Acetone	0.147	ug/ml	0.15000	98.0	84.9-115.1
Propionaldehyde	0.146	ug/ml	0.15000	97.2	84.9-115.1
Crotonaldehyde	0.151	ug/ml	0.15000	101	84.9-115.1
Butyraldehyde	0.144	ug/ml	0.15000	96.3	84.9-115.1
2-Butanone	0.150	ug/ml	0.15000	99.9	84.9-115.1
Benzaldehyde	0.152	ug/ml	0.15000	102	84.9-115.1
Valeraldehyde	0.150	ug/ml	0.15000	99.7	84.9-115.1
Hexaldehyde	0.143	ug/ml	0.15000	95.1	84.9-115.1

Calibration Check (2605066-CCV2)

Prepared & Analyzed: 05/19/26

Formaldehyde	0.146	ug/ml	0.15000	97.4	84.9-115.1
Acetaldehyde	0.148	ug/ml	0.15000	98.7	84.9-115.1

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 07/08/26 09:24

SUBMITTED: 05/13/26 to 06/03/26

AQS SITE CODE: 40 143 0235

SITE CODE: TOOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch 2605066 - B6E1503

Calibration Check (2605066-CCV2) Contin

Prepared & Analyzed: 05/19/26

Acetone	0.147	ug/ml	0.15000	98.1	84.9-115.1
Propionaldehyde	0.143	ug/ml	0.15000	95.5	84.9-115.1
Crotonaldehyde	0.154	ug/ml	0.15000	102	84.9-115.1
Butyraldehyde	0.143	ug/ml	0.15000	95.3	84.9-115.1
2-Butanone	0.151	ug/ml	0.15000	101	84.9-115.1
Benzaldehyde	0.152	ug/ml	0.15000	102	84.9-115.1
Valeraldehyde	0.150	ug/ml	0.15000	100	84.9-115.1
Hexaldehyde	0.144	ug/ml	0.15000	96.3	84.9-115.1

Calibration Check (2605066-CCV3)

Prepared & Analyzed: 05/19/26

Formaldehyde	0.144	ug/ml	0.15000	96.2	84.9-115.1
Acetaldehyde	0.148	ug/ml	0.15000	98.6	84.9-115.1
Acetone	0.148	ug/ml	0.15000	98.5	84.9-115.1
Propionaldehyde	0.147	ug/ml	0.15000	97.8	84.9-115.1
Crotonaldehyde	0.153	ug/ml	0.15000	102	84.9-115.1
Butyraldehyde	0.145	ug/ml	0.15000	96.7	84.9-115.1
2-Butanone	0.145	ug/ml	0.15000	96.5	84.9-115.1
Benzaldehyde	0.154	ug/ml	0.15000	102	84.9-115.1
Valeraldehyde	0.148	ug/ml	0.15000	98.7	84.9-115.1
Hexaldehyde	0.142	ug/ml	0.15000	94.5	84.9-115.1

Batch 2605076 - B6E2205

Calibration Blank (2605076-CCB1)

Prepared & Analyzed: 05/22/26

Formaldehyde	0.00	ug/ml			U
Acetaldehyde	0.00	ug/ml			U
Acetone	0.00	ug/ml			U
Propionaldehyde	0.00	ug/ml			U
Crotonaldehyde	0.00	ug/ml			U
Butyraldehyde	0.00	ug/ml			U
2-Butanone	0.00	ug/ml			U
Benzaldehyde	0.00	ug/ml			U
Valeraldehyde	0.00	ug/ml			U
Hexaldehyde	0.00	ug/ml			U

Calibration Blank (2605076-CCB2)

Prepared: 05/22/26 Analyzed: 05/23/26

Formaldehyde	0.00	ug/ml			U
Acetaldehyde	0.00	ug/ml			U
Acetone	0.00	ug/ml			U
Propionaldehyde	0.00	ug/ml			U
Crotonaldehyde	0.00	ug/ml			U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 07/08/26 09:24

SUBMITTED: 05/13/26 to 06/03/26

AQS SITE CODE: 40 143 0235

SITE CODE: TOOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch 2605076 - B6E2205

Calibration Blank (2605076-CCB2) Contin

Prepared: 05/22/26 Analyzed: 05/23/26

Butyraldehyde	0.00	ug/ml							U
2-Butanone	0.00	ug/ml							U
Benzaldehyde	0.00	ug/ml							U
Valeraldehyde	0.00	ug/ml							U
Hexaldehyde	0.00	ug/ml							U

Calibration Check (2605076-CCV1)

Prepared & Analyzed: 05/22/26

Formaldehyde	0.145	ug/ml	0.15000	96.5	84.9-115.1
Acetaldehyde	0.144	ug/ml	0.15000	96.2	84.9-115.1
Acetone	0.145	ug/ml	0.15000	96.4	84.9-115.1
Propionaldehyde	0.142	ug/ml	0.15000	94.8	84.9-115.1
Crotonaldehyde	0.145	ug/ml	0.15000	96.6	84.9-115.1
Butyraldehyde	0.141	ug/ml	0.15000	93.8	84.9-115.1
2-Butanone	0.145	ug/ml	0.15000	96.3	84.9-115.1
Benzaldehyde	0.146	ug/ml	0.15000	97.3	84.9-115.1
Valeraldehyde	0.142	ug/ml	0.15000	94.8	84.9-115.1
Hexaldehyde	0.140	ug/ml	0.15000	93.4	84.9-115.1

Calibration Check (2605076-CCV2)

Prepared & Analyzed: 05/22/26

Formaldehyde	0.143	ug/ml	0.15000	95.4	84.9-115.1
Acetaldehyde	0.146	ug/ml	0.15000	97.0	84.9-115.1
Acetone	0.144	ug/ml	0.15000	96.1	84.9-115.1
Propionaldehyde	0.142	ug/ml	0.15000	94.7	84.9-115.1
Crotonaldehyde	0.149	ug/ml	0.15000	99.3	84.9-115.1
Butyraldehyde	0.139	ug/ml	0.15000	92.7	84.9-115.1
2-Butanone	0.143	ug/ml	0.15000	95.0	84.9-115.1
Benzaldehyde	0.149	ug/ml	0.15000	99.2	84.9-115.1
Valeraldehyde	0.144	ug/ml	0.15000	96.1	84.9-115.1
Hexaldehyde	0.142	ug/ml	0.15000	94.7	84.9-115.1

Calibration Check (2605076-CCV3)

Prepared & Analyzed: 05/22/26

Formaldehyde	0.142	ug/ml	0.15000	95.0	84.9-115.1
Acetaldehyde	0.145	ug/ml	0.15000	96.7	84.9-115.1
Acetone	0.145	ug/ml	0.15000	96.7	84.9-115.1
Propionaldehyde	0.140	ug/ml	0.15000	93.6	84.9-115.1
Crotonaldehyde	0.146	ug/ml	0.15000	97.6	84.9-115.1
Butyraldehyde	0.141	ug/ml	0.15000	93.9	84.9-115.1
2-Butanone	0.144	ug/ml	0.15000	96.0	84.9-115.1
Benzaldehyde	0.145	ug/ml	0.15000	96.5	84.9-115.1
Valeraldehyde	0.144	ug/ml	0.15000	96.2	84.9-115.1

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 07/08/26 09:24

SUBMITTED: 05/13/26 to 06/03/26

AQS SITE CODE: 40 143 0235

SITE CODE: TOOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch 2605076 - B6E2205

Calibration Check (2605076-CCV3) Contin

Prepared & Analyzed: 05/22/26

Hexaldehyde	0.139	ug/ml	0.15000	92.8	84.9-115.1
-------------	-------	-------	---------	------	------------

Calibration Check (2605076-CCV4)

Prepared: 05/22/26 Analyzed: 05/23/26

Formaldehyde	0.144	ug/ml	0.15000	95.7	84.9-115.1
Acetaldehyde	0.147	ug/ml	0.15000	97.8	84.9-115.1
Acetone	0.145	ug/ml	0.15000	96.7	84.9-115.1
Propionaldehyde	0.144	ug/ml	0.15000	95.8	84.9-115.1
Crotonaldehyde	0.147	ug/ml	0.15000	98.2	84.9-115.1
Butyraldehyde	0.141	ug/ml	0.15000	94.1	84.9-115.1
2-Butanone	0.142	ug/ml	0.15000	94.9	84.9-115.1
Benzaldehyde	0.149	ug/ml	0.15000	99.2	84.9-115.1
Valeraldehyde	0.145	ug/ml	0.15000	96.8	84.9-115.1
Hexaldehyde	0.141	ug/ml	0.15000	94.0	84.9-115.1

Batch 2606020 - B6F0406

Calibration Blank (2606020-CCB1)

Prepared & Analyzed: 06/04/26

Formaldehyde	0.00	ug/ml				U
Acetaldehyde	0.00	ug/ml				U
Acetone	0.00	ug/ml				U
Propionaldehyde	0.00	ug/ml				U
Crotonaldehyde	0.00	ug/ml				U
Butyraldehyde	0.00	ug/ml				U
2-Butanone	0.00	ug/ml				U
Benzaldehyde	0.00	ug/ml				U
Valeraldehyde	0.00	ug/ml				U
Hexaldehyde	0.00	ug/ml				U

Calibration Blank (2606020-CCB2)

Prepared & Analyzed: 06/04/26

Formaldehyde	0.00	ug/ml				U
Acetaldehyde	0.00	ug/ml				U
Acetone	0.00	ug/ml				U
Propionaldehyde	0.00	ug/ml				U
Crotonaldehyde	0.00	ug/ml				U
Butyraldehyde	0.00	ug/ml				U
2-Butanone	0.00	ug/ml				U
Benzaldehyde	0.00	ug/ml				U
Valeraldehyde	0.00	ug/ml				U
Hexaldehyde	0.00	ug/ml				U

Calibration Check (2606020-CCV1)

Prepared & Analyzed: 06/04/26

Formaldehyde	0.149	ug/ml	0.15000	99.2	84.9-115.1
--------------	-------	-------	---------	------	------------

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 07/08/26 09:24

SUBMITTED: 05/13/26 to 06/03/26

AQS SITE CODE: 40 143 0235

SITE CODE: TOOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch 2606020 - B6F0406

Calibration Check (2606020-CCV1) Contin

Prepared & Analyzed: 06/04/26

Acetaldehyde	0.150	ug/ml	0.15000	99.8	84.9-115.1
Acetone	0.151	ug/ml	0.15000	101	84.9-115.1
Propionaldehyde	0.151	ug/ml	0.15000	100	84.9-115.1
Crotonaldehyde	0.152	ug/ml	0.15000	102	84.9-115.1
Butyraldehyde	0.147	ug/ml	0.15000	98.3	84.9-115.1
2-Butanone	0.153	ug/ml	0.15000	102	84.9-115.1
Benzaldehyde	0.158	ug/ml	0.15000	105	84.9-115.1
Valeraldehyde	0.151	ug/ml	0.15000	101	84.9-115.1
Hexaldehyde	0.147	ug/ml	0.15000	97.7	84.9-115.1

Calibration Check (2606020-CCV2)

Prepared & Analyzed: 06/04/26

Formaldehyde	0.149	ug/ml	0.15000	99.0	84.9-115.1
Acetaldehyde	0.152	ug/ml	0.15000	102	84.9-115.1
Acetone	0.152	ug/ml	0.15000	101	84.9-115.1
Propionaldehyde	0.149	ug/ml	0.15000	99.5	84.9-115.1
Crotonaldehyde	0.156	ug/ml	0.15000	104	84.9-115.1
Butyraldehyde	0.148	ug/ml	0.15000	98.5	84.9-115.1
2-Butanone	0.152	ug/ml	0.15000	101	84.9-115.1
Benzaldehyde	0.155	ug/ml	0.15000	104	84.9-115.1
Valeraldehyde	0.154	ug/ml	0.15000	103	84.9-115.1
Hexaldehyde	0.144	ug/ml	0.15000	95.8	84.9-115.1

Calibration Check (2606020-CCV3)

Prepared & Analyzed: 06/04/26

Formaldehyde	0.147	ug/ml	0.15000	97.9	84.9-115.1
Acetaldehyde	0.152	ug/ml	0.15000	101	84.9-115.1
Acetone	0.149	ug/ml	0.15000	99.4	84.9-115.1
Propionaldehyde	0.148	ug/ml	0.15000	98.7	84.9-115.1
Crotonaldehyde	0.156	ug/ml	0.15000	104	84.9-115.1
Butyraldehyde	0.149	ug/ml	0.15000	99.5	84.9-115.1
2-Butanone	0.149	ug/ml	0.15000	99.0	84.9-115.1
Benzaldehyde	0.157	ug/ml	0.15000	105	84.9-115.1
Valeraldehyde	0.152	ug/ml	0.15000	102	84.9-115.1
Hexaldehyde	0.147	ug/ml	0.15000	97.9	84.9-115.1

Batch B6E1503 - TO-11A extraction

Blank (B6E1503-BLK1)

Prepared: 05/15/26 Analyzed: 05/22/26

Formaldehyde	ND	ug/m ³ Air	U
Acetaldehyde	ND	ug/m ³ Air	U
Acetone	ND	ug/m ³ Air	U
Propionaldehyde	ND	ug/m ³ Air	U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 07/08/26 09:24

SUBMITTED: 05/13/26 to 06/03/26

AQS SITE CODE: 40 143 0235

SITE CODE: TOOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch B6E1503 - TO-11A extraction

Blank (B6E1503-BLK1) Continued

Prepared: 05/15/26 Analyzed: 05/22/26

Crotonaldehyde	ND	ug/m ³ Air							U
Butyraldehyde	ND	ug/m ³ Air							U
2-Butanone	ND	ug/m ³ Air							U
Benzaldehyde	ND	ug/m ³ Air							U
Valeraldehyde	ND	ug/m ³ Air							U
Hexaldehyde	ND	ug/m ³ Air							U

LCS (B6E1503-BS1)

Prepared: 05/15/26 Analyzed: 05/19/26

Formaldehyde	0.325	ug/ml	0.30000	108	79.9-120.1				
Acetaldehyde	0.285	ug/ml	0.30000	95.0	79.9-120.1				
Acetone	0.295	ug/ml	0.30000	98.5	69.9-130.1				
Propionaldehyde	0.266	ug/ml	0.30000	88.6	69.9-130.1				
Crotonaldehyde	0.278	ug/ml	0.30000	92.6	69.9-130.1				
Butyraldehyde	0.250	ug/ml	0.30000	83.3	69.9-130.1				
2-Butanone	0.241	ug/ml	0.30000	80.4	69.9-130.1				
Benzaldehyde	0.308	ug/ml	0.30000	103	69.9-130.1				
Valeraldehyde	0.249	ug/ml	0.30000	83.0	69.9-130.1				
Hexaldehyde	0.246	ug/ml	0.30000	82.0	69.9-130.1				

LCS Dup (B6E1503-BSD1)

Prepared: 05/15/26 Analyzed: 05/19/26

Formaldehyde	0.332	ug/ml	0.30000	111	79.9-120.1	2.31	20		
Acetaldehyde	0.289	ug/ml	0.30000	96.4	79.9-120.1	1.46	20		
Acetone	0.301	ug/ml	0.30000	100	69.9-130.1	2.03	20		
Propionaldehyde	0.267	ug/ml	0.30000	89.1	69.9-130.1	0.612	20		
Crotonaldehyde	0.283	ug/ml	0.30000	94.4	69.9-130.1	1.90	20		
Butyraldehyde	0.255	ug/ml	0.30000	85.1	69.9-130.1	2.14	20		
2-Butanone	0.243	ug/ml	0.30000	81.0	69.9-130.1	0.708	20		
Benzaldehyde	0.311	ug/ml	0.30000	104	69.9-130.1	1.04	20		
Valeraldehyde	0.254	ug/ml	0.30000	84.8	69.9-130.1	2.11	20		
Hexaldehyde	0.243	ug/ml	0.30000	81.0	69.9-130.1	1.12	20		

Batch B6E2205 - TO-11A extraction

Blank (B6E2205-BLK1)

Prepared & Analyzed: 05/22/26

Formaldehyde	ND	ug/m ³ Air							U
Acetaldehyde	0.0284	ug/m ³ Air							
Acetone	ND	ug/m ³ Air							U
Propionaldehyde	ND	ug/m ³ Air							U
Crotonaldehyde	ND	ug/m ³ Air							U
Butyraldehyde	ND	ug/m ³ Air							U
2-Butanone	ND	ug/m ³ Air							U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 07/08/26 09:24

SUBMITTED: 05/13/26 to 06/03/26

AQS SITE CODE: 40 143 0235

SITE CODE: TOOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch B6E2205 - TO-11A extraction

Blank (B6E2205-BLK1) Continued

Prepared & Analyzed: 05/22/26

Benzaldehyde	ND	ug/m ³ Air							U
Valeraldehyde	ND	ug/m ³ Air							U
Hexaldehyde	ND	ug/m ³ Air							U

LCS (B6E2205-BS1)

Prepared & Analyzed: 05/22/26

Formaldehyde	0.274	ug/ml	0.30000		91.5	79.9-120.1			
Acetaldehyde	0.288	ug/ml	0.30000		96.1	79.9-120.1			
Acetone	0.289	ug/ml	0.30000		96.2	69.9-130.1			
Propionaldehyde	0.302	ug/ml	0.30000		101	69.9-130.1			
Crotonaldehyde	0.281	ug/ml	0.30000		93.5	69.9-130.1			
Butyraldehyde	0.245	ug/ml	0.30000		81.8	69.9-130.1			
2-Butanone	0.230	ug/ml	0.30000		76.5	69.9-130.1			
Benzaldehyde	0.298	ug/ml	0.30000		99.3	69.9-130.1			
Valeraldehyde	0.248	ug/ml	0.30000		82.7	69.9-130.1			
Hexaldehyde	0.242	ug/ml	0.30000		80.8	69.9-130.1			

LCS Dup (B6E2205-BSD1)

Prepared & Analyzed: 05/22/26

Formaldehyde	0.274	ug/ml	0.30000		91.2	79.9-120.1	0.300	20	
Acetaldehyde	0.285	ug/ml	0.30000		95.0	79.9-120.1	1.19	20	
Acetone	0.286	ug/ml	0.30000		95.3	69.9-130.1	0.879	20	
Propionaldehyde	0.298	ug/ml	0.30000		99.4	69.9-130.1	1.45	20	
Crotonaldehyde	0.277	ug/ml	0.30000		92.4	69.9-130.1	1.27	20	
Butyraldehyde	0.246	ug/ml	0.30000		81.9	69.9-130.1	0.192	20	
2-Butanone	0.228	ug/ml	0.30000		75.9	69.9-130.1	0.879	20	
Benzaldehyde	0.296	ug/ml	0.30000		98.7	69.9-130.1	0.681	20	
Valeraldehyde	0.245	ug/ml	0.30000		81.6	69.9-130.1	1.42	20	
Hexaldehyde	0.243	ug/ml	0.30000		81.0	69.9-130.1	0.229	20	

Duplicate (B6E2205-DUP9)

Source: 6051949-04 Prepared & Analyzed: 05/22/26

Formaldehyde	4.47	ug/m ³ Air		4.47			0.0124	10.1	
Acetaldehyde	2.14	ug/m ³ Air		2.14			0.145	10.1	
Acetone	2.10	ug/m ³ Air		2.11			0.444	10.1	
Propionaldehyde	0.571	ug/m ³ Air		0.564			1.14	10.1	
Crotonaldehyde	ND	ug/m ³ Air		ND				10.1	U
Butyraldehyde	0.188	ug/m ³ Air		0.184			1.86	10.1	
2-Butanone	0.261	ug/m ³ Air		0.258			1.00	10.1	
Benzaldehyde	0.0909	ug/m ³ Air		0.0892			1.91	10.1	
Valeraldehyde	0.191	ug/m ³ Air		0.183			4.24	10.1	
Hexaldehyde	0.107	ug/m ³ Air		0.126			15.8	10.1	

Batch B6F0406 - TO-11A extraction

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 07/08/26 09:24

SUBMITTED: 05/13/26 to 06/03/26

AQS SITE CODE: 40 143 0235

SITE CODE: TOOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch B6F0406 - TO-11A extraction

Blank (B6F0406-BLK1)

Prepared & Analyzed: 06/04/26

Formaldehyde	ND	ug/m ³ Air							U
Acetaldehyde	ND	ug/m ³ Air							U
Acetone	ND	ug/m ³ Air							U
Propionaldehyde	ND	ug/m ³ Air							U
Crotonaldehyde	ND	ug/m ³ Air							U
Butyraldehyde	ND	ug/m ³ Air							U
2-Butanone	ND	ug/m ³ Air							U
Benzaldehyde	0.0621	ug/m ³ Air							
Valeraldehyde	ND	ug/m ³ Air							U
Hexaldehyde	ND	ug/m ³ Air							U

LCS (B6F0406-BS1)

Prepared & Analyzed: 06/04/26

Formaldehyde	0.284	ug/ml	0.30000		94.5	79.9-120.1			
Acetaldehyde	0.289	ug/ml	0.30000		96.4	79.9-120.1			
Acetone	0.296	ug/ml	0.30000		98.6	69.9-130.1			
Propionaldehyde	0.280	ug/ml	0.30000		93.4	69.9-130.1			
Crotonaldehyde	0.287	ug/ml	0.30000		95.7	69.9-130.1			
Butyraldehyde	0.253	ug/ml	0.30000		84.2	69.9-130.1			
2-Butanone	0.240	ug/ml	0.30000		80.1	69.9-130.1			
Benzaldehyde	0.303	ug/ml	0.30000		101	69.9-130.1			
Valeraldehyde	0.254	ug/ml	0.30000		84.8	69.9-130.1			
Hexaldehyde	0.247	ug/ml	0.30000		82.3	69.9-130.1			

LCS Dup (B6F0406-BSD1)

Prepared & Analyzed: 06/04/26

Formaldehyde	0.283	ug/ml	0.30000		94.4	79.9-120.1	0.0994	20	
Acetaldehyde	0.290	ug/ml	0.30000		96.7	79.9-120.1	0.299	20	
Acetone	0.295	ug/ml	0.30000		98.2	69.9-130.1	0.424	20	
Propionaldehyde	0.267	ug/ml	0.30000		89.1	69.9-130.1	4.70	20	
Crotonaldehyde	0.279	ug/ml	0.30000		93.0	69.9-130.1	2.78	20	
Butyraldehyde	0.251	ug/ml	0.30000		83.7	69.9-130.1	0.669	20	
2-Butanone	0.238	ug/ml	0.30000		79.4	69.9-130.1	0.914	20	
Benzaldehyde	0.305	ug/ml	0.30000		102	69.9-130.1	0.418	20	
Valeraldehyde	0.253	ug/ml	0.30000		84.3	69.9-130.1	0.601	20	
Hexaldehyde	0.243	ug/ml	0.30000		81.1	69.9-130.1	1.39	20	

Duplicate (B6F0406-DUP2)

Source: 6060323-01 Prepared & Analyzed: 06/04/26

Formaldehyde	ND	ug/m ³ Air		ND			10.1		U
Acetaldehyde	ND	ug/m ³ Air		0.0237			10.1		U
Acetone	ND	ug/m ³ Air		ND			10.1		U
Propionaldehyde	ND	ug/m ³ Air		ND			10.1		U

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 07/08/26 09:24

SUBMITTED: 05/13/26 to 06/03/26

AQS SITE CODE: 40 143 0235

SITE CODE: TOOK

Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-11A - Quality Control

Batch B6F0406 - TO-11A extraction

Duplicate (B6F0406-DUP2) Continued **Source: 6060323-01** Prepared & Analyzed: 06/04/26

Crotonaldehyde	ND	ug/m ³ Air		ND				10.1	U
Butyraldehyde	ND	ug/m ³ Air		ND				10.1	U
2-Butanone	ND	ug/m ³ Air		ND				10.1	U
Benzaldehyde	ND	ug/m ³ Air		ND				10.1	U
Valeraldehyde	ND	ug/m ³ Air		ND				10.1	U
Hexaldehyde	ND	ug/m ³ Air		ND				10.1	U



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency, Region 6

707 N. Robinson, PO Box 1677

Oklahoma City, OK 73101-1677

ATTN: Mr. Bryan Sims

PHONE: (405) 702-0100

FILE #: 3508.00

REPORTED: 07/08/26 09:24

SUBMITTED: 05/13/26 to 06/03/26

AQS SITE CODE: 40 143 0235

SITE CODE: TOOK

Notes and Definitions

U	Under Detection Limit
S-Rec	Sample received by laboratory outside of initial extraction hold time - 14 days -
DNPH	DNPH fails QAPP criteria. Results for this sample should be considered an estimate and may be biased low.
D-F	Duplicate exceeds DQO criteria.
CE	Not reportable due to a co-eluting compound.
ND	Analyte NOT DETECTED
NR	Not Reported
MDL	Method Detection Limit
RPD	Relative Percent Difference

Note: Breakthrough cartridges were not submitted or analyzed as specified by Compendium Method TO-11A. This deviation from the method has been approved by the US EPA, under the contract for UATMP, NATTS, CSATAM, PAMS and NMOC Support (US EPA Contract No. EP-D-14-030).

Note: This test is accredited under the 2016 TNI Standard.