GROUP MEMBERS:

Naledi Thato Prudence Makobalo - 202433480

Lesedi Ledwaba - 202461421

Nazi Tholumuzi Ndlovu – 202411019

Ndzalo Shibambu – 202402888

Online Voting System with Biometric Verification

Course: Project NPRT63

Group name: The Cloud Communion

Project Proposal

Table of Contents

Introduction. 2
Problem Statement 3,4
Aim of the Project 5
Objectives 6,7,8
Proposed Solutions 9
Benefits of the System 10
System architecture 11
Feasibility 12
Conclusion 13

Introduction.

Fairness, security, and trust are the key components of any democratic process, whether it is a corporate vote, a national election, or a student government poll. However, problems with voter fraud, logistical inefficiencies, and lack of transparency indicate a growing threat to traditional voting systems, both paper-based and early electronic. In addition to decreasing public confidence, issues like voter impersonation, duplicate voting, and the high expenses of running actual voting sites might prevent voters who encounter time, location, or other obstacles from casting votes.

This project proposes creating an **Online Voting System with Biometric Verification** in order to address these important issues. By providing a safe, transparent, and accessible platform for carrying out elections remotely, this technology seeks to modernize the democratic process. The method offers a strong solution to the core issue of voter identity by including biometric authentication—facial recognition. This basically removes the possibility of identity fraud and impersonation by guaranteeing that the voter is who they say they are.

The proposed approach uses a unique biological feature for verification, instead of using just straight-forward password or ID-based logins, which are vulnerable to identity theft and abuse. It uses encryption to safeguard the confidentiality and integrity of each vote cast in a central database and maintains a strict “One-Person-One-Vote” policy to void duplicate voting. Also, the system offers real-time results publishing and a full admin dashboard for election management, automating the entire calculating process.

In conclusion, this project aims to provide a voting system that is more inclusive, economical, safe, and reliable. The method intends to boost voter participation while lowering the logistical footprint and costs associated with traditional elections by allowing voters to participate remotely through internet-enabled devices. This online voting system offers a useful and creative way to rebuild trust in the democratic process by combining current web technology with biometric security.

Problem Statement

Overview of the Current System

Many institutions currently rely on a manual, paper-based voting procedure or, in certain situations, a straightforward electronic system that uses simple digital credentials. The procedure goes as follows in an ordinary setup:

Voter Registration: Eligible voters are registered manually, often by filling out paper forms. Their details (name, ID number, etc.) are recorded in a ledger or a basic digital spreadsheet.

Election Day: Voters must appear in person at a designated physical voting station.

Identity Verification: Upon arrival, a voter presents a physical identification document (e.g., student card, driver's license, or national ID). A voting official inspects the document and manually checks the voter's name against a printed voter roll.

Voting: If verified, the voter is handed a paper ballot, marks their choice in a private booth, and deposits it into a sealed ballot box.

Vote Counting: After voting station closes, officials manually empty the ballot boxes and count the votes by hand. Results are then compiled, often using spreadsheets, and transmitted up the chain of command for final announcement.

In certain slightly more technologically advanced situations, universities might use a straightforward online poll or a system that allows people to electronically cast their votes by logging in with a username and password (or student ID number).

Problems with the Current System

Although well-known, this conventional method has serious drawbacks that jeopardize the fairness, effectiveness, and accessibility of elections. Here are the challenges:

Security Vulnerabilities and Fraud:

Voter Impersonation: It is quite unsafe to rely solely on the human examination of actual ID cards. Voter impersonation is made possible by the ease with which cards can be fabricated, stolen, or borrowed. Because they are not forensic experts, election workers are likely to overlook sophisticated fakes.

Identity Fraud: Simple login systems that rely on ID numbers or passwords are susceptible to hacking, theft, and sharing. An attacker might cast several false votes using just one compromised credential.

Lack of Robust Authentication: There is a serious security flaw in the current system because there is no trustworthy method for biometrically connecting an individual to their stated identification.

Operational Inefficiencies:

Duplicate or Multiple Voting: A manual approach lacks a reliable real-time mechanism to stop someone from casting numerous ballots at different polling places. Although ink marks are occasionally utilized, they are not a reliable technological solution.

Manual and Delayed Vote Counting: Manual paper ballot counting is labor-intensive, sluggish, and prone to human mistake. Results announcements may be significantly delayed as a result of this process, which can take hours or even days. Errors can also arise when results are transcribed into spreadsheets.

High Operational Costs: Printing ballots and voter records, renting polling places, buying voting equipment, and paying employees to run the stations for long hours are just a few of the significant expenses associated with holding a physical election.

Accessibility and Inclusivity Issues:

Physical Presence Requirement: The mandatory requirement to vote in person disenfranchises many eligible voters. This includes students studying abroad, individuals with disabilities that limit mobility, employees who cannot leave work, and people living in remote areas far from polling stations.

Time Constraints: Voting is often restricted to specific hours on a single day, which may not accommodate the schedules of all voters.

Transparency and Trust Deficits:

Limited Audit Trail: An audit trail from a manual system is limited and frequently confusing. Recounts are time-consuming, and disagreements about the authenticity of votes can be unreasonable and give rise to claims of unfairness.

Lack of Visibility: The voting procedure is not highly visible to stakeholders (candidates, observers). They have to wait until the very end to see the results, which creates an atmosphere where mistrust and suspicion might grow if there are differences.

Logistical and Environmental Concerns:

Resource Intensive: Large volumes of paper are used for ballots, envelopes, and administrative paperwork during physical elections, which adds to environmental waste.

Geographical Barriers: Ensuring equal access to actual voting locations is a major logistical concern for universities with numerous campuses or a geographically dispersed membership.

In conclusion, the existing approach is based on easily hacked identity verification, is reactive, and uses a lot of paper. These shortcomings result in elections that are expensive, sluggish, inaccessible, and susceptible to legitimacy concerns.

Aim of the Project

The main goal of this project is to create a secure online voting system with biometric verification that will replace insecure digital or paper-based systems by allowing registered voters to cast their ballots remotely using a web-based interface. By forcing voters to verify using distinctive biological characteristics like fingerprints or facial recognition, which are compared to safely stored templates to avoid fraud and impersonation, the system will guarantee reliable identity verification. Additionally, it will implement a rigorous one-person-one-vote policy by using a centralized database to track voting status in real time and prevent duplicate attempts. Additionally, by automatically tallying each encrypted vote as it is cast and quickly displaying updated results after the election is over, the system will provide transparent and real-time vote counting, improving accessibility, efficiency, and trust in the political process.

Objectives

The goals of the suggested Online Voting System with Biometric Verification are intended to solve the particular drawbacks of the existing voting procedures. Each goal stands for a crucial functional necessity that, when combined, create a comprehensive, safe, and trustworthy electoral platform.

To Authenticate Voters Using Biometric Data (Facial Recognition)

This goal seeks to replace unreliable voter verification techniques (such ID cards, passwords, or straightforward usernames) with a more reliable system based on distinctive human traits. By establishing a direct, non-transferable connection between an individual and their digital identity, biometric authentication guarantees that the person seeking to cast a ballot is, in fact, the registered voter they claim to be. This goal is essential for avoiding identity fraud and impersonation, which are frequent weaknesses in conventional systems.

How It Will Be Achieved:

Enrollment Phase: The system will use the proper hardware (such as a high-resolution camera for facial recognition) to collect the voter's biometric information during registration. A biometric algorithm will process this raw data to extract distinctive traits, which are subsequently transformed into an encrypted mathematical pattern. To preserve privacy, only the template will be kept in the database; the original picture, such as the real photo or fingerprint image, will be deleted.

Verification Phase: In order to cast a vote, the user must first present a live biometric sample (such as a real-time selfie) after logging in with their voter ID. This new sample will be compared to the stored template linked to the supplied ID by the biometric engine of the system.

Outcome: Only after the system verifies a successful match within a certain confidence threshold is access to the electronic vote made possible. This guarantees that the voter's identity is highly definite before they may cast votes.

To Ensure That Each Voter Can Only Vote Once

This goal is essential to upholding the democratic ideal of "one person, one vote." Regardless of whether the attempt is purposeful or unintentional, the system must include an uncompromising mechanism to prevent any individual from casting more than one ballot in a single election. This keeps ballots from being stuffed and guarantees that the outcome fairly represents the electorate's wishes.

How It Will Be Achieved:

Centralized Status Tracking: For each particular election, a specific field in the central database will monitor each registered voter's voting status (e.g., “HasVoted”: TRUE/FALSE).
Pre-Vote Check: The system will do a real-time database query to verify the voter's status right after biometric authentication. The system will promptly prevent access to the ballot and show a notification that a vote has already been recorded if the status is already “TRUE”.

Atomic Transaction: Voting will be implemented as an atomic database transaction. This indicates that in a single, indivisible process, the vote is recorded and the voter's status is changed from “FALSE” to “TRUE”. By submitting the request twice in quick succession, this avoids a scenario in which a voter might cast two ballots (a "race condition").

To Provide a Secure Platform for Online Voting

This goal deals with the application's overall security posture. Simply authenticating individuals is insufficient; the entire voting environment, from the user's browser to the server and database, needs to be safeguarded against a variety of cyberthreats, such as denial-of-service attacks, hacking, and data

interception. The intention is to establish a trustworthy environment where voters can cast their ballots without worrying about them being watched, tampered with, or intercepted.

How It Will Be Achieved:

Encryption in Transit: HTTPS (SSL/TLS) will be used to safeguard all data transferred between the voter's device and the web server. By creating an encrypted channel, this stops eavesdroppers from obtaining private information like as biometric templates or vote choices.
Encryption at Rest: Votes and private information kept in the database will be encrypted such that, even in the event of a database breach, the information would be inaccessible without the right decryption keys.
Secure Authentication: The system will employ strong password restrictions for admin accounts, secure session management, and safeguards against common online vulnerabilities like SQL Injection and Cross-Site Scripting (XSS) in addition to biometrics.

Server Hardening: Security best practices, such as firewalls, frequent security patches, and intrusion detection systems, will be installed on the web server and database server.

To Store All Votes Securely in a Central Database

The integrity and secrecy of the data after a vote is cast are the main concerns of this goal. Every ballot must be kept exactly as it was cast, shielded from loss, tampering, and unwanted access. Compared to decentralized paper systems, a central database offers a single source of truth, making management, backup, and auditing easier.

How It Will Be Achieved:

Encrypted Storage: All vote records will be encrypted before being entered into the database, as previously mentioned. This guarantees that individual votes cannot be viewed or changed by database administrators.
Data Integrity Checks: To identify any illegal changes to the vote data, the system may employ techniques like hashes or checksums. To ensure that the data hasn't been changed, a hash of the vote record, for instance, may be saved and then recalculated.

Frequent Backups: To guard against data loss from hardware failure or other calamities, the database will be automatically and frequently backed up to a safe, different location.
Access Control: To guarantee that only the main voting application has the required permissions to write new votes, strict access controls will be put in place. The raw database will be extremely restricted, tracked, and ideally require multi-factor authentication for administrator access.

To Provide Real-Time Vote Counting and Result Display

This goal is to do away with the effort, delays, and possibility of human error that come with manual vote counting. The technology can deliver precise and timely results by automating the tallying process. Additionally, controlled transparency fosters trust among voters, candidates, and administrators. Examples of this include showing turnout or final results.

How It Will Be Achieved:

Automated Tallying Engine: As each encrypted vote is correctly cast and stored, a counting module on the application's back end will update running totals in real-time.
Admin Dashboard: After the election is over, administrators will have access to a real-time dashboard that shows live statistics including the total number of votes cast, the proportion of voters who cast ballots, and eventually the results for each candidate.
Public-Facing Results Page: The final, confirmed tallies can be immediately shown on a public results

page at the very moment the election ends, offering immediate transparency and doing away with the "waiting period" that frequently generates distrust.

Audit Trail for Results: In order to provide a verifiable record that the presented results are accurate, the system will log the final count and the time it was generated.

To Allow Administrators to Manage Elections and Voter Records

The back-end management features needed to set up and administer the full election process are covered under this goal. Within a safe and intuitive interface, the system must provide authorized administrators with the resources they require to organize elections, oversee the electorate, and keep an eye on the proceedings.

How It Will Be Achieved:

Election Management Module: Authorized users will be able to initiate new elections, specify the ballot (such as a list of candidates or referendum questions), set start and end hours, and activate or deactivate the election using a special admin dashboard.
Voter Management Module: While maintaining the privacy of biometric data, administrators will be able to register new voters, import voter lists, modify voter information, deactivate ineligible voters, and reset passwords. To maintain integrity, this module will also enable them to view voting status but not change it.

Candidate Management: An easy-to-use interface for adding, deleting, or changing a candidate's details and ballot order.
Monitoring and Reporting: The dashboard will give users access to audit logs, real-time monitoring tools, and the capacity to produce both initial and final reports. For accountability, every administrative action shall be recorded.

To Improve Accessibility for Voters Who Cannot Attend Physical Voting Stations

The inclusion gap present in traditional voting is addressed by this goal. The approach seeks to empower voters who are often or incidentally denied access to physical polling places by shifting the voting process online. In addition to increasing participation, this guarantees that the election outcomes are more representative of the whole electorate.

How It Will Be Achieved:

Remote Access: The main feature is that voters who are overseas, in a different city, or in isolated rural areas can cast their ballots from any location with an internet connection, eliminating geographical restrictions.
Device Flexibility: The platform will be usable on a variety of platforms, such as PCs, tablets, and smartphones, thanks to responsive web design, accommodating users with varying degrees of technological proficiency.
Support for Voters with Disabilities: In order to facilitate independent voting for voters with visual or motor impairments, the web interface will be created with accessibility in mind (in accordance with WCAG criteria), including screen readers, keyboard navigation, and customizable text sizes.

Extended Voting Window: Voters with hectic work schedules, caregiving obligations, or other time constraints have a greater window of opportunity to participate since the online system can stay open for several days instead of just one 12-hour polling day.

Proposed Solutions

The proposed online voting system with biometric verification is aimed at offering a safe, effective, and transparent platform for elections. The system will be created as an online application that allows voters to register, verify their identity using biometric authentication, and vote electronically.

Voters will enter personal information, including their names, ID numbers, and contact data, during registration. In addition, biometric information, such as fingerprint scans and facial recognition images, would be recorded by the system. In the voting process, these biometric data are stored in a secure database and used for identification verification.

The system will require biometric authentication to verify the identity of the voter before they can view the ballot. To verify the legitimacy of the voter, the system will compare the biometric data collected with the biometric information stored. The elector can access the electronic ballot box and cast their votes safely after verification.

The voter's voting history is automatically checked by the system. The system will prevent further voting attempts if a vote has already been registered for this person. This guarantees that each voter can only vote one way or the other. Election administrators can create elections, manage candidates, register voters, and monitor voter behavior with an administrative dashboard. Furthermore, the system will count votes in real time and generate results at the end of the election period.

Benefits of the System

The use of an online voting system with biometric verification brings several benefits. First, biometric authentication enhances electoral security by restricting access to the voting system to only verified voters. This reduces the likelihood of identity theft and fakes. Secondly, the system automatically determines whether voters have already voted and avoids repeated voting. Thirdly, technology improves efficiency by allowing real-time automatic counting of votes and shortening the time required for announcing the election results. Fourthly, the approach improves access by enabling voters to cast ballots from far away using Internet-enabled devices. Finally, the system improves accountability and transparency by maintaining a system operation record that can be reviewed for audit reasons.

System architecture



Architecture of the online Voting system

1. **User Interface Layer**
   The interface that users utilize to engage with the system is represented by this layer. This interface will be used by voters to register, log in, finish biometric verification, and cast their ballots. The interface will also be used by administrators to oversee elections and track outcomes.
2. **Application Layer**
   The system's primary logic is located at the application layer. It handles communication between the user interface and the database, processes user requests, confirms biometric authentication, and enforces voting regulations like one-person, one-vote.
3. **The Database Layer**
   Voter records, biometric templates, election specifics, candidate data, and voting outcomes are all stored in the database layer. The database guarantees that information is safely kept and accessible when needed for auditing or monitoring.

Together, these levels guarantee the system's safe and effective operation while preserving the voting process's integrity.

Feasibility

Using the most modern technologies available for web-based applications and biometric authentication, the proposed approach is practical. Many devices, including computers and mobile phones, already have cameras and fingerprint scanners that allow biometric authentication.

Furthermore, several open-source libraries and development tools are available to facilitate the deployment of secure web apps with biometric recognition. This enables the system to be developed without the need for costly proprietary technologies.

Before being extended to accommodate more extensive voting procedures, the project may first be used on a small scale, such as for organizational or university elections.

Additionally, the project allows students to apply their knowledge of database administration, system analysis, and software development to solve practical issues.

Conclusion

Fair decision-making procedures in institutions and organizations depend on reliable and secure voting systems. By introducing biometric authentication, safe vote management, and real-time result processing, the Online Voting System with Biometric Verification offers a contemporary solution to the problems of conventional and password-based voting systems.

This project demonstrates excellent technical and analytical skills while addressing real-world voting concerns through the integration of technology, appropriate system design, and user interaction. It provides a useful and creative way to enhance election efficiency, accessibility, and integrity.