



US009094137B1

(12) **United States Patent**  
**Sehn**

(10) **Patent No.:** **US 9,094,137 B1**  
(45) **Date of Patent:** **Jul. 28, 2015**

(54) **PRIORITY BASED PLACEMENT OF  
MESSAGES IN A GEO-LOCATION BASED  
EVENT GALLERY**

(71) Applicant: **Snapchat, Inc.**, Venice, CA (US)

(72) Inventor: **Timothy Sehn**, Marina Del Ray, CA  
(US)

(73) Assignee: **Snapchat, Inc.**, Venice, CA (US)

(\*) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **14/523,728**

(22) Filed: **Oct. 24, 2014**

(51) **Int. Cl.**

**H04W 4/00** (2009.01)

**H04H 20/61** (2008.01)

**H04W 4/02** (2009.01)

**G06Q 30/02** (2012.01)

**H04W 4/12** (2009.01)

(52) **U.S. Cl.**

CPC ..... **H04H 20/61** (2013.01); **G06Q 30/0267**  
(2013.01); **H04W 4/021** (2013.01); **H04W 4/12**  
(2013.01)

(58) **Field of Classification Search**

USPC ..... 455/466; 370/338; 705/14.4  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,999,932	A	12/1999	Paul
6,154,764	A	11/2000	Nitta et al.
6,167,435	A	12/2000	Druckenmiller et al.
6,204,840	B1	3/2001	Petelycky et al.
6,216,141	B1 *	4/2001	Straub et al. .... 715/234
6,310,694	B1	10/2001	Okimoto et al.

6,484,196	B1	11/2002	Maurille
6,665,531	B1	12/2003	Soderbacka et al.
6,724,403	B1	4/2004	Santoro et al.
6,757,713	B1	6/2004	Ogilvie et al.
6,898,626	B2	5/2005	Ohashi
7,124,164	B1	10/2006	Chemtob
7,149,893	B1	12/2006	Leonard et al.
7,203,380	B2	4/2007	Chiu et al.
7,356,564	B2	4/2008	Hartselle et al.
7,519,670	B2	4/2009	Hagale et al.
8,001,204	B2	8/2011	Burtner et al.
8,112,716	B2	2/2012	Kobayashi
8,276,092	B1	9/2012	Narayanan et al.
8,279,319	B2	10/2012	Date
8,312,086	B2	11/2012	Velusamy et al.
8,312,097	B1	11/2012	Siegel et al.
8,379,130	B2	2/2013	Forutanpour et al.
8,405,773	B2	3/2013	Hayashi et al.
8,418,067	B2	4/2013	Cheng et al.
8,471,914	B2	6/2013	Sakiyama et al.
8,560,612	B2	10/2013	Kilmer et al.

(Continued)

**OTHER PUBLICATIONS**

IVISIT, "iVisit Mobile Getting Started", Dec. 4, 2013, iVisit, pp.  
1-16.

(Continued)

*Primary Examiner* — Marcos Batista


(74) *Attorney, Agent, or Firm* — Schwegman Lundberg &  
Woessner, P.A.

(57)

**ABSTRACT**

A computer implemented method includes creating an event gallery associated with an event using messages received from devices located within a geo-location fence. The messages are scanned to identify a specific brand in a message. An endorsement of the message is received from an owner of the specific brand. In response to the endorsement, the placement of the message is prioritized in the event gallery. The event gallery is supplied in response to a request from a user.

**14 Claims, 6 Drawing Sheets**



(56)

## References Cited

## U.S. PATENT DOCUMENTS

8,744,523	B2	6/2014	Fan et al.	2011/0273575	A1	11/2011	Lee	
8,775,972	B2	7/2014	Spiegel	2011/0283188	A1	11/2011	Farrenkopf et al.	
8,788,680	B1	7/2014	Naik	2011/0320373	A1	12/2011	Lee et al.	
8,797,415	B2	8/2014	Arnold	2012/0036443	A1	2/2012	Ohmori et al.	
8,856,349	B2	10/2014	Jain et al.	2012/0062805	A1 *	3/2012	Candelore	348/734
2002/0047868	A1	4/2002	Miyazawa	2012/0108293	A1	5/2012	Law et al.	
2002/0122659	A1	9/2002	McGrath et al.	2012/0110096	A1	5/2012	Smarr et al.	
2002/0144154	A1	10/2002	Tomkow	2012/0113272	A1	5/2012	Hata	
2003/0016247	A1	1/2003	Lai et al.	2012/0131507	A1	5/2012	Sparandara et al.	
2003/0052925	A1	3/2003	Daimon et al.	2012/0131512	A1	5/2012	Takeuchi et al.	
2003/0164856	A1	9/2003	Prager et al.	2012/0143760	A1	6/2012	Abulafia et al.	
2004/0027371	A1	2/2004	Jaeger	2012/0166971	A1	6/2012	Sachson et al.	
2004/0111467	A1	6/2004	Willis	2012/0169855	A1	7/2012	Oh	
2004/0203959	A1	10/2004	Coombes	2012/0173991	A1	7/2012	Roberts et al.	
2004/0243531	A1	12/2004	Dean	2012/0184248	A1	7/2012	Speede	
2005/0078804	A1	4/2005	Yomoda	2012/0200743	A1	8/2012	Blanchflower et al.	
2005/0097176	A1	5/2005	Schatz et al.	2012/0210244	A1	8/2012	deFrancisco et al.	
2005/0102381	A1	5/2005	Jiang et al.	2012/0212632	A1	8/2012	Mate et al.	
2005/0104976	A1	5/2005	Curran	2012/0220264	A1	8/2012	Kawabata	
2005/0114783	A1	5/2005	Szeto	2012/0233000	A1	9/2012	Fisher et al.	
2005/0122405	A1	6/2005	Voss et al.	2012/0236162	A1	9/2012	Imamura	
2005/0193340	A1	9/2005	Amburgey et al.	2012/0239761	A1	9/2012	Linner et al.	
2005/0193345	A1	9/2005	Klassen et al.	2012/0278387	A1	11/2012	Garcia et al.	
2005/0198128	A1	9/2005	Anderson et al.	2012/0278692	A1	11/2012	Shi	
2005/0223066	A1	10/2005	Buchheit et al.	2012/0299954	A1	11/2012	Wada et al.	
2006/0114338	A1	6/2006	Rothschild	2012/0307096	A1	12/2012	Ford et al.	
2006/0270419	A1	11/2006	Crowley et al.	2012/0323933	A1	12/2012	He et al.	
2007/0040931	A1	2/2007	Nishizawa	2013/0050260	A1	2/2013	Reitan	
2007/0073823	A1	3/2007	Cohen et al.	2013/0057587	A1	3/2013	Leonard et al.	
2007/0082707	A1	4/2007	Flynt et al.	2013/0059607	A1	3/2013	Herz et al.	
2007/0192128	A1	8/2007	Celestini	2013/0060690	A1	3/2013	Oskolkov et al.	
2007/0214216	A1	9/2007	Carrer et al.	2013/0063369	A1	3/2013	Malhotra et al.	
2007/0233801	A1	10/2007	Eren et al.	2013/0067027	A1	3/2013	Song et al.	
2007/0243887	A1	10/2007	Bandhole et al.	2013/0071093	A1	3/2013	Hanks et al.	
2007/0255456	A1	11/2007	Funayama	2013/0085790	A1	4/2013	Palmer et al.	
2008/0025701	A1	1/2008	Ikeda	2013/0090171	A1	4/2013	Holton et al.	
2008/0033930	A1	2/2008	Warren	2013/0104053	A1	4/2013	Thornton et al.	
2008/0104503	A1	5/2008	Beall et al.	2013/0128059	A1	5/2013	Kristensson	
2008/0207176	A1	8/2008	Brackbill et al.	2013/0145286	A1	6/2013	Feng et al.	
2008/0222545	A1	9/2008	Lemay et al.	2013/0169822	A1	7/2013	Zhu et al.	
2008/0256446	A1	10/2008	Yamamoto	2013/0173729	A1	7/2013	Starenky et al.	
2008/0266421	A1	10/2008	Takahata et al.	2013/0182133	A1	7/2013	Tanabe	
2008/0270938	A1	10/2008	Carlson	2013/0185131	A1	7/2013	Sinha et al.	
2008/0313346	A1	12/2008	Kujawa et al.	2013/0194301	A1	8/2013	Robbins et al.	
2009/0006565	A1	1/2009	Velusamy et al.	2013/0222323	A1	8/2013	McKenzie	
2009/0015703	A1	1/2009	Kim et al.	2013/0232194	A1	9/2013	Knapp et al.	
2009/0024956	A1	1/2009	Kobayashi	2013/0263031	A1	10/2013	Oshiro et al.	
2009/0040324	A1	2/2009	Nonaka	2013/0265450	A1	10/2013	Barnes, Jr.	
2009/0042588	A1	2/2009	Lottin et al.	2013/0290443	A1	10/2013	Collins et al.	
2009/0058822	A1	3/2009	Chaudhri	2013/0304646	A1	11/2013	De Geer	
2009/0079846	A1	3/2009	Chou	2013/0344896	A1	12/2013	Kirmse et al.	
2009/0132453	A1	5/2009	Hangartner et al.	2013/0346869	A1	12/2013	Asver et al.	
2009/0132665	A1	5/2009	Thomsen et al.	2013/0346877	A1 *	12/2013	Borovoy et al.	715/753
2009/0160970	A1	6/2009	Fredlund et al.	2014/0011538	A1	1/2014	Mulcahy et al.	
2009/0265647	A1	10/2009	Martin et al.	2014/0032682	A1	1/2014	Prado et al.	
2010/0082693	A1	4/2010	Hugg et al.	2014/0047016	A1	2/2014	Rao	
2010/0131880	A1	5/2010	Lee et al.	2014/0047045	A1	2/2014	Baldwin et al.	
2010/0131895	A1	5/2010	Wohlert	2014/0047335	A1	2/2014	Lewis et al.	
2010/0159944	A1	6/2010	Pascal et al.	2014/0049652	A1	2/2014	Moon et al.	
2010/0161831	A1	6/2010	Haas et al.	2014/0052485	A1	2/2014	Shidfar	
2010/0185665	A1	7/2010	Horn et al.	2014/0052633	A1	2/2014	Gandhi	
2010/0214436	A1	8/2010	Kim et al.	2014/0057660	A1	2/2014	Wager	
2010/0223128	A1	9/2010	Dukellis et al.	2014/0122658	A1	5/2014	Haeger et al.	
2010/0223343	A1	9/2010	Bosan et al.	2014/0122787	A1	5/2014	Shalvi et al.	
2010/0257196	A1	10/2010	Waters et al.	2014/0129953	A1	5/2014	Spiegel	
2010/0281045	A1	11/2010	Dean	2014/0143143	A1	5/2014	Fasoli et al.	
2010/0306669	A1	12/2010	Della	2014/0149519	A1	5/2014	Redfern et al.	
2011/0004071	A1	1/2011	Faiola et al.	2014/0155102	A1	6/2014	Cooper et al.	
2011/0040783	A1	2/2011	Uemichi et al.	2014/0173457	A1	6/2014	Wang et al.	
2011/0040804	A1	2/2011	Peirce et al.	2014/0189592	A1	7/2014	Benchenaa et al.	
2011/0050909	A1	3/2011	Ellenby et al.	2014/0207679	A1	7/2014	Cho	
2011/0050915	A1	3/2011	Wang et al.	2014/0214471	A1	7/2014	Schreiner, III	
2011/0102630	A1	5/2011	Rukes	2014/0279436	A1	9/2014	Dorsey et al.	
2011/0145564	A1	6/2011	Moshir et al.	2014/0280537	A1	9/2014	Pridmore et al.	
2011/0211534	A1 *	9/2011	Schmidt et al.	2014/0282096	A1	9/2014	Rubinstein et al.	
				2014/0317302	A1	10/2014	Naik	

(56)

**References Cited**

U.S. PATENT DOCUMENTS

2014/0325383 A1 10/2014 Brown et al.  
2015/0046278 A1 2/2015 Pei et al.

OTHER PUBLICATIONS

Melanson, Mike, "This text message will self destruct in 60 seconds", available on Feb. 11, 2011, retrieved from readwrite.com on Feb. 18, 2015, link: [http://readwrite.com/2011/02/11/this\\_text\\_message\\_will\\_self\\_destruct\\_in\\_60\\_seconds](http://readwrite.com/2011/02/11/this_text_message_will_self_destruct_in_60_seconds), referred to hereinafter as Read-Write.

Sawers, Paul, "Snapchat for iOS Lets You Send Photos to Friends and Set How long They're Visible for", May 7, 2012, <<http://thenextvweb.com/apps/2012/05/07/Snapchat-for-ios-lets-you-send-photos-to-friends-and-set-how-long-theyre-visible-for/#!xCjrp>>, pp. 1-5.

"U.S. Appl. No. 14/304,855, Final Office Action mailed Feb. 18, 2015", 10 pgs.

"U.S. Appl. No. 14/304,855, Non Final Office Action mailed Mar. 18, 2015", 9 pgs.

"U.S. Appl. No. 14/304,855, Non Final Office Action mailed Oct. 22, 2014", 11 pgs.

"U.S. Appl. No. 14/304,855, Response filed Feb. 25, 2015 to Final Office Action mailed Feb. 18, 2015", 5 pgs.

"U.S. Appl. No. 14/304,855, Response filed Apr. 1, 2015 to Non Final Office Action mailed Mar. 18, 2015", 4 pgs.

"U.S. Appl. No. 14/304,855, Response filed Nov. 7, 2014 to Non Final Office Action mailed Oct. 22, 2014", 5 pgs.

"U.S. Appl. No. 14/505,478, Advisory Action mailed Apr. 14, 2015", 3 pgs.

"U.S. Appl. No. 14/505,478, Final Office Action mailed Mar. 17, 2015", 16 pgs.

"U.S. Appl. No. 14/505,478, Non Final Office Action mailed Jan. 27, 2015", 13 pgs.

"U.S. Appl. No. 14/505,478, Response filed Jan. 30, 2015 to Non Final Office Action mailed Jan. 27, 2015", 10 pgs.

"U.S. Appl. No. 14/505,478, Response filed Apr. 1, 2015 to Final Office Action mailed Mar. 17, 2015", 6 pgs.

"U.S. Appl. No. 14/529,064, Non Final Office Action mailed Mar. 12, 2015", 20 pgs.

"U.S. Appl. No. 14/529,064, Response filed Feb. 5, 2015 to Restriction Requirement mailed Feb. 2, 2015", 6 pgs.

"U.S. Appl. No. 14/529,064, Response filed Mar. 26, 2015 to Non Final Office Action mailed Mar. 12, 2015", 8 pgs.

"U.S. Appl. No. 14/529,064, Restriction Requirement mailed Feb. 2, 2015", 5 pgs.

"U.S. Appl. No. 14/578,271, Restriction Requirement mailed Apr. 23, 2015", 8 pgs.

"U.S. Appl. No. 14/304,855, Notice of Allowance mailed Jun. 1, 2015", 11 pgs.

"U.S. Appl. No. 14/578,258, Non Final Office Action mailed Jun. 10, 2015", 12 pgs.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8






FIG. 9

1

# PRIORITY BASED PLACEMENT OF MESSAGES IN A GEO-LOCATION BASED EVENT GALLERY

## CROSS-REFERENCE TO RELATED APPLICATIONS

This invention is related to commonly owned U.S. Ser. No. 14/304,855, filed Jun. 13, 2014. This invention is also related to commonly owned U.S. Ser. No. 14/529,064, filed Oct. 30, 2014.

## FIELD OF THE INVENTION

This invention relates generally to exchanging electronic messages in a computer network. More particularly, this invention relates to priority placement of messages in a geo-location based event gallery.

## BACKGROUND OF THE INVENTION

Mobile devices, such as smartphones, are used to generate messages. The messages may be text messages, photographs (with or without augmenting text) and videos. Users can share such messages with individuals in their social network. However, there is no mechanism for sharing messages with strangers that are participating in a common event.

## SUMMARY OF THE INVENTION

A computer implemented method includes creating an event gallery associated with an event using messages received from devices located within a geo-location fence. The messages are scanned to identify a specific brand in a message. An endorsement of the message is received from an owner of the specific brand. In response to the endorsement, the placement of the message is prioritized in the event gallery. The event gallery is supplied in response to a request from a user.

## BRIEF DESCRIPTION OF THE FIGURES

The invention is more fully appreciated in connection with the following detailed description taken in conjunction with the accompanying drawings, in which:

FIG. 1 illustrates a system configured in accordance with an embodiment of the invention.

FIG. 2 illustrates server side processing associated with an embodiment of the invention.

FIG. 3 illustrates client side processing associated with an embodiment of the invention.

FIGS. 4-8 illustrate graphical user interfaces that may be associated with embodiments of the invention.

FIG. 9 illustrates server side processing associated with an alternate embodiment of the invention.

Like reference numerals refer to corresponding parts throughout the several views of the drawings.

## DETAILED DESCRIPTION OF THE INVENTION

Figure illustrates a system 100 configured in accordance with an embodiment of the invention. The system 100 includes a set of client devices 102\_1 through 102\_N and at least one server 104 connected via a network 106. The network 106 may be any combination of wired or wireless networks.

2

Each client device 102 has standard components, such as a central processing unit 110 and input/output devices 112 connected via a network 114. The input/output devices 112 may include a touch display, dedicated control buttons, physical connectors, speakers and the like. A network interface circuit 116 is also connected to the bus 114 and provides connectivity to network 106. A memory 120 is also connected to the bus 114. The memory 120 stores a communication application 122. The communication application 122 includes instructions executed by CPU 110 to coordinate communications with server 104 and/or other client devices. The client device may be in the form of a tablet, smartphone, wearable technology, laptop computer or desktop computer.

The server 104 also includes standard components, such as a central processing unit 130, a bus 132, input/output devices 134 and a network interface circuit 136. A memory 140 is connected to the bus 132. The memory 140 stores a communication module 142. The communication module 142 includes instructions executed by the CPU 130 to coordinate communications with client devices 102. The memory 140 also stores an event gallery module 144. The event gallery module 144 includes instructions executed by the CPU 130 to store messages from participants in a live event. The messages form an event gallery, which may be supplied to a client device 102 in response to a request from a client device 102.

FIG. 2 illustrates operations associated with an embodiment of the event gallery module 144. The top of the figure illustrates a set of message senders, i.e., Sender\_1 through Sender\_N. Each message sender is associated with a client device 102. The communication application 122 is configured to accompany a message with geo-location information. Typically, the geo-location information will be collected from a GPS chip resident in the client device. However, other geo-location information may also be used, such as cellular network geo-location information, self-reported geo-location information and the like.

The event gallery module 144 includes an administrative interface that allows one to define an event. For example, the administrative interface may prompt an event planner for event name, event description, event date, event time and event location. The event location is specified in physical coordinates (e.g., GPS coordinates) that define a geo-location fence associated with the event.

As previously indicated, messages from senders include geo-location information. The server 104 receives such messages and geo-location data 200 from any number of senders. For each message, the geo-location data is compared to the geo-location fence. If the message was not sent from within the geo-location fence it is not from a permitted position and it is therefore discarded (202—No). If the message is from a permitted position (202—Yes), the message is posted to an event gallery 204.

The event gallery module 144 may include a curation interface that allows an event planner to optionally curate the event gallery 206. For example, the curation interface may allow the event planner to delete inappropriate or redundant messages. The final operation of FIG. 2 is to supply the event gallery in response to requests 208 from any number of users.

FIG. 3 illustrates processing associated with the communication application 122 resident on a client device 102. The communication application 122 sends a registration request 300. The registration request may be an explicit request to join or follow an event. Alternately, the registration request may be triggered by sending geo-location data to server 104. The event gallery module 144 determines whether the geo-location data corresponds to a geo-location fence associated with an event. Event gallery prompt information is received

**302** in response to a request. The event gallery prompt information may be indicia of the event, such as a brand, a textual description and the like. The event gallery prompt may be accompanied by a message welcoming the user to the event. The message may have additional information and instructions regarding the event. The event gallery prompt information is added to a selectable destination list **304**. The selectable destination list **304** includes individuals in a user's social network. In this case, the selectable destination list is augmented with indicia of an event.

If a user generates a message (**306**—Yes) the destination list is supplied **308**. The destination list includes individuals in a user's social network and indicia of the event and/or event gallery. If the event gallery is selected (**310**), the user is added as a follower of the event **312**. So, for example, in the case where the user received the event gallery prompt in response to simply communicating geo-location data, the user may formally follow the event by posting a message (shared story) to the event gallery. That is, the event gallery module **144** adds the user to a list of event followers in response to the user posting a message to the event gallery. Finally, messages are sent to recipients designated on the selectable destination list **314**. These recipients are typically individuals in the user's social network.

FIG. 4 is an example of a message taken at an event. In this example, the message is a photograph, which may be augmented with text. FIG. 5 illustrates a selectable destination list **500**. The selectable destination list **500** includes an entry for a live event **502** and entries **504** for individuals in a social network. Selecting the live event **502** from the selectable destination list **500** may result in a prompt as shown in FIG. 6. The prompt may explain terms associated with posting content to the event gallery. FIG. 7 illustrates an interface listing friends in a social network and one or more events that are being followed.

FIG. 8 is an example of an event gallery **800**. The event gallery **800** includes individual posted messages **802**. The messages may be photographs, videos or text messages. The event gallery may be available for a specified transitory period. For example, the specified transitory period may be the duration of an event. Indicia of the event gallery may appear in a list of friends (e.g., destination list) for the duration of the event. In one embodiment, the event gallery has individual ephemeral messages shown in a sequence. For example, a first image is shown for five seconds, and then a second image is shown for three seconds, etc.

An event gallery may be open to all event participants. Alternately, an event gallery may be formed for a subset of participants selected from a destination list or some other list (e.g., a list of co-workers at an event). An embodiment of the invention maintains an ongoing event gallery (shared story) for a geo-location. For example, the shared story may extend over months. Alternately, the shared story may be renewed every twenty-four hour period at a specified geo-location.

FIG. 9 illustrates processing operations associated with an alternate embodiment of the invention. The first processing operation of this embodiment is to receive messages for an event gallery **900** from one or more users, intended for distribution to recipients as described above. For example, users may transmit messages via any number of web or mobile channels to communication module **142**. Once again, the messages may be text messages, photographs (with or without augmenting text or graphics) and videos (with or without augmenting text or graphics). For example, events could include concerts, music festivals, awards ceremonies, live sporting events, etc. Similarly, examples of geo-locations contemplated include university campuses, schools, office

space of a corporation, private residences, parks, etc. The messages may or may not be associated with a specific event or geo-location. As described above, the event gallery is a listing or sequence of messages available to a set of users. The set of users may be a group designated by a user or event sponsor, etc. In other embodiments, the set of users may be an entire social network, users located within a geolocation, members of a club or organization, etc.

While many messages received from users may be assigned to a position within the event gallery based on order of receipt or randomly, other messages (e.g., advertisements or sponsored messages) may be assigned a priority **904** based on other criteria, as described below. These messages may then be presented in the event gallery in accordance with their assigned priorities **906**.

Priority may be based upon sponsored content. Thus, sponsors or advertisers may be able to insert messages within an event gallery for display to users registered with a particular event gallery. For example, a particular brand or product may pay for inclusion (or favorable presentation) of a message within the event gallery. The favorable presentation may stem from a weight assigned to the message, where the weight is a function of the amount of consideration supplied by the sponsor. For example, an advertisement may require the payment of a certain minimum before being included in a given event gallery. Longer or earlier placements (with the event gallery) may command higher minimums. Sponsored content may be displayed on a flat fee or cost per view basis. In addition, video or augmented advertisements (with text, graphics, GIFs, animation, etc.) may similarly command premiums. Other factors considered in the weight of a message may include similarity in theme between the advertisement and the event. For example, toy advertisements may receive greater weight at a children's concert than would alcohol ads. Thus, in some embodiments, unsponsored messages may have no weight and may simply be organized on a temporal or other basis.

As discussed above, the favorable presentation may be in the form of a message placed early in a sequence of messages. Alternately, the favorable presentation may be in the form of a message of a relatively long duration in a sequence of ephemeral messages. In yet other embodiments, there may be circumstances when a message is not presented (e.g., failure to meet minimum bid, excess ad inventory, etc.).

A received message may also be assigned priority based upon endorsed content. For example, a user may endorse a particular brand or product. In such a case, an event gallery controlled by that user may favorably present a message with the brand or product within the event gallery. Weighting and presentation techniques discussed in connection with sponsored content may also be used for endorsed content.

Priority may be assigned based upon any number of evaluations of content. For example, the content of a message may be evaluated for indicia of sponsored content. The indicia may be in form of an observed brand or product in the content. The evaluation may be performed by optical character recognition, machine vision and similar techniques.

Another approach to evaluating the content is to evaluate the sender of the message. For example, if the sender of the message is a sponsor or an endorser, then a priority parameter is assigned in accordance with a favorable weight ascribed to the sponsoring sender or the endorsing sender. Other factors that may be considered in determining the priority parameter may include senders that are celebrities, well-known individuals, or "influencers" (e.g., individuals with admired within a community).

5

The final processing operation of FIG. 9 is to supply the event gallery in response to a request 908. For example, a client device 102 may access server 104. The event gallery module 144 may include executable code to maintain the event gallery. The event gallery may be served from the server 104 to any number of users associated with client devices 102.

Referring back to FIG. 1, in some embodiments, memory 140 of server 104 may be configured to include an advertisement module 148 and a priority module 150. Advertisement module 148 includes instructions executable by CPU 130 to receive messages or advertisements from advertisers, and otherwise administer and implement the advertisement or sponsored messages features of certain embodiments. In some embodiments, advertisers access (or send) messages to advertisement module 148 through a channel distinct from other channels utilized by non-advertiser users. For example, advertisers may access advertisement module 148 through a webpage via a web browser or through a mobile application feature accessible for advertisement submission purposes.

Priority module 150 includes instructions executable by CPU 130 to receive weights and weighting information submitted by users (i.e., advertisers) and to determine priorities of messages. In some embodiments, priority module 150 may also be configured to insert advertisements into the 'stream' of other messages within an event gallery. In addition to these operations, priority module 150 may also be configured in a manner to receive bid amounts from advertisers associated with advertisement message submissions. Thus, in these embodiments, priority module 150 may compare bid amounts (as well as other priority information, if any) to determine the priority according to which an advertisement message may be displayed within an event gallery.

The advertising module 148 may include a scanning module to scan the content of messages for a specific brand. For example, in the case of a text based message (e.g., a word or text mark in the message), the scan may be in the form of a word recognition or matching process. Any recognized words, phrases or text may be compared against trademark databases for matches. In the case of a photograph or video, an optical character recognition module may be used to identify logos, symbols, or patterns associated with a brand (e.g., the Nike® Swoosh, etc.).

Upon recognition of a brand, a message may be sent by communication module 142 to a brand owner offering the brand owner an opportunity to prioritize the message in the event gallery. Thus, a brand owner may be afforded an opportunity to pay to have a message displaying their brand inserted into an event gallery and/or for favorable placement in event gallery.

In this regard, a copy of the image may be transmitted to the brand owner allowing the owner an opportunity to review a message before deciding to prioritize the message. In other embodiments, a brand owner may be given an opportunity to edit the message. For instance, a brand owner may choose to add graphics, animations, etc. The brand owner may also be afforded an opportunity to remove references to competing brands.

Alternately, an online dashboard of messages may be made available to a brand owner. The dashboard may contain each or several of the instances of the appearance of the brand owner's marks or logos. The owner is able to compare, side-by-side, each message before deciding which messages to prioritize.

In some embodiments, multiple brand messages may be inserted into a single event gallery. In these examples, the various brand owners may be allowed to bid for favorable placement of their messages within the event gallery. Specifi-

6

cally, a highest bidder's message may be placed near the beginning of the event gallery. Conversely, lower bidders may have their messages inserted only if there is sufficient message inventory. Alternately, the duration of an ephemeral message may be based upon bid criteria.

The entire event may be sponsored by the brand owner. In this case, a 'welcome' or 'sponsored by' message may be presented at the beginning of the event gallery, followed by several other messages containing a particular brand or message throughout the gallery. Alternately, a third-party may sponsor the event and allow many brand owners to bid for favorable placement of messages.

The event gallery may have a title that indicates sponsored or endorsed content. The event gallery may be constructed from messages from a single user. In such a case, the event gallery is available to friends of the single user.

The event gallery may be constructed from messages from a pre-selected group of users (such as a group of friends). The event gallery is available to the pre-selected group of users. The event gallery may be constructed by a sponsor with the event gallery available to all individuals in a social network. In this context, a social network is a computer implemented application that facilitates computer network communications between individuals, where the computer network communications may be posts, comments, messages, images and the like.

The event gallery may be constructed from messages from users within a geo-location fence associated with an event. Alternately, the event gallery may be available to individuals following an event.

An embodiment of the present invention relates to a computer storage product with a non-transitory computer readable storage medium having computer code thereon for performing various computer-implemented operations. The media and computer code may be those specially designed and constructed for the purposes of the present invention, or they may be of the kind well known and available to those having skill in the computer software arts. Examples of computer-readable media include, but are not limited to: magnetic media, optical media, magneto-optical media and hardware devices that are specially configured to store and execute program code, such as application-specific integrated circuits ("ASICs"), programmable logic devices ("PLDs") and ROM and RAM devices. Examples of computer code include machine code, such as produced by a compiler, and files containing higher-level code that are executed by a computer using an interpreter. For example, an embodiment of the invention may be implemented using JAVA®, C++, or other object-oriented programming language and development tools. Another embodiment of the invention may be implemented in hardwired circuitry in place of, or in combination with, machine-executable software instructions.

The foregoing description, for purposes of explanation, used specific nomenclature to provide a thorough understanding of the invention. However, it will be apparent to one skilled in the art that specific details are not required in order to practice the invention. Thus, the foregoing descriptions of specific embodiments of the invention are presented for purposes of illustration and description. They are not intended to be exhaustive or to limit the invention to the precise forms disclosed; obviously, many modifications and variations are possible in view of the above teachings. The embodiments were chosen and described in order to best explain the principles of the invention and its practical applications, they thereby enable others skilled in the art to best utilize the invention and various embodiments with various modifications as are suited to the particular use contemplated. It is

7

intended that the following claims and their equivalents define the scope of the invention.

The invention claimed is:

1. A computer implemented method, comprising:  
 creating an event gallery associated with an event using  
 messages received from devices located within a geo-  
 location fence;  
 scanning the messages to identify a specific brand in a  
 message;  
 receiving from an owner of the specific brand an endorse-  
 ment of the message;  
 prioritizing, in response to the endorsement, the placement  
 of the message in the event gallery; and  
 supplying the event gallery in response to a request from a  
 user.
2. The computer implemented method of claim 1 wherein  
 receiving includes receiving a message including visual con-  
 tent.
3. The computer implemented method of claim 2 wherein  
 the visual content is a photograph.
4. The computer implemented method of claim 2 wherein  
 the visual content is a video.
5. The computer implemented method of claim 2 wherein  
 scanning includes utilizing optical character recognition  
 techniques on the visual content.
6. The computer implemented method of claim 5 wherein  
 scanning includes identifying logos or graphics associated  
 with the specific brand.

8

7. The computer implemented method of claim 1 wherein  
 scanning includes text based word matching of textual con-  
 tent.

8. The computer implemented method of claim 1 wherein  
 receiving includes receiving consideration from the owner of  
 the specific brand.

9. The computer implemented method of claim 1 wherein  
 receiving is in response to a message sent to the owner of the  
 specific brand.

10. The computer implemented method of claim 1 wherein  
 receiving is in response to a selection from an online dash-  
 board of messages including messages with the specific  
 brand.

11. The computer implemented method of claim 1 wherein  
 creating an event gallery is sponsored by the owner of the  
 specific brand.

12. The computer implemented method of claim 1 wherein  
 creating an event gallery is controlled by a party that allows  
 multiple owners of different brands to prioritize messages  
 based upon endorsements.

13. The computer implemented method of claim 1 wherein  
 the event gallery is available for supplying for a specified  
 transitory period.

14. The computer implemented method of claim 13  
 wherein each message is displayed in sequence for a specified  
 period of time, and wherein the event gallery may be repeat-  
 edly displayed only before expiration of the specified transi-  
 tory period.

\* \* \* \* \*