



(12) **United States Patent**
Allen et al.

(10) **Patent No.:** **US 9,537,811 B2**
(45) **Date of Patent:** **Jan. 3, 2017**

(54) **EPHEMERAL GALLERY OF EPHEMERAL MESSAGES**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **Snap Inc.**, Venice, CA (US)

(72) Inventors: **Nicholas Allen**, Venice, CA (US);
Donald Giovannini, Venice, CA (US);
Chia-Yi Lin, Los Angeles, CA (US);
Robert Murphy, Venice, CA (US);
Evan Spiegel, Venice, CA (US)

(73) Assignee: **Snap Inc.**, Venice, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

5,999,932	A	12/1999	Paul	
6,154,764	A *	11/2000	Nitta et al.	709/200
6,167,435	A	12/2000	Druckenmiller et al.	
6,204,840	B1	3/2001	Petelycky et al.	
6,216,141	B1	4/2001	Straub et al.	
6,310,694	B1	10/2001	Okimoto et al.	
6,353,170	B1	3/2002	Eyzaguirre et al.	
6,484,196	B1	11/2002	Maurille	
6,665,531	B1	12/2003	Soderbacka et al.	
6,724,403	B1	4/2004	Santoro et al.	
6,757,713	B1	6/2004	Ogilvie et al.	
6,898,626	B2 *	5/2005	Ohashi	709/206
7,027,124	B2	4/2006	Foote et al.	
7,124,164	B1	10/2006	Chemtob	

(Continued)

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **14/505,478**

(22) Filed: **Oct. 2, 2014**

WO WO-2016054562 A1 4/2016
WO WO-2016065131 A1 4/2016

(Continued)

(65) **Prior Publication Data**

US 2016/0099901 A1 Apr. 7, 2016

OTHER PUBLICATIONS

U.S. Appl. No. 14/612,692, filed Feb. 3, 2015, Multichannel System.

(Continued)

(51) **Int. Cl.**
G06F 15/16 (2006.01)
H04L 12/58 (2006.01)
G06F 21/62 (2013.01)
G06Q 50/00 (2012.01)

(52) **U.S. Cl.**
CPC **H04L 51/22** (2013.01); **G06F 21/62** (2013.01); **G06Q 50/01** (2013.01); **H04L 51/10** (2013.01)

(58) **Field of Classification Search**
CPC H04L 51/10; H04L 51/22; G06F 3/041; G06F 3/048; G06F 15/16
USPC 709/206, 217; 715/203–205, 702, 733, 715/772, 863
See application file for complete search history.


Primary Examiner — Thuong Nguyen

(74) *Attorney, Agent, or Firm* — Schwegman Lundberg & Woessner, P.A.

(57) **ABSTRACT**

A server has a processor and a memory storing instructions executed by the processor to maintain an ephemeral gallery of ephemeral messages. An ephemeral message is posted to the ephemeral gallery. The ephemeral message has an associated message duration parameter and a gallery participation parameter. An ephemeral message is removed from the ephemeral gallery in response to the identification of an expired gallery participation parameter.

17 Claims, 10 Drawing Sheets



US 9,537,811 B2

Page 2

(56)	References Cited		2009/0058822 A1 *	3/2009	Chaudhri	345/173
	U.S. PATENT DOCUMENTS		2009/0079846 A1	3/2009	Chou	
			2009/0089678 A1 *	4/2009	Sacco	G06F 17/3089 715/733
	7,149,893 B1	12/2006 Leonard et al.	2009/0132453 A1	5/2009	Hangartner et al.	
	7,203,380 B2	4/2007 Chiu et al.	2009/0132665 A1	5/2009	Thomsen et al.	
	7,356,564 B2	4/2008 Hartselle et al.	2009/0157752 A1	6/2009	Gonzalez	
	7,519,670 B2	4/2009 Hagale et al.	2009/0160970 A1	6/2009	Fredlund et al.	
	8,001,204 B2	8/2011 Burtner et al.	2009/0177299 A1	7/2009	Van De Sluis	
	8,112,716 B2	2/2012 Kobayashi	2009/0265647 A1	10/2009	Martin et al.	
	8,276,092 B1	9/2012 Narayanan et al.	2010/0082693 A1	4/2010	Hugg et al.	
	8,279,319 B2	10/2012 Date	2010/0131880 A1	5/2010	Lee et al.	
	8,312,086 B2	11/2012 Velusamy et al.	2010/0131895 A1	5/2010	Wohlert	
	8,312,097 B1	11/2012 Siegel et al.	2010/0159944 A1	6/2010	Pascal et al.	
	8,379,130 B2	2/2013 Forutanpour et al.	2010/0161831 A1	6/2010	Haas et al.	
	8,405,773 B2	3/2013 Hayashi et al.	2010/0183280 A1	7/2010	Beauregard et al.	
	8,418,067 B2	4/2013 Cheng et al.	2010/0185665 A1 *	7/2010	Horn et al.	707/769
	8,471,914 B2	6/2013 Sakiyama et al.	2010/0191631 A1 *	7/2010	Weidmann	G06F 3/013 705/34
	8,560,612 B2	10/2013 Kilmer et al.				
	8,744,523 B2	6/2014 Fan et al.	2010/0214436 A1	8/2010	Kim et al.	
	8,745,132 B2	6/2014 Obradovich	2010/0223128 A1	9/2010	Dukellis et al.	
	8,775,972 B2	7/2014 Spiegel	2010/0223343 A1	9/2010	Bosan et al.	
	8,788,680 B1	7/2014 Naik	2010/0257196 A1	10/2010	Waters et al.	
	8,797,415 B2	8/2014 Arnold	2010/0281045 A1	11/2010	Dean	
	8,856,349 B2	10/2014 Jain et al.	2010/0306669 A1	12/2010	Della Pasqua	
	8,909,725 B1	12/2014 Sehn	2011/0004071 A1	1/2011	Faiola et al.	
	9,094,137 B1	7/2015 Sehn et al.	2011/0040783 A1	2/2011	Uemichi et al.	
	9,113,301 B1	8/2015 Spiegel et al.	2011/0040804 A1	2/2011	Peirce et al.	
	9,385,983 B1	7/2016 Sehn	2011/0050909 A1	3/2011	Ellenby et al.	
	2002/0047868 A1 *	4/2002 Miyazawa	2011/0050915 A1	3/2011	Wang et al.	
	2002/0078456 A1	6/2002 Hudson et al.	2011/0102630 A1	5/2011	Rukes	
	2002/0122659 A1	9/2002 Mcgrath et al.	2011/0145564 A1	6/2011	Moshir et al.	
	2002/0144154 A1	10/2002 Tomkow	2011/0211534 A1	9/2011	Schmidt et al.	
	2003/0016247 A1	1/2003 Lai et al.	2011/0255736 A1	10/2011	Thompson et al.	
	2003/0037124 A1	2/2003 Yamaura et al.	2011/0273575 A1	11/2011	Lee	
	2003/0052925 A1 *	3/2003 Daimon et al.	2011/0283188 A1	11/2011	Farrenkopf	
	2003/0164856 A1	9/2003 Prager et al.	2011/0320373 A1	12/2011	Lee et al.	
	2004/0027371 A1	2/2004 Jaeger	2012/0036443 A1	2/2012	Ohmori et al.	
	2004/0111467 A1 *	6/2004 Willis	2012/0054797 A1 *	3/2012	Skog	H04N 21/4314 725/41
	2004/0203959 A1	10/2004 Coombes				
	2004/0243531 A1	12/2004 Dean	2012/0062805 A1	3/2012	Candelore	
	2005/0078804 A1	4/2005 Yomoda	2012/0108293 A1	5/2012	Law et al.	
	2005/0097176 A1	5/2005 Schatz et al.	2012/0110096 A1	5/2012	Smarr et al.	
	2005/0102381 A1	5/2005 Jiang et al.	2012/0113272 A1	5/2012	Hata	
	2005/0104976 A1	5/2005 Currans	2012/0131507 A1	5/2012	Sparandara et al.	
	2005/0114783 A1	5/2005 Szeto	2012/0131512 A1	5/2012	Takeuchi et al.	
	2005/0122405 A1	6/2005 Voss et al.	2012/0143760 A1	6/2012	Abulafia et al.	
	2005/0193340 A1	9/2005 Amburgey et al.	2012/0166971 A1	6/2012	Sachson et al.	
	2005/0193345 A1	9/2005 Klassen et al.	2012/0169855 A1	7/2012	Oh	
	2005/0198128 A1 *	9/2005 Anderson et al.	2012/0173991 A1	7/2012	Roberts et al.	
	2005/0223066 A1	10/2005 Buchheit et al.	2012/0184248 A1	7/2012	Speede	
	2006/0114338 A1	6/2006 Rothschild	2012/0200743 A1	8/2012	Blanchflower et al.	
	2006/0270419 A1	11/2006 Crowley et al.	2012/0210244 A1	8/2012	De Francisco Lopez et al.	
	2007/0040931 A1	2/2007 Nishizawa	2012/0212632 A1	8/2012	Mate et al.	
	2007/0073823 A1	3/2007 Cohen et al.	2012/0220264 A1	8/2012	Kawabata	
	2007/0082707 A1	4/2007 Flynt et al.	2012/0233000 A1	9/2012	Fisher et al.	
	2007/0192128 A1	8/2007 Celestini	2012/0236162 A1	9/2012	Imamura	
	2007/0214216 A1 *	9/2007 Carrer et al.	2012/0239761 A1	9/2012	Linner et al.	
	2007/0233801 A1	10/2007 Eren et al.	2012/0278387 A1	11/2012	Garcia et al.	
	2007/0243887 A1	10/2007 Bandhole et al.	2012/0278692 A1 *	11/2012	Shi	715/205
	2007/0255456 A1	11/2007 Funayama	2012/0299954 A1	11/2012	Wada et al.	
	2008/0025701 A1	1/2008 Ikeda	2012/0307096 A1	12/2012	Bray et al.	
	2008/0033930 A1	2/2008 Warren	2012/0323933 A1	12/2012	He et al.	
	2008/0049704 A1	2/2008 Witteman et al.	2012/0324018 A1	12/2012	Metcalfe et al.	
	2008/0104503 A1	5/2008 Beall et al.	2013/0024757 A1	1/2013	Doll et al.	
	2008/0207176 A1	8/2008 Brackbill et al.	2013/0050260 A1	2/2013	Reitan	
	2008/0208692 A1	8/2008 Garaventi et al.	2013/0057587 A1	3/2013	Leonard et al.	
	2008/0222545 A1	9/2008 Lemay	2013/0059607 A1	3/2013	Herz et al.	
	2008/0256446 A1	10/2008 Yamamoto	2013/0060690 A1	3/2013	Oskolkov et al.	
	2008/0256577 A1 *	10/2008 Funaki	2013/0063369 A1	3/2013	Malhotra et al.	
			2013/0067027 A1 *	3/2013	Song et al.	709/217
	2008/0266421 A1	10/2008 Takahata et al.	2013/0071093 A1	3/2013	Hanks et al.	
	2008/0270938 A1 *	10/2008 Carlson	2013/0085790 A1	4/2013	Palmer et al.	
	2008/0313346 A1	12/2008 Kujawa et al.	2013/0090171 A1	4/2013	Holton et al.	
	2009/0006565 A1	1/2009 Velusamy et al.	2013/0104053 A1	4/2013	Thornton et al.	
	2009/0015703 A1	1/2009 Kim et al.	2013/0111514 A1	5/2013	Slavin et al.	
	2009/0024956 A1	1/2009 Kobayashi	2013/0128059 A1	5/2013	Kristensson	
	2009/0040324 A1	2/2009 Nonaka	2013/0132477 A1	5/2013	Bosworth et al.	
	2009/0042588 A1	2/2009 Lottin et al.	2013/0145286 A1	6/2013	Feng et al.	

(56)

References Cited**U.S. PATENT DOCUMENTS**

2013/0169822 A1 7/2013 Zhu et al.
 2013/0173729 A1 7/2013 Starenky et al.
 2013/0182133 A1 7/2013 Tanabe
 2013/0185131 A1 7/2013 Sinha et al.
 2013/0194301 A1 8/2013 Robbins et al.
 2013/0222323 A1 8/2013 Mckenzie
 2013/0227476 A1 8/2013 Frey
 2013/0232194 A1 9/2013 Knapp et al.
 2013/0263031 A1 10/2013 Oshiro et al.
 2013/0265450 A1 10/2013 Barnes, Jr.
 2013/0290443 A1 10/2013 Collins et al.
 2013/0304646 A1 11/2013 De Geer
 2013/0325964 A1 12/2013 Berberat
 2013/0344896 A1 12/2013 Kirmse et al.
 2013/0346869 A1 12/2013 Asver et al.
 2013/0346877 A1 12/2013 Borovoy et al.
 2014/0011538 A1 1/2014 Mulcahy et al.
 2014/0019264 A1 1/2014 Wachman et al.
 2014/0032682 A1 1/2014 Prado et al.
 2014/0047016 A1 2/2014 Rao
 2014/0047045 A1 2/2014 Baldwin et al.
 2014/0047335 A1 2/2014 Lewis et al.
 2014/0049652 A1 2/2014 Moon et al.
 2014/0052485 A1 2/2014 Shidfar
 2014/0052633 A1 2/2014 Gandhi
 2014/0057660 A1 2/2014 Wager
 2014/0082651 A1 3/2014 Sharifi
 2014/0122658 A1 5/2014 Haeger et al.
 2014/0122787 A1 5/2014 Shalvi et al.
 2014/0129953 A1 5/2014 Spiegel
 2014/0143143 A1 5/2014 Fasoli et al.
 2014/0149519 A1 5/2014 Redfern et al.
 2014/0155102 A1 6/2014 Cooper et al.
 2014/0173457 A1 6/2014 Wang et al.
 2014/0189592 A1 7/2014 Benchenaa et al.
 2014/0207679 A1 7/2014 Cho
 2014/0214471 A1 7/2014 Schreiner, III
 2014/0222564 A1 8/2014 Kranendonk et al.
 2014/0279061 A1 9/2014 Elimeliah et al.
 2014/0279436 A1 9/2014 Dorsey et al.
 2014/0280537 A1 9/2014 Pridmore et al.
 2014/0282096 A1 9/2014 Rubinstein et al.
 2014/0289833 A1 9/2014 Briceno
 2014/0317302 A1 10/2014 Naik
 2014/0325383 A1 10/2014 Brown et al.
 2015/0046278 A1 2/2015 Pei et al.
 2015/0071619 A1 3/2015 Brough
 2015/0088622 A1 3/2015 Ganschow et al.
 2015/0312184 A1 10/2015 Langholz et al.
 2015/0350136 A1 12/2015 Flynn, III et al.
 2015/0365795 A1 12/2015 Allen et al.
 2015/0378502 A1 12/2015 Hu et al.
 2016/0086670 A1 3/2016 Gross
 2016/0180887 A1 6/2016 Sehn
 2016/0182422 A1 6/2016 Sehn et al.
 2016/0182875 A1 6/2016 Sehn

FOREIGN PATENT DOCUMENTS

WO WO-2016100318 A2 6/2016
 WO WO-2016100342 A1 6/2016
 WO WO-2016149594 A1 9/2016

OTHER PUBLICATIONS

U.S. Appl. No. 14/578,271, filed Dec. 19, 2014, Gallery of Videos Set to an Audio Time Line.
 U.S. Appl. No. 14/634,417, filed Feb. 27, 2015, Ephemeral Gallery of Ephemeral Messages With Opt-In Permanence.
 U.S. Appl. No. 14/304,855, filed Jun. 13, 2014, Geo-Location Based Event Gallery.
 U.S. Appl. No. 14/738,069, filed Jun. 12, 2015, Geo-Location Based Event Gallery.

U.S. Appl. No. 14/578,258, filed Dec. 19, 2014, Gallery of Messages From Individuals with a Shared Interest.

U.S. Appl. No. 14/523,728, filed Oct. 24, 2014, Priority Based Placement of Messages In a Geo-Location Based Event Gallery.

“U.S. Appl. No. 14/578,258, Notice of Allowance mailed Feb. 26, 2016”, 5 pgs.

“U.S. Appl. No. 14/578,258, Response filed Dec. 10, 2015 to Non Final Office Action mailed Jun. 10, 2015”, 11 pgs.

“U.S. Appl. No. 14/578,271, Final Office Action mailed Dec. 3, 2015”, 15 pgs.

“U.S. Appl. No. 14/578,271, Response filed Feb. 9, 2016 to Final Office Action mailed Dec. 3, 2015”, 10 pgs.

“U.S. Appl. No. 14/578,271, Response filed Oct. 28, 2015 to Non Final Office Action mailed Aug. 7, 2015”, 9 pgs.

“U.S. Appl. No. 14/612,692, Examiner Interview Summary mailed Jan. 29, 2016”, 5 pgs.

“U.S. Appl. No. 14/612,692, Examiner Interview Summary mailed Aug. 14, 2015”, 3 pgs.

“U.S. Appl. No. 14/612,692, Final Office Action mailed Nov. 23, 2015”, 15 pgs.

“U.S. Appl. No. 14/612,692, Response filed Feb. 23, 2016 to Final Office Action mailed Nov. 23, 2015”, 10 pgs.

“U.S. Appl. No. 14/612,692, Response filed Oct. 19, 2015 to Non Final Office Action mailed Jul. 20, 2015”, 11 pgs.

“U.S. Appl. No. 14/967,472, Preliminary Amendment filed Dec. 15, 2015”, 6 pgs.

“International Application Serial No. PCT/US2015/053811, International Search Report mailed Nov. 23, 2015”, 5 pgs.

“International Application Serial No. PCT/US2015/053811, Written Opinion mailed Nov. 23, 2015”, 8 pgs.

“International Application Serial No. PCT/US2015/056884, International Search Report mailed Dec. 22, 2015”, 5 pgs.

“International Application Serial No. PCT/US2015/056884, Written Opinion mailed Dec. 22, 2015”, 6 pgs.

“PearlEyes by Red Giant”, © 2002-2015 Red Giant LLC, [Online]. Retrieved from the Internet: <URL: <http://www.redgiant.com/products/pluraleyes/>, (Accessed Nov. 11, 2015), 5 pgs.

Castelluccia, Claude, et al., “EphPub: Toward robust Ephemeral Publishing”, Network Protocols (ICNP), 2011 19th IEEE International Conference on, IEEE, (Oct. 17, 2011), 18 pgs.

Clarke, Tangier, “Automatically syncing multiple clips and lots of audio like PluralEyes possible?”, [Online]. Retrieved from the Internet: <URL: <https://forums.creativecow.net/thread/344/20553>, (May 21, 2013), 8 pgs.

Sawers, Paul, “Snapchat for ios lets you send photos to friends and set how long they’re visible for”, <http://thenextweb.com/apps/2012/05/07/snapchat-for-ios-lets-you-send-photos-to-f riends-and-set-how-long-theyre-visible-for>, (May 2012), 1-3 pgs.

Trice, Andrew, “My Favorite New Feature: Multi-Clip Sync in Premiere Pro CC”, [Online]. Retrieved from the Internet: <URL: <http://www.tricedesigns.com/2013/06/18/my-favorite-new-feature-multi-cam-synch-in-premiere-pro-cc/>, (Jun. 18, 2013), 5 pgs.

U.S. Appl. No. 14/808,283, filed Jul. 24, 2015, Prioritization of Messages Within Gallery.

“U.S. Appl. No. 14/304,855, Final Office Action mailed Feb. 18, 2015”, 10 pgs.

“U.S. Appl. No. 14/304,855, Non Final Office Action mailed Mar. 18, 2015”, 9 pgs.

“U.S. Appl. No. 14/304,855, Non Final Office Action mailed Oct. 22, 2014”, 11 pgs.

“U.S. Appl. No. 14/304,855, Notice of Allowance mailed Jun. 1, 2015”, 11 pgs.

“U.S. Appl. No. 14/304,855, Response filed Feb. 25, 2015 to Final Office Action mailed Feb. 18, 2015”, 5 pgs.

“U.S. Appl. No. 14/304,855, Response filed Apr. 1, 2015 to Non Final Office Action mailed Mar. 18, 2015”, 4 pgs.

“U.S. Appl. No. 14/304,855, Response filed Nov. 7, 2014 to Non Final Office Action mailed Oct. 22, 2014”, 5 pgs.

“U.S. Appl. No. 14/523,728, Non Final Office Action mailed Dec. 12, 2014”, 10 pgs.

“U.S. Appl. No. 14/523,728, Notice of Allowance mailed Mar. 24, 2015”, 8 pgs.

(56)

References Cited

OTHER PUBLICATIONS

“U.S. Appl. No. 14/523,728, Notice of Allowance mailed Apr. 15, 2015”, 8 pgs.
 “U.S. Appl. No. 14/523,728, Notice of Allowance mailed Jun. 5, 2015”, 8 pgs.
 “U.S. Appl. No. 14/523,728, Response filed Aug. 25, 2014 to Non Final Office Action mailed Jan. 16, 2015”, 5 pgs.
 “U.S. Appl. No. 14/529,064, Non Final Office Action mailed Mar. 12, 2015”, 20 pgs.
 “U.S. Appl. No. 14/529,064, Response filed Feb. 5, 2015 to Restriction Requirement mailed Feb. 2, 2015”, 6 pgs.
 “U.S. Appl. No. 14/529,064, Response filed Mar. 26, 2015 to Non Final Office Action mailed Mar. 12, 2015”, 8 pgs.
 “U.S. Appl. No. 14/529,064, Restriction Requirement mailed Feb. 2, 2015”, 5 pgs.
 “U.S. Appl. No. 14/578,258, Non Final Office Action mailed Jun. 10, 2015”, 12 pgs.
 “U.S. Appl. No. 14/578,271, Restriction Requirement mailed Apr. 23, 2015”, 8 pgs.
 “iVisit Mobile Getting Started”, IVISIT, (Dec. 4, 2013), 1-16.
 Melanson, Mike, “This text message will self destruct in 60 seconds”, readwrite.com, [Online]. Retrieved from the Internet: <http://readwrite.com/2011/02/11/this_text_message_will_self_destruct_in_60_seconds>, (Feb. 18, 2015).
 Sawers, Paul, “Snapchatfor iOS Lets You Send Photos to Friends and Set How long They’re Visible for”, [Online]. Retrieved from the Internet: <<http://thenextweb.com/apps/2012/05/07/Snapchat-for-ios-lets-you-send-photos-to-friends-and-set-how-long-theyre-visiblefor/#! xCjrp>>., (May 7, 2012), 1-5.
 “U.S. Appl. No. 14/304,855, Corrected Notice of Allowance mailed Jun. 26, 2015”, 8 pgs.

“U.S. Appl. No. 14/578,271, Non Final Office Action mailed Aug. 7, 2015”, 12 pgs.
 “U.S. Appl. No. 14/578,271, Response filed Jun. 19, 2015 to Restriction Requirement mailed Apr. 23, 2015”, 6 pgs.
 “U.S. Appl. No. 14/612,692, Non Final Office Action mailed Jul. 20, 2015”, 25 pgs.
 “U.S. Appl. No. 14/808,283, Preliminary Amendment filed Jul. 24, 2015”, 8 pgs.
 “U.S. Appl. No. 14/578,258, Examiner Interview Summary mailed Nov. 25, 2015”, 3 pgs.
 “U.S. Appl. No. 14/612,692, Non Final Office Action mailed Mar. 28, 2016”, 15 pgs.
 “U.S. Appl. No. 14/738,069, Non Final Office Action mailed Mar. 21, 2016”, 12 pgs.
 “U.S. Appl. No. 14/738,069, Response filed Jun. 10, 2016 to Non Final Office Action mailed Mar. 21, 2016”, 10 pgs.
 “U.S. Appl. No. 14/808,283, Notice of Allowance mailed Apr. 12, 2016”, 9 pgs.
 “U.S. Appl. No. 15/137,608, Preliminary Amendment filed Apr. 26, 2016”, 6 pgs.
 “U.S. Appl. No. 15/152,975, Preliminary Amendment filed May 19, 2016”, 8 pgs.
 “International Application Serial No. PCT/US2015/065821, International Search Report mailed Mar. 3, 2016”, 2 pgs.
 “International Application Serial No. PCT/US2015/065821, Written Opinion mailed Mar. 3, 2016”, 3 pgs.
 “U.S. Appl. No. 14/612,692, Response filed Jun. 28, 2016 to Non Final Office Action mailed Mar. 28, 2016”, 14 pgs.
 “International Application Serial No. PCT/US2016/023085, International Search Report mailed Jun. 17, 2016”, 5 pgs.
 “International Application Serial No. PCT/US2016/023085, Written Opinion mailed Jun. 17, 2016”, 6 pgs.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

700 Message_1	702 10 Seconds	704 120 Minutes Left
Message_2	5 Seconds	360 Minutes Left
Message_3	5 Seconds	1200 Minutes Left
Message_4	10 Seconds	1320 Minutes Left

FIG. 7




FIG. 8




FIG. 9




FIG. 10

1100

Our Story

Username

Display Name

Contact Email

Contact Phone

1102

Authorized Accounts

FIG. 11

1

EPHEMERAL GALLERY OF EPHEMERAL MESSAGES

FIELD OF THE INVENTION

This invention relates generally to the display of computer network delivered ephemeral messages. More particularly, this invention relates to an ephemeral gallery of ephemeral messages.

BACKGROUND OF THE INVENTION

Messages (e.g., text, photo or video) delivered over computer networks are well known. However, one problem associated with such messages is that they require an affirmative act on the part of a user to delete or remove messages from their devices once the messages have been viewed or read. As a result, in some instances, users refrain from spontaneously sending many messages for fear of filling or cluttering a recipient's in-box.

In view of the foregoing, it would be desirable to maintain spontaneity and expand communicative content of messaging activity, while reducing the device management burdens imposed upon a message recipient.

SUMMARY OF THE INVENTION

A server has a processor and a memory storing instructions executed by the processor to maintain an ephemeral gallery of ephemeral messages. An ephemeral message is posted to the ephemeral gallery. The ephemeral message has an associated message duration parameter and a gallery participation parameter. An ephemeral message is removed from the ephemeral gallery in response to the identification of an expired gallery participation parameter.

BRIEF DESCRIPTION OF THE FIGURES

The invention is more fully appreciated in connection with the following detailed description taken in conjunction with the accompanying drawings, in which:

FIG. 1 illustrates components of an electronic device utilized in accordance with the invention.

FIG. 2 illustrates processing operations associated with an embodiment of the invention.

FIG. 3 illustrates an electronic device for capturing and augmenting an ephemeral message.

FIG. 4 illustrates an ephemeral message destination routing interface that may be used in accordance with an embodiment of the invention.

FIG. 5 illustrates a system to implement an embodiment of the invention.

FIG. 6 illustrates ephemeral gallery processing operations associated with an embodiment of the invention.

FIG. 7 illustrates an ephemeral gallery data structure associated with an embodiment of the invention.

FIG. 8 illustrates ephemeral gallery indicia associated with an embodiment of the invention.

FIG. 9 illustrates ephemeral gallery indicia associated with another embodiment of the invention.

FIG. 10 illustrates operations performed in response to an ephemeral gallery view request.

FIG. 11 illustrates an account administration interface to establish an ephemeral gallery that receives ephemeral messages from multiple users.

2

Like reference numerals refer to corresponding parts throughout the several views of the drawings.

DETAILED DESCRIPTION OF THE INVENTION

FIG. 1 illustrates an electronic device **100**. In one embodiment, the electronic device **100** is a smartphone with a processor **102** in communication with a memory **104**. The processor **102** may be a central processing unit and/or a graphics processing unit. The memory **104** is a combination of flash memory and random access memory. The memory **104** stores an ephemeral message controller **106** to implement operations of the invention. The ephemeral message controller **106** may include executable instructions to access a server which coordinates operations disclosed herein. Alternately, the ephemeral message controller **106** may include executable instructions to coordinate some of the operations disclosed herein, while the server implements other operations.

An ephemeral message may be a text, an image, a video and the like. The display time for the ephemeral message is typically set by the message sender. However, the display time may be a default setting or a setting specified by the recipient. Regardless of the setting technique, the message is transitory (i.e., the message is deleted or otherwise made inaccessible after a certain period of time or after a certain action has been taken).

The processor **102** is also coupled to image sensors **115**. The image sensors **115** may be known digital image sensors, such as charge coupled devices. The image sensors capture visual media, which is presented on display **116**.

A touch controller **118** is connected to the display **116** and the processor **102**. The touch controller **118** is responsive to haptic signals applied to the display **116**. In one embodiment, the ephemeral message controller **106** monitors signals from the touch controller **118**. If haptic contact is observed by the touch controller **118** in connection with indicia of an ephemeral gallery, then the ephemeral gallery is displayed to the user as a sequence of ephemeral messages.

The electronic device **100** may also include other components commonly associated with a smartphone, such as a wireless signal processor **120** to provide connectivity to a wireless network. A power control circuit **122** and a global positioning system processor **124** may also be utilized. While many of the components of FIG. 1 are known in the art, new functionality is achieved through the ephemeral message controller **106** operating in conjunction with a server.

FIG. 2 illustrates processing operations associated with the ephemeral message controller **106**. Initially, an ephemeral message is captured **200**. FIG. 3 illustrates electronic device **100** and touch display **116** with a photograph **300** operative as an ephemeral message.

The next processing operation of FIG. 2 is to determine whether to alter a timer or a message duration parameter **202**. FIG. 3 illustrates an example of indicia **302** of a message duration parameter. In this example, the indicia indicates a default of 5 seconds as the message duration parameter. If the indicia is engaged (e.g., through haptic contact), then a prompt may be supplied for a new message duration parameter (e.g., 10 seconds). Such activity (**202**—Yes) results in the acceptance of the new timer value **204**. If a new timer value is specified or no alteration of a timer transpires (**202**—No) control proceeds to block **206**. The user may be prompted to augment the ephemeral message.

As shown in FIG. 3, a drawing tool 304 may be supplied to allow a user to add a hand drawn message. The drawing tool 304 may be manipulated by haptic contact to enter a message or annotation of visual media. Alternately or in addition, a keyboard may be used to type augment a message. For example, a tap on the touch display 116 may result in a keyboard being displayed, which allows a user to enter a typed message.

As shown in FIG. 2, annotations may be accepted 208 in this manner. Augmentation may also be in the form of photograph filters. That is, photograph filters may be accepted 210. For example, a first right-to-left swipe motion on the touch display 116 may drag a first filter on top of the photograph. A second right-to-left swipe motion on the touch display 116 may drag a second filter on top of the photograph. Filter processing of this type is described in commonly owned U.S. Ser. No. 14/325,270, filed Jul. 7, 2014, the contents of which are incorporated herein by reference.

The next operation of FIG. 2 is to accept destinations 212. As more fully described below, a destination may be used to identify intended recipients of a message or a location or “gallery” where one or more messages may be accessed. FIG. 3 illustrates an icon 306 to invoke a destination list. Haptic contact on the icon may result in a destination list of the type shown in FIG. 4. FIG. 4 illustrates an electronic device 100 displaying a destination list. The destination list may include a destination of “My Story” 402, where “My Story” is a reference to an ephemeral gallery of ephemeral messages. The destination list may also include a friends or contacts section 404 listing various friends that may be ephemeral message recipients. Haptic contact with a box 406 associated with a listed individual or story places the corresponding individual or story on a destination list.

Returning to FIG. 2, after the destination list is specified, the ephemeral message is sent to the specified destinations 214. For example, the ephemeral message is sent to friends selected from section 404, if any. A check is also made to determine whether the message should be posted to an ephemeral gallery 216. If not (216—No), processing is completed. If so (216—Yes), the processing of FIG. 6 is performed 220. Thus, it is possible to send a message to one or more friends and/or post to an ephemeral gallery.

FIG. 5 illustrates a system 500. The figure presents a simplified representation of a set of electronic devices 100_1 through 100_N, where each electronic device may be configured as the device of FIG. 1. Each electronic device is in communication with a network 502, which may be any combination of wireless and wired networks.

A server 504 is also connected to the network 502. The server 504 includes standard components, such as a central processing unit 510 connected to input/output devices 514 via a network 512. The input/output devices 514 may include a keyboard, mouse, display and the like. A network interface circuit 516 is also connected to the bus 512 to provide connectivity to network 502. A memory 520 is also connected to the bus 512. The memory 520 stores an ephemeral gallery module 522. The ephemeral gallery module 522 stores instructions executed by the central processing unit 510 to implement operations of the invention. For example, the ephemeral gallery module 522 may include instructions to coordinate the processing operations of FIG. 2. These operations may be controlled by the ephemeral gallery module 522 or they may be performed in conjunction with selective operations performed by the ephemeral message controller 106.

FIG. 6 illustrates ephemeral gallery module 522 operations performed in accordance with an embodiment of the invention. The first operation of FIG. 6 is to determine whether a new gallery is needed 600. As discussed in connection with FIG. 4, designating “My Story” 402 as a message recipient results in a post of an ephemeral message to an ephemeral gallery. If a gallery does not exist (600—Yes), then a new gallery is created 602. Alternately, if a gallery does exist and a user wants to create a new gallery, then the new gallery is created 602. The user may be supplied a prompt to indicate whether an existing gallery should be used or a new gallery should be designated.

The message is then posted in the gallery with a gallery participation parameter 606. The gallery participation parameter is an ephemeral period of time that the ephemeral message will continue to exist in the gallery. For example, a first ephemeral message posted to the gallery may have a default gallery participation parameter of 24 hours. In other instances, the gallery participation parameter may be set by a user. The gallery participation parameter value decreases with the passage of time. Thus, in this embodiment, an ephemeral message gallery subsists for as long as the gallery participation parameter of the last message posed to the gallery.

In another embodiment, a gallery timer may be assigned to a gallery by a user. The gallery timer may be used to establish a lifespan of an associated gallery and messages posted to this gallery subsist for no longer than the life of the gallery. Thus, in some embodiments, all messages posted to such a gallery will subsist for the duration of the life of the gallery (regardless of posting time). In other embodiments, messages may be submitted with a gallery participation parameter. In these embodiments, messages expire and become inaccessible at the earlier of the gallery participation parameter or the remaining life of the gallery.

The next processing operation of FIG. 6 is to post activity indicia 608. Examples of activity indicia are provided below. A check is then made to determine whether there is an expired participation parameter 610. If so (610—Yes), the ephemeral message associated with the expired participation parameter is removed from the ephemeral gallery 614. If as a result of this removed message the gallery is empty (616—Yes), then the ephemeral gallery terminates and indicia of the gallery is removed 618. If the gallery is not empty (616—No), a check is made for a new message 612. If a new message exists (612—Yes), then processing returns to block 604. If a new message does not exist (612—No), then processing returns to block 610. If an expired participation parameter does not exist (610—No), then a check is made once again for a new message 612.

FIG. 7 illustrates a data structure for an ephemeral message gallery. A first column 700 may have a list of messages. Another column 702 may have a list of message duration parameters for individual messages. Another column 704 may have a list of gallery participation parameters for individual messages. Observe in this example that the values in column 702 add up to 30 seconds. Thus, the ephemeral message gallery in this example has four messages that will take 30 seconds to display. Further observe that the oldest message (Message_1) is displayed first and will be removed in 120 minutes. In this example, the newest message (Message_4) will remain in the ephemeral gallery for 1320 minutes at which point the ephemeral gallery will expire, unless another message is posted. The arrival of a new message alters the gallery timer, but does not alter gallery participation parameters.

5

FIG. 8 illustrates an interface 800 with a section 802 that designates available ephemeral message galleries (stories) and a section 804 with a listing of friends (available destinations for an ephemeral message). Observe that section 802 has indicia of ephemeral message gallery activity. FIG. 8 provides example indicia of the time that the last message was posted to the ephemeral message gallery. FIG. 8 also provides example graphical indicia of the amount of time remaining for an ephemeral message gallery. Observe that the first entry was posted 20 minutes ago and therefore has a full circle indicative of the time remaining for that ephemeral message gallery. On the other hand, the third entry was posted 12 hours ago and has approximately half a circle to indicate the time remaining for that ephemeral message gallery. This example contemplates a 24 hour period for an ephemeral message gallery. Naturally, other time periods may be utilized in accordance with embodiments of the invention.

FIG. 9 illustrates an interface 900 with information on a user's stories. Individual stories 902 have indicia of the amount of time remaining. Indicia 904 of the number of ephemeral gallery views is also provided. Indicia 906 of screenshots taken of an ephemeral message is also provided. This information is significant since the intent of the message was that it be ephemeral. If a message recipient overrides this intent by taking a screen shot, then the message sender is advised.

FIG. 10 illustrates processing operations performed by the ephemeral gallery module 522 in response to a request for an ephemeral message gallery. As shown in FIG. 8, a user receives a list of 802 of available stories. Haptic contact with indicia of a story is operative as a request to view an ephemeral message gallery.

The first operation in FIG. 10 is to display the next message in the gallery 1000. In the example of FIG. 7, the oldest message is the first message to be displayed. A message timer is then started 1002. The message timer expires at the end of the message duration parameter for the displayed ephemeral message. In the example of FIG. 7, the first message (Message_1) is displayed for 10 seconds. Block 1004 checks for the timer to expire. Upon expiration of the timer (1004—Yes), a check is made to determine if the gallery is empty 1006. If so (1006—Yes), processing is completed 1008. If not (1006—No), processing returns to block 1000. This processing loop is repeated until the gallery is empty.

FIG. 11 illustrates an account administration interface 1100 to establish an ephemeral gallery that receives ephemeral messages from multiple users. Such a feature may be used to facilitate celebrity or organizational accounts where numerous authorized users are allowed to post on behalf of a single account. In one embodiment, a username, display name, contact email and contact phone are specified by an account administrator. An authorized accounts prompt 1102 allows the account administrator to add other users to the ephemeral gallery. For example, activation of the prompt 1102 may result in prompts for a username, display name, contact email and/or contact phone. Alternately, activation of the prompt 1102 may result in an interface of the type shown in FIG. 4 through which authorized accounts may be added.

An embodiment of the present invention relates to a computer storage product with a computer readable storage medium having computer code thereon for performing various computer-implemented operations. The media and computer code may be those specially designed and constructed for the purposes of the present invention, or they may be of

6

the kind well known and available to those having skill in the computer software arts. Examples of computer-readable media include, but are not limited to: magnetic media such as hard disks, floppy disks, and magnetic tape; optical media such as CD-ROMs, DVDs and holographic devices; magneto-optical media; and hardware devices that are specially configured to store and execute program code, such as application-specific integrated circuits ("ASICs"), programmable logic devices ("PLDs") and ROM and RAM devices. Examples of computer code include machine code, such as produced by a compiler, and files containing higher-level code that are executed by a computer using an interpreter. For example, an embodiment of the invention may be implemented using JAVA®, C++, or other object-oriented programming language and development tools. Another embodiment of the invention may be implemented in hard-wired circuitry in place of, or in combination with, machine-executable software instructions.

The foregoing description, for purposes of explanation, used specific nomenclature to provide a thorough understanding of the invention. However, it will be apparent to one skilled in the art that specific details are not required in order to practice the invention. Thus, the foregoing descriptions of specific embodiments of the invention are presented for purposes of illustration and description. They are not intended to be exhaustive or to limit the invention to the precise forms disclosed; obviously, many modifications and variations are possible in view of the above teachings. The embodiments were chosen and described in order to best explain the principles of the invention and its practical applications, they thereby enable others skilled in the art to best utilize the invention and various embodiments with various modifications as are suited to the particular use contemplated. It is intended that the following claims and their equivalents define the scope of the invention.

The invention claimed is:

1. A server, comprising:

a processor; and

a memory storing instructions executed by the processor to:

maintain an ephemeral gallery comprising a plurality of ephemeral messages posted by a user for viewing by one or more recipients, wherein each of the ephemeral messages comprises a photograph or a video, the maintaining of the ephemeral gallery comprising making the ephemeral gallery available for viewing, upon request, via respective user devices associated with the one or more recipients;

for each of the plurality of ephemeral messages,

maintain an associated message duration parameter that indicates a display duration for the corresponding ephemeral message during viewing of the ephemeral gallery, and

maintain a gallery participation parameter that indicates a time value for continued availability of the corresponding ephemeral message in the ephemeral gallery;

responsive to receiving an ephemeral gallery view request from one of the one or more recipients, cause automated sequential display of the plurality of ephemeral messages on a corresponding user device by performance of operations comprising: starting a message timer when viewing of one of the plurality of the ephemeral messages is commenced,

7

determining that the message timer expires when the message timer equals the corresponding display duration,
 responsive to expiry of the message timer, displaying a next one of the plurality of ephemeral messages in the ephemeral gallery, and
 repeating the starting, determining, and displaying operations until all ephemeral messages in the ephemeral gallery are viewed;
 remove a particular one of the plurality ephemeral messages from the ephemeral gallery in response to the identification of an expired gallery participation parameter corresponding to the particular ephemeral message, the particular ephemeral message after removal thereof being unavailable for recipient viewing as part of the ephemeral gallery; and
 eliminate the ephemeral gallery so that the ephemeral gallery is unavailable for viewing responsive to any recipient request, the ephemeral gallery being eliminated upon expiration of either a gallery timer or upon expiration of the gallery participation parameter of a last message in the ephemeral gallery, the last message being that one of the plurality of ephemeral messages which was posted to the ephemeral gallery last.

2. The server of claim 1 wherein the memory storing instructions executed by the processor includes instructions to post indicia of ephemeral gallery activity.

3. The server of claim 2 wherein the indicia of ephemeral gallery activity includes indicia of a time that the last message was posted to the ephemeral gallery.

4. The server of claim 2 wherein the indicia of ephemeral gallery activity includes graphical indicia of an amount of time remaining for the ephemeral gallery.

5. The server of claim 2 wherein the indicia of ephemeral gallery activity includes indicia of a number of ephemeral gallery views.

8

6. The server of claim 2 wherein the indicia of ephemeral gallery activity includes indicia of screenshots taken of an ephemeral message in the ephemeral gallery.

7. The server of claim 1 wherein ephemeral messages are supplied in chronological order based upon oldest post times.

8. The server of claim 1 wherein the memory storing instruction executed by the processor includes instructions to:

receive from the user a newly posted ephemeral message;
 store the newly posted ephemeral message and an associated message duration parameter; and
 associate the ephemeral message with the ephemeral gallery.

9. The server of claim 8 wherein the associated message duration parameter is a default parameter.

10. The server of claim 8 wherein the associated message duration parameter is set by the user.

11. The server of claim 8 wherein the newly posted ephemeral message includes augmentations made by the user.

12. The server of claim 11 wherein the newly posted ephemeral message includes annotations made by the user.

13. The server of claim 12 wherein the annotations are received from a keyboard.

14. The server of claim 12 wherein the annotations are received from a drawing tool.

15. The server of claim 12 wherein the memory storing instructions executed by the processor includes instructions to accept destinations for the newly posted ephemeral message.

16. The server of claim 15 wherein the destinations include the ephemeral gallery and designated individuals as the one or more recipients.

17. The server of claim 1 wherein the memory storing instructions executed by the processor includes instructions to supply an account administration interface to establish one or more ephemeral galleries that respectively receives ephemeral messages from multiple users.

* * * * *