

(10) **Patent No.:** US 9,225,897 B1  
(45) **Date of Patent:** Dec. 29, 2015

- U.S. PATENT DOCUMENTS

- |              |         |                     |
|--------------|---------|---------------------|
| 5,999,932 A  | 12/1999 | Paul                |
| 6,154,764 A  | 11/2000 | Nitta et al.        |
| 6,167,435 A  | 12/2000 | Drucknmiller et al. |
| 6,204,840 B1 | 3/2001  | Petelycky et al.    |
| 6,216,141 B1 | 4/2001  | Straub et al.       |
| 6,310,694 B1 | 10/2001 | Okimoto et al.      |
| 6,484,196 B1 | 11/2002 | Maurille            |
| 6,665,531 B1 | 12/2003 | Soderbacka et al.   |
| 6,724,403 B1 | 4/2004  | Santoro et al.      |
| 6,757,713 B1 | 6/2004  | Ogilvie et al.      |
| 6,898,626 B2 | 5/2005  | Ohashi              |

- |              |      |         |                         |            |
|--------------|------|---------|-------------------------|------------|
| 7,124,164    | B1   | 10/2006 | Chemtob                 |            |
| 7,149,893    | B1   | 12/2006 | Leonard et al.          |            |
| 7,203,380    | B2   | 4/2007  | Chiu et al.             |            |
| 7,356,564    | B2   | 4/2008  | Hartselle et al.        |            |
| 7,519,670    | B2   | 4/2009  | Hagale et al.           |            |
| 8,001,204    | B2   | 8/2011  | Burtner et al.          |            |
| 8,098,904    | B2   | 1/2012  | Ioffe et al.            |            |
| 8,112,716    | B2   | 2/2012  | Kobayashi               |            |
| 8,276,092    | B1   | 9/2012  | Narayanan et al.        |            |
| 8,279,319    | B2 * | 10/2012 | Date .....              | 348/333.02 |
| 8,312,086    | B2   | 11/2012 | Velusamy et al.         |            |
| 8,312,097    | B1   | 11/2012 | Siegel et al.           |            |
| 8,379,130    | B2 * | 2/2013  | Forutanpour et al. .... | 348/333.01 |
| 8,405,773    | B2   | 3/2013  | Hayashi et al.          |            |
| 8,418,067    | B2   | 4/2013  | Cheng et al.            |            |
| 8,471,914    | B2 * | 6/2013  | Sakiyama et al. ....    | 348/207.2  |
| 8,560,612    | B2   | 10/2013 | Kilmer et al.           |            |
| 8,744,523    | B2   | 6/2014  | Fan et al.              |            |
| 8,775,972    | B2   | 7/2014  | Spiegel                 |            |
| 8,788,680    | B1   | 7/2014  | Naik                    |            |
| 8,797,415    | B2 * | 8/2014  | Arnold .....            | 348/211.99 |
| 8,856,349    | B2   | 10/2014 | Jain et al.             |            |
| 2002/0047868 | A1   | 4/2002  | Miyazawa                |            |
| 2002/0122659 | A1 * | 9/2002  | McGrath et al. ....     | 386/117    |
| 2002/0144154 | A1   | 10/2002 | Tomkow                  |            |
| 2003/0016247 | A1   | 1/2003  | Lai et al.              |            |

(Continued)

## OTHER PUBLICATIONS

iVISIT, “iVisit Mobile Getting Started”, Dec. 4, 2013, iVisit, pp. 1-16.

(Continued)


*Primary Examiner* — Michael Osinski

(74) *Attorney, Agent, or Firm* — Cooley LLP

(57) **ABSTRACT**

A server includes a photo filter module with instructions executed by a processor to identify when a client device captures a photograph. Photograph filters are selected based upon attributes of the client device and attributes of the photograph. The photograph filters are supplied to the client device.

**13 Claims, 7 Drawing Sheets**



(56)

## References Cited

## U.S. PATENT DOCUMENTS

2003/0052925 A1	3/2003	Daimon et al.	2012/0110096 A1	5/2012	Smarr et al.
2003/0126215 A1	7/2003	Udell et al.	2012/0113272 A1 *	5/2012	Hata ..... 348/207.1
2003/0164856 A1	9/2003	Prager et al.	2012/0131507 A1	5/2012	Sparandara et al.
2004/0027371 A1	2/2004	Jaeger	2012/0131512 A1	5/2012	Takeuchi et al.
2004/0111467 A1	6/2004	Willis	2012/0143760 A1	6/2012	Abulafia et al.
2004/0203959 A1	10/2004	Coombes	2012/0150978 A1	6/2012	Monaco et al.
2004/0243531 A1	12/2004	Dean	2012/0166971 A1	6/2012	Sachson et al.
2005/0078804 A1	4/2005	Yomoda	2012/0169855 A1 *	7/2012	Oh ..... 348/61
2005/0097176 A1	5/2005	Schatz et al.	2012/0173991 A1	7/2012	Roberts et al.
2005/0104976 A1 *	5/2005	Currans ..... 348/231.5	2012/0176401 A1 *	7/2012	Hayward et al. .... 345/619
2005/0114783 A1	5/2005	Szeto	2012/0184248 A1	7/2012	Speede
2005/0122405 A1 *	6/2005	Voss et al. .... 348/211.2	2012/0200743 A1 *	8/2012	Blanchflower et al. .... 348/239
2005/0193340 A1	9/2005	Amburgey et al.	2012/0210244 A1	8/2012	de Francisco Lopez et al.
2005/0193345 A1	9/2005	Klassen et al.	2012/0212632 A1 *	8/2012	Mate et al. .... 348/207.11
2005/0198128 A1	9/2005	Anderson et al.	2012/0220264 A1	8/2012	Kawabata
2005/0223066 A1	10/2005	Buchheit et al.	2012/0233000 A1	9/2012	Fisher et al.
2006/0114338 A1 *	6/2006	Rothschild ..... 348/231.99	2012/0236162 A1 *	9/2012	Imamura ..... 348/207.99
2006/0270419 A1	11/2006	Crowley et al.	2012/0239761 A1	9/2012	Linner et al.
2007/0040931 A1	2/2007	Nishizawa	2012/0250951 A1	10/2012	Chen
2007/0073823 A1	3/2007	Cohen et al.	2012/0278387 A1	11/2012	Garcia et al.
2007/0082707 A1	4/2007	Flynt et al.	2012/0278692 A1	11/2012	Shi
2007/0192128 A1	8/2007	Celestini	2012/0299954 A1	11/2012	Wada et al.
2007/0214216 A1	9/2007	Carrer et al.	2012/0304080 A1	11/2012	Wormald et al.
2007/0233801 A1	10/2007	Eren et al.	2012/0307096 A1 *	12/2012	Ford et al. .... 348/222.1
2007/0243887 A1	10/2007	Bandhole et al.	2012/0307112 A1 *	12/2012	Kunishige et al. .... 348/239
2007/0255456 A1 *	11/2007	Funayama ..... 700/266	2012/0323933 A1	12/2012	He et al.
2008/0025701 A1	1/2008	Ikeda	2013/0050260 A1	2/2013	Reitan
2008/0033930 A1	2/2008	Warren	2013/0057587 A1	3/2013	Leonard et al.
2008/0104503 A1	5/2008	Beall et al.	2013/0059607 A1	3/2013	Herz et al.
2008/0207176 A1	8/2008	Brackbill et al.	2013/0060690 A1	3/2013	Oskolkov et al.
2008/0222545 A1	9/2008	Lemay et al.	2013/0063369 A1	3/2013	Malhotra et al.
2008/0256446 A1	10/2008	Yamamoto	2013/0067027 A1	3/2013	Song et al.
2008/0266421 A1 *	10/2008	Takahata et al. .... 348/231.5	2013/0071093 A1	3/2013	Hanks et al.
2008/0270938 A1	10/2008	Carlson	2013/0085790 A1	4/2013	Palmer et al.
2008/0313346 A1	12/2008	Kujawa et al.	2013/0128059 A1 *	5/2013	Kristensson ..... 348/207.1
2009/0006565 A1	1/2009	Velusamy et al.	2013/0145286 A1	6/2013	Feng et al.
2009/0015703 A1	1/2009	Kim et al.	2013/0169822 A1 *	7/2013	Zhu et al. .... 348/180
2009/0024956 A1	1/2009	Kobayashi	2013/0173729 A1	7/2013	Starenky et al.
2009/0040324 A1 *	2/2009	Nonaka ..... 348/220.1	2013/0182133 A1 *	7/2013	Tanabe ..... 348/207.11
2009/0042588 A1	2/2009	Lottin et al.	2013/0185131 A1	7/2013	Sinha et al.
2009/0058822 A1	3/2009	Chaundhri	2013/0194301 A1	8/2013	Robbins et al.
2009/0079846 A1 *	3/2009	Chou ..... 348/223.1	2013/0222323 A1	8/2013	McKenzie
2009/0132453 A1	5/2009	Hangartner et al.	2013/0227476 A1	8/2013	Frey
2009/0132665 A1	5/2009	Thomsen et al.	2013/0232194 A1	9/2013	Knapp et al.
2009/0160970 A1 *	6/2009	Fredlund et al. .... 348/229.1	2013/0263031 A1	10/2013	Oshiro et al.
2009/0265647 A1	10/2009	Martin et al.	2013/0265450 A1 *	10/2013	Barnes, Jr. .... 348/207.1
2010/0082693 A1	4/2010	Hugg et al.	2013/0290443 A1	10/2013	Collins et al.
2010/0131880 A1	5/2010	Lee et al.	2013/0344896 A1	12/2013	Kirmse et al.
2010/0131895 A1	5/2010	Wohlert	2013/0346877 A1	12/2013	Borovoy et al.
2010/0159944 A1	6/2010	Pascal et al.	2014/0011538 A1	1/2014	Mulcahy et al.
2010/0161831 A1	6/2010	Haas et al.	2014/0032682 A1	1/2014	Prado et al.
2010/0185665 A1	7/2010	Horn et al.	2014/0047045 A1	2/2014	Baldwin et al.
2010/0214436 A1 *	8/2010	Kim et al. .... 348/223.1	2014/0047335 A1	2/2014	Lewis et al.
2010/0223128 A1	9/2010	Dukellis et al.	2014/0049652 A1 *	2/2014	Moon et al. .... 348/207.1
2010/0223343 A1	9/2010	Bosan et al.	2014/0052485 A1	2/2014	Shidfar
2010/0257196 A1	10/2010	Waters et al.	2014/0052633 A1	2/2014	Gandhi
2010/0281045 A1	11/2010	Dean	2014/0057660 A1	2/2014	Wager
2010/0306669 A1	12/2010	Della Pasqua	2014/0122658 A1	5/2014	Haeger et al.
2011/0004071 A1	1/2011	Faiola et al.	2014/0122787 A1	5/2014	Shalvi et al.
2011/0040783 A1	2/2011	Uemichi et al.	2014/0129953 A1	5/2014	Spiegel
2011/0040804 A1	2/2011	Peirce et al.	2014/0143143 A1	5/2014	Fasoli et al.
2011/0050909 A1 *	3/2011	Ellenby et al. .... 348/207.1	2014/0149519 A1	5/2014	Redfern et al.
2011/0050915 A1 *	3/2011	Wang et al. .... 348/207.99	2014/0155102 A1	6/2014	Cooper et al.
2011/0102630 A1 *	5/2011	Rukes ..... 348/223.1	2014/0173457 A1	6/2014	Wang et al.
2011/0145564 A1	6/2011	Moshir et al.	2014/0189592 A1	7/2014	Benchenaa et al.
2011/0197194 A1	8/2011	D'Angelo et al.	2014/0207679 A1	7/2014	Cho
2011/0202968 A1	8/2011	Nurmi	2014/0214471 A1	7/2014	Schreiner, III
2011/0211534 A1	9/2011	Schmidt et al.	2014/0279436 A1	9/2014	Dorsey et al.
2011/0213845 A1	9/2011	Logan et al.	2014/0280537 A1	9/2014	Pridmore et al.
2011/0273575 A1 *	11/2011	Lee ..... 348/222.1	2014/0282096 A1	9/2014	Rubinstein et al.
2011/0283188 A1	11/2011	Farrenkopf et al.	2014/0317302 A1	10/2014	Naik
2011/0320373 A1	12/2011	Lee et al.	2014/0325383 A1	10/2014	Brown et al.
2012/0028659 A1	2/2012	Whitney et al.	2015/0046278 A1	2/2015	Pei et al.
2012/0062805 A1	3/2012	Candelore			
2012/0108293 A1	5/2012	Law et al.			

(56)

**References Cited**

U.S. PATENT DOCUMENTS

2015/0116529 A1 \* 4/2015 Wu et al. .... 348/222.1  
 2015/0172534 A1 \* 6/2015 Miyakawa et al. .... 348/333.01  
 2015/0222814 A1 \* 8/2015 Li et al. .... H04N 5/23216

OTHER PUBLICATIONS

Melanson, Mike, "This text message will self destruct in 60 seconds", available on Feb. 11, 2011, retrieved from readwrite.com on Feb. 18, 2015, link: [http://readwrite.com/2011/02/11/this\\_text\\_message\\_](http://readwrite.com/2011/02/11/this_text_message_)

will\_self\_destruct\_in\_60\_seconds, referred to hereinafter as Read-Write.

Sawers, Paul, "Snapchat for iOS Lets You Send Photos to Friends and Set How long They're Visible for", May 7, 2012, <<http://thenextweb.com/apps/2012/05/07/Snapchat-for-ios-lets-you-send-photos-to-friends-and-set-how-long-theyre-visiblefor/#!xCjrp>>, pp. 1-5.

International Search Report and Written Opinion issued to International Patent Application No. PCT/US2014/040346, Mar. 23, 2015, 9 pgs.

Shein, "Ephemeral Data", Communications of the ACM, vol. 56, No. 9, pp. 20-22, Sep. 2013.

Snapchat, "How Snaps Are Stored and Deleted", May 9, 2013, 3 pgs.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5






FIG. 6




FIG. 7

1

# APPARATUS AND METHOD FOR SUPPLYING CONTENT AWARE PHOTO FILTERS

## FIELD OF THE INVENTION

This invention relates generally to photographs taken by a mobile device operative in a networked environment. More particularly, this invention relates to supplying such a mobile device with content aware photo filters.

## BACKGROUND OF THE INVENTION

The number of digital photographs taken with mobile wireless devices is increasingly outnumbering photographs taken with dedicated digital and film based cameras. Thus, there are growing needs to improve the experience associated with mobile wireless digital photography.

## SUMMARY OF THE INVENTION

A server includes a photo filter module with instructions executed by a processor to identify when a client device captures a photograph. Photograph filters are selected based upon attributes of the client device and attributes of the photograph. The photograph filters are supplied to the client device.

## BRIEF DESCRIPTION OF THE FIGURES

The invention is more fully appreciated in connection with the following detailed description taken in conjunction with the accompanying drawings, in which:

FIG. 1 illustrates an electronic device utilized in accordance with an embodiment of the invention.

FIG. 2 illustrates a networked system utilized in accordance with an embodiment of the invention.

FIG. 3 illustrates processing operations associated with an embodiment of the invention.

FIG. 4 illustrates a photograph taken by a digital mobile device.

FIG. 5 illustrates a general filter applied to the photograph.

FIG. 6 illustrates a feature specific filter applied to the photograph.

FIG. 7 illustrates a different feature specific filter with a branded element applied to the photograph.

Like reference numerals refer to corresponding parts throughout the several views of the drawings.

## DETAILED DESCRIPTION OF THE INVENTION

FIG. 1 illustrates an electronic device **100** utilized in accordance with an embodiment of the invention. In one embodiment, the electronic device **100** is a Smartphone with a processor **102** in communication with a memory **104**. The processor **102** may be a central processing unit and/or a graphics processing unit. The memory **104** is a combination of flash memory and random access memory. The memory **104** stores a photo controller **106**. The photo controller **106** includes executable instructions to coordinate the capture, display and archiving of digital photographs. The photo controller **106** may include photo filter processing disclosed herein, which augments or replaces such photo filter processing that is described below in connection with a server based photo filter module.

The processor **102** is also coupled to image sensors **115**. The image sensors **115** may be known digital image sensors,

2

such as charge coupled devices. The image sensors capture visual media, which is presented on display **116**, as coordinated by the photo controller **106**.

A touch controller **118** is connected to the display **116** and the processor **102**. The touch controller **118** is responsive to haptic signals applied to the display **116**. In one embodiment, the photo controller **106** monitors signals from the touch controller **118** to coordinate the capture, display and archiving of digital photographs. The electronic device **100** may also include other components commonly associated with a Smartphone, such as a wireless signal processor **120** to support wireless communications, a power control circuit **122** and a global positioning system processor **124**.

FIG. 2 illustrates a system **200** configured in accordance with an embodiment of the invention. The system **200** includes a set of client devices **100\_1** through **100\_N**. The client devices **100** are connected to a network **206**, which is any combination of wireless and wired network communication devices. A server **204** is also connected to the network **206**. The server **204** includes standard components, such as a central processing unit **210** and input/output devices **212** connected via a bus **214**. The input/output devices **212** may include a keyboard, mouse, display and the like. A network interface circuit **216** is also connected to the bus **214** to provide connectivity to network **206**. A memory **220** is also connected to the bus **214**. The memory **220** includes modules with executable instructions, such as a photo filter module **222**. The photo filter module **222** implements photo evaluation and filter selection operations, as discussed below.

FIG. 3 illustrates processing operations associated with an embodiment of the invention. The operations are performed by the photo filter module **222** of server **204** in combination with one or more client devices **100**. Initially, the photo filter module **222** serves a photo prompt **300**. For example, the photo filter module **222** may form a segment of a network executed application that coordinates taking photographs and appending messages to such photographs for delivery from one user to another. In this context, client **100\_1** accesses the photo filter module **222** over network **206** to activate the application, which serves the photo prompt to the client **100\_1**. A user at the client **100\_1** takes a photo **302**.

FIG. 4 illustrates client device **100\_1** with a display **400** that presents a photo prompt **402**. Activation of the photo prompt **402** results in a picture **404**. The photo filter module **222** monitors the client device activity to determine if a photo is taken **304**. If so, the attributes of the photograph and client device are evaluated **305**. Photo filters are selected and supplied **306** based upon the evaluation.

By way of example, the attributes of the client device may include geolocation of the client device, which is collected from the GPS processor **124**. The geolocation may be used to designate photo filters relevant to the geolocation. For example, if the geolocation is proximate to a beach, then photo filters to augment a beach setting (e.g., a color filter for water, sand and/or sky) may be supplied. The geolocation may be used to select a filter with a brand associated with an establishment proximate to the geolocation. For example, a restaurant or store may sponsor a photo filter that includes a brand associated with the restaurant or store. In this case, in addition to the brand, the photo filter may include other indicia associated with the restaurant (e.g., an image of a hamburger or taco) or store (e.g., an image of a surf board or sun glasses).

The attributes associated with the client device may include established preferences associated with the client device. The established preferences may be defined by explicitly stated preferences supplied by a user. Alternately, the

3

established preferences may be derived from prior use patterns. For example, explicitly stated or derived preferences may indicate that photo filters with a temperature overlay, date and/or time overlay be supplied.

The attributes of the photograph may include the physical environment captured in the photograph. For example, the photograph may be evaluated to identify an urban setting, a rural setting, a sunset a seascape and the like. Filters applicable to the physical environment may then be supplied.

The attributes of the photograph may include an object depicted in the photograph. For example, the evaluation may identify a building, a building feature (e.g., door or roof), a flower, an individual, an animal and the like. Filters applicable to such objects may then be supplied.

The next operation of FIG. 3 is to apply the photo filters 308. For example, a swipe across the display of a client device 100\_1 may cause a photo filter to slide across the original photo. FIG. 5 illustrates the result of a first swipe motion, which results in a darkening filter 500 being applied to the original photo. Another swipe motion may result in another filter being presented. For example, FIG. 6 illustrates the result of a second swipe motion, which results in an object specific filter 600 being presented. In this case, the object specific filter 600 relates to the identification of a door in the photo. The identification of the door may result in the supply of a variety of filters for different door colors. Another swipe of the display may result in still another filter, such as shown in FIG. 7. The filter of FIG. 7 includes an object specific filter 700, in this case for a roof of a building. The filter also includes a brand component 702. This filter also includes an overlay of the temperature 704 when the photo was taken. A time overlay 706 and date overlay 708 are also supplied.

Returning to FIG. 3, the next operation is to select a photo filter 310. Selection of a photo filter may include selection of one or more available filters. The photo may then be saved with the applicable filter or filters. The photo and filter may also be sent to another user 312. In this case, the server 204 routes 314 the photo to another client 100\_2, which displays the photo with the filter 316.

Photograph filters may also be selected based upon popular filters. Branded filters may be supplied based upon an auction mechanism. For example, vendors may bid on photo filters to be supplied based upon characteristics of a user, location of a user, content of a photograph and the like.

An embodiment of the present invention relates to a computer storage product with a non-transitory computer readable storage medium having computer code thereon for performing various computer-implemented operations. The media and computer code may be those specially designed and constructed for the purposes of the present invention, or they may be of the kind well known and available to those having skill in the computer software arts. Examples of computer-readable media include, but are not limited to: magnetic media, optical media, magneto-optical media and hardware devices that are specially configured to store and execute program code, such as application-specific integrated circuits ("ASICs"), programmable logic devices ("PLDs") and ROM and RAM devices. Examples of computer code include machine code, such as produced by a compiler, and files containing higher-level code that are executed by a computer using an interpreter. For example, an embodiment of the invention may be implemented using JAVA®, C++, or other object-oriented programming language and development tools. Another embodiment of the invention may be implemented in hardwired circuitry in place of, or in combination with, machine-executable software instructions.

4

The foregoing description, for purposes of explanation, used specific nomenclature to provide a thorough understanding of the invention. However, it will be apparent to one skilled in the art that specific details are not required in order to practice the invention. Thus, the foregoing descriptions of specific embodiments of the invention are presented for purposes of illustration and description. They are not intended to be exhaustive or to limit the invention to the precise forms disclosed; obviously, many modifications and variations are possible in view of the above teachings. The embodiments were chosen and described in order to best explain the principles of the invention and its practical applications, they thereby enable others skilled in the art to best utilize the invention and various embodiments with various modifications as are suited to the particular use contemplated. It is intended that the following claims and their equivalents define the scope of the invention.

The invention claimed is:

1. A server, comprising: a photo filter module with instructions executed by a processor to: identify when a client device captures a photograph; select photograph filters based upon attributes of the client device and attributes of the photograph, wherein the attributes of the client device include geolocation of the client device; supply the selected photograph filters to the client device, wherein the supplied photograph filters are configured to be independently selectable by a user in response to a gesture applied to the photograph as presented on a display of the client device, wherein each supplied photograph filter is an overlay on top of the photograph to augment the photograph and is not presented on the display of the client device prior to being overlaid on top of the photograph in response to the gesture applied to the photograph presented on the display of the client device, and wherein at least one supplied photograph filter is configured for the geolocation; receive a selection of one or more of the supplied photograph filters; and route the one or more selected photograph filters and the photograph to another client device.

2. The server of claim 1, wherein the attributes of the client device include established preferences of the client device.

3. The server of claim 1, wherein the attributes of the photograph include the physical environment captured in the photograph.

4. The server of claim 1, wherein the attributes of the photograph include an object depicted in the photograph.

5. The server of claim 1, wherein the photograph filters include brand indicia.

6. The server of claim 5, wherein the brand indicia is supplied in response to an auction.

7. The server of claim 1, wherein the photograph filters include temperature indicia.

8. The server of claim 1, wherein the photograph filters include time indicia.

9. The server of claim 1, wherein the photograph filters include date indicia.

10. The server of claim 1, wherein the photograph filters include a brand associated with an establishment proximate to the geolocation of the client device.

11. The server of claim 2, wherein the established preferences are explicitly stated preferences supplied by a user.

12. The server of claim 2, wherein the established preferences are derived from prior use patterns.

13. The server of claim 1, wherein the photo filter module includes instructions executed by the processor to append a message to the photograph.

\* \* \* \* \*