Table of Contents

2	ug 31 st Lecture and Project spring-mvc-demo
2	Create New Maven Project
n the pom.xml and has been rebuilt.	BEFORE PROCEEDING MAKE SURE THE PROJECT IS OF
2	
3	Open pom.xml
3	Need to generate Web.xml
4	Select Java EE Tools
5	If Java EE Tools is not in the menu then:
5	Search tab: enter enterprise
6	Generate Deployment Descriptor Stub
6	Generates web.xml in following location
7	Web.xml File
7	web.xml is for the Tomcat server configuration
8	ApplicationContext.xml File
10	Add other project dependencies to pom.xml
10	The above is the basic configuration for any Spring M
11	Spring MVC Project Next Steps for Tomcat Server(s)

Aug 31st Lecture and Project spring-mvc-demo

Create New Maven Project


Enter the Group Id: com.revature

Enter the Artifact Id: spring-mvc-demo

Select Packaging: war

Note: packaging must be war to deploy on a Tomcat server.

Click Finish



BEFORE PROCEEDING MAKE SURE THE PROJECT IS ON Java 1.8 in the pom.xml and has been rebuilt.

Add the Java 1.8 in the pom.xml Rebuild the Maven project.

Open pom.xml


Error: Web.xml is missing




Need to generate Web.xml


Right click on project

Select Properties




Select Project Facets






Change to new version Java 1.8 or newer version



Right click on project

Select Java EE Tools



If Java EE Tools is not in the menu then: Install via Eclipse Market Place under the Help menu I Suite 4 un Window Help # G 🕶 🎂 🕜 Help Contents E % I □ F Search Show Contextual Help Show Active Keybindings... Ctrl+Shift+L Id Tip of the Day /a Tips and Tricks... Cheat Sheets... Eclipse User Storage Open the Eclipse Marketplace Check for Updates Install New Software... C Eclipse Marketplace... About Spring Tool Suite 4

Search tab: enter enterprise

If not already installed, install the component

Once the installation completes restart the IDE for the changes to take affect




Generate Deployment Descriptor Stub

Right click on the project

Select Java EE Tools

Select Generate Deployment Descriptor Stub



Generates web.xml in following location

```
* 8 * 0 0 0 * 0 * 15
 ■ spring-mvc-demo/pom.xml  web.xml ==
   1 k?xml version="1.0" encoding="UTF-8"?>
0 2= <web-app xmlns:xsi="http://www.w3.org/2001/XMLSci
0 3
      <display-name>spring-mvc-demo</display-name>
  4= <welcome-file-list>
       <welcome-file>index.html</welcome-file>
       <welcome-file>index.htm</welcome-file>
        <welcome-file>index.jsp</welcome-file>
       <welcome-file>default.html</welcome-file>
        <welcome-file>default.htm</welcome-file>
  9
  10
        <welcome-file>default.jsp</welcome-file>
 11 </welcome-file-list>
 12 </web-app>
```

Web.xml File

Update outdated link:

```
<web-app xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns="http://xmlns.jcp.org/xml/ns/javaee" xsi:schemaLocation="http://xmlns.jcp.org/xml/ns/javaee
http://xmlns.jcp.org/xml/ns/javaee/web-app 4 0.xsd" version="4.0">
```

web.xml is for the Tomcat server configuration.

Add DispatcherServlet to web.xml

```
<!-- This is where we configure our DispatcherServlet (which comes from Spring Web) -->
   <!-- The DispatcherServlet is the sole <u>Servlet</u> that receives HTTP requests through our <u>Tomcat</u> server
   <!-- It then routes the HTTP requests to the appropriate controller -->
   <servlet>
         <servlet-name>DispatcherServlet</servlet-name>
        <servlet-class>org.springframework.web.servlet.DispatcherServlet</servlet-class>
                <param-name>contextConfigLocation</param-name>
                 <param-value>/WEB-INF/applicationContext.xml</param-value>
         </init-param>
         <load-on-startup>1</load-on-startup>
   </servlet>
   <servlet-mapping>
         <servlet-name>DispatcherServlet</servlet-name>
         <url-pattern>/</url-pattern>
   </servlet-mapping>
28 <servlet-mapping>
29
       <servlet-name>DispatcherServlet</servlet-name>
38
        <url-pattern>/</url-pattern>
31
     </servlet-mapping>
```

All http request goes to the DispatcherServlet which in turn sends to the controller(s) endpoints.

"Front Controller Design Pattern"

ApplicationContext.xml File

Add base package: com.revature

Add <mcv:annotation> tags

mcv:annotation allows for the @Component, @Service and @RestController tags.

```
■ web.xml ■ applicationContext.xml 25
  1 <?xml version="1.0" encoding="UTF-8"?>
  2 <beans xmlns="http://www.springframework.org/schema/beans"
        xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance
        xmlns:context="http://www.springframework.org/schema/context"
        xmlns:mvc="http://www.springframework.org/schema/mvc
        xsi:schemaLocation="http://www.springframework.org/schema/beans
        http://www.springframework.org/schema/beans/spring-beans.xsd
        http://www.springframework.org/schema/context
        http://www.springframework.org/schema/context/spring-context.xsd
 10
        http://www.springframework.org/schema/mvc
 11
        http://www.springframework.org/schema/mvc/spring-mvc.xsd">
 12
 13
        <context:component-scan base-package="com.revature"></context:component-scan>
 14
        <mvc:annotation-driven></mvc:annotation-driven>
 15
16 </beans>
```

Add other project dependencies to pom.xml xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 https://maven.apache.org/xsd/maven-4.0.0.xsd"> <modelVersion>4.0.0</modelVersion> <groupId>com.revature <artifactId>spring-mvc-demo</artifactId> <version>0.0.1-SNAPSHOT</version> <packaging>war</packaging> <maven.compiler.source>1.8</maven.compiler.source> <maven.compiler.target>1.8</maven.compiler.target> </properties> <dependencies> <!-- https://mvnrepository.com/artifact/javax.servlet/javax.servlet-api --> <dependency> <groupId>javax.servlet <artifactId>javax.servlet-api</artifactId> <version>4.0.1 <scope>provided</scope> </dependency> <!-- https://mvnrepository.com/artifact/com.fasterxml.jackson.core/jackson-databind --> <dependency> <groupId>com.fasterxml.jackson.core <artifactId>jackson-databind</artifactId> <version>2.12.5 </dependency> <!-- https://mvnrepository.com/artifact/org.springframework/spring-webmvc --> <groupId>org.springframework <artifactId>spring-webmvc</artifactId> <version>5.3.9 </dependency> <!-- https://mvnrepository.com/artifact/org.projectlombok/lombok --> <dependency> <groupId>org.projectlombok</groupId> <artifactId>lombok</artifactId> <version>1.18.20 <scope>provided</scope> </dependency> </dependencies> </project>

The above is the basic configuration for any Spring MVC project.

To complete the spring-mvc-demo project add the following packages and file.

\spring-mvc-demo\src\main\java\

Package: com\revature\controller



TestController.java

Package: com\revature\dto



LoginDTO.java

Spring MVC Project Next Steps for Tomcat Server(s)

After completing the code follow the steps in the "Tomcat 02 IDE" Setup document which walks through the steps to create a Tomcat server in the Spring Tool IDE and run this MVC based applications.

Another Tomcat document detail Tomcat setup on a local computer, deploy and run an MVC application war file and connect to the application through localhost.

Another Tomcat document detail Tomcat installation and setup on an AWS EC2 instance, deploy and run an MVC application war file and connect to the application through an AWS URL.