


# 核心速览



论文题目: RDD4D: 4D Attention-Guided Road Damage Detection And Classification

中文题目: RDD4D: 4D 注意力引导道路损伤检测与分类

论文链接: <https://arxiv.org/pdf/2501.02822>

所属单位: 阿曼-伊布里应用科学学院, 悉尼科技大学, 澳大利亚国立大学等

核心速览: 本文提出了一种新的道路损伤检测数据集和基于 4D 注意力机制的模型 RDD4D, 通过结合局部细节与全局上下文信息, 显著提升了多尺度道路损伤检测与分类的性能。

## 论文内容详细解读:

[https://mp.weixin.qq.com/s/LQ\\_wqR6laHYi\\_YrYHJMcjQ?token=644106154&lang=zh\\_CN](https://mp.weixin.qq.com/s/LQ_wqR6laHYi_YrYHJMcjQ?token=644106154&lang=zh_CN)

```
Attention4D(  
  (q): Sequential(  
    (0): Conv2d(8, 256, kernel_size=(1, 1), stride=(1, 1))  
    (1): BatchNorm2d(256, eps=1e-05, momentum=0.1, affine=True, track_running_stats=True)  
  )  
  (k): Sequential(  
    (0): Conv2d(8, 256, kernel_size=(1, 1), stride=(1, 1))  
    (1): BatchNorm2d(256, eps=1e-05, momentum=0.1, affine=True, track_running_stats=True)  
  )  
  (v): Sequential(  
    (0): Conv2d(8, 1024, kernel_size=(1, 1), stride=(1, 1))  
    (1): BatchNorm2d(1024, eps=1e-05, momentum=0.1, affine=True, track_running_stats=True)  
  )  
  (v_local): Sequential(  
    (0): Conv2d(1024, 1024, kernel_size=(3, 3), stride=(1, 1), padding=(1, 1), groups=1024)  
    (1): BatchNorm2d(1024, eps=1e-05, momentum=0.1, affine=True, track_running_stats=True)  
  )  
  (talking_head1): Conv2d(8, 8, kernel_size=(1, 1), stride=(1, 1))  
  (talking_head2): Conv2d(8, 8, kernel_size=(1, 1), stride=(1, 1))  
  (proj): Sequential(  
    (0): ReLU()  
    (1): Conv2d(1024, 8, kernel_size=(1, 1), stride=(1, 1))  
    (2): BatchNorm2d(8, eps=1e-05, momentum=0.1, affine=True, track_running_stats=True)  
  )  
)  
Input shape: torch.Size([1, 8, 32, 32])  
Output shape: torch.Size([1, 8, 32, 32])
```

哔哩哔哩/微信公众号: AI缝合术, 独家整理!