C28
2.2uF
R22
47k 1%
C100
100nF
C101
100nF
C102
100nF
C106
100nF
C107
100nF
C108
100nF
C109
100nF
U1A
CCGM1A1-BGA324
C24
22uF
C25
22uF
C29
100nF
C30
100nF
C31
100nF
C32
100nF
C33
100nF
C34
100nF
C35
100nF
C36
100nF
C37
100nF
C38
100nF
C39
100nF
C40
100nF
C41
100nF
C42
100nF
C43
100nF
C44
100nF
C45
100nF
C46
100nF
C47
100nF
C48
100nF
C49
100nF
C50
100nF
C51
100nF
C52
100nF
C53
100nF
C54
100nF
C55
100nF
C56
100nF
C57
100nF
C58
100nF
C59
100nF
C60
100nF
C61
100nF
C62
100nF
C63
100nF
C64
100nF
C65
100nF
C66
100nF
C67
100nF
C68
100nF
C69
100nF
C70
100nF
C71
100nF
C72
100nF
C73
100nF
C74
100nF
C75
100nF
C76
100nF
C77
100nF
C78
100nF
C79
100nF
C80
100nF
C81
100nF
C82
100nF
C83
100nF
C84
100nF
C85
100nF
C86
100nF
C87
100nF
C88
100nF
C89
100nF
C90
100nF
C91
100nF
C92
100nF
C93
100nF
C94
100nF
C95
100nF
C96
100nF
C97
100nF
C98
100nF
C99
100nF
R17
10k
R23
10k
R24
10k
R25
10k
R26
10k
R28
10k
R30
10k

Sheet: /
File: 01-U1-CCGM1A1-BGA324.kicad_sch

Title: U1 CCGM1A1-BGA324

Size: User	Date:	Rev:
KiCad E.D.A. 10.0.6		Id: 1/1

C26
C27
R13
C1
C103
27pF C0G
27pF C0G
1.6k 1%
4.7uF
100nF
R14
R15
R16
10k
10k
10k
U2
FT601Q
Y1
ABM8G-30.000MHZ-18-D2Y-T
C104
C105
C19
C2
C3
C4
100nF
100nF
10uF
100nF
100nF
100nF
C5
100nF

Sheet: /	
File: 02-U2-FT601Q.kicad_sch	
Title: U2 FT601Q	
Size: User	Date:
KiCad E.D.A. 10.0.6	Rev: Id: 1/1


C20
10nF
C21
10nF
R10
649k 1%
C12
47uF
R11
100k
R12
100k
R8
19.1k 1%
R9
90.9k 1%
U4
VIN1
VIN1
VIN2
VIN2
RUN1
RUN2
SYNC/MODE
FREQ
GND
GND
GND
GND
GND
VOUT1
VOUT1
VOUT2
VOUT2
FB1
FB2
TRACK/SS1
TRACK/SS2
PGOOD1
PGOOD2
COMP1
COMP2
INTVCC
LTM4622IV#PBF
C18
10uF
C22
4.7uF
C23
4.7uF
R1
100k
Sheet: /
File: 03-U4-LTM4622IVPBF.kicad_sch
Title: U4 LTM4622IV#PBF
Size: User
Date:
Rev:
KiCad E.D.A. 10.0.6
Id: 1/1





Sheet: /
File: 04-12-V-to-5-V-Everything-downstream-of-5V-is-uncha.kicad_sch

Title: 12 V to 5 V. Everything downstream of +5V is unchanged, which is

Size: User	Date:	Rev:
KiCad E.D.A. 10.0.6		Id: 1/1



Sheet: /
File: 05-Mezzanine-header-32-element-lines-each-beside-a-.kicad_sch

Title: Mezzanine header: 32 element lines each beside a ground, MCLK back

Size: User	Date:	Rev:
KiCad E.D.A. 10.0.6		Id: 1/1



Sheet: /

File: 06-6-V-for-the-modules-analog-stage-decision-5-opti.kicad_sch

Title: 6 V for the module's analog stage (decision 5, option B)

Size: User	Date:	Rev:
KiCad E.D.A. 10.0.6		Id: 1/1



Sheet: /

File: 07-Programming-header-No-programming-silicon-on-the.kicad_sch

Title: Programming header. No programming silicon on the board: 0006

Size: User	Date:	**Rev:**
KiCad E.D.A. 10.0.6		Id: 1/1


1
2
A
B
F1
J4
1
2
GND
VIN_FUSED
12 V 2.1 x 5.5 mm, centre positive
1812L050/30 PPTC 0.5A hold 30V 100A
R4
PG_N6V1
GND
100k
et: /
08-Other.kicad_sch
e: Other
: User
Date:
Rev:
d E.D.A. 10.0.6
Id: 1/1


C17
R7
GND
GND
100nF
33.2k 0.1%
U3
+5V
+5V
GND
1
3
5
7
IN
EN/UV
ILIM
SET
GND
OUT
OUT
PGFB
PG
10
9
8
6
4
+3V3
+5V
GND
GND
LT3045
Sheet: /
File: 09-U3-LT3045.kicad_sch
Title: U3 LT3045
Size: User
Date:
Rev:
KiCad E.D.A. 10.0.6
Id: 1/1



Sheet: /
File: 10-USB-30-Micro-B-receptacle-Both-the-SuperSpeed-pa.kicad_sch

Title: USB 3.0 Micro-B receptacle. Both the SuperSpeed pairs and the

Size: User	Date:	Rev:
KiCad E.D.A. 10.0.6		Id: 1/1



et: /
11-U6-MX25R6435F-64Mb.kicad_sch

e: U6 MX25R6435F 64Mb

: User | Date: | **Rev:**

d E.D.A. 10.0.6 | Id: 1/1