

➤ **Vendor: LPI**

➤ **Exam Code: 303-200**

➤ **Exam Name: LPIC-3 Exam 303: Security**

➤ **Question 31 -- Question 40**

[Visit PassLeader and Download Full Version 303-200 Exam Dumps](#)

QUESTION 31

Given that this device has three different keys, which of the following commands deletes only the first key?

- A. cryptsetup luksDelKey /dev/sda 1 0
- B. cryptsetup luksDelkey /dev/sda 1 1
- C. cryptsetup luksDelKey / dev /mapper/crypt- vol 1
- D. cryptsetup luksDelKey / dev /mapper/crypt- vol 0

Answer: A

QUESTION 32

What command is used to update NVTs from the OpenVAS NVT feed? (Specify ONLY the command without any path or parameters.)

Answer: openvas-nvt-sync

QUESTION 33

Which command included in the Linux Audit system provides searching and filtering of the audit log? (Specify ONLY the command without any path or parameters.)

Answer: ausearch

QUESTION 34

Which of the following types can be specified within the Linux Audit system? (Choose THREE correct answers.)

- A. Control rules
- B. File system rules
- C. Network connection rules
- D. Console rules
- E. System call rules

Answer: ABE

QUESTION 35

Which of the following sections are allowed within the Kerberos configuration file krb5.conf? (Choose THREE correct answers.)

- A. [plugins]
- B. [crypto]
- C. [domain]
- D. [capaths]
- E. [realms]

Answer: ADE

QUESTION 36

Which of the following parameters to openssl s_client specifies the host name to use for TLS Server Name Indication?

- A. -tlsname
- B. -servername
- C. -sniname
- D. -vhost
- E. -host

Answer: B

QUESTION 37

Which of the following statements is true regarding eCryptfs?

- A. For every file in an eCryptfs directory there exists a corresponding file that contains the encrypted content.
- B. The content of all files in an eCryptfs directory is stored in an archive file similar to a tar file with an additional index to improve performance.
- C. After unmounting an eCryptfs directory, the directory hierarchy and the original file names are still visible, although, it is not possible to view the contents of the files.
- D. When a user changes his login password, the contents of his eCryptfs home directory has to be re-encrypted using his new login password.
- E. eCryptfs cannot be used to encrypt only directories that are the home directory of a regular Linux user.

Answer: E

QUESTION 38

Which of the following methods can be used to deactivate a rule in Snort? (Choose TWO correct answers.)

- A. By placing a # in front of the rule and restarting Snort.
- B. By placing a pass rule in local.rules and restarting Snort.
- C. By deleting the rule and waiting for Snort to reload its rules files automatically.
- D. By adding a pass rule to /etc/snort/rules.deactivated and waiting for Snort to reload its rules files automatically.

Answer: BC

QUESTION 39

What happens when the command `getfattr afile` is run while the file `afile` has no extended attributes set?

- A. `getfattr` prints a warning and exits with a values of 0.
- B. `getfattr` prints a warning and exits with a value of 1.
- C. No output is produced and `getfattr` exits with a value of 0.
- D. No outputs is produced and `getfattr` exits with a value of 1.

Answer: C

QUESTION 40

What effect does the configuration `SSLStrictSNIVHostCheck` on have on an Apache HTTPD virtual host?

- A. The clients connecting to the virtual host must provide a client certificate that was issued by the same CA that issued the server's certificate.
- B. The virtual host is served only to clients that support SNI.
- C. All of the names of the virtual host must be within the same DNS zone.
- D. The virtual host is used as a fallback default for all clients that do not support SNI.
- E. Despite its configuration, the virtual host is served only on the common name and Subject Alternative Names of the server certificates.

Answer: B

[Visit PassLeader and Download Full Version 303-200 Exam Dumps](#)