

➤ **Vendor: LPI**

➤ **Exam Code: 102-400**

➤ **Exam Name: LPIC-1 Exam 102**

➤ **Question 161 -- End**

[Visit PassLeader and Download Full Version 102-400 Exam Dumps](#)

QUESTION 161

You found these lines in the modules.dep file:

/lib/modules/2.2.5-15smp/fs/msdos.o:

/lib/modules/2.2.5-15smp/fs/fat.o

Which of the following is true?

- A. The msdos module is dependent upon fat.
- B. The fat and msdos modules cannot be loaded manually.
- C. The fat and msdos modules are automatically loaded at startup.
- D. The fat module is a submodule to the msdos module.

Answer: A

QUESTION 162

Your senior systems administrator asks you to set up a new machine with Apache listening on port 8088. Which Apache config file would you edit to change the default port to 8088?

- A. httpd.conf
- B. srm.conf
- C. access.conf
- D. inet.conf

Answer: A

QUESTION 163

Which command would you use to apply the changes in a diff file to your existing kernel source?

- A. up2date

- B. patch
- C. rpm
- D. dpkg
- E. diff

Answer: B

QUESTION 164

Which of the following commands can be used to customize all kernel compilation options? (Choose Three.)

- A. make config
- B. make menuconfig
- C. make xconfig
- D. make kernelconfig
- E. make configure

Answer: ABC

QUESTION 165

When an Apache server is configured to provide 10 spare server processes, which kind of website would it typically serve?

- A. A low-to-moderate volume website
- B. A website for no more than 10 users
- C. A high volume web site
- D. A one-user volume website

Answer: A

QUESTION 166

The normal way of starting your Apache server would be the command:

- A. apachectl start
- B. http -start
- C. inetd apache
- D. apachestart -n
- E. apache start

Answer: A

QUESTION 167

You are a junior administrator of a high-traffic production web server. Which of the following commands would you run to restart the Apache web service without aborting existing connections?

- A. apachectl reload
- B. apachectl restart
- C. apachectl -k stop; apachectl start
- D. apachectl graceful
- E. /etc/init.d/httpd reload

Answer: D

QUESTION 168

Which of the following PPP authentication protocols never sends a password in the clear?

- A. PAM
- B. PAP
- C. PGP
- D. CHAP

Answer: D

QUESTION 169

When using PAP with PPP, the /etc/ppp/pap-secrets file must be:

- A. world-readable
- B. readable only by the ppp user
- C. readable only by root
- D. readable and executable by user root and group ppp

Answer: C

QUESTION 170

In the output of iptables -L -n is the line ACCEPT all -- 10.69.70.5 0.0.0.0/0 listed under the INPUT chain. What does this line mean?

- A. That all traffic from 0.0.0.0/0 to 10.69.70.5 is explicitly allowed
- B. TCP traffic to 10.69.70.5 with all of the TCP flags is allowed
- C. All traffic from 10.69.70.5 to anywhere is allowed
- D. The ACCEPT chain is responsible for all traffic from 10.69.70.1 to 0.0.0.0

Answer: C

QUESTION 171

Which of the following lines would you find in the file /etc/host.conf?

- A. order hosts, bind
- B. 192.168.168.4 dns-server
- C. hosts: files, dns
- D. domain mycompany.com

Answer:

[Visit PassLeader and Download Full Version 102-400 Exam Dumps](#)