➢ **Vendor: LPI**

➢ **Exam Code: 101-400**

➢ **Exam Name: LPIC-1 Exam 101**

➢ **Question 91 -- Question 120**

Visit PassLeader and Download Full Version 101-400 Exam Dumps

QUESTION 91
What is the default nice level when a process is started using the nice command?

A. -10
B. 10
C. 20
D. 0

Answer: B

QUESTION 92
What is the default action of the split command on an input file?

A. It will break the file into new files of 1,024 byte pieces each.
B. It will break the file into new files of 1,000 line pieces each.
C. It will break the file into new files of 1,024 kilobyte pieces each.
D. It will break the file into new files that are no more than 5% of the size of the original file.

Answer: B

QUESTION 93
What is the difference between the i and a commands of the vi editor?

A. i (interactive) requires the user to explicitly switch between vi modes whereas a (automatic) switches modes automatically.
B. i (insert) inserts text before the current cursor position whereas a (append) inserts text after the cursor.
C. i (independent rows) starts every new line at the first character whereas a (aligned rows) keeps the indentation of the previous line.

D. i (interrupt) temporarily suspends editing of a file to the background whereas a (abort) terminates editing.

Answer: B

QUESTION 94
Which command displays a list of all background tasks running in the current shell? (Specify ONLY the command without any path or parameters.)

Answer:
jobs

QUESTION 95
Which of the following commands moves and resumes in the background the last stopped shell job?

A. run
B. bg
C. fg
D. back

Answer: B

QUESTION 96
What is the effect of the egrep command when the -v option is used?

A. It enables color to highlight matching parts.
B. It only outputs non-matching lines.
C. It shows the command's version information.
D. It changes the output order showing the last matching line first.

Answer: B

QUESTION 97
Which of the following commands lists the dependencies of a given dpkg package?

A. apt-cache depends-on package
B. apt-cache dependencies package
C. apt-cache depends package
D. apt-cache requires package

Answer: C

QUESTION 98
Which of the following options is used in a GRUB Legacy configuration file to define the amount of time that the GRUB menu will be shown to the user?

A. hidemenu
B. splash
C. timeout
D. showmenu

Answer: C

QUESTION 99
What can the Logical Volume Manager (LVM) be used for? (Choose THREE correct answers.)

A. To create RAID 9 arrays.
B. To dynamically change the size of logical volumes.
C. To encrypt logical volumes.
D. To create snapshots.
E. To dynamically create or delete logical volumes.

Answer: BDE

QUESTION 100
Which of the following commands updates the linker cache of shared libraries?

A. mkcache
B. soconfig
C. mkldconfig
D. lddconfig
E. ldconfig

Answer: E

QUESTION 101
When using rpm --verify to check files created during the installation of RPM packages, which of the following information is taken into consideration? (Choose THREE correct answers.)

A. Timestamps
B. MD5 checksums
C. Inodes
D. File sizes
E. GnuPG signatures

Answer: ABD

QUESTION 102
Which of the following is correct when talking about mount points?

A. Every existing directory can be used as a mount point.
B. Only empty directories can be used as a mount point.
C. Directories need to have the SetUID flag set to be used as a mount point.
D. Files within a directory are deleted when the directory is used as a mount point.

Answer: A

QUESTION 103
Which function key is used to start Safe Mode in Windows NT?

A. F10
B. F8
C. F6

D. Windows NT does not support Safe Mode

Answer: D

QUESTION 104
Which of the following environment variables overrides or extends the list of directories holding shared libraries?

A. LD_LOAD_PATH
B. LD_LIB_PATH
C. LD_LIBRARY_PATH
D. LD_SHARE_PATH
E. LD_RUN_PATH

Answer: C

QUESTION 105
Which world-writable directory should be placed on a separate partition in order to prevent users from being able to fill up the /filesystem? (Specify the full path to the directory.)

Answer:
/tmp, tmp, /var/tmp, /tmp/, /var/tmp/

QUESTION 106
Which RPM command will output the name of the package which supplied the file /etc/exports?

A. rpm -F /etc/exports
B. rpm -qf /etc/exports
C. rpm -Kl /etc/exports
D. rpm -qp /etc/exports
E. rpm -qi /etc/exports

Answer: B

QUESTION 107
In which directory must definition files be placed to add additional repositories to yum?

Answer:
/etc/yum.repos.d, /etc/yum.repos.d/, yum.repos.d, yum.repos.d/

QUESTION 108
What does the ? symbol within regular expressions represent?

A. Match the preceding qualifier one or more times.
B. Match the preceding qualifier zero or more times.
C. Match the preceding qualifier zero or one times.
D. Match a literal ? character.

Answer: C

QUESTION 109
In the vi editor, how can commands such as moving the cursor or copying lines into the buffer be

issued multiple times or applied to multiple rows?

A. By using the command :repeat followed by the number and the command.
B. By specifying the number right in front of a command such as 4l or 2yj.
C. By selecting all affected lines using the shift and cursor keys before applying the command.
D. By issuing a command such as :set repetition=4 which repeats every subsequent command 4 times.

Answer: B

QUESTION 110
Which of the following files, located in the user home directory, is used to store the Bash history?

A. .bash_history
B. .bash_histfile
C. .history
D. .bashrc_history
E. .history_bash

Answer: A

QUESTION 111
After modifying GNU GRUB's configuration file, which command must be run for the changes to take effect?

A. kill -HUP $(pidof grub)
B. grub-install
C. grub
D. No action is required

Answer: D

QUESTION 112
Which of the following commands is used to update the list of available packages when using dpkg based package management?

A. apt-get update
B. apt-get upgrade
C. apt-cache update
D. apt-get refresh
E. apt-cache upgrade

Answer: A

QUESTION 113
Which option to the yum command will update the entire system? (Specify ONLY the option name without any additional parameters.)

Answer:
update, upgrade

QUESTION 114
Which command will disable swapping on a device? (Specify ONLY the command without any path

or parameters.)

Answer:
swapoff, /sbin/swapoff

QUESTION 115
Which Debian package management tool asks the configuration questions for a specific already installed package just as if the package were being installed for the first time? (Specify ONLY the command without any path or parameters.)

Answer:
dpkg-reconfigure

QUESTION 116
Which of the following commands overwrites the bootloader located on /dev/sda without overwriting the partition table or any data following it?

A. dd if=/dev/zero of=/dev/sda bs=512
B. dd if=/dev/zero of=/dev/sda bs=512 count=1
C. dd if=/dev/zero of=/dev/sda bs=440 count=1
D. dd if=/dev/zero of=/dev/sda bs=440

Answer: C

QUESTION 117
Which of the following commands can be used to create a USB storage media from a disk image?

A. gdisk
B. dd
C. cc
D. fdisk
E. mount

Answer: B

QUESTION 118
In Bash, inserting 1>&2 after a command redirects

A. standard error to standard input.
B. standard input to standard error.
C. standard output to standard error.
D. standard error to standard output.
E. standard output to standard input.

Answer: C

QUESTION 119
What command will generate a list of user names from /etc/passwd along with their login shell?

A. column -s : 1,7 /etc/passwd
B. chop -c 1,7 /etc/passwd
C. colrm 1,7 /etc/passwd

D. cut -d: -f1,7 /etc/passwd

Answer: D

QUESTION 120
In a nested directory structure, which find command line option would be used to restrict the command to searching down a particular number of subdirectories?

A. -dirmax
B. -maxdepth
C. -maxlevels
D. -n
E. -s

Answer: B

Visit PassLeader and Download Full Version 101-400 Exam Dumps