

➤ **Vendor: LPI**

➤ **Exam Code: 303-200**

➤ **Exam Name: LPIC-3 Exam 303: Security**

➤ **Question 21 -- Question 30**

[Visit PassLeader and Download Full Version 303-200 Exam Dumps](#)

QUESTION 21

Which of the following commands defines an audit rule that monitors read and write operations to the file/ etc/firewall/rules and associates the rule with the name firewall?

- A. auditctl -N firewall -r r: /etc/firewall/rules -r w: etc/firewall/rules
- B. auditctl -A -f /etc/firewall/rules -p rw -k firewall
- C. auditctl -w /etc/firewall/rules -p rw -k firewall
- D. auditctl -_read /etc/firewall/rules -_write /etc/firewall/rules --label firewall
- E. echo "n: firewall r:/etc/firewall/rules: w:/ etc/firewall/rules:" | auditctl ~

Answer: C

QUESTION 22

Which of the following information, within a DNSSEC- signed zone, is signed by the key signing key?

- A. The non-DNSSEC records like A, AAAA or MX.
- B. The zone signing key of the zone.
- C. The RRSIG records of the zone.
- D. The NSEC or NSEC3 records of the zone.
- E. The DS records pointing to the zone.

Answer: B

QUESTION 23

Which of the following lines in an OpenSSL configuration adds an X 509v3 Subject Alternative Name extension for the host names example.org and www.example.org to a certificate?

- A. subjectAltName = DNS: www example.org, DNS: example.org
- B. extension = SAN: www.example.org, SAN: example.org
- C. subjectAltName: www.example.org, subjectAltName: example.org
- D. commonName = subjectAltName = www.example.org, subjectAltName = example.org

E. subject = CN = www.example.org, CN = example.org

Answer: A

QUESTION 24

Which command is used to run a new shell for a user changing the SELinux context? (Specify ONLY the command without any path or parameters.)

Answer: newrole

QUESTION 25

Which of the following configuration options makes Apache HTTPD require a client certificate for authentication?

- A. Limit valid-x509
- B. SSLRequestClientCert always
- C. Require valid-x509
- D. SSLVerifyClient require
- E. SSLPolicy valid-client-cert

Answer: D

QUESTION 26

Given a proper network and name resolution setup, which of the following commands establishes a trust between a FreeIPA domain and an Active Directory domain?

- A. ipa trust-add --type ad addom --admin Administrator --password
- B. ipa-ad -add-trust --account ADDOM\Administrator--query-password
- C. net ad ipajoin addom -U Administrator -p
- D. trustmanager add -_domain ad: //addom --user Administrator -w
- E. ipa ad join addom -U Administrator -w

Answer: A

QUESTION 27

Which of the following resources of a shell and its child processes can be controlled by the Bash build-in command ulimit? (Choose THREE correct answers.)

- A. The maximum size of written files
- B. The maximum number of open file descriptors
- C. The maximum number of newly created files
- D. The maximum number of environment variables
- E. The maximum number of user processes

Answer: ABE

QUESTION 28

Linux Extended File Attributes are organized in namespaces. Which of the following names correspond to existing attribute namespaces? (Choose THREE correct answers.)

- A. default
- B. system

- C. owner
- D. trusted
- E. user

Answer: BDE

QUESTION 29

Which of the following stanzas is a valid client configuration for Free RADIUS?

- A. client private-network-1 { ipaddr = 192 0 2.0/24 password = testing123-1 }
- B. client private-network-1 { ip = 192.0.2.0/24 password = testing123-1 }
- C. client private-network-1 { ip = 192 0 2.0/24 passwd = testing123-1 }
- D. client private-network-1 { ip = 192 0.2.0/24 secret = testing123-1 }
- E. client private-network-1 { ipaddr = 192 0 2.0/24 secret = testing123-1 }

Answer: E

QUESTION 30

Which of the following practices are important for the security of private keys? (Choose TWO correct answers.)

- A. Private keys should be created on the systems where they will be used and should never leave them.
- B. private keys should be uploaded to public key servers.
- C. Private keys should be included in X509 certificates.
- D. Private keys should have a sufficient length for the algorithm used for key generation.
- E. Private keys should always be stored as plain text files without any encryption.

Answer: CD

[Visit PassLeader and Download Full Version 303-200 Exam Dumps](#)