

➤ **Vendor: LPI**

➤ **Exam Code: 201-400**

➤ **Exam Name: LPIC-2 Exam 201, Part 1 of 2, version 4.0**

➤ **New Questions (Feb/2017)**

[Visit PassLeader and Download Full Version 201-400 Exam Dumps](#)

NEW QUESTION 1

Which command is used to install a new LILO boot loader?

- A. lilo
- B. lilo-config
- C. lilo-install
- D. install-lilo

Answer: A

NEW QUESTION 2

What are the main network services used by the PXE protocol? (Choose two.)

- A. DNS
- B. DHCP
- C. HTTP
- D. TFTP
- E. NFS

Answer: BD

NEW QUESTION 3

What is the functionality that PXE provides?

- A. The ability to boot a computer using its network interface.
- B. The ability to launch an remote X11 desktop on a computer.
- C. The ability to verify a system's configuration after completing the boot process.
- D. The ability to verify a system's configuration before completing the boot process.

Answer: A

NEW QUESTION 4

In case the file containing the Linux kernel is lost, what happens when the system is booting?

- A. The system starts normally since the bootloader copies the kernel to the master boot record of the hard disk.
- B. Instead of the kernel, the initramfs is loaded and instructed to mount the root filesystem and reinstall the kernel from the original package or from source.
- C. The bootloader mounts the root filesystem read-only and launches /bin/sh directly in order to allow the administrator to reinstall the kernel.
- D. Without a kernel a system cannot boot and, depending on the bootloader, an error is displayed.

Answer: D

NEW QUESTION 5

A system with SysV-init has a service installed called apache2. Which file controls the start and stop of this service and is referenced by the various runlevel directories?

- A. /etc/init.d/apache2
- B. /etc/rc2.d/70apache2
- C. /etc/rc2.d/apache2
- D. /etc/rc2.d/apache2.start

Answer: A

NEW QUESTION 6

Which option to the update-rc.d command will cause the removal of all symlinks to /etc/rcX.d/*test2 even when the script /etc/init.d/test2 still exists?

- A. -d
- B. -f
- C. -n
- D. -r

Answer: B

NEW QUESTION 7

After changing the default runlevel in the SysV-init configuration file, the system boots in a different than intended runlevel. Where else could this different runlevel be defined?

- A. In the /etc/sysctl.conf
- B. In the boot loader configuration file
- C. In the /etc/runlevel file
- D. In the /boot/initramfs file
- E. In the /etc/rc.d/rc.local file

Answer: B

NEW QUESTION 8

Where is the LILO boot loader code typically installed on a system with only a single Linux installation and no other operating systems?

- A. In the master boot record.
- B. In the boot sector.
- C. In the /boot directory.

D. At the start of the kernel.

Answer: A

NEW QUESTION 9

Which of the following is a CD-ROM filesystem standard?

- A. OS/9660
- B. ISO9660
- C. SR0FS
- D. ISO8859
- E. ROM-EO

Answer: B

NEW QUESTION 10

How can the label root be added to the ext2 filesystem on /dev/sda1?

- A. relabel /dev/sda1 root
- B. tune2fs -L root /dev/sda1
- C. echo 'root' > /proc/fs/sda1/label
- D. labelfs --device /dev/sda1 root

Answer: B

NEW QUESTION 11

What component of a system does smartd monitor?

- A. CPU
- B. RAM
- C. Hard drives
- D. Ethernet traffic

Answer: C

NEW QUESTION 12

Which files are updated as devices are mounted and unmounted to provide information on the currently mounted devices and the options used? (Choose two.)

- A. /proc/dtab
- B. /etc/mtab
- C. /etc/fstab
- D. /proc/mounts
- E. /proc/devices

Answer: BD

NEW QUESTION 13

What is the main template file used by autofs?

- A. default.maps

- B. auto.conf
- C. auto.master
- D. autofs.master

Answer: C

NEW QUESTION 14

.....

[Visit PassLeader and Download Full Version 201-400 Exam Dumps](#)