

(a) Overall Diagnostic Agreement (κ_W)
(Mean over 7 Degradation Types & 5 Seeds)
QADF-Net (Ours)
Best-Single (Oracle)
Q-Weighted GAP
Cross-Attention
Co-Attention
Max-Pooling
Average
Concat
Single-View V1
Quadratic Weighted Kappa (κ_w)
L_5 Severity Values:
• QADF-Net: 0.8565 ± 0.015 (97.3%)
• Best-Single: 0.8531 ± 0.017
• Cross-Attn: 0.8250 ± 0.016
• Concat: 0.7490 ± 0.007
L0 (Clean)
L5 (Severe)
Degradation Severity Level ($L = 0$ Clean to $L = 5$ Severe)
(b) Gaussian Blur
(c) Optical Defocus
(d) Motion Blur
(e) Underexposure (Dark)
(f) Localized Glare
(g) JPEG Compression
(h) Partial Occlusion
κ_w
Severity (L)
Evaluation Protocol:
• DeepDRiD test cohort ($N = 200$)
• 5 independent seeds
• Asymmetric view degradation
• Shaded bands: 95% CI
Key Insights:
• Robustness holds under all 7 types
• Blur/JPEG benefit from Scale-V
• Glare/Occlusion bound limitation