

# Website Analytics User Guide

Website Analytics GA4 Dashboard • Last changed July 23, 2026


This guide uses sanitized examples. Replace the sample site names, property IDs, OAuth client ID, and OAuth secret with your own values.

## Table of Contents

- Table of Contents.....1
- What the Dashboard Does .....2
- Daily Workflow .....2
- Summary Cards.....2
- Locations and Pages .....3
- Users Graph and Tooltips .....3
- Realtime Activity.....4
- Settings and Privacy.....4
- Managing Properties .....5
- Troubleshooting.....6

# What the Dashboard Does

Website Analytics is a desktop dashboard for GA4 data. It opens, reconnects to Google when possible, retrieves live report data into memory, and presents the information in a simpler dashboard than the standard GA4 web console.




The current dashboard layout with sanitized sample data.

## Daily Workflow

1. Choose the website property. Use All websites only when you want the app to combine enabled properties.
2. Choose the date range. The cards, location grid, users chart, and top pages/downloads chart follow this selection.
3. Leave Auto 60 sec checked if you want the app to keep refreshing while it runs.
4. Use Update when you want an immediate refresh.

## Summary Cards

The card strip gives a fast read on the most useful numbers without scrolling through GA4.



Ten dashboard cards: users, views, downloads, realtime status, location, top page, events/session, and scrolled users.


- Users today counts users for the current day.
- Users for the selected range follows the Date range selector.
- Downloads follows the selected range and counts download events when GA4 receives them.
- Active now and Views last 30 min use GA4 realtime reporting.
- Events/session and Scrolled are GA4 engagement indicators.

## Locations and Pages

The location grid groups users and sessions by country, region/state, and city. The pages/downloads chart shows the most-used pages and actions for the selected range.

| Country       | Region / State    | City           | Users | Sessions |
|---------------|-------------------|----------------|-------|----------|
| Australia     | Western Australia | Perth          | 1     | 1        |
| Brazil        | Federal District  | (city not set) | 1     | 1        |
| India         | Maharashtra       | Mumbai         | 3     | 4        |
| United States | Georgia           | Dublin         | 7     | 12       |
| United States | Arizona           | Phoenix        | 1     | 1        |


*A cropped location grid. The examples are sanitized and do not show real property data.*



*Top pages and downloads shown as a readable bar chart instead of a crowded table.*

## Users Graph and Tooltips


The users chart shows users over the selected date range. Hover over a bar to see the exact date and value.



*A cropped users chart with a compact tooltip.*

## Realtime Activity

The realtime panel answers the question: what is happening right now? It shows current active visitors, current location when GA4 returns it, and the most recent activity time.



*Realtime activity panel with sanitized sample location information.*

## Settings and Privacy

Settings hold dashboard defaults, the Google OAuth desktop client values, and the encrypted refresh token. Report rows are fetched into memory and discarded when the app closes.

## Settings and Google Sign-in

Use your own Google desktop OAuth client. Secrets are hidden by default.

|                     |                                               |
|---------------------|-----------------------------------------------|
| Default website     | Example Site                                  |
| Default date range  | Last 7 days                                   |
| OAuth client ID     | 123456789012-abc...apps.googleusercontent.com |
| OAuth client secret | .....                                         |
| Saved refresh token | Encrypted with Windows DPAPI                  |
| Redirect URI        | http://127.0.0.1:53682/oauth2redirect         |

*Settings are documented with dummy OAuth values and hidden secrets.*

## Privacy and Storage

|                  |                                                   |
|------------------|---------------------------------------------------|
| Stored locally   | Settings, property definitions, saved grid widths |
| Stored encrypted | Google refresh token via Windows DPAPI            |
| Not stored       | Fetches GA4 report rows and analytics results     |
| Ignored by Git   | databases/*.sqlite3                               |
| Tracked by Git   | databases/WebsiteAnalytics.schema.sql             |

*Privacy and storage summary using a brighter documentation style.*

## Managing Properties

Add one row for each website you want to report on. Use the numeric GA4 property ID, not a measurement ID.

## Managing Properties

Use generic names in examples; enter your own GA4 numeric property IDs.

**Example Site A**

123456789

**Example Site B**

234567890

**Example Site C**

345678901

*Property examples use dummy names and dummy numeric IDs.*

## Troubleshooting

- If Google sign-in appears again, the saved refresh token may be missing, revoked, or tied to a different Windows user.
- If GA4 says permission is denied, confirm the signed-in Google account has access to the GA4 property.
- If a card shows zero, compare the selected date range with GA4 and remember that realtime and standard reports are different GA4 APIs.
- If a download count seems low, confirm the website is emitting the expected GA4 download event.