

React JS Training

(Intermediate to Advanced)



Narasimha

Sr. Corporate Trainer, Mentor
tnrao.trainer@gmail.com

Schedule for React JS Training

Day#	Date	Topic
Day-1	23-Nov-2023	State Management : Class Components
Day-2	24-Nov-2023	State Management : Functional Components, Hooks
Day-3	27-Nov-2023	Http Client Programming – AJAX Calls to APIs (Node JS)
Day-4	28-Nov-2023	Working with Forms, Validations, Services
Day-5	29-Nov-2023	Redux – State Management Library
Day-6	30-Nov-2023	Routing – SPA in React JS
Day-7	01-Dec-2023	Unit Testing React Application

Duration : 7 days (2hours per day) ; 9:30 am to 11:30 pm; 23th Nov – 1st Dec

Day7

Unit Testing React Components




Narasimha

Sr. Corporate Trainer, Mentor

tnrao.trainer@gmail.com

Index – Day7

1. Introduction to Unit Testing
2. Creating Test Cases, Test Suites
3. Testing with Jest and Enzyme
4. Playwright -- Application Testing




Introduction to Unit Testing

What is Unit Testing?

- Unit can be the smallest part of an application that is testable.
- Eg: individual function, method, etc.
- Software developers are the ones who write the unit test cases.
- The aim here is to match the requirements and the unit's expected behavior.
- Performed before Integration testing
- Finding issues/bugs at an early stage

Levels of Testing



AAA Pattern in Unit Testing

A
Arrange

A
Action

A
Assert


AAA Pattern in Unit Testing


1. **Arrange:** This is the first step of a unit test application. Here we will arrange the test, in other words we will do the necessary setup of the test.
2. **Act:** This is the middle step of a unit test. In this step we will execute the test i.e. we will do the actual unit testing and the result will be obtained.
3. **Assert:** This is the last step of a unit test application. In this step we will check and verify the returned result with expected results.

Environment Setup


1. Jest
2. React Testing Library
3. Enzyme

```
➤ npm i --save enzyme  
➤ npm i --save enzyme-adapter-react-17-updated
```





Testing with Jest and Enzyme



Creating Test Cases, Test Suites

Testing React Components

1. Test --- Load the components without crashing
2. Test --- the DOM elements, input
3. Test --- the getting and setting the values to input --- state
4. Test --- the event handling

Sample Test Cases

```
import Enzyme, {shallow} from 'enzyme';

Enzyme.configure({ adapter : new Adapter() });

it('should render component without crashing', () => {
  const wrapper = shallow(<Login />);
  expect(wrapper.find("input").length).toBe(3);
});
```

Important statements for Unit Testing


```
1. let str  = wrapper.find("#t1").props().value;
2. wrapper.find("#b1").simulate("click");
3. wrapper.find("#t1").simulate("change", { target : { value :
   "Stephen"} });
4. let str  = wrapper.find("#p1").text();
```


Practice Hands-Ons

Narasimha

Sr. Corporate Trainer, Mentor

tnrao.trainer@gmail.com



Application Testing using Playwright

What is Playwright?

- Playwright is an open-source test automation library initially developed by **Microsoft** contributors.
- It supports programming languages like Java, Python, C#, and **JavaScript**.
- Playwright comes with Apache 2.0 License and is most popular with NodeJS with Javascript/Typescript.
- Playwright's first release was in **January 2020**, and it has gained much popularity ever since.

Playwright Component Testing

- Playwright Test was created specifically to accommodate the needs of **end-to-end testing**.
- Playwright supports all modern rendering engines including Chromium, WebKit, and Firefox.
- Test on Windows, Linux, and macOS, native mobile emulation of Google Chrome for Android and Mobile Safari.

Playwright Component Testing

- Playwright has features that support component testing with some popular web frameworks like React.
- Playwright is built to enable cross-browser web automation that is evergreen, capable, reliable, and fast.

```
npm init playwright@latest
```

Advantages of Playwright

1. Easy Setup and Configuration
2. Multi-Browser Support
3. Multi-Language Support
4. Built-in Reporters
5. Debugging Tools Support

Running Tests

- `npx playwright test`
- `npx playwright test --project=chromium`
- `npx playwright test --debug`
- `npx playwright test one.spec.js`
- `npx playwright show-report`

Sample Test Cases

```
const { test, expect } = require('@playwright/test');

test.beforeEach(async ({ page }) => {
  await page.goto('http://localhost:3000/');
});

test('has title "React App"', async ({ page }) => {
  // Expect a title "to contain" a substring.
  await expect(page).toHaveTitle("React App");
});
```


Important Statements

1. Get the elements by placeholder

```
const txtUserId = page.getByPlaceholder('User Id');
```

2. Fill text fields with values

```
await txtUserId.fill("admin");
```

3. Access the input field value

```
let str = await page.locator("input#t1").inputValue() ;
```

4. Perform button click event

```
await page.locator("input#b1").click();
```

5. Get innerText of elements

```
let str = await page.locator("p#p1").innerText();
```

Accessing Input Fields and Fill the values

```
// Fill user id textbox with "admin" value
test('fill user id textbox', async ({ page }) => {
  const txtUserId = page.getByPlaceholder('User Id');
  await txtUserId.fill("scott");
  let str = await page.locator("input#t1").inputValue() ;
  expect(str).toBe("scott");
});
```

Practice Hands-Ons

Narasimha

Sr. Corporate Trainer, Mentor

tnrao.trainer@gmail.com



Narasimha

Sr. Corporate Trainer, Mentor

tnrao.trainer@gmail.com

