

DRAWING LIST

F	NO	DOCUMENT NO	COMMON
	i	D00P-00GEN00-M05-0001	P&ID for Drawing List
	ii	D00P-00GEN00-M05-0002	P&ID for Symbols and Legends (1)
	iii	D00P-00GEN00-M05-0003	P&ID for Symbols and Legends (2)
	IV	D00P-00GEN00-M05-0004	P&ID for Symbols and Legends (3)
	V	D00P-00GEN00-M05-0005	P&ID for Symbols and Legends (4)

	NO	DOCUMENT NO	DRAWING TITLE	NO	DOCUMENT NO	DRAWING TITLE
E	1	D00P-10LBA10-M05-0001	P&ID for HP Steam System Group 10	32	D00P-10PGB10-M05-0003	P&ID for Closed Cooling Water System Group 10 (3/7)
	2	D00P-10LBC40-M05-0001	P&ID for CRH Steam System Group 10	33	D00P-10PGB10-M05-0004	P&ID for Closed Cooling Water System Group 10 (4/7)
	3	D00P-10LBB50-M05-0001	P&ID for HRH Steam System Group 10	34	D00P-10PGB10-M05-0005	P&ID for Closed Cooling Water System Group 10 (5/7)
	4	D00P-10LBA30-M05-0001	P&ID for LP Steam System Group 10	35	D00P-10PGB10-M05-0006	P&ID for Closed Cooling Water System Group 10 (6/7)
	5	D00P-10MAN00-M05-0001	P&ID for Bypass Steam System Group 10 (1/2)	36	D00P-10PGB10-M05-0007	P&ID for Closed Cooling Water System Group 10 (7/7)
	6	D00P-10MAN00-M05-0002	P&ID for Bypass Steam System Group 10 (2/2)	37	D00P-10QFA10-M05-0001	P&ID for Compressed Air System
	7	D00P-10LBG10-M05-0001	P&ID for Auxiliary Steam System Group 10			
	8	D00P-11LCQ10-M05-0001	P&ID for HRSG Blowdown System Unit 11	38	D00P-10QFB10-M05-0001	P&ID for Instrument Air Distribution System
	9	D00P-10LCM10-M05-0001	P&ID for Clean Drain System For Group 10	39	D00P-00SCB10-M05-0001	P&ID for Service IA/SA Distribution System
	10	D00P-11LCM10-M05-0002	P&ID FOR GT Flash Pipe System Unit 11	40	D00P-00QJA10-M05-0001	P&ID for Service Gas system
D	11	D00P-10LCA10-M05-0001	P&ID for Condensate System Group 10 (1/2)	41	D00P-00GBL10-M05-0001	P&ID for Desal. Water Supply System
	12	D00P-10LCA10-M05-0002	P&ID for Condensate System Group 10 (2/2)	42	D00P-00GHC10-M05-0001	P&ID for Demineralized Water Distribution System (1/2)
	13	D00P-10MAJ10-M05-0001	P&ID for Condenser Air Removal System Group 10	43	D00P-00GHC10-M05-0002	P&ID for Demineralized Water Distribution System (2/2)
	14	D00P-10PUE00-M05-0001	P&ID for Condenser Water Box Air Removal System Group 10	44	D00P-00GHB10-M05-0001	P&ID for Service Water Distribution System (1/2)
	15	D00P-11LAB00-M05-0001	P&ID for HRSG Feedwater System Unit 11	45	D00P-00GHB10-M05-0002	P&ID for Service Water Distribution System (2/2)
	16	D00P-11LAC10-M05-0001	P&ID for FGH & TCA Cooling System Unit 11	46	D00P-00GKB10-M05-0001	P&ID for Potable Water Supply System
	17	D00P-00EKG10-M05-0001	P&ID for Fuel Gas Supply System (1/3)	47	D00P-00GMA10-M05-0001	P&ID for Chemical Waste Water Transfer System
	18	D00P-00EKG10-M05-0002	P&ID for Fuel Gas Supply System (2/3)	48	D00P-00GMB10-M05-0001	P&ID for Oily Waste Water Transfer System (1/2)
	19	D00P-00EKG10-M05-0003	P&ID for Fuel Gas Supply System (3/3)	49	D00P-00GMB10-M05-0002	P&ID for Oily Waste Water Transfer System (2/2)
	20	D00P-11EKG10-M05-0001	P&ID for GT Fuel Gas Supply System	50	D00P-00GMA10-M05-0001	P&ID for Waste Water Transfer System (Sea water / Storm Water)
C	21	D00P-00PAB10-M05-0001	P&ID for Seawater Intake System(1/3)	51	D00P-00GQA10-M05-0001	P&ID for Sanitary Sewer Transfer System
	22	D00P-00PAB10-M05-0002	P&ID for Seawater Intake System(2/3)	52	D00P-00QCA00-M05-0001	P&ID for Chemical Dosing System
	23	D00P-00PAB11-M05-0003	P&ID for Seawater Intake System(3/3)	53	D00P-11QUA10-M05-0001	P&ID for Sampling System Unit 11
	24	D00P-00PAB10-M05-0004	P&ID for Seal Pit System			
	25	D00P-10PAC10-M05-0001	P&ID for Circulating Water System for Group 10			
	26	D00P-10PCB10-M05-0001	P&ID for Aux. Cooling Water System for Group 10			
	27	D00P-00EGD00-M05-0001	P&ID for Fuel Oil Supply System(1/2)			
	28	D00P-00EGD00-M05-0002	P&ID for Fuel Oil Supply System(2/2)			
	29	D00P-11EGD00-M05-0001	P&ID for GT Fuel Oil Supply System			
	30	D00P-10PGB10-M05-0001	P&ID for Closed Cooling Water System Group 10 (1/7)			
B	31	D00P-11PGB10-M05-0002	P&ID for Closed Cooling Water System Group 10 (2/7)			

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.

C	19.NOV.2025	FOR INTERNAL USE			
B	1.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER					

TENDERER































































 **SAMSUNG C&T**
Engineering & Construction Group

AL NOUF1 PROJECT

DRAWING TITLE

P&ID FOR DRAWING LIST


PROJECT DWG NO.		SHEET	REV.
D00P-00GEN00-M05-0001		1/1	B
PROJECT NO.	REF. DRAWING NO.	SCALE	REF. CODE
D00P		NONE	

8		7		6		5		4		3		2		1	
EQUIPMENT		EQUIPMENT (CONT.)		PROCESS PIPING (CONT.)		PROCESS PIPING		LINE VALVES (CONT.)		VALVE STATUS SYMBOLS		MISCELLANEOUS (CONT.)		MISCELLANEOUS	
 SINGLE FLOW  DOUBLE FLOW  GENERATOR  HORIZONTAL CENTRIFUGAL PUMP  VERTICAL PUMP  RING SECTION CENTRIFUGAL PUMP  VARIABLE SPEED DRIVE  HYDRAULIC COUPLING  POSITIVE DISPLACEMENT PUMP D : DIAPHRAGM P : PLUNGER  U-TUBE  SHELL & TUBE TYPE HEAT EXCHANGER  PLATE TYPE HEAT EXCHANGER  PRESSURE VESSELS VERTICAL OR HORIZONTAL (TANK, RECEIVERS, DRYERS, SEPARATORS, ETC.)  CONE ROOF TANK  FLOATING ROOF TANK  RECIPROCATING AIR COMPRESSOR  ROTARY AIR COMPRESSOR  MIXER / AGITATOR  CHEMICAL STORAGE DRUM WITH DISPENSING PUMP  PRESSURIZED GAS BOTTLE  FUME SCRUBBER  CO2 ABSORBER DAMPENER  CALIBRATION CYLINDER  EYE WASHER & SAFETY SHOWER  SAMPLE COOLER  VACUUM DEAERATOR  VACUUM PUMP  EJECTOR OR EDUCTOR  STEAM JET AIR EJECTOR COOLER  DESUPERHEATER  MAIN PROCESS LINE  SECONDARY PROCESS LINE  HEAT TRACING E-ELECTRICALLY TRACED  S=STEAM TRACED  PIPING BY OTHER THAN SAMSUNG  BURIED PIPE  CONCENTRIC REDUCER/ INCREASER  ECCENTRIC REDUCER/ INCREASER  WELDED CAP  PLUGGED PIPE OR VALVE  BREATHER CAP  HOSE CONNECTION  QUICK DISCONNECT  REMOVABLE SPOOL  FLEXIBLE JOINT  EXPANSION JOINT  BLIND FLANGE  INSULATING FLANGE (IF) OR DIELECTRIC UNION (DU) (SHOWN)  RO - RESTRICTION ORIFICE  LOOP SEAL  UPWARD & DOWNWARD SLOPE  VENT  EXHAUST VENT INTO THE OPEN AIR  DIRECT DRAIN ED : EQUIPMENT DRAIN CD : CHEMICAL DRAIN  INDIRECT DRAIN OR FUNNEL DRAIN  GATE  GLOBE  ANGLE  THREE-WAY  FOUR-WAY  NEEDLE  PLUG  DIAPHRAGM  BALL  BUTTERFLY  HOSE  PINCH  CHECK  FOOT  FLOW LIMITING (OR EXCESS FLOW) CHECK  POWER ACTUATED NON-RETURN VALVE  BACKFLOW PREVENTER  STOP CHECK  ANGLE CHECK  TANDEM BLOW DOWN  MOTOR OPERATED VALVE  SOLENOID VALVE  CONTROL VALVE WITH POSITIONER  WATER SEAL  BELLOWS SEALED VALVE  PRESSURE BALANCING EXTERNAL PIPE WITH SMALL VALVE  PRESSURE RELIEVING EXTERNAL PIPE WITH SMALL VALVE  PRESSURE BALANCING & RELIEVING EXTERNAL PIPE WITH SMALL VALVE  ACTUATOR G = GEAR (SHOWN) A = AIR WRENCH C = CHAIN X = EXTENSION STEM B = WITH INTEGRAL BYPASS VALVE D = DEEP STUFFING BOX AND LANTERN GLAND T = TAP IN BOTTOM OF BODY (FOR ASME TEST)  OPEN DURING NORMAL OPERATION (ALL VALVES EXCEPT BUTTERFLY)  LOCKED OPEN  CLOSED DURING NORMAL OPERATION (ALL VALVES EXCEPT BUTTERFLY)  LOCKED CLOSED  THROTTLE (USED WHEN LOCKED IN THROTTLE POSITION)  OPEN DURING NORMAL OPERATION (BUTTERFLY ONLY) (SUBSTITUTE LO FOR LOCKED OPEN)  CLOSED DURING NORMAL OPERATION (BUTTERFLY ONLY) (SUBSTITUTE LC FOR LOCKED CLOSED)															
														GENERAL NOTES : 1. THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.	
														NOTES :	

8		7		6		5		4		3		2		1									
FIRST LETTER		SUCCEEDING LETTERS																		SELF-ACTUATED DEVICES-PRESSURE		GENERAL NOTES : 1. THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.	
		SENSING DEVICE		DISPLAY DEVICE				CONTROL DEVICE				MISCELLANEOUS DEVICE											
SYMBOL	MEASURED OR INITIATING VARIABLE	PRIMARY ELEMENT	TRANSMITTER	INDICATOR	RECORDER	INTEGRATING INDICATOR	ARARM ANNUNCIATOR			CONTROL STATION MAN/AUTO	CONTROLLER	CONTROL VALVE	OTHER FINAL CONTROL ELEMENT	SWITCH	LOCAL OBSERVATION GLASS	SOLENOID RELAY OR POSITIONER	TEST POINT	USER'S CHOICE	UNCLASSIFIED				
()	TYPICAL SYMBOL	()E	()T	()I	()R	()QI	()AL	()AH	()AHL	()K	()C	()CV	()Z	()S	()G	()Y	()P	()N	()X				
A	ANALYSIS	A E	A T	A I	A R		AAL	AAH	AAHL	A K	A C		A Z	A S		A Y	A P	A N	A X				
B	BURNER FLAME	B E	B T	B I	B R		BAL				B C			B S		B Y	B P	B N	B X				
C	CONDUCTIVITY	C E	C T	C I	C R		CAL	CAH	CAHL	C K			C Z	C S		C Y	C P	C N	C X				
D	DENSITY (MASS) OR SPECIFIC GRAVITY	D E	D T	D I	D R		DAL	DAH	DAHL	D K	D C		D Z	D S		D Y	D P	D N	D X				
E	VOLTAGE (EMF)	E E	E T	E I	E R		EAL	EAH	EAHL	E K	E C		E Z	E S		E Y		E N	E X				
F	FLOW	F E	F T	F I	F R	FQI	FAL	FAH	FAHL	F K	F C	FCV	F Z	F S	F G	F Y	F P	F N	F X				
G	GAUGING (DIMENSIONAL)	G E	G T	G I	G R		GAL	GAH	GAHL	G K	G C			G S		G Y		G N					
H	HAND (MANUAL INITIATED)	H									H C		H Z	H S		H Y		H N					
I	CURRENT	I E	I T	I I	I R	IQI	IAL	IAH	IAHL	I K			I Z	I S		I Y		I N	I X				
J	POWER	J E	J T	J I	J R	JQI	JAL	JAH	JAHL	J K			J Z	J S		J Y		J N	J X				
K	TIME	K E	K T	K I	K R	KQI	KAL	KAH	KAHL		K C		K Z	K S		K Y		K N	K X				
L	LEVEL	L E	L T	L I	L R		LAL	LAH	LAHL	L K	L C	LCV	L Z	L S	L G	L Y	L P	L N	L X				
M	MOISTURE OR HUMIDITY	M E	M T	M I	M R		MAL	MAH	MAHL	M K	M C		M Z	M S		M Y	M P	M N	M X				
O	USER'S CHOICE																						
P	PRESSURE OR VACUUM	P E	P T	P I	P R		PAL	PAH	PAHL	P K	P C	PCV	P Z	P S		P Y	P P	P N	P X				
PD	PRESSURE DIFFERENTIAL	PDE	PDT	PDI	PDR		PDAL	PDAH	PDAHL	PDK	PDC		PDZ	PDS									
Q	QUANTITY	Q E	Q T	Q I	Q R	QQI	QAL	QAH	Q AHL	Q K	Q C		Q Z	Q S		Q Y		Q N	Q X				
S	SPEED OR FREQUENCY	S E	S T	S I	S R	SQI	SAL	SAH	SAHL	S K	S C		S Z	S S		S Y		S N	S X				
T	TEMPERATURE	T E	T T	T I	T R		TAL	TAH	TAHL	T K	T C	TCV	T Z	T S		T Y	T P	T N	T X				
U	MULTIVARIABLE			U I	U R								U Z	U S		U Y		U N	U X				
V	VIBRATION		V T	V I	V R		VAL	VAH	VAHL	V K	V C		V Z	V S		V Y	V P	V N	V X				
W	WEIGHT OR FORCE	W E	W T	W I	W R	WQI	WAL	WAH	WAHL	W K	W C		W Z	W S		W Y		W N	W X				
X	UNCLASSIFIED																						
Y	EVENT OR STATE	Y E	Y T	Y I	Y R		YAL	YAH					Y Z	Y S		Y Y		Y N	Y X				
Z	POSITION	Z E	Z T	Z I	Z R		ZAL	ZAH	Z AHL				Z Z	Z S		Z Y		Z N	Z X				
GENERAL INSTRUMENTS				SENSOR-FLOW				SENSOR-FLOW (CONT.)				SENSORS-PRESSURE				VALVES ACTUATORS							
INSTRUMENT FOR SINGLE MEASURED VARIABLE AND ANY NUMBER OF FUNCTIONS. INSTRUMENT IS LOCALLY MOUNTED. FF=FOUNDATION FIELDBUS INSTRUMENT IS MOUNTED ON A LOCAL PANEL (TYPICAL) INSTRUMENT IS MOUNTED ON A MAIN CONTROL PANEL (TYPICAL) INSTRUMENT FOR PERFORMANCE TEST ONLY INSTRUMENT FOR PERFORMANCE TEST PLUS NORMAL USE INSTRUMENT IS MOUNTED BEHIND A PANEL (TYPICAL)				FE - ORIFICE PLATE ORIFICE PLATE IN QUICK - CHANGE FITTING VENTURI TUBE / FLOW NOZZLE PITOT TUBE OR PITOT VENTURI TUBE FORWARD-REVERSE PITOT TUBE FLUME VORTEX TURBINE OR PROPELLER TYPE ROTAMETER IN LINE INSTRUMENT				ULTRASONIC FLOW STRAIGHTENING VANES POSITIVE DISPLACEMENT TYPE				DIRECT CONNECTED WITH DIAPHRAGM SEAL PIPED WITH DIAPHRAGM SEAL LINE OR EQUIP MOUNTED STRAIN-GAGE TYPE				PNEUMATIC DIAPHRAGM PNEUMATIC DIAPHRAGM WITH POSITIONER DIAPHRAGM PRESSURE-BALANCED ROTARY MOTOR (SHOWN TYPICALLY WITH ELECTRIC SIGNAL) PNEUMATIC CYLINDER SINGLE-ACTING HYDRAULIC CYLINDER SINGLE-ACTING PNEUMATIC CYLINDER DOUBLE-ACTING PNEUMATIC CYLINDER DOUBLE ACTING WITH PILOT VALVE SINGLE SOLENOID (NOTE 14) RESET AFTER LATCH (OPTIONAL) ELECTRO OR HYDRAULIC HAND ACTUATOR (MOUNTED AT THE TOP SIDE OR BOTTOM OF ACTUATED DEVICE AS APPLICABLE) UNCLASSIFIED (TYPE OF ACTUATOR TO BE WRITTEN ADJACENT TO THE SYMBOL)							
SIGNALS & LINES				SENSOR-LEVEL				SENSORS-TEMPERATURE				VALVE BODIES & FAILURE MODES											
CONNECTION TO PROCESS OR MECHANICAL LINE OR INSTRUMENT SUPPLY PNEUMATIC SIGNAL OR UNDEFINED SIGNAL FOR PROCESS FLOW DIAGRAMS ELECTRIC SIGNAL CAPILLARY TUBE (FILLED SYSTEM) HYDRAULIC SIGNAL ELECTROMAGNETIC OR SONIC SIGNAL SOFTWARE OR DATA LINK				DIS - DISPLACEMENT (SHOWN) BNN - BNNNETIC DP - DIFFERENTIAL PRESSURE (SHOWN) BNN - BNNNETIC GWR - GUIDED WAVE RADAR (SHOWN) RAD - RADAR FLO - FLOAT DIS - DISPLACEMENT				TW - THERMOWELL TE - TEMPERATURE ELEMENT WITH THERMOWELL TIT - TEMPERATURE TRANSMITTER WITH THERMOWELL AND TEMPERATURE ELEMENT DUAL SENSOR (SHOWN WHEN BOTH ARE USED) RTD-RESISTANCE TEMPERATURE DETECTOR K- K type THERMO COUPLE FILLED SYSTEM				TWO - WAY (TYPICAL GLOBE SHOWN) FO - INDICATES FAIL OPEN FC - INDICATES FAIL CLOSED FL - INDICATES LOCKED (POSITION DOES NOT CHANGE) FI - INDICATES FAIL INDETERMINATE THREE - WAY											
SENSOR-ANALYSIS				THROUGH-FLOW TYPE																			
A() A()																							
8		7		6		5		4		3		2		1									

TYPICAL IDENTIFICATION SYSTEM FOR
PIPE SIZE,
CLASS, MATERIAL AND INSULATION


EXAMPLE OF
APPLICATION :



- (1) CLASSRATING
A : 4500# or 2500#SP (ASME B16.5)
B : 2500# (ASME B16.5)
C : 1500#SP (ASME B16.5)
D : 1500# (ASME B16.5)
E : 900# (ASME B16.5)
F : 600# (ASME B16.5)
G : 300# (ASME B16.5)
H : 150# (ASME B16.5)
J : 125# (ASME B16.1)
X : Special as Designated
(2) PIPING MATERIAL
A : ALLOY STEEL (Cr-Mo)
B : CARBON STEEL (CS)
C : STAINLESS STEEL (304 or 304L)
D : STAINLESS STEEL (316 or 316L), DUPLEX STAINLESS STEEL
E : CAST IRON or DUCTILE IRON (CI or DI)
F : GALVANIZED CARBON STEEL
G : COPPER
H : PVC or CPVC
J : PVDF
K : PLASTIC LINED CARBON STEEL
L : HIGH DENSITY POLYETHYLENE (HDPE)
M : POLYPROPYLENE (PP)
R : FRP, GRP, GRE, GRV, etc.
S : CONCRETE
(3) SERIAL NO.

TYPICAL IDENTIFICATION SYSTEM FOR
PIPE LINE, VALVE, EQUIPMENT AND FILTER, SCREEN,STRAINER, etc.

TAG NUMBERING SYSTEM IS BASED ON THE KKS NUMBERING SYSTEM. (DOC. NO.: 19K9-00GEN00-G02-0002)




UNIT IDENTIFICATION NUMBERS

	PLANT UNIT	"UU" CHARACTER DESIGNATION
POWER PLANT	POWER PLANT COMMON	0
	FIRST GROUP COMMON (INCL. FIRST GROUP STG)	10
	FIRST GROUP #1 GTG / HRSG	11
	FIRST GROUP #2 GTG / HRSG	12
	SECOND GROUP COMMON (INCL. SECOND GROUP STG)	20
	SECOND GROUP #1 GTG / HRSG	21
	SECOND GROUP #2 GTG / HRSG	22

THE BASIS FOR THE DESIGNATION OF INSTALLATIONS AND SUBSYSTEMS
IN POWER PLANTS.


SERIAL NO. OF
BREAKDOWN LEVEL




DESIGNATION OF
BREAKDOWN LEVEL

EXAMPLE OF
APPLICATION:


20LAB31AP001 (COGENERATION FEEDWATER PUMP A)




20LAB11AP001-M (COGENERATION FEEDWATER PUMP A MOTOR)



PIPING DESIGNATION FLAG
(POINTING IN FLOW DIRECTION INCLUDING PIPING DIAMETER,
PROCESS DESIGN CODE, PIPING INSULATION)



EXAMPLE FOR LINE VALVE, EQUIPMENT AND STRAINER IDENTIFICATION



GENERAL NOTES :

1. THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE
ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL
DESIGN PHASE.

NOTES :

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION.
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.

A	19.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER:					


TENDERER
SAMSUNG **SAMSUNG C&T**
Engineering & Construction Group

PROJECT NAME
AL NOUF1 PROJECT


DRAWING TITLE
P&ID FOR SYMBOLS & LEGENDS 4

PROJECT DWG NO.	D00P-00GEN00-M05-0005	SHEET	REV.
PROJECT NO.	REF. DRAWING NO.	1/1	A
D00P		NONE	

NUMBER RANGE	VALVES	PIPE BR	INSTRUMENTATION CIRCUITS
001-100	-VALVES IN MAIN PIPES -VALVE GENERAL	-MAIN PIPES	-TRANSMITTER
101-190	-CONTROL VALVES / DAMPERS		-SWITCH
191-199	- SAFETY VALVES	-SUCTION AND PRESSURE RELIEF LINES ON SAFETY VALVES	
201-250	-TCE IS USING FOR MOV IN MAIN LINES	-NOT USED	-FOR TESTING EQUIPMENTS
251-299	-SHUT OFF VALVE MAIN LINE		
301-399	-INSTRUMENT ISOLATION	-PRESSURE LINES FOR INSTRUMENTS	-NOT USED
401-499	-VALVES IN DRAINS AND FLUSHING PIPES	-DRAINS, FLUSHING PIPES, PRESSURE SUPPERSSION PIPES	-ACCEPTANCE TESTS -TEST THERMOWELL
501-599	-VALVES FOR VENTING	-VENTING	-LOCAL MEASURING CIRCUITS -GAUGES
601-699	-VALVES FOR SAMPLING AND DOSING	-SAMPLING AND DOSING PIPES	-FLOW ELEMENT
701-799	-VALVES FOR INTERNAL CONTROLS	-FOR INTERNAL CONTROLS	-GROUPED
801-899	1. TCE IS USING FOR MOV IN DRAIN LINES 2. STEAM TRAP	-NOT USED	-GROUPED
901-999	-TCE IS USING FOR MOV IN VENT LINES	-NOT USED	-GROUP MEASURING CIRCUITS (E.G. MULTI POINT SELECTOR SWITCHES, MULTI CHANNEL RECORDERS)



- GENERAL NOTES :
1. REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002-0005
 2. THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
1. THIS P&ID IS FOR GROUP#10, CONFIGURATION IS IDENTICAL FOR GROUP#20.
 2. DRAIN POT AND WARM-UP LINE SHALL BE LOCATED AS CLOSE AS POSSIBLE FROM STEAM TURBINE MAIN STOP & CONTROL VALVE.
 3. DRAIN VALVES SHALL BE LOCATED AS CLOSE AS POSSIBLE FROM DRAIN POT.
- * DENOTES EQUIPMENT WILL BE SUPPLIED BY HRSG.
- ** DENOTES EQUIPMENT WILL BE SUPPLIED BY ST SUPPLIER.



- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002~3
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- THIS P&ID IS FOR GROUP#10, CONFIGURATION IS IDENTICAL FOR GROUP#20.
 - DRAIN POT AND WARM-UP LINE SHALL BE LOCATED AS CLOSE AS POSSIBLE FROM STEAM TURBINE MAIN STOP & CONTROL VALVE.
 - DRAIN VALVES SHALL BE LOCATED AS CLOSE AS POSSIBLE FROM DRAIN POT.
- * DENOTES EQUIPMENT WILL BE SUPPLIED BY HRSG.
** DENOTES EQUIPMENT WILL BE SUPPLIED BY ST SUPPLIER.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.


REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
B	01.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
EMPLOYER					

TENDERER
SAMSUNG **SAMSUNG C&T**
Engineering & Construction Group

PROJECT NAME
AL NOUF1 PROJECT


DRAWING TITLE
P&ID FOR CRH STEAM SYSTEM GROUP 10

PROJECT DWG. NO.	SHEET	REV.
D00P-10LBC40-M05-0001	1/1	A
PROJECT NO.	SCALE	REF. CODE
D00P	NONE	



- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002~0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- THIS P&ID IS FOR GROUP#10, CONFIGURATION IS IDENTICAL FOR GROUP#20.
 - DRAIN POT AND WARM-UP LINE SHALL BE LOCATED AS CLOSE AS POSSIBLE FROM STEAM TURBINE MAIN STOP & CONTROL VALVE.
 - DRAIN VALVES SHALL BE LOCATED AS CLOSE AS POSSIBLE FROM DRAIN POT.
- * DENOTES EQUIPMENT WILL BE SUPPLIED BY HRSG.
- ** DENOTES EQUIPMENT WILL BE SUPPLIED BY ST SUPPLIER.

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.					
C	24.NOV.2025	FOR INTERNAL USE			
B	01.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER					
TENDERER					
PROJECT NAME					
DRAWING TITLE					
PROJECT DWG NO.					
PROJECT NO.					
REF. DRAWING NO.					
D00P					
SHEET			REV.		
1/1			C		
SCALE			REF. CODE		
NONE					



- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002~3
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- THIS P&ID IS FOR GROUP#10, CONFIGURATION IS IDENTICAL FOR GROUP#20.
 - DRAIN POT AND WARM-UP LINE SHALL BE LOCATED AS CLOSE AS POSSIBLE FROM STEAM TURBINE MAIN STOP & CONTROL VALVE.
 - DRAIN VALVES SHALL BE LOCATED AS CLOSE AS POSSIBLE FROM DRAIN POT.
- * DENOTES EQUIPMENT WILL BE SUPPLIED BY HRSG.
- ** DENOTES EQUIPMENT WILL BE SUPPLIED BY ST SUPPLIER.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.


REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
B	01.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
EMPLOYER					

TENDERER
SAMSUNG **SAMSUNG C&T**
Engineering & Construction Group

PROJECT NAME
AL NOUF1 PROJECT

DRAWING TITLE
P&ID FOR LP STEAM SYSTEM GROUP 10


PROJECT DWG. NO.	D00P-10LBA30-M05-0001	SHEET	REV.
PROJECT NO.	REF. DRAWING NO.	1/1	A
D00P		NONE	REF. CODE



- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002~0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- THIS P&ID IS FOR GROUP#10, CONFIGURATION IS IDENTICAL FOR GROUP#20.
 - ALLOW MINIMUM 3M LENGTH FOR P91 ALLOY PIPE SPOOL DOWNSTREAM OF BYPASS VALVE.
 - ALLOW MINIMUM 5M LENGTH FOR P92 ALLOY PIPE SPOOL DOWNSTREAM OF BYPASS VALVE.
- * DENOTES EQUIPMENT WILL BE SUPPLIED BY BYPASS VALVE VENDOR.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.					
C	24.NOV.2025	FOR INTERNAL USE			
B	01.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER					
TENDERER					
PROJECT NAME					
DRAWING TITLE					
PROJECT DWG. NO.					
PROJECT NO.					
D00P					
SHEET				REV.	
1/1				C	
SCALE				REF. CODE	
NONE					



- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002-0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- THIS P&ID IS FOR GROUP#10, CONFIGURATION IS IDENTICAL FOR GROUP#20.
 - ALLOW MINIMUM 3M LENGTH FOR P92 ALLOY PIPE SPOOL DOWNSTREAM OF BYPASS VALVE.
 - ALLOW MINIMUM 5M LENGTH FOR P22 ALLOY PIPE SPOOL DOWNSTREAM OF BYPASS VALVE.
- * DENOTES EQUIPMENT WILL BE SUPPLIED BY BYPASS VALVE VENDOR.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.


C	24.NOV.2025	FOR INTERNAL USE			
B	01.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER:					

TENDERER
SAMSUNG **SAMSUNG C&T**
Engineering & Construction Group

PROJECT NAME
AL NOUF1 PROJECT

DRAWING TITLE
P&ID FOR BYPASS STEAM SYSTEM GROUP 10 (2 OF 2)

PROJECT DWG. NO.	D00P-10MAN10-M05-0002	SHEET	REV.
		1/1	C
PROJECT NO.	REF. DRAWING NO.	SCALE	REF. CODE
D00P		NONE	



- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002~3
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- THIS P&ID IS FOR GROUP#10, CONFIGURATION IS IDENTICAL FOR GROUP#20.
- * SUPPLIED BY AUX BOILER SUPPLIER.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.


B	01.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER					
TENDERER					
PROJECT NAME					
DRAWING TITLE					
PROJECT DWG NO.					
PROJECT NO.					
REF. DRAWING NO.					
D00P					
SHEET				REV.	
1/1				B	
SCALE				REF. CODE	
NONE					

SAMSUNG SAMSUNG C&T
Engineering & Construction Group

AL NOUF1 PROJECT

P&ID FOR AUXILIARY STEAM SYSTEM GROUP 10

D00P-10LBC40-M05-0001




- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002~3
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- THIS P&ID IS FOR UNIT#11, CONFIGURATION IS IDENTICAL FOR UNIT#12,21,22.
 - DELETED
 - STRAINERS SHALL BE FOR COMMISSIONING ONLY.
 - JUNCTION POINT SHALL BE ABOVE MAX. TANK LEVEL OR TWO SEPARATE LINES TO THE TANK SHALL BE PROVIDED.
- * EQUIPMENT PROVIDED BY HRSG VENDOR.
** EQUIPMENT PROVIDED BY PUMP VENDOR.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.

B	01.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER:					

TENDERER		SAMSUNG SAMSUNG C&T Engineering & Construction Group			
PROJECT NAME		AL NOUF1 PROJECT			
DRAWING TITLE		P&ID FOR HRSG BLOWDOWN SYSTEM UNIT 11			
PROJECT DWG NO.			SHEET	REV.	
D00P-11LCQ10-M05-0001			1/1	A	
PROJECT NO.			SCALE	REF. CODE	
D00P			NONE		




- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002-0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- THIS P&ID IS FOR GROUP#10, CONFIGURATION IS IDENTICAL FOR GROUP#20.
 - VALVE LOCATED NEAR CONDENSER.
 - VALVE LOCATED IN INTAKE AREA.
- ** EQUIPMENT PROVIDED BY PUMP VENDOR.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.

B	16.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER					

TENDERER		SAMSUNG SAMSUNG C&T Engineering & Construction Group	
PROJECT NAME		AL NOUF1 PROJECT	
DRAWING TITLE		P&ID FOR CLEAN DRAIN SYSTEM FOR GROUP 10	
PROJECT DWG NO.		D00P-10LCM10-M05-0001	
PROJECT NO.		REF. DRAWING NO.	
D00P		NONE	
SHEET		REV.	
1/1		B	
SCALE		REF. CODE	
NONE			



- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002~3
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- THIS P&ID IS IDENTICAL TO UNIT #11, #12, #21 AND #22.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.

B	01.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER:					

ENDER

SAMSUNG

SAMSUNG C&T
Engineering & Construction Group

PROJECT NAME

AL NOUF1 PROJECT

DRAWING TITLE

P&ID FOR GT FLASH PIPE SYSTEM UNIT 11

PROJECT DWG. NO.

D00P-10LBG10-M05-0001

SHEET

REV.

1/1

A

PROJECT NO.


REF. DRAWING NO.

SCALE

REF. CODE

D00P

NONE



- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002-0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- THIS P&ID IS FOR GROUP#10, CONFIGURATION IS IDENTICAL FOR GROUP#20.
 - VS MEANS VACUUM SEAL VALVE. THE DESIGN OF VACUUM SEAL VALVE WILL BE EITHER BELLOWS SEAL TYPE OR VOC (VOLATILE ORGANIC COMPOUNDS) PACKING TYPE.
 - THE CONDUCTIVITY ANALYZERS WILL BE SPECIFIC TYPE.
 - DESIGN OF VACUUM BREAKER SHALL BE FOLLOWED THE OEM'S STANDARD.
 - STANDPIPE OR FLASH BOX FOR EQUIPMENT DRAINS SHALL BE DESIGNED REFER TO OEM'S REQUIREMENT.
 - LOOP SEAL HEIGHT TO BE DETERMINED BY OEM'S STANDARD.
 - SEAL WATER FOR CEP AND SUCTION/DISCHARGE VENT ARE IDENTICAL.
 - CATHODIC PROTECTION FOR WATER BAX SHALL BE SUPPLIED BY CONDENSER SUPPLIER.
 - ALL LEVEL BRIDE VALVES AND ROOT VALVES RE PROVIDED BY THE CONDENSER VENDOR.
 - LOCATION OF RUTURE DISC WILL BE DECIDED BASED ON OEM'S EQUIPMENT.
 - STEAM BYPASS LINE AND DUMP STEAM FROM VENTILATION VALVE WILL BE INDICATED AT RELATED STEAM SYSTEM P&ID.
 - NUMBER / SIZE OF HOTWELL DRAINS CAN BE UPDATE BASED ON CONDENSER'S SUPPLIERS RECOMMENDATION.

* SUPPLIED BY CEP SUPPLIER
** SUPPLIED BY ST SUPPLIER
*** SUPPLIED BY CONDENSER SUPPLIER

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.


REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
C	24.NOV.2025	FOR INTERNAL USE			
B	01.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
EMPLOYER					

TENDERER
SAMSUNG **SAMSUNG C&T**
Engineering & Construction Group

PROJECT NAME
AL NOUF1 PROJECT

DRAWING TITLE
P&ID FOR CONDENSATE SYSTEM GROUP 10 (1 OF 2)


PROJECT DWG. NO.		SHEET	REV.
D00P-10LCA10-M05-0001		1/1	C
PROJECT NO.	REF. DRAWING NO.	SCALE	REF. CODE
D00P			



- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002~0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES:
- THIS P&ID IS FOR GROUP#10, CONFIGURATION IS IDENTICAL FOR GROUP#20.
 - BYPASS LINE OF GLAND STEAM CONDENSER SHALL BE CONFIRMED BY ST SUPPLIER.
 - GATE VALVE AND CHECK VALVE SHALL BE INSTALLED NEAR CHEMICAL DOSING SKID.
 - MINIMUM DISTANCE OR STRAIGHT PIPE UPSTREAM AND DOWNSTREAM SHALL BE CONFIRMED BY VENDOR.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.					
C	24.NOV.2025	FOR INTERNAL USE			
B	01.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER:					
TENDERER: SAMSUNG SAMSUNG C&T Engineering & Construction Group					
PROJECT NAME: AL NOUF1 PROJECT					
DRAWING TITLE: P&ID FOR CONDENSATE SYSTEM GROUP 10 (2 OF 2)					
PROJECT DWG. NO. D00P-10LCA10-M05-0002				SHEET	REV.
				1/1	C
PROJECT NO.	REF. DRAWING NO.			SCALE	REF. CODE
D00P				NONE	




- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002-0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- THIS P&ID IS FOR GROUP#10, CONFIGURATION IS IDENTICAL FOR GROUP#20.
 - CONDENSER AIR REMOVAL SKID CONSISTS OF VACUUM PUMP, HEAT EXCHANGER, SEPARATOR, VALVES & SPECIALTIES. IT SHALL BE FURTHER UPDATED AFTER RECEIPT OF VENDOR INPUTS.
 - REFER TO VENDOR DRAWING FOR SKID DETAILS.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.

B	01.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER:					

TENDERER		 SAMSUNG C&T Engineering & Construction Group	
PROJECT NAME		AL NOUF1 PROJECT	
DRAWING TITLE		P&ID FOR CONDENSER AIR REMOVAL SYSTEM GROUP 10	
PROJECT DWG. NO.		D00P-10MAJ10-M05-0001	
PROJECT NO.		REF. DRAWING NO.	
D00P		NONE	
SHEET		REV.	
1/1		A	
SCALE		REF. CODE	
NONE			





- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002-0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- THIS P&ID IS FOR UNIT#11, CONFIGURATION IS IDENTICAL FOR UNIT#12,21,22.
 - FLANGE CONNECTION FOR PUMP MAINTENANCE.
 - BFP MIN. FLOW FCV SHALL BE LOCATED AS CLOSE AS POSSIBLE TO CONDENSER.
 - VS MEANS VACUUM SEAL VALVE. THE DESIGN OF VACUUM SEAL VALVE WILL BE EITHER BELLOWS SEAL TYPE OR VOC (VOLATILE ORGANIC COMPOUNDS) PACKING TYPE.
 - LOCATION AND NUMBER OF HIGH POINT VENTS AND LOW POINT DRAINS SHALL BE FINALIZED ONCE THE CORRESPONDING PIPELINE ARE ROUTED.
- * MARKED ITEM TO BE SUPPLIED BY BFP SUPPLIER.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.

B	01.OCT.2025	FOR INTERNAL USE							
A	19.SEP.2025	FOR INTERNAL USE							
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED				
EMPLOYER									
TENDERER									
SAMSUNG SAMSUNG C&T Engineering & Construction Group									
PROJECT NAME									
AL NOUF1 PROJECT									
DRAWING TITLE									
P&ID FOR HRSG FEEDWATER SYSTEM UNIT 11									
PROJECT DWG NO.									
D00P-11LAB00-M05-0001									
PROJECT NO.									
REF. DRAWING NO.									
D00P									
								SHEET	REV.
								1/1	A
								SCALE	REF. CODE
								NONE	






GENERAL NOTES :

1. REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002~0005
2. THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE
ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL
DESIGN PHASE.

NOTES :


1. ISOLATION VALVES SHALL BE BALL TYPE WITH DOUBLE BLOCK
AND BLEED FUNCTION AND FIRE RESISTANT PER API 5D.
2. MINIMUM SAFE DISTANCE FOR FUEL GAS VENT IS 3 METERS
ABOVE GROUND FLOOR LEVEL.



- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002-0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- ISOLATION VALVES SHALL BE BALL TYPE WITH DOUBLE BLOCK AND BLEED FUNCTION AND FIRE RESISTANT PER API 5D.
 - INSTALL THE DENSITY METER NEAR THE FUEL GAS MAIN PIPING AS CLOSE AS POSSIBLE.
 - MINIMUM SAFE DISTANCE FOR FUEL GAS VENT IS 3 METERS ABOVE GROUND FLOOR LEVEL.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.					
C	22.OCT.2025	FOR INTERNAL USE			
B	20.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER:					
TENDERER:					
PROJECT NAME:					
AL NOUF1 PROJECT					
DRAWING TITLE:					
P&ID FOR FUEL GAS SUPPLY SYSTEM (3 OF 3)					
PROJECT DWG. NO.				SHEET	REV.
D00P-00EKG10-M05-0003				1/1	C
PROJECT NO.	REF. DRAWING NO.			SCALE	REF. CODE
D00P				NONE	



- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002~0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- THE FUEL GAS SUPPLY SYSTEM P&ID FOR GT #11 IS IDENTICAL TO GT #12, #21 AND GT #22.
 - ISOLATION VALVES SHALL BE BALL TYPE WITH DOUBLE BLOCK AND BLEED FUNCTION AND FIRE RESISTANT PER API 5D.
 - FLANGED CONNECTION SHALL BE PROVIDED FOR METER INSPECTION.
 - SHORT SPOOL FOR CLEANING OF PIPING.
 - MINIMUM SAFE DISTANCE FOR FUEL GAS VENT IS 3 METERS ABOVE GROUND FLOOR LEVEL.
- * MARKED ITEM TO BE SUPPLIED BY GT SUPPLIER.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.


C	22.OCT.2025	FOR INTERNAL USE			
B	20.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER:					

TENDERER
SAMSUNG **SAMSUNG C&T**
Engineering & Construction Group

PROJECT NAME
AL NOUF1 PROJECT

DRAWING TITLE
P&ID FOR GT FUEL GAS SUPPLY SYSTEM

PROJECT DWG NO.		SHEET	REV.
D00P-11EKG10-M05-0001		1/1	C
PROJECT NO.	REF. DRAWING NO.	SCALE	REF. CODE
D00P		NONE	



GENERAL NOTES :

1. REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002-0005
2. THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE
ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL
DESIGN PHASE.

NOTES :

1. AUTOMATIC AIR RELEASE VALVE AND PRESSURE GAUGE
WILL BE SUPPLIED BY CWP SUPPLIER.
2. LOCATION AND NUMBER OF HIGH POINT VENTS, LOW POINT
DRAINS, AND MANHOLES WILL BE FINALIZED ONCE THE
CORRESPONDING PIPELINES ARE ROUTED.
3. ALL PIPING WILL BE DESIGNED FOR FULL VACUUM.
4. (*) SYMBOL INDICATES COMPONENTS FURNISHED BY
SEAWATER INTAKE FACILITY SUPPLIER.
5. (**) SYMBOL INDICATES COMPONENTS FURNISHED BY
CLORINATION SYSTEM SUPPLIER.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION.
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.


REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
D	18.NOV.2025	FOR INTERNAL USE			
C	22.OCT.2025	FOR INTERNAL USE			
B	20.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
EMPLOYER					

TENDERER
SAMSUNG **SAMSUNG C&T**
Engineering & Construction Group

PROJECT NAME
AL NOUF1 PROJECT

DRAWING TITLE
P&ID FOR SEAWATER INTAKE SYSTEM (1 OF 3)

PROJECT DWG. NO.	SHEET	REV.
D00P-00PAB10-M05-0001	1/1	D
PROJECT NO.	SCALE	REF. CODE
D00P	NONE	



- GENERAL NOTES :
1. REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002-0005
 2. THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE
ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL
DESIGN PHASE.
- NOTES :
1. AUTOMATIC AIR RELEASE VALVE AND PRESSURE GAUGE
WILL BE SUPPLIED BY CWP SUPPLIER.
 2. LOCATION AND NUMBER OF HIGH POINT VENTS, LOW POINT
DRAINS, AND MANHOLES WILL BE FINALIZED ONCE THE
CORRESPONDING PIPELINES ARE ROUTED.
 3. ALL PIPING WILL BE DESIGNED FOR FULL VACUUM.
 4. (*) SYMBOL INDICATES COMPONENTS FURNISHED BY
SEAWATER INTAKE FACILITY SUPPLIER.
 5. (**) SYMBOL INDICATES COMPONENTS FURNISHED BY
CLORINATION SYSTEM SUPPLIER.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.


REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
D	18.NOV.2025	FOR INTERNAL USE			
C	22.OCT.2025	FOR INTERNAL USE			
B	20.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
EMPLOYER					

TENDERER
SAMSUNG **SAMSUNG C&T**
Engineering & Construction Group

PROJECT NAME
AL NOUF1 PROJECT

DRAWING TITLE
P&ID FOR SEAWATER INTAKE SYSTEM (2 OF 3)

PROJECT DWG. NO.	SHEET	REV.
D00P-00PAB10-M05-0002	1/1	D
PROJECT NO.	SCALE	REF. CODE
D00P	NONE	




- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002-0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- AUTOMATIC AIR RELEASE VALVE AND PRESSURE GAUGE WILL BE SUPPLIED BY CWP SUPPLIER.
 - LOCATION AND NUMBER OF HIGH POINT VENTS, LOW POINT DRAINS, AND MANHOLES WILL BE FINALIZED ONCE THE CORRESPONDING PIPELINES ARE ROUTED.
 - ALL PIPING WILL BE DESIGNED FOR FULL VACUUM.
 - (*) SYMBOL INDICATES COMPONENTS FURNISHED BY SEAWATER INTAKE FACILITY SUPPLIER.
 - (**) SYMBOL INDICATES COMPONENTS FURNISHED BY CLORINATION SYSTEM SUPPLIER.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.

D	18.NOV.2025	FOR INTERNAL USE			
C	22.OCT.2025	FOR INTERNAL USE			
B	20.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER:					


TENDERER			
PROJECT NAME		AL NOUF1 PROJECT	
DRAWING TITLE		P&ID FOR SEAWATER INTAKE SYSTEM (3 OF 3)	
PROJECT DWG NO.		D00P-00PAB10-M05-0003	SHEET 1/1 REV. D
PROJECT NO.		REF. DRAWING NO.	SCALE REF. CODE
D00P		NONE	



- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002-0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- LOCATION AND NUMBER OF HIGH POINT VENTS, LOW POINT DRAINS, AND MANHOLES WILL BE FINALIZED ONCE THE CORRESPONDING PIPELINES ARE ROUTED.
 - pH, RESIDUAL CHLORINE, TEMPERATURE AND CONDUCTIVITY INDICATION. SAMPLING PUMPS WILL BE PROVIDED BY SAMPLING VENDOR.
 - ALL PIPING SHALL BE DESIGNED FOR FULL VACUUM.


FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.					
C	22.OCT.2025	FOR INTERNAL USE			
B	20.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER:					
TENDERER:					
SAMSUNG SAMSUNG C&T Engineering & Construction Group					
PROJECT NAME:					
AL NOUF1 PROJECT					
DRAWING TITLE:					
P&ID FOR SEAL PIT SYSTEM					
PROJECT DWG. NO.				SHEET	REV.
D00P-00PAB10-M05-0004				1/1	C
PROJECT NO.				SCALE	REF. CODE
D00P				NONE	



THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.

TENDERER		 SAMSUNG Engineering & Construction Group	
PROJECT NAME			
AL NOUF1 PROJECT			
DRAWING TITLE			
P&ID FOR CIRCULATING WATER SYSTEM FOR GROUP 10			
PROJECT DWG NO.		SHEET	REV.
D00P-10PAC10-M05-0001		1/1	0
PROJECT NO.	REF. DRAWING NO.	SCALE	REF. CODE
D00P		NONE	




- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002-0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- THIS P&ID IS FOR GROUP#10, CONFIGURATION IS IDENTICAL FOR GROUP#20.
 - LOCATION AND NUMBER OF HIGH POINT VENTS, LOW POINT DRAINS, AND MANHOLES WILL BE FINALIZED ONCE THE CORRESPONDING PIPELINES ARE ROUTED.
 - ALL PIPING WILL BE DESIGNED FOR FULL VACUUM.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.

D	24.NOV.2025	FOR INTERNAL USE			
C	22.OCT.2025	FOR INTERNAL USE			
B	20.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER:					

TENDERER					
PROJECT NAME		AL NOUF1 PROJECT			
DRAWING TITLE		P&ID FOR AUX. COOLING WATER SYSTEM FOR GROUP 10			
PROJECT DWG. NO.		D00P-10PCB10-M05-0001		SHEET	REV.
PROJECT NO.		REF. DRAWING NO.		1/1	D
D00P				SCALE	REF. CODE
				NONE	



- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00EGD00-M05-0002~0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- (*)MARKED ITEMS TO BE PROVIDED BY FUEL OIL PUMP SUPPLIER.
 - ISOLATION VALVES, SIGHT GLASS AND FLOW SWITCH TO BE LOCATED NEARBY THE HOSE CONNECTION.
 - LOCATION AND NUMBER OF HIGH POINT VENTS AND LOW POINT DRAINS SHALL BE FINALIZED ONCE THE CORRESPONDING PIPELINES ARE ROUTED.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.

REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
C	24.NOV.2025	FOR INTERNAL USE			
B	1.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			

TENDERER

SAMSUNG **SAMSUNG C&T**
Engineering & Construction Group


Rev.B 삭제 ->
Rev.C 복원

L NOUF1 PROJECT

DRAWING TITLE

P&ID FOR FUEL OIL SUPPLY SYSTEM (1/2)

PROJECT DWG. NO.	SHEET	REV.
D00P-00EGD00-M05-0001	1/1	C
PROJECT NO.	SCALE	REF. CODE
D00P	NONE	




- GENERAL NOTES :
1. REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002-0005
 2. THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
1. TANK INTERNAL INLET PIPING SHOULD BE EQUIPPED WITH A DIFFUSER TO AVOID STIRRING UP THE DEPOSITS ON THE TANK BOTTOM.
 2. FUEL OIL STORAGE TANK SHOULD BE EQUIPPED WITH A FLOATING SUCTION ARM.
 3. LOCATION AND NUMBER OF HIGH POINT VENTS AND LOW POINT DRAINS SHALL BE FINALIZED ONCE THE CORRESPONDING PIPELINES ARE ROUTED.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.

D	24.NOV.2025	FOR INTERNAL USE			
C	21.OCT.2025	FOR INTERNAL USE			
B	1.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER					


TENDERER	SAMSUNG SAMSUNG C&T Engineering & Construction Group				
PROJECT NAME	AL NOUF1 PROJECT				
DRAWING TITLE	P&ID FOR FUEL OIL SUPPLY SYSTEM (2/2)				
PROJECT DWG. NO.	D00P-00EGD00-M05-0002			SHEET	REV.
PROJECT NO.	REF. DRAWING NO.			1/1	D
D00P				SCALE	REF. CODE
				NONE	



FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.

[illegible]



- GENERAL NOTES :
1. REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002-0005
 2. THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
1. THIS P&ID IS FOR GROUP#10, CONFIGURATION IS IDENTICAL FOR GROUP#20.
 2. CHECK VALVE TYPE WILL BE SWING CHECK VALVE FOR SURGE PROTECTION.
 3. MINIMUM RECIRCULATION LINE FROM CCWP TO THE TANK IS NOT CONSIDERED SINCE THIS IS CLOSED CIRCUIT AND DOES NOT HAVE MANY OPERATION CASES.
 4. VALVE CONNECTION SHOULD BE FLANGE CONNECTION.
 5. LEVEL TRANSMITTER WILL BE PROVIDED BY SCT.
 6. LOCATION AND NUMBER OF HIGH POINT VENTS AND LOW POINT DRAINS SHALL BE FINALIZED DURING DETAIL ENGINEERING STAGE.
- * SUPPLIED BY PUMP SUPPLIER.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.


C	18.NOV.2025	FOR INTERNAL USE			
B	20.OCT.2025	FOR INTERNAL USE			
A	24.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER					

TENDERER
SAMSUNG **SAMSUNG C&T**
Engineering & Construction Group

PROJECT NAME
AL NOUF1 PROJECT

DRAWING TITLE
**P&ID FOR CLOSED COOLING WATER SYSTEM
GROUP 10 (1 OF 7)**

PROJECT DWG. NO.	D00P-10PGB10-M05-0001	SHEET	REV.
PROJECT NO.	REF. DRAWING NO.	1/1	C
D00P		NONE	REF CODE



GENERAL NOTES :

1. REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002-0005
2. THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE
ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL
DESIGN PHASE.

NOTES :

1. THIS P&ID IS FOR GROUP#10, CONFIGURATION IS IDENTICAL
FOR GROUP#20.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.


B	20.OCT.2025					
A	24.SEP.2025	FOR INTERNAL USE				
		FOR INTERNAL USE				
REV.	DATE	DESCRIPTION			PREPARED	REVIEWED APPROVED
EMPLOYER						

SAMSUNG **SAMSUNG C&T**
Engineering & Construction Group

PROJECT NAME	AL NOUF1 PROJECT
--------------	------------------

P&ID FOR CLOSED COOLING WATER SYSTEM
GROUP 10 (2 OF 7)

PROJECT DWG NO. D00P-10PGB10-M05-0002		SHEET	REV.
		1/1	B
PROJECT NO.	REF. DRAWING NO.	SCALE	REF.CODE
D00P		NONE	




FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.

Rev.C P&ID 미접수

[illegible]



FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.

Box C B&TD 미적스

B	20.OCT.2025	FOR INTERNAL USE			
A	24.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER					


TENDERER


 **SAMSUNG C&T**
Engineering & Construction Group


PROJECT NAME	AL NOUF1 PROJECT
--------------	------------------


DRAWING TITLE	P&ID FOR CLOSED COOLING WATER SYSTEM GROUP 10 (4 OF 7)
---------------	---

PROJECT DWG NO.		SHEET	REV.
D00P-10PGB10-M05-0004		1/1	B
PROJECT NO.	REF. DRAWING NO.	SCALE	REF. CODE
D00P		NONE	









- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002-0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- ROTARY SCREW, OIL FREE TYPE COMPRESSOR, AIR COOLED.
 - THE PIPE CONNECTIONS SHALL BE CARRIED OUT AS SCREWED ONES UP TO DN 50. FOR LARGE PIPE SIZE, ON CONTROL AND BLOCK VALVES, EQUIPMENT ETC. CONNECTION SHALL BE APPLIED.
 - DISCHARGE PIPE WILL BE CONNECTED TO TOP SIDE OF HEADER.
 - SS304 SHELL BE APPLIED AFTER DRYER.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.


D	24.NOV.2025	FOR INTERNAL USE			
C	19.NOV.2025	FOR INTERNAL USE			
B	26.SEP.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER:					


TENDERER
SAMSUNG **SAMSUNG C&T**
Engineering & Construction Group

PROJECT NAME
AL NOUF1 PROJECT

DRAWING TITLE
P&ID FOR COMPRESSED AIR SYSTEM

PROJECT DWG. NO.		SHEET	REV.
D00P-10QFA10-M05-0001		1/1	D
PROJECT NO.	REF. DRAWING NO.	SCALE	REF. CODE
D00P		NONE	






- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002~0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.

- NOTES :
- AIR TRAP TO BE CONSIDERED FOR LOW POINT OF PIPING.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.					
C	19.NOV.2025	FOR INTERNAL USE			
B	2.OCT.2025	FOR INTERNAL USE			
A	19.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER					
TENDERER					
SAMSUNG SAMSUNG C&T Engineering & Construction Group					
PROJECT NAME					
AL NOUF1 PROJECT					
DRAWING TITLE					
P&ID FOR SERVICE AIR DISTRIBUTION SYSTEM					
PROJECT DWG. NO.			SHEET	REV.	
D00P-00SCB10-M05-0001			1/1	C	
PROJECT NO.			SCALE	REF. CODE	
D00P			NONE		




- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00QJA10-M05-0002~3.
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.

NOTES :

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.


B	2.OCT.2025		FOR INTERNAL USE						
A	19.SEP.2025		FOR INTERNAL USE						
REV.	DATE		DESCRIPTION		PREPARED	REVIEWED	APPROVED		
EMPLOYER:									
TENDERER:									
PROJECT NAME:									
DRAWING TITLE:									
PROJECT DWG NO.:									
PROJECT NO.:									
REF. DRAWING NO.:									
D00P									
SHEET								REV.	
1/1								B	
SCALE								REF. CODE	
NONE									



- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002-0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES:
- REDUCER SHOW AT THE EACH PUMP SUCTION SHALL BE PLAT ON TOP ECCENTRIC TYPE.
 - TANK INLET NOZZLE SHALL BE LOCATED ABOVE HIGH WATER LEVEL. TANK OUTLET NOZZLE SHALL BE LOCATED NEAR GRADE.
 - * TO BE SUPPLIED BY WATER TREATMENT SUPPLIER
 - ** TO BE SUPPLIED BY TANK VENDOR.
 - FLOAT AND TAPE TYPE LEVEL GUAGE.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.						
C	19.NOV.2025	FOR INTERNAL USE				
B	2.OCT.2025	FOR INTERNAL USE				B
A	24.SEP.2025	FOR INTERNAL USE				
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED	
EMPLOYER						
TENDERER						
			SAMSUNG C&T Engineering & Construction Group			
PROJECT NAME						
AL NOUF1 PROJECT						
DRAWING TITLE						
P&ID FOR DESAL. WATER SUPPLY SYSTEM						
A						
PROJECT DWG. NO.				SHEET	REV.	
D00P-00GHC10-M05-0001				1/1	C	
PROJECT NO.		REF. DRAWING NO.		SCALE	REF.CODE	
D00P				NONE		



- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002-0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES:
- REDUCER SHOW AT THE EACH PUMP SUCTION SHALL BE PLAT ON TOP ECCENTRIC TYPE.
 - TANK INLET NOZZLE SHALL BE LOCATED ABOVE HIGH WATER LEVEL. TANK OUTLET NOZZLE SHALL BE LOCATED NEAR GRADE.
- * TO BE SUPPLIED BY PUMP VENDOR.
* TO BE SUPPLIED BY TANK VENDOR.
* TO BE SUPPLIED BY WATER TREATMENT SYSTEM VENDOR.
- CO₂ ABSORBER IS PROVIDED TO AVOID CO₂ INGRESS IN THE TANK.
 - CO₂ ABSORBER IS INSTALLED ON GROUND LEVEL.
 - FLOAT AND TAPE TYPE LEVEL GAUGE.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.


Rev. C P&ID 미접수					
B	16.OCT.2025	FOR INTERNAL USE			
A	24.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER					

TENDERER
SAMSUNG **SAMSUNG C&T**
Engineering & Construction Group

PROJECT NAME
AL NOUF1 PROJECT

DRAWING TITLE
P&ID FOR DEMINERALIZED WATER DISTRIBUTION SYSTEM (1 OF 2)

PROJECT DWG NO. D00P-00GHC10-M05-0001		SHEET 1/1	REV. 8
PROJECT NO. D00P	REF. DRAWING NO.	SCALE NONE	REF. CODE



- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002-0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.

NOTES :

FOR INTERNAL USE
FOR PROPOSAL

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.

A1	10.MAY.2025	FOR PROPOSAL	B.W.HAN	J.H.AHN	I.J.LEE
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER					


PDP GEN TWO SDN BHD

TENDERER
SAMSUNG **SAMSUNG C&T**
Engineering & Construction Group

PROJECT NAME
PORT DICKSON 1400MW CCGT

DRAWING TITLE
P&ID FOR DEMINERALIZED WATER
DISTRIBUTION SYSTEM (2/2)

PROJECT DWG. NO.		SHEET	REV.
D00P-00GHC10-M05-0002		1/1	A1
PROJECT NO.	REF. DRAWING NO.	SCALE	REF. CODE
D00P		NONE	





- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002-0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- PUMP VENDOR SHALL PROVIDE THE INSTRUMENT.
 - TEMPORARY STRAINER. REMOVE AFTER STARTUP/COMMISSIONING.
 - CHEMICAL DOSING VENDOR SHALL PROVIDE THE INSTRUMENT.
 - FLOAT AND TAPE TYPE LEVEL GAUGE.
- * TO BE SUPPLIED BY PUMP VENDOR.
** TO BE SUPPLIED BY TANK VENDOR.


FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.

B	19.NOV.2025	FOR INTERNAL USE			
A	24.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER					
TENDERER					
			SAMSUNG C&T Engineering & Construction Group		
PROJECT NAME					
AL NOUF1 PROJECT					
DRAWING TITLE					
P&ID FOR SERVICE WATER DISTRIBUTION SYSTEM (1 OF 2)					
PROJECT DWG. NO.			SHEET	REV.	
D00P-00GHB10-M05-0001			1/1	B	
PROJECT NO.			SCALE	REF. CODE	
D00P			NONE		








- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002-3.
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- DISPLACEMENT TYPE LEVEL SWITCH
 - FLOATING TYPE LEVEL SWITCH
 - SUMP PIT SET EACH UNIT (TOTAL 5 SETS)
- * DENOTED INSTRUMENTS WILL BE SUPPLIED FROM SUMP PUMP VENDOR.

FOR INTERNAL USE


THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.					
A	24.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER:					
TENDERER:					
PROJECT NAME:					
DRAWING TITLE:					
PROJECT DWG NO.					
PROJECT NO.					
D00P					
SHEET				REV.	
1/1				A	
SCALE				REF. CODE	
NONE					






- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002~3
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- FLOATING TYPE LEVEL SWITCH.
 - IF ONLY WASTE MAY HAVE HIGH OIL CONTENT, VALVE PIT SHALL BE APPLIED.
- * DENOTED INSTRUMENTS WILL BE SUPPLIED FROM SUMP PUMP VENDOR.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.					
A	24.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER:					
TENDERER:					
PROJECT NAME:					
AL NOUF1 PROJECT					
DRAWING TITLE:					
P&ID FOR OILY WASTE WATER TRANSFER SYSTEM (1 OF 2)					
PROJECT DWG. NO.				SHEET	REV.
D00P-00GMB10-M05-0001				1/1	A
PROJECT NO.				SCALE	REF. CODE
D00P				NONE	





추가

- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GMA10-M05-0002-0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- DISPLACEMENT TYPE LEVEL SWITCH.
 - FLOATING TYPE LEVEL SWITCH.
- * TO BE SUPPLIED BY PUMP VENDOR.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.


B	21.NOV.2025	FOR INTERNAL USE			
A	24.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER:					

TENDERER
SAMSUNG **SAMSUNG C&T**
Engineering & Construction Group

PROJECT NAME
AL NOUF1 PROJECT


DRAWING TITLE
P&ID FOR WASTE WATER TRANSFER SYSTEM
(SEA WATER / STORM WATER)

PROJECT DWG. NO.	D00P-00GMA10-M05-0001	SHEET	1/1	REV.	B
PROJECT NO.	D00P	SCALE	NONE	REF. CODE	
REF. DRAWING NO.					



- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002~0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- FLOATING TYPE LEVEL SWITCH
- * DENOTED INSTRUMENTS WILL BE SUPPLIED FROM SUMP PUMP VENDOR.

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.					
C	10.OCT.2025	FOR INTERNAL USE			
B	13.NOV.2025	FOR INTERNAL USE			
A	24.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER					
TENDERER					
SAMSUNG SAMSUNG C&T Engineering & Construction Group					
PROJECT NAME					
AL NOUF1 PROJECT					
DRAWING TITLE					
P&ID FOR SANITARY SEWER TRANSFER SYSTEM					
PROJECT DWG. NO.			SHEET	REV.	
D00P-00GQA10-M05-0001			1/1	C	
PROJECT NO.	REF. DRAWING NO.		SCALE	REF. CODE	
D00P			NONE		



- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00QCA00-M05-0002~0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.


NOTES :

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION
IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.

C	19.NOV.2025	FOR INTERNAL USE			
B	2.OCT.2025	FOR INTERNAL USE			
A	24.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER:					

TENDERER		SAMSUNG SAMSUNG C&T Engineering & Construction Group			
PROJECT NAME		AL NOUF1 PROJECT			
DRAWING TITLE		P&ID FOR CHEMICAL DOSING SYSTEM			
PROJECT DWG NO.			SHEET	REV.	
D00P-00QCA00-M05-0001			1/1	C	
PROJECT NO.	REF. DRAWING NO.		SCALE	REF CODE	
D00P			NONE		



- GENERAL NOTES :
- REFER TO SYMBOL & LEGEND
DWG. NO. D00P-00GEN00-M05-0002~0005
 - THIS DRAWING IS PREPARED FOR THE PROPOSAL PURPOSE ONLY AND CAN BE CHANGED ACCORDINGLY IN THE DETAIL DESIGN PHASE.
- NOTES :
- THIS P&ID IS FOR UNIT#11, CONFIGURATION IS IDENTICAL FOR UNIT#12,21,22.

FOR INTERNAL USE

THIS DRAWING IS THE PROPERTY OF SAMSUNG C&T CORPORATION IT IS NOT TO BE COPIED OR USED IN ANY WAY DETRIMENTAL TO THE COMPANY.					
A	24.SEP.2025	FOR INTERNAL USE			
REV.	DATE	DESCRIPTION	PREPARED	REVIEWED	APPROVED
EMPLOYER					
TENDERER					
PROJECT NAME					
DRAWING TITLE					
PROJECT DWG NO.					
PROJECT NO.					
REF. DRAWING NO.					
D00P					
SHEET				REV.	
1/1				A	
SCALE				REF. CODE	
NONE					