

New to the doc portal? Watch a short video with navigation and search tips.
Products (<https://axway.com>) Services & Support (<https://axway.com>)



Partners (<https://axway.com>) <https://axway.com> <https://axway.com> <https://axway.com> <https://axway.com> <https://axway.com>

Login

Home \ (/<https://docs.axway.com/bundle>) (<https://docs.axway.com/auth/login>)
(https://docs.axway.com/bundle/SecureClient_630_UserGuide_allOS_en_HTML5)
 \ Command-line interface
(https://docs.axway.com/bundle/SecureClient_630_UserGuide_allOS_en_HTML5)
 \ Batch mode
(https://docs.axway.com/bundle/SecureClient_630_UserGuide_allOS_en_HTML5)
 \ Command list
(https://docs.axway.com/bundle/SecureClient_630_UserGuide_allOS_en_HTML5)
 \ mget command

Filter

Tips: Select filters. "Phrases in quotes" for exact match.

Limit search to current manual

Secure Client 6.3.0 User Guide

Contents

Show/Hide Menu



Description

[Partners \(https://axway.com\)](https://axway.com)



[Manuals \(https://axway.com\)](https://axway.com)



[Login](#)

The mget command is used to retrieve multiple files from a remote server directory and store them in the current local directory.

Syntax

<https://docs.axway.com/bundle> <https://docs.axway.com/auth/login>

```
mget FILE PATTERN [ignorecase]
```

Parameters

FILE PATTERN (mandatory parameter)

This parameter defines the remote files to be retrieved. You can use the following wildcard characters:

- * (any string of characters)
- ? (any single character)
- [0-9], [A-Z] or [a-z] (range of characters)
- [...] replaces any characters enclosed by the brackets. The asterisk (*) and question mark (?) lose their special meanings within a character class. If the first character following the opening bracket is an exclamation mark (!) or a caret (^), then any character not in the character class is matched. A hyphen (-) between two characters can be used to denote a range. A hyphen (-) at the beginning or end of the character class matches itself rather than referring to a range. A close bracket (]) immediately following the opening bracket ([) matches itself rather than indicating the end of the character class. Otherwise, it must be *escaped* with a backslash (\) to refer to itself.
- \ matches itself in most situations. However, when a special character such as an asterisk (*) follows it, a backslash *escapes* the character, indicating that the special character should be interpreted as a normal character instead of having its special meaning.

Always enclose the file pattern in quotation marks (").

ignorecase

This option makes the FILE PATTERN case-insensitive.

Examples

```
mget *.html # get all html files from remotedir (the current remote directory) and store them in localdir (the current local directory)
```



Products (<https://axway.com>) **Services & Support (<https://axway.com>)**
mget *.xml # get all xml files from remotedir (the current remote directory) and store them in localdir (the current local direct

Partners (<https://axway.com>) **Our Story (<https://axway.com>)**  **Login**



mget [0-9]*.xml # get all xml files, with a name starting with a digit,
from remotedir (the current remote directory) and store them in
(<https://docs.axway.com/bundle>) (<https://docs.axway.com/auth/login>)

Join the discussion in Axway Community!

Analytics (<https://community.axway.com/s/topic/0TO2X000000UcseWAC/analytics>) |
API Mgmt (<https://community.axway.com/s/topic/0TO2X000000UcsfWAC/api-management>)

|
EDI/B2B (<https://community.axway.com/s/topic/0TO2X000000UcsgWAC/edib2b-integration>)

|
MFT (<https://community.axway.com/s/topic/0TO2X000000UcsjWAC/managed-file-transfer>)

		Contact Us (https://www.axway.com/en/contact-us)
Products (http://axway.com/en/enterprise-solutions/products-a-to-z)	About Axway (https://www.axway.com/en/about-axway)	Contact Sales (https://www.axway.com/en/contact-sales)
Industries (http://axway.com/en/industries)	Corporate Responsibility (https://www.axway.com/en/about-axway/social-corporate-responsibility)	Investor Relations (http://www.investors.axway.com/en)
Services & Support (https://axway.com/en/support-and-services)	Careers (http://www.career.axway.com/)	Blog (https://www.axway.com/en/blog)
Axway Community (https://community.axway.com)	Events (https://www.axway.com/en/events)	Partners (https://www.axway.com/en/partners)
Resource Library (http://axway.com/en/resource-library)	Our Customers (https://www.axway.com/en/customers)	
Accessibility & VPATs (http://docs.axway.com/bundle/AccessibilityVPATsAllScreensAndUI5)	Newsroom (https://www.axway.com/en/newsroom)	



Product Definition

Supported Platforms Guide

Products (<https://axway.com>)

Services & Support (<https://axway.com>)

General Conditions

Interoperability Matrix Guide

(<https://support.axway.com/en/auth/login>)

(https://docs.axway.com/bundle/Axway_Products_InteroperabilityMatrix_allOS_en)

Partners (<https://axway.com>)

Our Story (<https://axway.com>)

 **Login**



(<https://axway.com/>)

(<https://docs.axway.com/bundle>)

(<https://docs.axway.com/auth/login>)

Contact Us (<https://www.axway.com/en/contact-us>)

Terms of Use (<https://www.axway.com/en/terms-of-use>)

Privacy Pol

