

PhenOM Inference API User Guide

This user guide summarizes how to use the PhenOM Inference API based on the latest spec.

Base URL & Reference

- **API base URL**

`https://phenom-api.om1.com`

Authentication

- **Auth method:** OAuth2 Bearer token (Auth0)
- **Header format:**

```
Authorization: Bearer <jwt>
```

Your JWT determines which tenant and resources you can access.

Inference Options

You can run predictions in two ways:

- **Single-patient inference**
 - **Best for:** point-of-care workflows and interactive apps
 - **Pattern:** submit a single `patient_history` JSON → get a `job_id` → poll job for results
 - **Endpoint:** `/v1/job/from-patient`
 - **Multiple patients:** use the **batch** workflow (`/v1/batch`) instead of a multi-patient real-time endpoint
 - **Batch inference**
 - **Best for:** large populations, scheduled risk assessments, research & analytics
 - **Pattern:** upload files → finalize → (optionally) validate → start job → poll → fetch results
 - **Endpoints:** `/v1/batch`, `/v1/batch/{batch_id}/upload`, `/v1/batch/{batch_id}/finalize`, `/v1/batch/{batch_id}/start`, plus job endpoints under `/v1/job/...`
-

Quick Start – Outcomes

Use this to list the available PhenOM outcomes.

Request: list outcomes

```
curl -X POST https://phenom-api.om1.com/v1/outcome \  
-H "Authorization: Bearer <jwt>" \  
-H "Content-Type: application/json"
```

Immediate response (example):

```
[  
  "v0p3_65plus_fixed_anchor_2023_JanToDec_04012025_any_time_hospitalization_future_1month"  
]
```

Quick Start – Single Patient

Use this for a single patient at a time.

Request: create job from patient

```
curl -X POST https://phenom-api.om1.com/v1/job/from-patient \  
-H "Authorization: Bearer <jwt>" \  
-H "Content-Type: application/json" \  
-d '{  
  "outcome_ids": [  
    "v0p3_65plus_fixed_anchor_2023_JanToDec_04012025_any_time_hospitalization_future_1mon"  
  ],  
  "patient_history": {  
    "patient": {  
      "patient_id": "abc123",  
      "birth_date": "1964-05-18",  
      "sex": "F",  
      "zip3": "021"  
    },  
    "lab_results": [  
      {  
        "lab_date": "2025-07-03",  
        "loinc": "718-7",  
        "value_abnormal": "N"  
      }  
    ],  
    "diagnoses": [  
      {  
        "diagnosis_date": "2020-01-01",  
        "code": "I10",  
        "code_type_name": "ICD10"  
      }  
    ],  
    "procedures": [  
      {  
        "procedure_date": "2024-12-15",  
        "code": "93000",  
        "code_type_name": "CPT"  
      }  
    ],  
    "medications": [  
      {
```

```

        "medication_start": "2023-03-01",
        "code": "C09AA02",
        "code_type": "ATC"
      }
    ],
    "idempotency_key": "idem-b-20251107-abc123"
  }
}

```

Immediate response (example):

```

{
  "job_id": "job_01J90Q2TTM",
  "status": "QUEUED"
}

```

Poll for final result

```

# Poll job until SUCCEEDED
curl https://phenom-api.om1.com/v1/job/job_01J90Q2TTM \
-H "Authorization: Bearer <jwt>"

```

Then fetch results:

```

curl "https://phenom-api.om1.com/v1/job/job_01J90Q2TTM/results?page_size=1000" \
-H "Authorization: Bearer <jwt>"

```

Example final result payload:

```

{
  "items": [
    {
      "patient_id": "abc123",
      "outcome_id": "v0p3_65plus_fixed_anchor_2023_JanToDec_04012025_any_time_hospitalization_fut",
      "probability": 0.7421,
      "prob_upper_95_percent_bound": 0.7934,
      "prob_lower_95_percent_bound": 0.6912,
      "relative_probability": 2.18,
      "rel_upper_95_percent_bound": 2.36,
      "rel_lower_95_percent_bound": 2.02,
      "bin_id": 9,
      "num_bins": 100
    }
  ],
  "next_page_token": null,
  "total_rows": 1
}

```

Quick Start – Batch

End-to-end example: upload data, run a job, fetch results.

1. Create a batch

```
curl -X POST https://phenom-api.om1.com/v1/batch \
-H "Authorization: Bearer <jwt>" \
-H "Content-Type: application/json" \
-d '{
  "name": "october_data_load",
  "upload_method": "s3_multipart"
}'

# Response (example)
{
  "batch_id": "batch_0199bb07-3b87-7e83-8842-ad9d52a3c472",
  "status": "CREATED"
}
```

2. Upload patient data

```
# Create upload session for one CSV
curl -X POST https://phenom-api.om1.com/v1/batch/{batch_id}/upload \
-H "Authorization: Bearer <jwt>" \
-d '{
  "object_type": "patients",
  "filename": "patients_2025_10.csv",
  "mode": "single"
}'

# Use the presigned URL returned in the response to upload the file.
# Repeat for other object_types: lab_results, diagnosis, procedures, medications.
```

3. Finalize the batch

```
curl -X POST https://phenom-api.om1.com/v1/batch/{batch_id}/finalize \
-H "Authorization: Bearer <jwt>"

# Response (example)
{
  "batch_id": "batch_0199bb07-3b87-7e83-8842-ad9d52a3c472",
  "status": "FINALIZED",
  "manifest_key": "batches/batch_.../manifest.json"
}
```

4. Start the job

```
curl -X POST https://phenom-api.om1.com/v1/batch/{batch_id}/start \
-H "Authorization: Bearer <jwt>" \
-H "Content-Type: application/json" \
-d '{
  "outcome_ids": [
    "v0p3_65plus_fixed_anchor_2023_JanToDec_04012025_any_time_hospitalization_future_1month"
  ]
}'

# Response (example)
```

```
{
  "job_id": "job_01J90Q2TTM",
  "status": "QUEUED"
}
```

5. Poll job status

```
curl https://phenom-api.om1.com/v1/job/{job_id} \
-H "Authorization: Bearer <jwt>"

# When complete (example)
{
  "job_id": "job_01J90Q2TTM",
  "status": "SUCCEEDED",
  "metrics": {
    "records_processed": 1245678,
    "patients_scored": 101234,
    "patients_excluded": 1123
  }
}
```

6. Fetch results

```
# Option 1: Paginated API results
curl "https://phenom-api.om1.com/v1/job/{job_id}/results?page_size=1000" \
-H "Authorization: Bearer <jwt>"

# Option 2: Download full results (manifest with shard URLs)
curl https://phenom-api.om1.com/v1/job/{job_id}/results/download \
-H "Authorization: Bearer <jwt>"
```

Additional job endpoints are available to inspect **exclusions** and **errors**:

- `/v1/job/{job_id}/exclusions`
- `/v1/job/{job_id}/errors`

Security & Compliance

- **HIPAA & BAA:** HIPAA-compliant infrastructure with BAA coverage
- **Tenant isolation:** All resources are scoped to your tenant via JWT claims
- **Encryption:** SSE-S3 at rest; TLS in transit
- **PHI handling:** PHI appears **only** in uploaded data, not in resource names or metadata