

Welcome to the OM1 Insights Platform

Applications

View Datasets

View highly-curated datasets built by OM1

OPEN →

Explore Cohorts

Build and analyze custom patient cohorts

OPEN →

Generate Insights

Generate comprehensive analytics and insights

OPEN →

Getting Started

New to the Insights Platform? Here are some helpful resources to get you started.



Insights Platform

Learn about the capabilities of the platform



Real World Data Cloud

Learn about data available within the Real World Data Cloud (RWDC)



Cohort Explorer

Build and analyze custom patient cohorts



Insights Library

Comprehensive analytics and reporting suite

Home > Cohort Explorer

+ Create Custom Cohort

Assistant Beta

Network

Cohort

Custom

Search...



OM1 Real World Data Cloud

COHORT SIZE
369,996,905

Alopecia Areata

COHORT SIZE
63,062

Alzheimer's Disease

COHORT SIZE
22,572

Asthma

COHORT SIZE
566,401

Atopic Dermatitis

OM1 Real World Data Cloud

OM1 Real World Data Cloud

COHORT SIZE
369,996,905OWNER
SYSTEMUPDATED
10/7/25

Demographics

Data Type

Diagnoses


Medications

Observations


Procedures

Lab Tests

Patients by Current Age ⓘ



Patients by Sex



Patients by Race

Patients by Ethnicity



Can you find me patients that take GLP-1s and also have a BMI observation ?



Update Conversation Title ✓



Reference Table Query ✓

Reference Table Query ✓



Validate Filter ✓



Update Cohort ✓



The cohort has been updated to find patients who both:

- Have been prescribed a GLP-1 agonist (including dual GIP/GLP-1 receptor agonists)
- Have an observation for Body Mass Index (BMI)

GLP-1 Medication Codes Selected (2 total):

- boc001770 - GLP-1 agonists for Diabetes
- boc011609 - GIP/GLP-1 receptor agonists for Diabetes

Type your message...

Send

PATIENT COUNT

5,018,627

SAVE AS

Inclusion Criteria:

Have been prescribed GLP-1 agonists for Diabetes OR GIP/GLP-1 receptor agonists for Diabetes OR Liraglutide, weight loss OR Semaglutide, weight loss OR Tirzepatide, weight loss

Medication

GLP-1 agonists for Diabetes
GIP/GLP-1 receptor agonists for Diabetes
... and 3 more

At Least 1 Encounter(s)

AND

Have observations of Body Mass Index (BMI) [0-100 kg/m2]

Observation

Body Mass Index (BMI) [0-100 kg/m2]

At Least 1 Encounter(s)