

TM Forum Specification

API CustomerBill Conformance Profile

TMF678B

Release 20.5

July 2020

Latest Update: TM Forum Release 20.5	Member Evaluation
Version 4.0	IPR Mode: RAND

NOTICE

Copyright © TM Forum 2020. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to TM FORUM, except as needed for the purpose of developing any document or deliverable produced by a TM FORUM Collaboration Project Team (in which case the rules applicable to copyrights, as set forth in the [TM FORUM IPR Policy](#), must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by TM FORUM or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and TM FORUM DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Direct inquiries to the TM Forum office:

4 Century Drive, Suite 100
Parsippany, NJ 07054, USA
Tel No. +1 973 944 5100
Fax No. +1 973 944 5110
TM Forum Web Page: www.tmforum.org

TABLE OF CONTENTS

TABLE OF CONTENTS	3
INTRODUCTION - API DESCRIPTION	4
RESOURCE MODEL CONFORMANCE	5
API MANDATORY RESOURCES.....	5
General Notes on Resource Attribute Conformance	5
CustomerBill Resource Mandatory Attributes	6
CustomerBillOnDemand Resource Mandatory Attributes	7
AppliedCustomerBillingRate Resource Mandatory Attributes	8
API OPERATIONS CONFORMANCE	10
CustomerBill Mandatory Operations	10
CustomerBillOnDemand Mandatory Operations.....	10
AppliedCustomerBillingRate Mandatory Operations	10
API GET OPERATION CONFORMANCE.....	11
Definitions for Filter	11
GET /customerBill?fields=...&{filtering}	11
GET /customerBill/{id}?fields=...&{filtering}	11
GET /customerBillOnDemand?fields=...&{filtering}.....	11
GET /customerBillOnDemand/{id}?fields=...&{filtering}.....	12
GET /appliedCustomerBillingRate?fields=...&{filtering}	12
GET /appliedCustomerBillingRate/{id}?fields=...&{filtering}	12
API POST OPERATION CONFORMANCE.....	13
POST /customerBillOnDemand	13
API PATCH OPERATION CONFORMANCE	14
PATCH /customerBill/{id}	14
ACKNOWLEDGEMENTS	15
Release History	15
Version History	15

INTRODUCTION - API DESCRIPTION

The following document is the Conformance Profile of the REST API for customer bill management. It includes the model definition as well as all available operations. Products subscribed by a customer are rated at different prices depending on product offering prices and prices rules and additional terms and conditions determined by the customer.

The rating process takes product usages and applies rates to them. The billing process applies additional charges (recurring charges, one time charges), discounts and taxes to products then aggregate applied rates into bills sent to customers. The bill, ultimate goal of a billing process, can be created as a result of a cycle run (done by batch in general) or by the result of others events such as a customer request or an account termination (done in real-time).

This API allows to find and retrieve one or several customer bills (also called invoices) produced for a customer. A customer bill is an electronic or paper document produced at the end of the billing process. The customer bill gathers and displays different items (applied customer billing rates generated during the rating and billing processes) to be charged to a customer. It represents a total amount due for all the products during the billing period and all significant information like dates, bill reference... The API model support the needs for the three basic billing types : postpaid periodical bill, postpaid real-time bill and prepaid real-time bill.

This API provides also operations to find and retrieve the details of applied customer billing rates presented on a customer bill. Finally, this API allows to request in real-time a customer bill creation and to manage this request.

RESOURCE MODEL CONFORMANCE

API MANDATORY RESOURCES

The following table indicates the mandatory resources for this API.

Resource Name	Comment
CustomerBill	
CustomerBillOnDemand	
AppliedCustomerBillingRate	

GENERAL NOTES ON RESOURCE ATTRIBUTE CONFORMANCE

There are three situations that could occur for an attribute:

- Mandatory attribute,
 - Mandatory attribute if the optional parent attribute is present,
 - Non-mandatory/Optional attribute. Those are all the other attributes not mentioned in the following subsections. Please refer to the corresponding API REST Specification for more details.
- The tables in the subsections below indicate which attributes are mandatory including mandatory when an optional parent is present.
 - Where a resource is an input into an API (e.g. POST, PATCH), Mandatory means that the attribute value must be supplied by the API consumer in the input (and must not be blank or null).
 - Where a resource is an output from an API (e.g. GET, POST), Mandatory means that the attribute value must be supplied by the API provider in the output (and must not be blank or null).
 - For a sub-resource that is not an array, Mandatory (cardinality 1..1) means that the sub-resource must be present, while Optional (cardinality 0..1) means that the sub-resource may be absent. Mandatory and Optional on the sub-resource attributes apply to the sub-resource if present.
 - For a sub-resource that is an array, Mandatory (cardinality 1..*) means that at least one sub-resource must be present in the array, while Optional (cardinality 0..*) means that the array may be absent. Mandatory and Optional on the sub-resource attributes apply to each of the sub-resources if present.

In this table are listed all mandatory attributes. A mandatory attribute **MUST** be retrieved in resource representation when no attribute selection is used (e.g. GET `/../{id}`) without any attribute selection

When an attribute is listed with an indentation (in second column) it means this attribute is mandatory if root (parent) attribute is present.

CUSTOMERBILL RESOURCE MANDATORY ATTRIBUTES

Mandatory attribute when parent is present		Rule
href		M
id		M
billDocument		M Array of AttachmentRefOrValue
	id	M
billDocument.size (if present)		
	amount	M
	units	M
billCycle (if present)		
	id	M
billingAccount (if present)		One or both of billingAccount or financialAccount must be present
	id	M
financialAccount (if present)		One or both of billingAccount or financialAccount must be present
	id	M
paymentMethod (if present)		
	id	M
amountDue (if present)		
	unit	M
	value	M
relatedParty (if present)		<p>Array of RelatedParty</p> <p>The role attribute is not mandatory because the id could be a partyRole id. In this case @referredType must indicate the partyRole (example User, Customer, etc.).</p> <p>If the id is a Party id then a role must be provided.</p>

Mandatory attribute when parent is present		Rule
	@referredType	M
	id	M
remainingAmount (if present)		See conditions for Money at amountDue
taxItem (if present)		Array of TaxItem
	taxAmount	M See conditions for Money at amountDue
appliedPayment (if present)		Array of AppliedPayment
	payment	M
appliedPayment.payment		M
	id	M
	appliedAmount	M See conditions for Money at amountDue

CUSTOMERBILLONDEMAND RESOURCE MANDATORY ATTRIBUTES

Mandatory attribute when parent is present		Rule
href		M
id		M
billingAccount (if present)		One or both of billingAccount or relatedParty must be present.
	id	M
customerBill (if present)		
	href	M customerBill is an endpoint of this API
	id	M
relatedParty (if present)		One or both of billingAccount or relatedParty must be present. The role attribute is not mandatory because the id could be a partyRole id.

Mandatory attribute when parent is present		Rule
		In this case @referredType must indicate the partyRole (example User, Customer, etc.). If the id is a Party id then a role must be provided.
	@referredType	M
	id	M

APPLIEDCUSTOMERBILLINGRATE RESOURCE MANDATORY ATTRIBUTES

Mandatory attribute when parent is present		Rule
href		M
id		M
isBilled		M
billingAccount (if present)		Mandatory if the AppliedCustomerBillingRate is not yet issued in a bill
	id	M
product (if present)		
	id	M
bill (if present)		
	href	M customerBill is an endpoint of this API
	id	M
taxExcludedAmount (if present)		
	unit	M
	value	M
taxIncludedAmount (if present)		See conditions for Money at taxExcludedAmount
appliedTax (if present)		Array of AppliedBillingTaxRate
	taxAmount	M See conditions for Money at taxExcludedAmount

Mandatory attribute when parent is present		Rule
characteristic (if present)		Array of Characteristic
	name	M
	value	M
characteristic.characteristicRelationship (if present)		Array of CharacteristicRelationship
	id	M

API OPERATIONS CONFORMANCE

For every single resource the following tables includes mandatory operations.

CUSTOMERBILL MANDATORY OPERATIONS

The following table indicates which ones are mandatory for the CustomerBill resource:

Uniform API Operation
GET
PATCH

CUSTOMERBILLONDEMAND MANDATORY OPERATIONS

The following table indicates which ones are mandatory for the CustomerBillOnDemand resource:

Uniform API Operation
GET
POST

APPLIEDCUSTOMERBILLINGRATE MANDATORY OPERATIONS

The following table indicates which ones are mandatory for the AppliedCustomerBillingRate resource:

Uniform API Operation
GET

API GET OPERATION CONFORMANCE

All the GET operations in this API share the same status code pattern.

GET	Mandatory/Optional
Response Status Code 200 if successful	M
Response Status Code 404 if not found	M

DEFINITIONS FOR FILTER

The following definitions apply to all the GET operations:

- **Filtered Search:** A filtered search can be applied using query parameters to obtain only the resources that meet the criteria defined by the filtering parameters included in the query request. Several elements can be applied to the filtered search. In that case logic, a logical AND is applied to combine the criteria (e.g.:?severity=<value>&status=<value>).
- **Attribute selection (Limiting Response Data):** In order to limit which attributes are included in the response, the GET request can include the ?fields= query parameter. Only those attributes whose names are supplied in this parameter will be returned. Attribute selection capabilities are the same for collections retrieval and individual resource queries.
- **Level:** The filtering and attribute selection can apply to the top level properties (attributes) and subproperties. The tables below show which attributes need to be supported in top-level or contained resources.

GET /CUSTOMERBILL?FIELDS=...&{FILTERING}

This operation list or find CustomerBill entities

Attribute selection is mandatory for all first level attributes except for the href attribute.

Filtering on sub-resources is optional for all compliance levels

GET /CUSTOMERBILL/{ID}?FIELDS=...&{FILTERING}

This operation retrieves a CustomerBill entity. Attribute selection is enabled for all first level attributes.

Attribute selection is mandatory for all first level attributes except for the href attribute.

Filtering on sub-resources is optional for all compliance levels

GET /CUSTOMERBILLONDEMAND?FIELDS=...&{FILTERING}

This operation list or find CustomerBillOnDemand entities

Attribute selection is mandatory for all first level attributes except for the href attribute.

Filtering on sub-resources is optional for all compliance levels

GET /CUSTOMERBILLONDEMAND/{ID}?FIELDS=...&{FILTERING}

This operation retrieves a CustomerBillOnDemand entity. Attribute selection is enabled for all first level attributes.

Attribute selection is mandatory for all first level attributes except for the href attribute.

Filtering on sub-resources is optional for all compliance levels

GET /APPLIEDCUSTOMERBILLINGRATE?FIELDS=...&{FILTERING}

This operation list or find AppliedCustomerBillingRate entities

Attribute selection is mandatory for all first level attributes except for the href attribute.

Filtering on sub-resources is optional for all compliance levels

GET /APPLIEDCUSTOMERBILLINGRATE/{ID}?FIELDS=...&{FILTERING}

This operation retrieves a AppliedCustomerBillingRate entity. Attribute selection is enabled for all first level attributes.

Attribute selection is mandatory for all first level attributes except for the href attribute.

Filtering on sub-resources is optional for all compliance levels

API POST OPERATION CONFORMANCE

All the POST operations in this API share the same status code pattern.

POST	Mandatory/Optional
Status Code 201 if resource created	M

POST /CUSTOMERBILLONDEMAND

This operation creates a CustomerBillOnDemand entity.

The following table provides the list of mandatory attributes when creating an instance of the CustomerBillOnDemand resource, including any possible rule, conditions and applicable default values.

Mandatory Attributes	Rule
billingAccount	M (if relatedParty is not present)
relatedParty	M (if billingAccount is not present)

API PATCH OPERATION CONFORMANCE

All the PATCH operations in this API share the same status code pattern.

The mandatory application context is JSON Merge.

PATCH	Mandatory/Optional
Status Code 200 if resource modified	M

PATCH /CUSTOMERBILL/{ID}

This operation updates partially a CustomerBill entity.

Patchable Attributes	Rule
state	

ACKNOWLEDGEMENTS**RELEASE HISTORY**

Release Number	Date	Release led by:	Description

VERSION HISTORY

Version Number	Date	Modified by	Description