

TM Forum Technical Specification

Service Order Management

TMFC007

Maturity Level: General availability (GA)	Team Approved Date: 02-Jul-2024
Release Status: Production	Approval Status: TM Forum Approved
Version 1.2.1	IPR Mode: RAND

Notice

Copyright © TM Forum 2024. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to TM FORUM, except as needed for the purpose of developing any document or deliverable produced by a TM FORUM Collaboration Project Team (in which case the rules applicable to copyrights, as set forth in the [TM FORUM IPR Policy](#), must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by TM FORUM or its successors or assigns.

This document and the information contained herein is provided on an “AS IS” basis and TM FORUM DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

TM FORUM invites any TM FORUM Member or any other party that believes it has patent claims that would necessarily be infringed by implementations of this TM Forum Standards Final Deliverable, to notify the TM FORUM Team Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the TM FORUM Collaboration Project Team that produced this deliverable.

The TM FORUM invites any party to contact the TM FORUM Team Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this TM FORUM Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the TM FORUM Collaboration Project Team that produced this TM FORUM Standards Final Deliverable. TM FORUM may include such claims on its website but disclaims any obligation to do so.

TM FORUM takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this TM FORUM Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on TM FORUM's procedures with respect to rights in any document or deliverable produced by a TM FORUM Collaboration Project Team can be found on the TM FORUM website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this TM FORUM Standards Final Deliverable, can be obtained from the TM FORUM Team Administrator. TM FORUM makes no representation that any information or list

of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

Direct inquiries to the TM Forum office:

181 New Road, Suite 304
Parsippany, NJ 07054, USA
Tel No. +1 862 227 1648
TM Forum Web Page: www.tmforum.org

Table of Contents

- Notice2
- Table of Contents4
- 1. Overview5
- 2. eTOM Processes, SID Data Entities and Functional Framework Functions.... 7
 - 2.1. eTOM business activities7
 - 2.2. SID ABEs.....8
 - 2.3. eTOM L2 - SID ABEs links.....8
 - 2.4. Functional Framework Functions9
- 3. TM Forum Open APIs & Events20
 - 3.1. Exposed APIs20
 - 3.2. Dependent APIs.....22
 - 3.3. Events.....25
- 4. Machine Readable Component Specification27
- 5. References.....28
 - 5.1. TMF Standards related versions28
 - 5.2. Further resources.....28
- 6. Administrative Appendix.....29
 - 6.1. Document History29
 - 6.1.1. Version History.....29
 - 6.1.2. Release History.....29
 - 6.2. Acknowledgments.....30

1. Overview

Component Name	ID	Description	ODA Functional Block
Service Order Management	TMFC007	The SOM is the entry point of the Production Domain. It is in charge of Customer-Facing-Service (CFS) delivery on resources (network and service platforms equipment). To achieve delivery of a CFS, the SOM orchestrates the service order delivery process which: • Identifies the possible technical solutions (RFS level) and chooses one, using the catalogue rules of choice, the technical inventory and the configuration of the service order. • Selects the resources (servers, equipment, etc.) and their instances. • Triggers work orders when technicians need to take actions • Requests the ROM to update selected resource instances to deliver CFS. Request sent to the ROM contains the CFS configuration and the list of resource instances to update. • Triggers tests to ensure the correct delivery of the service SOM components can collaborate, so a SOM can also be triggered to deliver a subset of a technical solution (RFS level). Service Orders can correspond to customer's Product Orders or to operator's internal needs to deploy new infrastructures or to develop its technical solutions.	Production

TMFC007 : Service Order Management



2. eTOM Processes, SID Data Entities and Functional Framework Functions

2.1. eTOM business activities

eTOM business activities this component is responsible for are:

Identifier	Level	Business Activity Name	Description
1.4.5	L2	Service Configuration & Activation	Allocation, implementation, configuration, activation and testing of specific services to meet customer requirements.
1.4.5.1	L3	Design Solution	Develop an end-end specific service design which complies with a particular customer's requirement
1.4.5.2	L3	Allocate Specific Service Parameters to Services	Issue service identifiers for new services.
1.4.5.3	L3	Track & Manage Service Provisioning	Ensure service provisioning activities are assigned, managed and tracked efficiently.
1.4.5.4	L3	Implement, configure & activate service	Implement, configure and activate the specific services allocated against an issued service order.
1.4.5.6	L3	Issue Service Order	Issue correct and complete service orders
1.4.5.7	L3	Report service provisioning	Monitor the status of service orders, provide notifications of any changes and provide management reports.
1.4.5.8	L3	Close Service Order	Close a service order when the service provisioning activities have been completed
1.5.5	L2	Resource Order Management	Resource Order Management business process directs and controls ordering, scheduling, and allocation of resources (such as materials, equipment, and personnel) within the business.
1.5.5.6	L3	Manage Resource Order Capture	Manage Resource Order Capture is responsible for directing and controlling the capture and collection of resource orders from internal and external customers.
1.5.5.6.1	L4	Initiate Resource Order Capture *	Initiate Resource Order Capture business activity is responsible for the initial activity of capturing and collecting resource orders from internal and external customers.
1.5.5.7	L3	Manage Resource Work Order	Manage Resource Order Work business activity directs and controls all work that are required to fulfill an approved resource order by ensuring the work related to the order is

Identifier	Level	Business Activity Name	Description
			planned, executed and closed in a timely and efficient manner.
1.5.5.7.1	L4	Initiate Resource Work Order *	Initiate Resource Work Order business activity starts a new work order for a specific resource along with all work orders tasks, roles and supporting resources that are need.

*to notice, only these L4 of these L3 and L2 are covered by TMFC007.

2.2. SID ABEs

SID ABEs this component is responsible for are:


SID ABE Level 1	SID ABE L1 Definition	SID ABE Level 2 (or set of BEs)*	SID ABE Level 2 Definition
Service Order	The Service Order ABE contains entities that represent a type of Request that decomposes a Customer Order's products into the services associated with a ServiceOrder through which the products are realized.		

*: if SID ABE Level 2 is not specified this means that all the L2 business entities must be implemented, else the L2 SID ABE Level is specified.

As for TMFC003 Product Order Delivery Orchestration and Management, we also need to describe Orchestration Plan and delivery process to manage here at Service Order level. Refer to Jira paragraph at the end of the document.

2.3. eTOM L2 - SID ABEs links

eTOM L2 vS SID ABEs links for this ODA Component.



2.4. Functional Framework Functions

Function ID	Function Name	Function Description	Aggregate Function Level 1	Aggregate Function Level 2
571	Service Delivery Due Date Calculation	Service Delivery Due Date Calculation functions calculates the service delivery due date using network capacity, access provider selection and work center intelligence (including workload and capacity).	Service Order Management	Service Order Initialization
1061	Service Order Initiation	Service Order Initiation function issues valid and complete service orders. As part of order issuing/publication, additional data might be obtained or derived to support downstream functions that are not provided in the service order request	Service Order Management	Service Order Initialization
1219	Service Order Request Consistency Check	The Service Order Request Consistency Check Function allows, when receiving a Service Order request prepared and transmitted by another system, to check its consistency.	Service Order Management	Service Order Initialization

Function ID	Function Name	Function Description	Aggregate Function Level 1	Aggregate Function Level 2
1220	Internal Service Order Initialization	The Internal Service Order Initialization Function permit to initialize Customer Facing Service Orders (a.k.a. CFS Orders) for operator internal needs, for example to change (part of) a technical solution and migrate operational Installed CFS on the new solution elements (ex: VOIP H323 -> VOIP SIP).	Service Order Management	Service Order Initialization
592	Service Parameters Reservation	Service Parameters Reservation reserves the right service parameters based on service specification and service inventory for a service order	Service Order Management	Service Availability
584	Service Activation Planning	Service Activation Planning provides planning of service activation to access, plan and gather additional information for service activation	Service Order Management	Service Order Orchestration
588	Service Orchestration Configuration	Service Orchestration Configuration function provides composition of a service configuration plan according to the required service actions and sent to Service Order Orchestration and/or Service Activation Management	Service Order Management	Service Order Orchestration
591	Service Parameters Allocation	Service Parameters Allocation provides allocation of the right service parameters to fulfill service orders	Service Order Management	Service Order Orchestration
596	Service Order Transfer Supervision	Oversees the transfer of Service Order Requests to appropriate resource providers.	Service Order Management	Service Order Orchestration
598	Service Order Orchestration	The Service Order Orchestration function provides workflow and orchestration capabilities for a dedicated Service (CFS) Order. Orchestration is needed when:	Service Order Management	Service Order Orchestration

Function ID	Function Name	Function Description	Aggregate Function Level 1	Aggregate Function Level 2
		- the technical solution includes the expansion of the operator Installed Resources or the purchase of a partner product (ex: local loop purchase) - a work order is necessary at the delivery address or somewhere in the operator network - part of the delivery process or checks needs to be delegated to another Service Order Manager - contributing or support systems must be informed Example: to deliver a VOIP service, it will orchestrate actions on Access Network Factory, VOIP service platform and CPE. Service Order Orchestration will also orchestrate and manage dependencies between related Service Order items of Service Order.		
734	Service Data Collection	The Service Data Collection function gathers any needed service data to aid in the verification and issuance of a complete and valid service order as well as data necessary to address dependencies between service and/or resource orders.	Service Order Management	Service Order Orchestration
963	Service Task Item Decomposition	Service Task Item Decomposition: By a request for an orchestration of a service the service needs to be analyzed and decomposed into the part-actions	Service Order Management	Service Order Orchestration

Function ID	Function Name	Function Description	Aggregate Function Level 1	Aggregate Function Level 2
		necessary to take to fulfill the requested orchestration. The Service may consist of several services and may use a number of Resources. It may also be controlled by several parameters for optional behaviors. This composition of the Service is given by configuration data available from Catalog applications and the Service Capability Orchestration application.		
968	Service Work Item Sequence Execution	Service Work Item Sequence Execution function executes each individual item in sequence of the service orchestration to fulfill, or roll back according to a pre-defined configuration, and reports the sequence execution result. Because of the "Service Decomposition" of an orchestration request the result may be several actions that needs to take place in a specific sequence.	Service Order Management	Service Order Orchestration
969	Service Work Item Sequence Execution Configuration	The "Service Work Item Sequence Execution" function controls so that the sequence is fulfilled or rolled back. The rules for the sequence execution will set the conditions for the fulfillment, or roll-back, and for the reporting and notification. The "Service Task Item Sequence Carry Through configuration" is a management of the application function that defines how the execution of the orchestration sequence will be done.	Service Order Management	Service Order Orchestration
632	Service Termination Points Determining	Service Termination Points Determining determines the termination points i.e. the appropriate service provider	Service Order Management	Service Technical Solution Identification

Function ID	Function Name	Function Description	Aggregate Function Level 1	Aggregate Function Level 2
		entry point to support the Customer's service request.		
735	Access Provider Selection	Access Provider Selection function selects an access provider among identified available access providers or access technologies at the given location, based on business rules.	Service Order Management	Service Technical Solution Identification
1141	Installed Resources Identification	Installed Resources Identification Function identifies the installed resources to update, as part of the chosen technical solution, to deliver the ordered service (CFS). This information enrich the CFS order and the CFS. This choice is based on service catalogue rules (between RFS specification and Resources specification) and it can be necessary to check the installed resources availability, occupancy, etc. via the Resource Availability function. Cloud example: In case of a cloud service, the Service Order Delivery process only identifies the equipment in charge of the management of the cloud infrastructure and it will be informed of the ordered service characteristics. Depending on its own rules, the cloud infrastructure manager will decide or not to immediately allocate and configure all or part of the required resources. So the first usage request of the cloud service can trigger the effective choice and configuration of the necessary resources and these resources can change between usages. In this case the end of the delivery	Service Order Management	Installed Resources Identification

Function ID	Function Name	Function Description	Aggregate Function Level 1	Aggregate Function Level 2
		process is assumed by the manager of the cloud infrastructure. Note: This function is globally a part of the technical solution identification.		
733	Service Order Decomposition	The Service Order Decomposition Function allows in the context of a Service Order to prepare Resource Order, Service Order which will be delegated to another system, Supplier Order, Stock Item Order or Work Order with the necessary information (the effective update in the order repositories will be supported by the corresponding Order Repository Management functions). In the case of a Service associated with an existing Internal Resource Type, this function also allows to: • check if a corresponding Installed Resource is operational in the resource installed base, and determine the operation to be performed at Resource level (creation or modification) • eventually group in the same Resource order several ordered services, based on the same Customer Facing Service Specification (a.k.a. CFS specification), and/or identified to be delivered at the same time by the Service Order Delivery Orchestration.	Service Order Management	Service Order Delivery Preparation
1217	Service Order Needs Identification	The Service Order Needs Identification Function allows in the context of a Service Order to query catalogues and installed bases to identify what needs to be delivered: resource specification and its configuration, service	Service Order Management	Service Order Delivery Preparation

Function ID	Function Name	Function Description	Aggregate Function Level 1	Aggregate Function Level 2
		specification (CFSSpec), intervention (WorkSpec), supplier product, related to the ordered service.		
595	Service Order Completion	Completes the service order when all resource orders have been completed.	Service Order Management	Service Order Completion
600	Service Order Validation	The Service Order Validation function validates the service order request based on contract, catalog, and provisioning rules.	Service Order Management	Service Order Completion
583	Activation Notification	Activation Notification function provides notifications on successful activation and, in cases of exceptions send fallbacks to Service Order Orchestration and manage rollbacks activities (if applicable)	Service Order Management	Service Order Repository Management
594	Service Order Storage	Service order Storage function stores the service order into an appropriate data store.	Service Order Management	Service Order Repository Management
599	Service Order Tracking	The Service Order Tracking function tracks and manages the events and the lifecycle related to the Service (CFS) Order and to its items (e.g.: service order lines). It gathers Service Order items delivery events from Service Order Orchestration and manages related Service Order lifecycle and Installed CFS lifecycle (via the Installed Service Management function). Depending on the Service Order (or any of its elements) events, and on the implemented business rules, this function can decide to notify other systems (for example in case of delivery problems or delays) – via the	Service Order Management	Service Order Repository Management

Function ID	Function Name	Function Description	Aggregate Function Level 1	Aggregate Function Level 2
		business event publication function.		
597	Service Order Exposure	Service Order Exposure provides exposure of the status on the overall service order.	Fulfillment Integration Management	Service Fulfillment Access Management
570	Solution Services Design Management	Solution Services Design Management function supports the end to end service design. It applies engineering rules to determine required network facilities, equipment configurations and the method and access path to the customer site or location of service termination. This function also establishes and manages the detailed design tasks required to issue the work orders.	Service Configuration & Activation	Service Configuration
589	Cross Services Dependencies Configuration	Cross Services Dependencies Configuration function provides support for appropriately considered cross service dependencies as part of the configuration activities to fulfill a service order	Service Configuration & Activation	Service Configuration
590	Service Configuration	The Service Configuration function is in charge of configuring the specific service and its parameters as appropriate for the fulfillment of a service order	Service Configuration & Activation	Service Configuration
341	Service Activation	Service Activation function for services/products sold by affiliates.	Service Configuration & Activation	Service Activation
342	Mass Service Pre-activation	Mass Service Pre-activation of services to prepare for a swift activation at sales. E.g., subsequent affiliate sales.	Service Configuration & Activation	Service Activation
585	Service Configuration Activation	Service Configuration Activation implements and activates the specific service configuration against the service configuration plan	Service Configuration & Activation	Service Activation

Function ID	Function Name	Function Description	Aggregate Function Level 1	Aggregate Function Level 2
		(including activation of CPE if part of the service)		
16	Fallout Automated Correction	Fallout Automated Correction function tries to automatically fix fallouts in workflows before they go to a human for handling. This includes a Fallout Rules Engine that provides the capability to handling various errors or error types based on built rules. These rules can facilitate auto correction, correction assistance, placement of errors in the appropriate queues for manual handling, as well as access to various systems.	Fallout Management	Fallout Correction Management
17	Fallout Correction Information Collection	Fallout Correction Information Collection collects relevant information for errors or situations that cannot be handled via Fallout Auto Correction. The intent is to reduce the time required by the technician in diagnosing and fixing the fallout.	Fallout Management	Fallout Correction Management
19	Fallout Manual Correction Queuing	Fallout Manual Correction Queuing function provides the required functionality to place error fallout into appropriate queues to be handled via various staff or workgroups assigned to handle or fix the various types of fallout that occurs during the fulfillment process. This includes the ability to create and configure queues, route errors to the appropriate queues, as well as the ability for staff to access and address the various fallout instances within the queues.	Fallout Management	Fallout Correction Management
21	Fallout Orchestration	The Fallout Orchestration function provides workflow and orchestration capability across Fallout Management.	Fallout Management	Fallout Correction Management

Function ID	Function Name	Function Description	Aggregate Function Level 1	Aggregate Function Level 2
24	Pre-populated Fallout Information Presentation	Pre-populated Fallout Information Presentation automatically position the analyzer on appropriate screens pre-populated with information about the order(s) that's subject for fallout handling.	Fallout Management	Fallout Correction Management
756	Fallout Rule Based Error Correction	Fallout Rule Based Error Correction function provides the capability to handle various errors or error types based on pre-defined rules. These rules can facilitate auto correction.	Fallout Management	Fallout Correction Management
18	Fallout Management to Fulfillment Application Accessing	Fallout Management to Fulfillment Application Accessing function provides a variety of tools to facilitate Fallout Management access to other applications and repositories to facilitate proper Fallout Management. This can include various general access techniques such as messaging, publish and subscribe, etc. as well as specific APIs and contracts to perform specific queries or updates to various applications or repositories within the fulfillment domain.	Fallout Management	Fallout Repository Management
20	Fallout Notification	Fallout Notification function provides the means to alert people or workgroups of some fallout situation. This can be done via a number of means, including email, paging, (Fallout management interface bus) etc. This function is done via business rules.	Fallout Management	Fallout Repository Management
22	Fallout Reporting	Fallout Reporting provides various reports regarding Fallout Management, including statistics on fallout per various times periods (per hour, week, month, etc.) as	Fallout Management	Fallout Repository Management

Function ID	Function Name	Function Description	Aggregate Function Level 1	Aggregate Function Level 2
		well as information about specific fallout.		
23	Fallout Dashboard System Log-in Accessing	Fallout Dashboard System Log-in Accessing provides auto logon capability into various applications needed to analyze and fix fallout.	Fallout Management	Fallout Repository Management

3. TM Forum Open APIs & Events


The following part covers the APIs and Events; This part is split in 3:

- List of **Exposed APIs** - This is the list of APIs available from this component.
- List of **Dependent APIs** - In order to satisfy the provided API, the component could require the usage of this set of required APIs.
- List of **Events (generated & consumed)** - The events which the component may generate is listed in this section along with a list of the events which it may consume. Since there is a possibility of multiple sources and receivers for each defined event.

<Note to be inserted into ODA Component specifications: If a new Open API is required, but it does not yet exist. Then you should include a textual description of the new Open API, and it should be clearly noted that this Open API does not yet exist. In addition, a Jira epic should be raised to request the new Open API is added, and the Open API team should be consulted. Finally, a decision is required on the feasibility of the component without this Open API. If the Open API is critical then the component specification should not be published until the Open API issue has been resolved. Alternatively if the Open API is not critical, then the specification could continue to publication. The result of this decision should be clearly recorded.>

3.1. Exposed APIs


Following diagram illustrates API/Resource/Operation:



API ID	API Name	Mandatory / Optional	Operations
TMF641	Service Ordering Management	Mandatory	serviceOrder: - GET - GET /id - POST - PATCH - DELETE cancelServiceOrder: - GET - GET /id - POST
TMF701	Process Flow	Optional	processFlow: - GET - GET /id - POST - DELETE /id taskFlow: - GET - GET /id - PATCH /id
TMF688	Event Management	Optional	d

3.2. Dependent APIs

Following diagram illustrates API/Resource/Operation potentially used by the Service Order Management component:




API ID	API Name	Mandatory / Optional	Operations	Rationales
TMF632	Party Management API	Optional	individual: - GET - GET /id organization: - GET - GET /id	n/a
TMF633	Service Catalog Management API	Mandatory	serviceSpecification: - GET - GET /id	as illustrated into IG1228 per TMFS00
TMF634	Resource Catalog Management API	Optional	resourceSpecification: - GET - GET /id	
TMF638	Service Inventory Management API	Mandatory	service: - GET - GET /id - POST - PATCH - DELETE	as illustrated into IG1228 per TMFS00
TMF639	Resource Inventory Management API	Optional	resource: - GET - GET /id	n/a
TMF640	Service Activation & Configuration API	Optional	monitor: - GET - GET /id	n/a
TMF641	Service Ordering Management API	Optional	serviceOrder: - GET - GET /id - POST - PATCH - DELETE cancelServiceOrder: - GET - GET /id - POST	n7a
TMF645	Service Qualification Management API	Optional	checkServiceQualification: - GET - GET /id - POST - PATCH	n/a
TMF646	Appointment Management API	Optional	appointment: - GET - GET /id - POST - PATCH searchTimeSlot: - GET - GET /id	n/a

API ID	API Name	Mandatory / Optional	Operations	Rationales
			- POST - PATCH	
TMF652	Resource Ordering Management API	Optional	resourceOrder: - GET - GET /id - POST - PATCH - DELETE cancelResourceOrder: - GET - GET /id - POST - PATCH - DELETE	n/a
TMF653	Service Test Management API	Optional	serviceTest: - GET - GET /id serviceTestSpecification: - GET - GET /id	n/a
TMF669	<u>Party Role</u> Management API	Optional	partyRole: - GET - GET /id	n/a
TMF672	User Role Permission Management API	Optional	permission: - GET - GET /id	n/a
TMF673	Geographic Address Management API	Optional	geographicAddress: - GET - GET /id geographicSubAddress: - GET - GET /id geographicAddressValidation: - GET - GET /id - POST	n/a
TMF674	Geographic Site Management API	Optional	geographicLocation: - GET - GET /id	n/a
TMF675	Geographic Location Management API	Optional	geographicSite: - GET - GET /id	n/a
TMF681	Communication Management API	Optional	communicationMessage: - GET - GET /id	n/a
TMF685	Resource Pool Management API	Optional	reservation: - GET	

API ID	API Name	Mandatory / Optional	Operations	Rationales
			GET /id POST PATCH DELETE resourcePool: GET GET /id	
TMF688	Event Management API	Optional	event: GET GET /id	n/a
TMF697	Work Order Management API	Optional	workOrder: - GET - GET /id	n/a
TMF701	Process Flow Management API	Optional	processFlow: - POST - GET - GET /id - PATCH	n/a

3.3. Events

The diagram illustrates the Events which the component may publish and the Events that the component may subscribe to and then may receive. Both lists are derived from the APIs listed in the preceding sections.



Event name always follow same pattern: <<Resource>> + <<Type of Event>> + "Event"

The type of event could be:

- Create : a new resource has been created (following a POST).
- Delete: an existing resource has been deleted.
- AttributeValueChange: an attribute from the resource has changed - event structure allows to pinpoint the attribute.
- InformationRequired: an attribute should be valued for the resource preventing to follow nominal lifecycle - event structure allows to pinpoint the attribute.
- StateChange: resource state has changed.

4. Machine Readable Component Specification

Refer to the ODA Component table for the machine-readable component specification file for this component.

5. References

5.1. TMF Standards related versions

Standard	Version(s)
SID	23.5
eTOM	23.5
Functional Framework	23.5

5.2. Further resources

Service Order management is used in following ig1228:

- TMFS004: Order Delivery - Fiber contract
- TMFS007: B2B use-case re-using MEF
- TMFS008: Service and Resource order management for postpaid mobile subscribers
- TMFS009: Service and Resource order management for postpaid mobile subscribers with provisioning in 5G Core
- TMFS010: ODA flow with NaaS Support

6. Administrative Appendix

6.1. Document History

6.1.1. Version History

Version Number	Date Modified	Modified by:	Description of changes
1.0.0	01-Oct-2021	Goutham Babu	Final edits prior to publication
1.0.0	05-Aug-2022	Goutham Babu	Final edits prior to publication
1.0.1	25 Jul 2023	Ian Turkington	No content changed, simply a layout change to match template 3. Separated the YAML files to a managed repository.
1.0.1	15-Aug-2023	Amaia White	Final edits prior to publication
1.1.1	01-Mar-2024	Amaia White	Final edits prior to publication
1.2.1	25 Jun 2024	Gaetano Biancardi	Updated for new ODA Component template Updated to odf v23.5 Removed TMF672 as mandatory dependent API. Exposed API, removed: TMF688 Event Mgmt TMF672 User Roles and Permissions Dependent API, removed TMF688 Event Mgmt

6.1.2. Release History

Release Status	Date Modified	Modified by:	Description of changes
Pre-production	01-Oct-2021	Goutham Babu	Initial release of document
Pre-production	05-Aug-2022	Goutham Babu	Initial release of document
Pre-production	15-Aug-2023	Amaia White	New release 1.0.1
Production	06-Oct-2023	Adrienne Walcott	Updated to reflect TM Forum Approved status
Pre-production	01-Mar-2024	Amaia White	New release 1.1.1
Production	26-Apr-2024	Adrienne Walcott	Updated to reflect TM Forum Approved status
Pre-production	02-Jul-2024	Amaia White	New release 1.2.1
Production	30-Aug-2024	Adrienne Walcott	Updated to reflect TM Forum Approved status

6.2. Acknowledgments

Team Member (@mention)	Company	Role*
Roland Leners	Satec	Reviewer
Sylvie Demarest	Orange	Editor
Abel Ruiz Huerta	Satec	Reviewer
Ludovic Robert	Orange	Reviewer
Cecile Ludwichowski	Orange	Reviewer
Ian Turkington	TM Forum	Additional Inputs
Hugo Vaughan (TM Forum)	TM Forum	Additional Inputs
Gaetano Biancardi	Accenture	Editor

**Select from: Project Chair, Project Co-Chair, Author, Editor, Key Contributor, Additional Input, Reviewer*