

TMFC001 Product Catalog Management

**ODA Component
Conformance
Profile
TMFC001
Version – v 1.0.0**

Maturity Level: Alpha, Beta, General Availability (GA)	Team Approved Date: DD-MMM-YYYY
Release Status: Pre-production	Approval Status: Team Approved
Version 1.0.0	IPR Mode: RAND

Notice

Copyright © TM Forum 2025. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to TM FORUM, except as needed for the purpose of developing any document or deliverable produced by a TM FORUM Collaboration Project Team (in which case the rules applicable to copyrights, as set forth in the [TM FORUM IPR Policy](#), must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by TM FORUM or its successors or assigns.

This document and the information contained herein is provided on an “AS IS” basis and TM FORUM DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Direct inquiries to the TM Forum office:

181 New Road, Suite 304
Parsippany, NJ 07054, USA
Tel No. +1 862 227 1648
TM Forum Web Page: www.tmforum.org

Table of Contents

TMFC001 Product Catalog Management	1
ODA Component Conformance Profile TMFC001 Version – v 1.0.0.....	1
1. Introduction	5
2.Core Functionality	6
2.1.Compliance Requirements to Exposed API(s)	6
1. TMF620 version 4.0 API Conformance	6
2. ODA Specific TMF620 API Conformance v4.0	6
2.2.Dependent API Conformance.....	6
3.Canvas Conformance	7
3.1.Deployment Conformance.....	7
3.2.Configuration Conformance.....	8
4. Security Conformance	10
4.1.1.Security Function Static Role Conformance	10
4.1.1.1.If the security function implements a static role then it must specify a canvasSystemRole..	10
4.1.2.Security Function Dynamic Role Conformance	10
4.1.2.1.If the security function implements a dynamic role then it must pass Security Exposed API	10
Conformance	10
4.1.2.3.Security Dependent API Conformance	10
None	11
5. Management Conformance.....	12
6. Sample CTK Config file – CHANGE_ME.json.....	13
1. CHANGE_ME.json - Parameter Reference Table	14
2. CHANGE_ME.json – Example reference for component under test.....	16

1. Introduction

The conformance requirements outlined in this profile apply to the specified CTK version 1.0.0 of the TMFC001 ODA Component. Any deviations from these requirements may result in non-conformance.

2.Core Functionality

2.1.Compliance Requirements to Exposed API(s)

The below table lists the mandatory Exposed API for TMFC001

API	Version	Reference to CTK
TMF620	4.0	https://www.tmforum.org/oda/open-apis/table

1. TMF620 version 4.0 API Conformance

The component's API must support all mandatory resources, operations, attributes, and notifications as mentioned in [TMF620B \(TMF620v4.0 Conformance Profile\)](#)

The below sections specify the additional mandatory resources, operations, attributes and notifications to be supported for ODA specific in addition to TMF620 specific API Conformance.

2. ODA Specific TMF620 API Conformance v4.0

None

2.2.Dependent API Conformance

None

3.Canvas Conformance

3.1.Deployment Conformance

Canvas should be Kubernetes based and it is required to have the component deployment in a Kubernetes based environment. Cluster should be running on a supported Kubernetes version. Ensure that the Kubernetes manifests, deployment configurations, and custom resources are compatible with the targeted Kubernetes API version. Compatibility with 3 previous Kubernetes versions must also be considered for backward compatibility.

only trusted container images from reputable sources must be used.

The component deployment and the Kubernetes cluster must pass the following tests:

1. Step 0: Basic environment connectivity tests
 - a. Kubectl configured correctly
 - i. The purpose of this test is to check if the kubectl is configured correctly.
 - ii. The configuration must be available and the context must be set to the correct cluster
 - iii. Kubectl should return pods in <namespace of components> namespace
2. Step1: Deployment component tests
 - a. Component can be found in namespace: <namespace of components>
 - i. The component must be found in the established namespace for components
 - b. Component has deployed successfully (status: Complete)
 - i. The component must have deployed successfully and its status must be complete
 - c. Test if all exposed api are accessible and return status is 200
 - i. All exposed apis defined in the component must provide a valid url
 - d. Security api must return at least one partyrole with canvas system role defined in component file
 - i. The security api must return at least one partyrole, unless only canvasSystemRole is defined
 - e. CTKs for all exposed apis have been executed successfully
 - i. This step configures the api ctk. There must be no errors during the process

3.2.Configuration Conformance

Helm chart MUST be used to deploy the ODA Component in a Kubernetes cluster and should contain all necessary resources. Configuration file MUST in YAML.

Namespace MUST exist for Canvas and Components.

Custom resource Definition (CRD) MUST exist for Components and API definitions.

Canvas operator and Canvas component versioning webhook MUST be running.

The deployed component must pass the following configuration checks:

6. Step 0: Component file checks
 - a. Component's helm manifest file must exist at the path specified in ctkconfig.json – as retrieved from Kubernetes
 - b. File contains valid YAML
 - i. Component manifest must be valid YAML
6. Step 1: Component manifest checks
 - c. Document of kind 'Component' is found
 - i. Component manifest must contain a document of kind: Component
 - d. Component api version is within supported versions
 - i. Component manifest must contain a supported api version (oda.tmforum.org/v1)
 - e. Component has metadata field
 - i. Component manifest must contain a metadata field
 - f. Component metadata has name and labels
 - i. Component metadata must contain name and label fields
 - g. Component has spec field
 - i. Component manifest must contain a spec field
 - h. Spec has coreFunction with exposed and dependent APIs
 - i. Component spec must contain a coreFunction field with exposedAPIs and dependentAPIs
 - i. Spec has security function
 - i. Component spec must contain a security field
 - j. Security function has canvas system role or exposed apis
 - i. Security function must contain a canvas system role (string) or expose a partyRole API
 - k. All resources are labelled with the component name
 - i. All resources in the component manifest must be labelled with the component name
 - l. Standard component specification exists in the component ctk
 - i. TM Forum standard component specification must exist in the resources folder of the component CTK (gets downloaded by the CTK if does exist)
 - m. Component ID from the manifest of component under test matches the standard specification
 - i. Component manifest ID must match the ID in the standard component specification
 - n. Exposed Apis defined in standard component specification must be specified in component manifest
 - i. All mandatory Exposed APIs defined in the standard component specification must be specified in the component manifest
 - o. Dependent APIs defined in the standard component specification must be specified in the component manifest

- i. All mandatory Dependent APIs in the standard component specification must also be declared in the component manifest
- p. All swagger urls must be valid and accessible and version fields
 - i. All swagger urls must be valid and accessible

4. Security Conformance

The below table lists the Mandatory Exposed and Dependent API required for Security Conformance of **TMFC001**

4.1.1. Security Function Static Role Conformance

4.1.1.1. If the security function implements a static role then it must specify a canvasSystemRole

4.1.2. Security Function Dynamic Role Conformance

4.1.2.1. If the security function implements a dynamic role then it must pass Security Exposed API Conformance

If TMF669 is implemented:

API	Version	Reference to CTK
TMF669	4.x	https://www.tmforum.org/oda/open-apis/table

4.1.2.2. TMF669 API Conformance v4.x

The component's API must support all mandatory resources, operations, attributes, and notifications as mentioned in [TMF669B \(TMF669v4.x Conformance Profile\)](#)

4.1. ODA Specific TMF669 API Conformance v4.x

None

4.1.2.3. Security Dependent API Conformance

None

5. Management Conformance

Below table lists the Mandatory Exposed and Dependent API required for Management Conformance of **TMFC001**

5.1.1 Management Exposed API Conformance

None

5.1.2 Management Dependent API Conformance

None

6. Sample CTK Config file – CHANGE_ME.json

1. CHANGE_ME.json - Parameter Reference Table

Parameter	Description	Editable by User	Required
releaseName	Helm release name of the deployed component under test in the Canvas	Yes	Yes
component_to_run	Component ID of the component under test	Yes	Yes
component_namespace	Canvas namespace of the deployed component	Yes	Yes
standardComponentPath	Override directory location for the TM Forum standard component specification YAML	Yes	Optional
ctk_name_mapping	Override mapping for TMF API IDs to their corresponding CTK folder names if they differ from default	Yes	Optional
runExposedOptional	Flag for running API CTKs for optional exposed apis	Yes	Optional
runDependentOptional	Flag for running API CTKs for optional dependent apis	Yes	Optional
runSecurityOptional	Flag for running API CTKs for optional security apis	Yes	Optional
ctk_download_urls	JSON file reference url with mapping for download paths of required API CTKs	No	Yes
standardComponentDownload {}	Download parameters for standard component specification	No	Yes
ctkconfig.companyName	Name of the company running the conformance certification	Yes	Yes
ctkconfig.productName	Name of the product implementation being tested	Yes	Yes
ctkconfig.productUrl	Public URL for product information or support	Yes	Yes
ctkconfig.componentUrl	Public URL of the TM Forum Component Directory	No	Yes
ctkconfig.headers	Global headers (e.g., Authorization tokens) to be included in API tests requests	Yes	Optional

Parameter	Description	Editable by User	Required
ctkconfig.payloads	Override payloads for each API CTK being executed	Yes	Optional
ctkconfig.rejectUnauthorized	If true, CTK will enforce TLS certificate validation for HTTPS requests. If false, self-signed or unverified certificates will be accepted (e.g., for local testing).	Yes	Yes
dependentStubs{}	A mapping of dependent TMF APIs to stub release names and optional headers for the component under test. Used to identify pre-installed stub components for dependent APIs and configure authentication if required.	Yes	Yes (For components with mandatory dependent APIs)
bddPayloads{}	Dictionary containing base and target payloads for each BDD test scenario for components under test with mandatory dependent APIs	Yes	Yes (For components with mandatory dependent APIs)
retrySettings{}	Configurable retry settings in use by the component CTK when managing deployments	No	Optional

2. CHANGE_ME.json – Example reference for component under test

```
{
  "releaseName": "pc-1",
  "component_to_run": "TMFC001",
  "component_namespace": "components",
  "standardComponentPath": "",
  "ctk_name_mapping": {},
  "runExposedOptional": false,
  "runDependentOptional": false,
  "runSecurityOptional": false,
  "ctk_download_urls": "https://raw.githubusercontent.com/tmforum-rand/TMForum-ODA-Component-Specification/refs/heads/v1beta4/apiIndex.json",
  "standardComponentDownload": {
    "apiBaseUrl": "https://api.github.com",
    "repoOwner": "tmforum-rand",
    "repoName": "TMForum-ODA-Ready-for-publication",
    "gitUrl": "https://raw.githubusercontent.com/tmforum-rand/TMForum-ODA-Ready-for-publication/refs/heads",
    "gitBranch": "v1beta4",

```



```

    "sslVerify": false
  },
  "ctkconfig": {
    "companyName": "TM FORUM",
    "productName": "REFERENCE EXAMPLE PRODUCT CATALOG",
    "productUrl": "www.tmforum.org",
    "componentUrl": "https://www.tmforum.org/oda/directory/components-map",
    "headers": {
      "Accept": "application/json",
      "Content-Type": "application/json"
    },
    "payloads": {
      "TMF669_v4": {
        "PartyRole": {
          "POST": {
            "payload": {
              "name": "qqymucymyd"
            }
          }
        }
      }
    },
    "rejectUnauthorized": false
  },
  "dependentStubs": {},
  "bddPayloads": {},
  "retrySettings": {
    "maxRetries": 30,
    "retryInterval": 10000
  }
}

```