

TM Forum Component

Service Performance Management

TMFC037

Maturity Level: Beta	Team Approved Date: 18-Jun-2026
Release Status: Preview	Approval Status: Team Approved
Version 1.3.0	IPR Mode: RAND

Notice

Copyright © TM Forum 2026. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to TM FORUM, except as needed for the purpose of developing any document or deliverable produced by a TM FORUM Collaboration Project Team (in which case the rules applicable to copyrights, as set forth in the [TM FORUM IPR Policy](#), must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by TM FORUM or its successors or assigns.

This document and the information contained herein is provided on an “AS IS” basis and TM FORUM DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Direct inquiries to the TM Forum office:

100 Enterprise Drive
Suite 301 #1649
Rockaway, NJ 070866, USA
Tel No. +1 862 227 1648
TM Forum Web Page: www.tmforum.org

Table of Contents


Notice	2
Table of Contents	3
1. Overview	4
2. eTOM Processes, SID Data Entities and Functional Framework Functions	
5	
2.1. eTOM business activities	5
2.2. SID ABEs	7
2.3. eTOM L2 - SID ABEs links	8
2.4. Functional Framework Functions	8
3. TM Forum Open APIs & Events	10
3.1. Exposed APIs	11
3.2. Dependent APIs	13
3.3. Events	15
4. Machine Readable Component Specification.....	16
5. References	17
5.1. TMF Standards related versions	17
5.2. Jira References	17
5.2.1. eTOM.....	17
5.2.2. SID	17
5.2.3. Open API.....	17
5.3. Further resources	17
6. Administrative Appendix.....	18
6.1. Document History.....	18
6.1.1. Version History.....	18
6.1.2. Release History.....	18
6.2. Acknowledgements.....	19

1. Overview

1. [TAC-208](#) IG1171 (update) Component Definition to v4.0.0 and incorporate IG1245 Principles to Define ODA Components
2. [\[TAC-250\] IG 1171 Improvements Some observations & recommendations. - TM Forum JIRA](#)
3. [\[TAC-214\] Interface Standardization needs all 3 stages of process to be developed - TM Forum JIRA](#)
4. [\[TAC-226\] Overview - TM Forum JIRA](#)
5. [ODA-846](#) Summary of ODA component Template enhancements for 14th Sep Review

Component Name	ID	Description	ODA Function Block
Service Performance Management	TMFC037	Service Performance Management will collect, monitor, analyze and report on the end-to-end service performance. This can include a real-time, end-to-end view to ensure that each service is functioning correctly as well as a historical view. These functions build on the Resource Performance Management data and active end-to-end service performance test data to provide a view of the service. The component provides a key input to determine the Quality of Service.	Intelligence Management

TMFC037 : Service Performance Management



2. eTOM Processes, SID Data Entities and Functional Framework Functions

2.1. eTOM business activities

<Note to not be inserted onto ODA Component specifications: If a new ABE is required, but it does not yet exist in SID. Then you should include a textual description of the new ABE, and it should be clearly noted that this ABE does not yet exist. In addition a Jira epic should be raised to request the new ABE is added to SID, and the SID team should be consulted. Finally, a decision is required on the feasibility of the component without this ABE. If the ABE is critical then the component specification should not be published until the ABE issue has been resolved. Alternatively if the ABE is not critical, then the specification could continue to publication. The result of this decision should be clearly recorded.>

eTOM business activities this ODA Component is responsible for.

Identifier	Level	Business Activity Name	Description
1.4.7	L2	Service Performance Management	Service Performance Management business process directs and controls activities that define Service Performance Objectives (e.g. Service Availability, Service Quality, Process efficiency, Service Reliability, etc.), sets performance goals & targets, track performance trends, monitor performance, analyze performance, control performance (optimize, troubleshoot), report or communicate performance, and manage consequences of service performance. Service Performance Management business process supports the Enterprise Performance Management goals. These goals include quality, efficiency, reliability, availability, monetary (cost, profitability, etc.) mandates along with any productivity requirement of service delivery and service engagement by the organization. It includes identifying, establishing the applying the methodologies that define and manage service performance criteria to meet business objectives. This process was renamed in 23.5 it was named Service Quality Management.

Identifier	Level	Business Activity Name	Description
1.4.7.6	L3	Manage Service Performance Requirement	Manage Service Performance Requirement business activity controls activities and underlying tasks that define the performance requirements for a service. It sets the standards and expectations for service performance. Manage Service Performance Requirement's goal is to ensure that the service meets or exceeds predefined performance standards. It involves setting service performance goals and making changes to these goals as necessary. It also includes defining the information required to measure service performance.
1.4.7.7	L3	Manage Service Performance Plan	Manage Service Performance Plan business activity controls the creating, implementing, improving, and terminating of plan(s) for service performance. Manage Service Performance Plan's goal is to ensure that there is a clear and effective plan in place for managing service performance. This includes defining the plan, implementing it, making improvements to the plan over time, and terminating the plan when it is no longer needed.
1.4.7.8	L3	Manage Service Performance Measure	Manage Service Performance Measure business activity controls the definition, change, and removal of measures for service performance. Manage Service Performance Measure's goal is to ensure that service performance is accurately measured and tracked. This includes defining what measures will be used, making changes to these measures as necessary, and removing measures that are no longer relevant or useful.
1.4.7.9	L3	Manage Service Performance Analysis	Manage Service Performance Measure business activity controls the definition, change, and removal of measures for service performance. Manage Service Performance Measure's goal is to ensure that service performance is accurately measured and tracked. This includes defining what measures will be used, making changes to these measures as necessary, and removing measures that are no longer relevant or useful.
1.4.7.10	L3	Manage Service Performance Control	Manage Service Performance Control business activity is responsible for monitoring, evaluating, and improving service performance. Manage Service Performance Control's goal is to maintain control over service performance. This includes monitoring performance on an ongoing basis, evaluating whether performance goals are being met, and providing support for making improvements as necessary.

Identifier	Level	Business Activity Name	Description
1.4.7.11	L3	Manage Service Performance Reporting	Manage Service Performance Reporting business activity is responsible for creating, changing, and publishing reports on service performance. Manage Service Performance Reporting's goal is to communicate information about service performance to relevant stakeholders. This includes creating reports that accurately reflect current performance levels, making changes to these reports as necessary, and publishing these reports in a timely manner.

2.2. SID ABEs

<Note not to be inserted into ODA Component specifications: If a new ABE is required, but it does not yet exist in SID. Then you should include a textual description of the new ABE, and it should be clearly noted that this ABE does not yet exist. In addition a Jira epic should be raised to request the new ABE is added to SID, and the SID team should be consulted. Finally, a decision is required on the feasibility of the component without this ABE. If the ABE is critical then the component specification should not be published until the ABE issue has been resolved. Alternatively if the ABE is not critical, then the specification could continue to publication. The result of this decision should be clearly recorded.>


SID ABEs this ODA Component is responsible for:

SID ABE Level 1	SID ABE Level 2 (or set of BEs)*
Service Performance ABE	Service Performance
Performance ABE	MeasurementProductionJob
Performance ABE	AdhocCollection
Performance ABE	Performance Threshold ABE
Resource Trouble ABE	Alarm ABE

*: if SID ABE Level 2 is not specified this means that all the L2 business entities must be implemented, else the L2 SID ABE Level is specified.

2.3. eTOM L2 - SID ABEs links

eTOM L2 vS SID ABEs links for this ODA Component.



2.4. Functional Framework Functions

Function ID	Function Name	Function Description	Aggregate Function Level 1	Aggregate Function Level 2
603	Service Performance Data Collection	Service Performance Data Collection collects Service Performance Data from the Resource Management functions related to a specific Service (or directly in the absence of Resource Performance Management function) and Collection of Service Performance data from the end-to-end tests done by the service test functions internally or	Service Quality and Performance Management	Service Quality and Performance Inventory Management

Function ID	Function Name	Function Description	Aggregate Function Level 1	Aggregate Function Level 2
		<i>from external Service Test applications. Including archiving.</i>		
604	<i>Service Performance Event Correlation</i>	<i>Service Performance Event Correlation maps the performance data to service topology and identifies service related performance problems, event filtering included.</i>	<i>Service Quality and Performance Management</i>	<i>Service Quality and Performance Analysis</i>
605	<i>Service Performance Monitoring</i>	<i>Service Performance Monitoring provides monitoring of service performance data including notification and accumulation for e.g. Service Performance Dashboard.</i>	<i>Service Quality and Performance Management</i>	<i>Service Quality and Performance Analysis</i>
606	<i>Service Performance Reporting</i>	<i>Service Performance Reporting provides the necessary functionality required to generate reports about the performance of the service provider's services. These reports may be generated as part of the normal periodic operations ("scheduled") or may be as a result of a specific analysis request ("in-demand"). Report types include near real time, historical view, and trend analysis. Relevant performance reports are also provided to service/network planning to perform network updates.</i>		<i>Service Quality and Performance Inventory Management</i>

3. TM Forum Open APIs & Events


The following part covers the APIs and Events; This part is split in 3:

- List of **Exposed APIs** - This is the list of APIs available from this component.
- List of **Dependent APIs** - In order to satisfy the provided API, the component could require the usage of this set of required APIs.
- List of **Events (generated & consumed)** - The events which the component may generate is listed in this section along with a list of the events which it may consume. Since there is a possibility of multiple sources and receivers for each defined event.

<Note note to be inserted into ODA Component specifications: If a new Open API is required, but it does not yet exist. Then you should include a textual description of the new Open API, and it should be clearly noted that this Open API does not yet exist. In addition, a Jira epic should be raised to request the new Open API is added, and the Open API team should be consulted. Finally, a decision is required on the feasibility of the component without this Open API. If the Open API is critical then the component specification should not be published until the Open API issue has been resolved. Alternatively, if the Open API is not critical, then the specification could continue to publication. The result of this decision should be clearly recorded.>

3.1. Exposed APIs

Following diagram illustrates API/Resource/Operation:




API ID	API Name	Mandatory / Optional	API Version	Operations
TMF628	TMF628 Performance Management API	Mandatory	5	measurementCollectionJob: - POST - GET - GET /id - PATCH /id - DELETE /id performanceIndicatorGroupSpecification: - POST - GET - GET /id - PATCH /id - DELETE /id performanceIndicatorSpecification: - POST - GET - GET /id - PATCH /id - DELETE /id trackingRecord:

API ID	API Name	Mandatory / Optional	API Version	Operations
				- GET - GET /id performanceMeasurement: - GET - GET /id dataAccessEndpoint: - GET - GET /id
TMF642	TMF642 Alarm Management API	Optional	4	alarm: - POST - GET - GET /id - PATCH /id - DELETE /id
			5	alarm: - POST - GET - GET /id - PATCH /id - DELETE /id
TMF649	TMF649 Performance Threshold Management API	Mandatory	4	threshold: - POST - GET - GET /id - PATCH /id - DELETE /id thresholdJob: - POST - GET - GET /id - PATCH /id - DELETE /id
TMF701	TMF701 Process Flow	Optional	4	processFlow: • GET • GET /id • POST • DELETE /id taskFlow: • GET • GET /id • PATCH /id

3.2. Dependent APIs

Following diagram illustrates API/Resource/Operation potentially used by the product catalog component:




API ID	API Name	Mandatory / Optional	API Version	Operations	Rationales
TMF628	TMF628 Performance Management API	Optional	5	measurementCollectionJob: - POST - GET - GET /id - PATCH /id - DELETE /id performanceIndicatorGroup Specification: - POST - GET - GET /id - PATCH /id - DELETE /id	

API ID	API Name	Mandatory / Optional	API Version	Operations	Rationales
				performanceIndicatorSpecification: - POST - GET - GET /id - PATCH /id - DELETE /id trackingRecord: GET - GET /id performanceMeasurement: - GET - GET /id dataAccessEndpoint: - GET - GET /id	
TMF638	TMF638 Service Inventory Management API	Mandatory	4	service: - GET /id - GET	Performance is always against a service instance which needs to be retrieved from the Service Inventory
			5	service: - GET /id - GET	
TMF639	TMF639 Resource Inventory Management API	Optional	4	resource: - GET /id - GET	
TMF657	TMF657 Service Quality Management API	Optional	4	serviceLevelObjective: - GET - GET /id serviceLevelSpecification: - GET - GET /id	
TMF673	TMF673 Geographic Address Management	Optional	4	geographicAddress: - GET - GET /id geographicSubAddress: - GET - GET /id	
TMF674	TMF674 Geographic Site Management	Optional	4	geographicSite: - GET - GET /id	

API ID	API Name	Mandatory / Optional	API Version	Operations	Rationales
TMF642	TMF642 Alarm Management	Optional	4	alarm: - GET - GET /id	
TMF701	TMF701 Process Flow	Optional	4	processFlow: - POST - PATCH - GET /id - GET taskFlow: - POST - PATCH - GET /id - GET	

3.3. Events

The diagram illustrates the Events which the component may publish and the Events that the component may subscribe to and then may receive. Both lists are derived from the APIs listed in the preceding sections:



Note **: Alarm API documentation needs to be updated to include Alarm Create, Alarm Change, Alarm Clear, Alarm Ack

4. Machine Readable Component Specification

The machine-readable documents pertaining to this Component are available on the TMForum.org Component Directory.

5. References

5.1. TMF Standards related versions

Standard	Version(s)
SID	24.5
eTOM	24.5
Functional Framework	24.5

5.2. Jira References

5.2.1. eTOM

5.2.2. SID

- [ISA-693](#) Alarm ABE is currently at Resource level. We also need Alarm at Service Level.
- [ISA-1319](#) Performance ABE is a pattern, and we need performance at Resource and Service Level

5.2.3. Open API

- [AP-4257](#) TMF649 is in preview state. We need to publish API to set Thresholds for Performance Management
- TMFC037 and TMFC038 currently expose the same API—TMF628 Performance Management API—which violates the ODA component principle stating that a single OpenAPI specification must be exposed by only one ODA component. This issue needs to be addressed.

5.3. Further resources

- IG1228: please refer to IG1228 for defined use cases with ODA components interactions.

6. Administrative Appendix

6.1. Document History

6.1.1. Version History

Version Number	Date Modified	Modified by:	Description of changes
1.0.0	13-Apr-2023	Amaia White	Final edits prior to publication
1.0.1	25-Jul-2023	Ian Turkington	No content changed, simply a layout change to match template 3. Separated the YAML files to a managed repository.
1.0.1	14-Aug-2023	Amaia White	Final edits prior to publication
1.1.0	13-Aug-2024	Milind Bhagwat	Moved to new template
1.1.0	06-Sep-2024	Amaia White	Final edits prior to publication
1.2.0	17-Dec-2024	Milind Bhagwat	Update to remove event API
1.2.0	27-Dec-2024	Rosie Wilson	Final edits prior to publication
1.2.1	03-Jun-2025	Gaetano Biancardi	Following updates: TMF638 ServiceInventory Management API: diagram correction to mark it as mandatory (was already mandatory in the table).
1.2.1	15-Jul-2025	Milind Bhagwat	Following updates: - Add new eTOM business activities - Update table and diagrams for API versions - Respond to some comments
1.2.1	15-Sep-2025	Rosie Wilson	Updated Maturity Level to Beta as asset contains Preview APIs. Final edits prior to publication
1.3.0	25-Jun-2026	Sannah Sibaya	Final edits prior to publication

6.1.2. Release History

Release Status	Date Modified	Modified by:	Description of changes
Pre-production	13-Apr-2023	Amaia White	First release
Pre-production	15-May-2023	Adrienne Walcott	Updated to Member Evaluated status.
Pre-production	14-Aug-2023	Amaia White	New release 1.0.1
Production	06-Oct-2023	Adrienne Walcott	Updated to reflect TM Forum Approved status
Pre-production	06-Sep-2024	Amaia White	New release 1.1.0
Production	01-Nov-2024	Adrienne Walcott	Updated to reflect TM Forum Approved status
Pre-production	18-Dec-2024	Rosie Wilson	New Release 1.2.0

Production	07-Mar-2025	Adrienne Walcott	Updated to reflect TM Forum Approved status
Pre-production	15-Sep-2025	Rosie Wilson	New Release 1.2.1
Production			(placeholder)
Pre-Production	25-Jun-2026	Sannah Sibaya	New Release 1.3.0

6.2. Acknowledgements

This document was prepared by the members of the TM Forum Component and Canvas project team:

Team Member (@mention)	Company	Role*
Milind Bhagwat	BT	Editor
Matteo Destino	Accenture	Reviewer
Gaetano Biancardi	Accenture	Reviewer
Hugo Vaughan (TM Forum)	TM Forum	Additional Inputs
Ian Turkington	TM Forum	Additional Inputs
julien rouland	Orange	Reviewer
Elisabeth Andersson	Matrixx	Reviewer
Andres Zoque	Netcracker	Reviewer
Kamal Maghsoudlou	Ericsson	Reviewer
Johan Snyman	CSGI	Reviewer
Rosie Wilson	TM Forum	Additional Inputs

**Select from: Project Chair, Project Co-Chair, Author, Editor, Key Contributor, Additional Input, Reviewer*