THE PRESENTATION TITLE

A nice little subtitle

Thomas M Griffiths
School of Chemistry



Typography

The theme provides sensible defaults to \emph{emphasize} text, \alert{accent} parts or show \textbf{bold} results.

becomes

The theme provides sensible defaults to *emphasize* text, **accent** parts or show **bold** results.



Theme Colours

Key Value	Colour Name	RGB Tuple	()	Each of the colours in the UOW colour palette has been incorporated into the
black	UOWblack	0, 0, 0		UOW beamer theme. The colour of
grey or gray	UOWgrey	69, 85, 95		the elements in your presentation can be controlled with the themecolour
darkred	UOWdarkred	195, 18, 48		(or themecolor) = value option when
red	UOWred	238, 64, 52		loading the UOW theme: \usetheme[themecolour=value]{uow}.
pink	UOWpink	238 ,0, 139		
orange	UOWorange	243, 121, 32		
gold or yellow	UOWgold	253, 184, 19		
limegreen	UOWlimegreen	183, 198, 38		
darkgreen or green	UOWdarkgreen	0, 146, 94		
blue (default)	UOWblue	0, 149, 214		
darkblue	UOWdarkblue	0, 83, 154		
purple	UOWpurple	74, 47, 142		



Columns, Lists and Images

- 1. Imidazopyrazinone backbone (in red).
- Most common substrate in marine bioluminescence.
- 3. Proposed antioxidant capabilities.
- **4.** Unknown uptake or synthetic pathway in nature.
- **5.** y = mx + b is some example mathematics.



Itemised Lists With Columns

Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor.

- ▶ One point
- Another point
- ► And a third!



Blocks

BLOCKS ARE USED FOR EMPHASIS IN BEAMER

Anything can go in a block.

- ► Bullet points.
- ► For demonstration,
- ► or to summarise something.



More Blocks

THIS IS AN ALERT BLOCK

Alert blocks are usually used for some key point to be highlighted in a talk. A chemical reaction for example:¹

$$CH_4 + 2O_2 \longrightarrow 2H_2O + CO_2 \tag{1}$$

 $^{^{1}\}mathrm{This}$ example needs the chemmacros package, If you're writing about chemistry the author recommends it.



Even More Blocks

THIS IS AN EXAMPLE BLOCK

The example block is usually used for examples. Here I find the solutions to a quadratic equation.

$$2x^{2} + 2x - 4 = 0$$

$$a = 2, \quad b = 2, \quad c = -4$$

$$x = \frac{-b \pm \sqrt{b^{2} - 4ac}}{2a}$$

$$x = -2 \text{ or } 1$$



The Beamer implementation 'UOWtheme' is copyright (CC BY-NC-SA 4.0 Int) 2015 by T. M. Griffiths under the Creative Commons Attribution-Share Alike 4.0 International License².



The crest and associated branding of the University of Wollongong is copyright and the property of the University of Wollongong. As the core identifier of the university its use is governed by the university's brand and visual identity guidelines which can be found online³.



²http://creativecommons.org/licenses/by-nc-sa/4.0/

³http://www.uow.edu.au/about/brand/uowlogo/index.html