STUDY CARD API DOCUMENTATION

Collection Data

Get Collection

Type: GET

Get the full collection of data in a Json response

Endpoint:

https://localhost:44393/api/collection

Example Response:

Card Actions

Post Card

Type: POST

Adds a new card to the specified stack.

Endpoint:

https://localhost:44393/api/card

Required Format:

```
{
    "stackId": 1, // Required
    "word": "props", // Required
    "definition" : "A way to pass data into components on initialization" // Required
}
Example Response:
```

```
{
    "id": 51,
    "word": "props",
    "definition": "A way to pass data into components on initialization",
    "stackId": 1,
    "stack": null
}
```

Put Card

Type: PUT

Update the properties of a specific card.

Endpoint:

```
https://localhost:44393/api/card
```

Required Format:

```
{
    "id": 51, // Required
    "word": "props", // Required
    "definition": "Passing data into components on initialization", // Required
}
```

Example Response:

Status: 200 (No Content)

Delete Card

Type: DELETE

Delete a specified card from a stack.

Endpoint / Required Format:

```
https://localhost:44393/api/card/{Card Id}
```

Example Endpoint:

```
https://localhost:44393/api/card/5
```

Example Response:

Status: 200 (No Content)

Stack Actions

Post Stack

Type: POST

Adds a new stack to the collection.

Endpoint:

```
https://localhost:44393/api/stack
```

Required Format:

```
{
    "title": "Angular" // Required
}
```

Example Response:

```
{
    "id": 5,
    "title": "Angular"
}
```

Put Stack

Type: PUT

Updates the properties on a specific stack.

Endpoint:

https://localhost:44393/api/stack

Required Format:

```
{
    "id": 5, // Required
    "title" : "Google Angular" // Required
}
```

Example Response:

Status: 200 (No Content)

Delete Card

Type: DELETE

Delete a specified card from a stack.

Endpoint / Required Format:

https://localhost:44393/api/stack/{Stack Id}

Example Endpoint:

https://localhost:44393/api/stack/5

Example Response:

Status: 200 (No Content)