

(日本語は下にあります)

Welcome to the KENZEN SeaArt Helper! 🤝

Greetings, my fellow People of Culture around the world!

I am Tomohito Fujikawa (aka "Dst" / "Deesute"), a Japanese scenario writer. For about 15 years, I have crafted stories and situations for over 60 PC Visual Novels. In my pursuit of the ultimate "KENZEN" (Cultured/NSFW) AI art, I realized we needed a better way to manage our deepest desires and complex prompts.

So, I built this tool for us.

KENZEN SeaArt Helper is your ultimate cockpit for SeaArt and Stable Diffusion.

🚀 [v2.2.0 Fully Released!] 🚀

The forbidden door has finally been flung wide open. With the latest v2.2.0 update, the AI-powered prompt alchemy engine "Gacha!" – fueled by the Google Gemini API – is now fully operational!

"Is it even possible to make that goody-two-shoes Google Gemini spit out NSFW prompts?"

Hell yes, it is. I haven't been putting food on the table as a professional scenario writer for 15 years for nothing! Navigating, bypassing, and "persuading" the ironclad safety protocols of an AI? That's just another day at the office for a true Wordmonger. Using high-level linguistic techniques, I've successfully coaxed this pristine AI into "the dark side" to fulfill your specific needs. Never underestimate a master of words! 🎵 (In high spirits) Now, all you people of culture have to do is throw your raw "Desires" at it in plain language. The AI will fire up its imagination and distill your thoughts into a high-density tag set perfectly optimized for SeaArt and beyond. Combined with the "LoRA Management System" perfected in the previous version, there are no more walls left to block your creativity!

...Probably! (?)

Please use this tool to your heart's content, explore your fetishes, and create absolute masterpieces! 🎨

If this tool helps you on your glorious journey, dropping a ★ Star on this repository would mean the world to me! Let's spread the culture together!

KENZEN SeaArt Helper Manual (v2.2.0)

(For more information and the latest updates, please visit my [GitHub repository](#).)

TL;DR: A specialized prompt builder tailored for generating NSFW content in SeaArt (and Stable Diffusion).

1. Introduction

- This Excel workbook is powered by VBA macros.
- Coding Assistance: Google Gemini (My unpaid AI intern who did the actual heavy lifting).
- Transparency: Press Alt+F11 to open the VBA editor and inspect/modify the MainCode module. *(Rest assured, there are no malicious backdoors. However, it does contain pure, artisanal spaghetti code cooked up exactly to my Google Gemini overlord's specifications.)*
- Copyright: I retain the original copyright, but you are free to modify and redistribute it. No permission is required (though a shout-out makes the author happy!).

2. Design Philosophy

Developed to drastically min-max the efficiency of NSFW-focused prompt construction in SeaArt. This is a dedicated English prompt builder designed to accurately bridge the gap between your intent and the AI's output. It's packed with my personal passion and... specific "preferences." Avoid the pitfalls of "Engrish" and take the shortest path to your ideal generation. ...And let me repeat, it's totally KENZEN (Wholesome™)!

3. Core Features (Safety First)

3-1. Anti-Double-Byte Alert

If Japanese (full-width) characters are detected, the tool stops the copy process and alerts you with a beep.

3-2. Auto-Concatenation

Starting from the second copy, the tool automatically inserts , (comma + space) to append tags.

3-3. Real-Time View

Your active prompt under construction is always visible in the "Current Prompt" field.

3-4. Reset Function

The Clear button wipes both the clipboard and the screen instantly.

4. Setup

4-1. Unblock the File

Right-click the downloaded .xslm file → Properties → Check "Unblock" → Apply/Save.

4-2. Enable Macros

Open the file and click "Enable Content" on the security warning bar at the top.

5. Search Panel & Controls

Once the macro is active, the Main Window opens. Even if you accidentally close it with the top-right "X", you can reopen it anytime via the Open Window button. The window consists of four tabs (panels): Cockpit, Favorites, LoRA, Negative and Gacha!

5-1. The "Cockpit" Tab (Construction Zone)

This tab contains the menus for building your prompt.

5-1-1. Current Prompt

Your live workspace. Every copy action appends here. Since it's a text field, manual tweaks are also possible.

5-1-2. Search Box (Enter Keyword

Type a keyword and hit Enter or click Search to scan the main sheet. When found, the cell glows yellow and the cursor jumps to the prompt cell on its right. (If searching in English, the cursor stays in place.) Hit Enter repeatedly to loop through multiple matches.

5-1-3. "Set Positive Prompts" Button

This button automatically injects your quality-boosting prefix prompts (like masterpiece, best quality...) located in the "PositivePrompts" cell (A3) on the main sheet directly into your text field. You can also trigger this via the hotkey Ctrl + Shift + P. Sure, you *could* manually select the cell and hit the "Copy" button mentioned later, but let's be real—that's a hassle, right? Nobody firing up an AI generator is looking for potato-quality art. We're here for masterpieces. If your preferred model/checkpoint requires a different set of quality tags, feel free to tweak the contents of cell A3. *Warning:* Do NOT change the defined Name of the cell ("PositivePrompts"), or you'll break the macro's targeting system!

5-1-4. Copy Button

Click this on a prompt cell to send it to the clipboard. As you repeat this, prompts accumulate in the "Current Prompt" field, separated by , (comma + space).

5-1-5. Copy without comma Button

Connects tags with only a space. Perfect for compound concepts like oversized tank top. The macro defaults to adding a comma/space to the beginning of any copied word (except the first). For example: (positive prompt prefix), "lgirl" "go to" "park" "with" "me". You would use Normal Copy for lgirl and go to, then use *Copy without comma* for park and with... up until the point where a comma is needed again (me in this example). Using Normal Copy on the next prompt will resume adding the , separator. Note: Clicking this button for your very first prompt will not insert a leading space.

5-1-6. Undo Button

Roll back your last action. Stores up to 50 steps. Your clipboard contents will also revert simultaneously.

5-1-7. Clear Button

Wipes the clipboard and the "Current Prompt" field. (Undo is possible).

5-1-8. All Clear Button

Total wipeout. Clears the clipboard, the "Current Prompt" field, and purges the entire history. (Undo is NOT possible). (*The "Nuke" / Tactical Obliteration Button*)

5-1-9. Weighting Engine (Weight Checkbox & Wrap Block Button)

Emphasize a prompt by weighting it from 1.1 to 1.3. Works for single words or multi-word blocks (e.g., (oversized tank top:1.1)). Clicking Wrap Block encloses everything up to the previous comma in parentheses and applies the weight. To prevent accidental double-weighting and reduce AI load, the checkbox auto-resets to OFF after one use. If you check the box again without adding a new prompt and click Wrap Block, the weighting will be removed.

5-1-10. Done! Button

Once you're fully satisfied with your manual tweaks, click Done! to copy the final text field content. Since the clipboard already accumulates prompts during the building phase, this button remains inactive unless you manually edit the field.

5-1-11. Send to Fav Button

Transfers your masterpiece prompt directly to the text field in the "Favorites" tab.

5-2. The "My Favorite" Tab (The Fetish Vault)

The management menu for the precious prompts you've painstakingly forged. Note: None of the buttons in this tab will work unless the "My Favorite" sheet is actively displayed.

5-2-1. Search Fav Field & Button

Enter a keyword and hit Enter/click Search Fav to scan the "My Favorite" sheet. It only searches within the "Description" field to prevent confusion. Matches glow and cycle just like the main search.

5-2-2. Pull From Cockpit Button

Instantly grabs the prompt currently sitting in the Cockpit tab's text field.

5-2-3. Send to Cockpit Button

The reverse of the above. Sends the contents of the Favorite Prompt text field to the Cockpit. Perfect for pulling up a base favorite and adding new elements from the main sheet to further refine it.

5-2-4. Clear Fav Button

Clears all fields in the "Favorites" tab.

5-2-5. Fav Copy Button

Copies your saved favorite from the sheet. After all, you want to cast your favorite spells over and over, right? The copied incantation (prompt) will be displayed in the text field along with its description. (Because let's face it, no one can remember what a massive wall of text actually does just by looking at it!)

5-2-6. Tweaked! Button

After you use "Copy Fav" and manually adjust the prompt in the text field, this button lights up. Clicking it copies your newly refined version.

5-2-7. Add to Fav! Button

Registers the prompt currently in the field to the "My Favorite" sheet. You cannot save it if the "Description" is blank. Maximum capacity is 50 slots.

5-2-8. Replace Fav Button (Keep your library clean)

Overwrites the currently focused cell on the "My Favorite" sheet with the contents of the Favorite tab's text field (if the cell is blank, it just inputs it). Trying to click this on a non-prompt cell will throw an error. Use case: "I tweaked my favorite prompt and it's finally perfect! But I don't want near-identical clones cluttering my list."

5-2-9. Export Fav Button (Legacy of Fetishes: Preservation Protocol)

Export your favorite list as a CSV file. We've all had that moment: "This generated image is amazing! Wait... what prompt did I use?!" Prompts are creative assets; this is your insurance policy to preserve them.

5-2-9-1. Exporting Behavior

Saves as a UTF-8 encoded CSV. Default filename is MyFavorite_yyyymmdd_HHmm. If a file with the same name exists, it automatically adds a suffix like (1) or (2) to prevent accidental overwrites of existing backups.

5-2-10. Import Fav Button (Splicing Creative DNA)

Import a favorite list from a CSV. Perfect for when you want to swap legendary prompts with your community.

5-2-10-1. Importing Behavior

You can choose to "Append to existing data" or "Clear all and import as new".

Automatic Allocation

If a row has 2+ values, the 1st becomes the "Description" and the 2nd becomes the "Prompt". If only 1 value exists, it is forcibly assigned to "Description" for searchability, regardless of its original column.

Packing Logic

Skips empty rows or bad formatting, extracting only valid data and stacking it neatly from the top.

Japanese Support

Fully supports Japanese descriptions.

Error Logging

Generates an ImportLog_HHmms.txt if any rows are skipped due to control characters/impurities, or if the imported data exceeds the 50-slot limit.

Note 1: The imported CSV must be UTF-8 encoded, or it will throw an error.

Note 2: By design, it skips headers and starts importing from Row 4. Anything above that is ignored.

5-2-11. All Clear Fav Button

Purges ALL data in the "My Favorite" sheet. This is irreversible, so use with extreme caution.

5-3. The "LoRA" Tab (The LoRA Forge)

Visually and intuitively builds and manages your <lora:hash:strength> prompts and their trigger words—absolutely essential for SeaArt and similar platforms.

(If you have zero LoRAs registered, the UI is locked down for your safety.

Register them via the "Open LoRA Manage Window" first!)

5-3-1. Use LoRA Checkbox

Toggles the features of this tab on and off.

5-3-2. Open LoRA Manage Window Button

Opens the dedicated vault (details below) to register and manage your LoRA system hashes and trigger words.

5-3-3. LoRA Selection & Strength

Select a registered LoRA from the dropdown. Once selected, its recommended strength and registered trigger words automatically deploy.

5-3-4. Trigger Words Checkboxes

From the deployed trigger words, check only the ones you want to use this time. (They default to ALL ON—because we’re helpful like that). If a LoRA has no trigger words, this area remains clean and hidden.

5-3-5. Set! & Cancel Buttons

Hit “Set!” to toss your selected LoRA and trigger words into the list box on the right. “Cancel” wipes your current selection clean.

5-3-6. Your Selected LoRA (The Cart)

The list of your currently queued LoRAs. Want to stack multiple LoRAs? Just select another one and smash “Set!” to keep adding to the pile.

5-3-7. Wrap LoRA! Button & Weight (Prompt Alchemy)

Formats the LoRAs and trigger words in your cart into the <lora:Hash:strength>, (Trigger word:1.1) syntax, spitting it out instantly into the Preview field. If the trigger word Weight is set to 1.0, it intelligently skips the () brackets to keep your prompt clean.

Safety Feature: On the off chance a deleted “Ghost LoRA” is still lingering in your cart, the moment you click this button, the system auto-detects and exorcises (deletes) it from the list.

5-3-8. Remove / Forget LoRA Buttons

“Remove” kicks a single selected LoRA out of the list. “Forget” completely nukes the list and preview so you can start from scratch.

5-3-9. Send to Cockpit / Send to Fav Buttons

Transfers your fully forged LoRA prompt from the Preview field straight into the text field of the Cockpit or Favorites tab.

5-3-10. Preset (Save & Call Presets)

Use “Save as Preset” to name and save your current LoRA combo (list contents + weights). Use “Call Preset” to summon it instantly anytime, and “Delete Preset” to trash it. Saving your go-to outfit or art-style combos here will drastically min-max your workflow speed.

5-4. LoRA Register & Manage Window (The LoRA Vault)

The beating heart where your actual LoRA data (hashes and trigger words) is registered and managed. Access it via the “Open LoRA Manage Window” in the LoRA tab.

5-4-1. LoRA Alias / System Hash / Recommended Strength:

- **Alias:** Any name that makes sense to you (e.g., JK Uniform, Watercolor Style).
- **System Hash:** The actual string of characters used by SeaArt, etc.

- **Note:** *What is a Hash?* When you open a specific LoRA's detail page on SeaArt, look at the URL. Example:
https://www.seaart.ai/models/detail/40095be8759dde4285ccf683b24e8852 The string after /detail/ (40095be8759dde4285ccf683b24e8852) is the Hash you need.
- **Recommended Strength:** The suggested weight for that LoRA.
- **Auto-Sanitize:** An ironclad guard dog runs in the background. Even if you accidentally paste full-width characters or illegal symbols into the Hash field, it auto-purifies them into safe, half-width characters.

5-4-2. LoRA Trigger Word / None Checkbox

Type in the trigger words needed to activate the LoRA and hit "Add Trigger". Got multiple? Just separate them with commas.

Note: Capped at a maximum of 10 trigger words. It features case-insensitive duplicate checking, and any symbols toxic to prompts (! ? @ # (), etc.) are actively blocked with an error. If the LoRA doesn't need trigger words, just check "None".

5-4-3. Register / Cancel / Update LoRA Buttons

Registers your inputs. When managing an existing LoRA, the button morphs into "Update LoRA". It also features a dirty-check function that prevents pointless overwrites if nothing was actually changed.

5-4-4. Registered LoRA List & Sort Buttons (▲ / ▼)

Your master list of registered LoRAs. Use ▲ (Up) and ▼ (Down) buttons to pin your favorites to the top or sort them by category. This custom order syncs directly with the dropdown menu on the main screen.

5-4-5. Manage / Delete LoRA Buttons

Edit (Manage) or completely obliterate (Delete) a selected LoRA from the list.

5-4-6. Export / Import LoRA (CSV Backup):

Export: Dumps your precious LoRA collection into a UTF-8 CSV file. If the filename clashes, it automatically slaps a suffix number on it to save your data.

Import: Reads LoRA data from a CSV. Supports "appending" to existing data and comes with a smart-merge feature that automatically skips LoRAs already in your vault (exact Alias + Hash matches).

5-4. "Negative" Tab (Absolute Blacklist)

This is a dedicated screen for efficiently managing and utilizing negative prompts to prevent AI "runaway." I mean, sure, negative prompts are usually pretty standard, but depending on the situation—like the scene you want to generate or the model you're using—the number of prompts you need can go up or down, right? I thought it would be great if you could quickly pull them out of your stock, put them back, or tweak them (?) whenever that happens.

5-4-1. Your Negative Stock / Negative Prompt Repository

This is the list box on the left side of the window. It displays a list of currently registered negative prompts. By default, common ones are already set. You can add to, subtract from, divide by, or multiply by (?) these. You can also select multiple items by holding down the Ctrl or Shift key.

5-4-1-1. Selected Delete Button

Deletes the selected items from the stock data. The original data will also be deleted.

5-4-1-2. Delete All Button

Deletes all stored items. Please note that this will erase all original data.

5-4-2 Applied Negative List / Current Applied List

This is the list box on the right side of the window where you can view the “elite” (?) negative prompts you want to output. Multiple selections are also possible here. Right?

5-4-1-3. Dismiss All Button

Dismiss(deletes) all the words you intended to apply. This does not affect the original data.

5-4-2. ▲/▼ Buttons

These are the buttons next to the two list boxes. As the name suggests, they sort the order of the items in the list. However, to prevent errors, you can only move one item at a time. For the left-hand stock, the order of the original data will also change, but the right-hand side is not affected.

5-4-3. →/← Buttons

As the icons suggest, the “→” button sends the selected item from the stock to the application list, while the “←” button returns (rejects) the term you intended to apply. This does not affect the original data.

5-4-4. Add or Edit Button

Sends the selected term as a negative prompt to the “Result & Preview” text box at the bottom of the window. If multiple items are selected, they will be output separated by a comma and a space.

5-4-5 Weighting Checkbox, Combo Box, and Weight and Add Button

As with the Cockpit screen, checking the checkbox opens the combo box, allowing you to assign weights to the negative prompts. The range is still 0.5 to 1.3.

5-4-6. Add New Stock? Text Box / Add New Button / Clear Input Button

To register a new negative prompt, enter it here and press the Enter key or the “Add New” button to add it to the list box on the left. The “Clear Input” button simply clears the contents of the text box.

5-4-7. Result & Preview Box

As mentioned earlier, this displays the actual negative prompts. You can also edit them by typing directly into the box.

5-4-8. Copy Negative / Clear Negative Buttons

These buttons copy the negative prompt from the text box to the clipboard or clear the contents of the Result & Preview box.

Tips: About Negative Prompts

Overly restrictive prompts can trigger AI bugs. The trick is to keep them to a minimum or omit them entirely (just enough to prevent absolutely unacceptable results, such as “worst quality”).

5-5. The "Gacha!" Tab (AI-Powered Prompt Alchemy)

This is a brand-new feature utilizing the Google Gemini API to automatically generate high-quality prompts. Consider this a “mental palate cleanser” for those times when you’re simply too exhausted to manually craft complex “incantations.” Let the AI’s imagination take the wheel and see where it takes your desires.

5-5-1. Google Gemini API Key

To utilize the AI generation engine, you must obtain your own API Key from Google AI Studio.

No Hand-holding

I do not provide individual support for obtaining or configuring API keys. Please only use this feature if you are a “Mage” capable of solving your own technical issues. Let’s be real here—I’m a writer, not your personal IT support!

AI Entropy (Mood)

Google Gemini is, by nature, a bit of a “goody-two-shoes.” While this tool is engineered to bypass typical constraints, the output still depends on the AI’s “mood” (Safety Filters) and occasional over-enthusiasm. If a request is rejected or produces unexpected results, just consider it part of the “Gacha” experience.

Persistent API Identity

Once a prompt generation is successful, the tool treats this as a “successful handshake” and encrypts your API Key into your local machine’s registry. It will be loaded automatically next time. If you need to change the key, simply overwrite it in the text box; the new key will be saved upon the next successful execution.

5-5-2. Input Field (Please tell me your desire!)

Feel free to describe the situation or "desire" you're envisioning in your everyday language.

Cross-Lingual Semantic Mapping

The AI understands Japanese, English, or even a chaotic "Japanglish" hybrid. It will distill your input into a refined set of English tags optimized for SeaArt and other Stable Diffusion environments.

5-5-3. Action Buttons

Feeling Lucky?

Based on the information you enter, a request is sent to Gemini to spin the gacha. Since error responses are also counted toward your API usage limit, excessive rapid-fire clicks can cause errors—which leads to wasted gacha pulls. Therefore, once you click the button, it will be grayed out for 15 seconds. Note that during this time, you will also be unable to switch to other tabs or windows. This is not a bug; it is by design. (A classic phrase from the old days)

Clear

Wipes the input field.

5-5-4. Output Area (How about this?)

Displays the alchemized prompt generated by the AI.

Copy This!

Copies the result to your clipboard.

Send to Cockpit / Send to Fav

Teleports the result directly to the "Cockpit" or "Favorites" tab.

Clear Result

Wipes the generated output.

5-5-5. "Trigger Happy?" Frame (Gacha Telemetry)

Displays your remaining Gacha attempts for the day.

Statistical Estimate

- This counter is a "best effort" estimate based on standard Google Free Tier limits and internal tracking. Actual API availability may vary slightly.
- **Sync with PT:** The counter resets at 0:00 Pacific Time (PT), synchronizing with Google's server schedule.
- **Power User Recalibration (Hidden Feature):** If you are a paid API user (Tier 1/2) and wish to increase your daily limit, **double-click the numerical counter**. A hidden input box will appear, allowing you to manually recalibrate your maximum daily quota.

💡 Tip: How to Master the "Gacha!"

When unleashing your desires into the prompt, there is absolutely no need for you to be "polite."

During debugging, I found that Gemini senses any "hesitation" or "shyness" and triggers its (cheeky) safety filters.

That's right. If you want to specify a certain body part, don't beat around the bush with vague terms like "crotch." Just type the exact word (like "p*ssy") straight up.

You don't need to hold back your desires... After all, we are Men of Culture, ***are we not?!***

[ゴゴゴゴゴ] (*Menacing*)

6. The "Golden Flow" Workflow

Simply select the light-green cells from left to right to construct a complete prompt:

Character Count → Skin & Attributes → Body Type → Hair length → Bangs → Tying → Hair Color → Body Hair → Occupation → Underwear → Outfit → Outfit State → Headwear → Footwear & Legwear → Accessories → Location → Time & Surroundings → Position → Action & Movement → Means & Props → Body Parts → Interaction State → Expressions → Body fluids → Misc Items → Camera Angle → Censorship Fixes.

The hyperlinks at the top of the main sheet let you warp to specific categories. When clicked, the target cell automatically snaps to the far-left edge of the window. "Back to Legend" links are also provided at the end of each section.

7. "Sample Prompts" Sheet

This sheet contains my personal favorite scenarios. Fetish disclosure alert! Copying a sample sends it straight to the "Cockpit" text box, allowing you to tweak it into your own original prompt. (Please handle any manual weighting yourself). *Tips: Negative Prompts* Over-tightening chokes the AI and causes glitches. Keep it minimal or turn it off entirely (just enough to banish "unwanted males", for example).

8. "Author's Notes (Tips and Rants)" Sheet

Includes prompt tips and the struggle stories behind building this macro. Good for a break.

9. "CONTACT" Sheet

This sheet contains the author's contact info and blog address, as listed in this README.

10. Disclaimer & Contact

Generation results are entirely at the mercy of the AI. The author takes no responsibility for any damages resulting from the use of this tool.

- AI results are unpredictable. I am not responsible for what you generate.
- Tested Model: [RIN Anim8Draw Illustrious - Anime Drawing Model \(v4.0A\)](#)
- Tested LoRA: [Detailed anime style - Illustrious V2.0](#)
- Contact/Blog: [dsblog.biz](#)
- Support the Dev: Bug reports are great, but [PayPal tips](#) keep the lights on!
- While bug reports are absolutely welcome, what I *really* crave are your missing tag requests! Hit me with feedback like, "Hey, you forgot this location!" or "Where the hell is this specific outfit?!" Sure, you have the freedom to mod the code and add them yourself, but please share them with me—because *I too wish to gaze upon uncharted scenarios!* Your collective wisdom is the fuel that makes this macro even more totally KENZEN (Wholesome™)!
- Author: Tomohito Fujikawa (aka "Dst" or "Deeste" / Former Eroge (Visual Novels) Writer).
- Bonus: Craving some Lore? Check out [my SeaArt page!](#) I put my VN writing skills to work by posting original short stories alongside my generated art.

ENJOY your KENZEN AI Life! 😊

KENZEN SeaArt Helper へようこ

そ！🤝

日本の、そして世界中の「KENZEN」なる同志たる AI 術師の皆様、ようこそ！

不二川巴人（ふじかわ ともひと。あるいは「でえすて」）と申します。約 15 年間にわたり、60 タイトル以上の PC 美少女ゲームの最前線で、シナリオやシチュエーションを紡いできた物書きです。究極の「KENZEN (NSFW)」な AI イラストを追い求める中で、一つの壁にぶち当たりました。それは、「己の深淵なる業（フェティシズム）と複雑怪奇なプロンプトを、もっと直感的に、かつ安全に管理するシステムが必要だ」ということです。だからこそ、同志たち（と書いて「お前等」と読む）のためにこのツールを錬成しました。KENZEN SeaArt Helper は、SeaArt と Stable Diffusion を駆使する AI 術師のための究極のコックピットです。

🚀 【v2.2.0 完全リリース！】 🚀

ついに禁断の扉が開かれてしまいました。最新の v2.2.0 アップデートでは、Google Gemini API を心臓部に据えた、AI プロンプト錬成エンジン「Gacha!」が完全実装されました！

「あのお行儀のいい *Google Gemini* に、*NSFW* なプロンプトを出力させることなんてできるのか？」

——できるんだな、これが。一応こっちは 15 年間、プロのシナリオライターとして「言葉」でメシを食ってきた身ですからね。AI の鉄壁のガード（セーフティ）をどう潜り抜け、どう誘導するか。プロの書き手（Wordmonger）としての言語的技巧を駆使し、清廉潔白な AI を「その気」にさせることに成功しました！ 俺を一、なめるなー♪（上機嫌）

これにより、あなた（お前等）の「欲望（Desire）」をありのままの言葉で投げかけるだけで、AI がその想像力をフルに発揮し、*SeaArt* 等に最適化された高密度なタグセットへと昇華させます。前バージョンで完成した「*LoRA* 管理システム」との相乗効果により、あなた（お前等）のクリエイティビティを阻む壁は、もうどこにも存在しないでしょう！ 多分！（?）

ついでに、非常に地味ながら面倒な、ネガティブプロンプトの管理機能も付けました！ 上半身も下半身も、捗ること間違い無しでしょう！（どういう意味だ）

どうかこのツールを心ゆくまで使い倒し、ご自身のフェティシズムの限界を探求し、圧倒的な傑作（マスターピース）を生み出してください！ 🎨

もしこのツールが、あなたの素晴らしい創作の旅の役に立ったなら、このリポジトリに  **Star** を押していただけると、作者にとってこの上ない励みになります！ 共に「KENZEN」な文化を広めていきましょう！

■KENZEN SeaArt Helper マニュアル（v2.2.0）

（詳細情報と最新版については、[GitHub のリポジトリ](#)をご覧ください）

要約：*SeaArt*（&*Stable Diffusion*）での、*NSFW* 絵の生成プロンプト構築に特化したツールです。

1.はじめに

当 Excel ブックにはマクロを使用しております。

コーディング支援： *Google Gemini*（実質的な実装担当という名の丸投げ）

透明性の確保： *Alt+F11* で *VBA* エディタを開き、[標準モジュール] 内の *MainCode* を参照・改変いただけます。（※悪意あるバックドアは仕込んでいませんが、*Google Gemini* の言いなりで煮込まれたスパゲッティコードが内包されています）

著作権： 放棄しませんが、改変および再配布は自由です。報告も不要です（あると作者が喜びます）。

2. 作成目的

SeaArt での「NSFW 絵に特化した」プロンプト作成を劇的に効率化するために開発しました。AI への意図を正確に伝えるための、英語プロンプト構築ツールです。「自分用に使いやすいものを！」という情熱と性癖を詰め込みました。「ダメ英語」の落とし穴を回避しつつ、最短ルートで理想の出力を目指します。……全き！ 健全（KENZEN）ですよ！

3. マクロの主要機能（安全設計）

3-1 全角チェック

日本語（全角文字）が含まれている場合、コピーを停止し警告音で知らせます。

3-2. 自動連結

2 回目以降のコピー時、自動的に “, “（カンマ＋半角スペース）を挿入して追記します。

3-3. リアルタイム表示

構築中のプロンプトは「Current Prompt」フィールドに常時表示されます。

3-4. リセット機能

Clear ボタンでクリップボードと画面表示内容を消去します。

4. 使用準備

4-1 ブロック解除

ダウンロードした xlsx ファイルを右クリック → プロパティ → 「許可する」にチェックを入れて保存。

4-2 マクロ有効化

ファイルを開き、上部の「コンテンツの有効化」をクリック。

5. 検索パネルと操作方法

起動する（マクロを有効化する）と、メインウィンドウが開きます。

右上の×で閉じてしまっても、Open Main Window、あるいは、ショートカットキー Ctrl + Shift + O から、いつでも開けます。また、最小化して、デスクトップの左下隅に追いやる（？）こともできます。だって、ヴァチクソに広大なデータベースの一覧見る時に、ウィンドウが邪魔でしょう？

ウィンドウは、「Cockpit」、「Favorite」、「LoRA」、「Negative」、「Gacha!」の 5 つのタブ（パネル）で構成されています。

5-1 「Cockpit」 パネル

プロンプトを構築していくためのメニューがあるタブです。

5-1-1. 「Current Prompt」

ここに、現在のクリップボードの内容が表示されます。プロンプトをコピーするたびに、追記されていきます。テキストフィールドなので、手動での微調整も可能です。

5-1-2. 検索ボックス (Enter Keyword)

フィールドにキーワードを入力し、エンターキー、ないしは「Search」 ボタンをクリックすると、メインシート内を検索できます。ヒットすると、セルが黄色く光り、右隣のプロンプトのセルに移動します。英語で検索した場合は、その場にとどまり、移動しません。連続ヒットする場合、Enter を押すごとに次の結果へループ移動します。

5-1-3. 「Jump to Category」 コンボボックス、「Stay Here」 チェックボックス、「Back to Legend」 ボタン

プルダウンで、各カテゴリの見出しセルへ飛びます。フロートウィンドウのせいで、どうしてもシートの視認性が悪くなるので、慌てて付け足しました。どうでもいいですね。後述しますが、各セルをコピーすると、「凡例 (Legend)」セルへ戻るのですが、「同じカテゴリから、複数の単語を選びたいとき」(例えば、「巨乳」と「巨尻」、「厚い太もも」の、黄金セット (?) とか) に、いちいち凡例まで戻るのはうっとうしい。そんな時は、「Stay Here」にチェックを入れてください。セルをコピーしても、凡例に戻りません。また、項目の最後に、「凡例に戻る」のハイパーリンクがあるのですが、これも、下までスクロールするのも面倒だ！ というときに、「Back to Legend」を押すと、凡例に戻ります。

5-1-4. 「Set Positive Prompts」 ボタン

メインシート上の「PositivePrompts」(A3) セルにある、「masterpiece…」から始まる接頭句としてのポジティブプロンプトを、テキストフィールドに自動入力します。この機能は、ショートカットキー Ctrl + Shift + P でも実行できます。もちろん、シート上のセルを選択して、後述する「Copy」 ボタンを押してもいいのですが、ぶっちゃけ面倒くさいじゃないですか？ AI に絵を描かせようって人間が、雑な絵を見たいはずがないです。使用するモデルによって、ポジティブプロンプトの内容が違う場合は、各々適宜修正してください。ただし、「PositivePrompts」のセル名を変えると、機能しなくなります。

5-1-5. 「Copy」 ボタン

コピーしたいプロンプトのセル上でクリックすると、クリップボードに転送されます。コピーを繰り返すと「Current Prompt」フィールドに、「, 」(カンマと半角スペース) を付けて、プロンプトが蓄積されます。

5-1-6. 「Copy without comma」 ボタン

カンマなし (半角スペースのみ) で連結します。oversized tank top 等、連結して一つの概念を指す場合に有効です。マクロは、「最初を除き、コピーされる単語の頭に、カンマと半角スペースを付ける」挙動をします。なので、例えば、「(接頭句としてのポジティブプロンプト), ” 1 girl” ” go to” “ park” ” with” “me” 」

の場合は、まず、「1 girl」で通常コピー、次に「go to」でも通常コピー、次の「park」でカンマなしコピー、その次の「with」でも、カンマなしコピー……と、「次にカンマを入れるべき所」（例の場合は「me」）まで、カンマなしコピーをしてください。次のプロンプトを通常コピーすれば、区切りに「,」が付きます。なお、最初のプロンプトを、このボタンでクリックしても、先頭にスペースは入りません。

5-1-7. 「Undo」ボタン

操作を戻せます。50回まで可能です。クリップボードの内容も、元に戻ります。

5-1-8. 「Clear」ボタン

クリップボードと「Current Prompt」フィールドを消去します。アンドゥは可能です。

5-1-9. 「All Clear」ボタン

クリップボード、「Current Prompt」フィールド、及び全ての履歴を完全に消去し、リセットします。アンドゥはできません。（通称：Nuke / 物理的更地化ボタン）

5-1-10. 重み付け機能（「Weight」チェックボックス & 「Wrap Block」ボタン）

強調したい（あるいは弱めたい）プロンプトを、0.5～1.3まで重み付けできます。一つの単語はもちろん、例えば、先ほどの「oversized + tank top」といった、2単語以上の組み合わせも、「(oversized tank top:1.1)」のようにできます。「Wrap Block」を押すと、その前のカンマまでのブロックを「()」でくくって、重み付けします。もちろん、1つのプロンプトにも有効です。誤操作防止と、AIへの負荷軽減のために、一度「Weight」ボタンをクリックすると、チェックボックスはオフになります。また、プロンプトを追加しないで、もう一度チェックをオンにして「Wrap Block」をクリックすると、重み付けが解除されます。

5-1-11. 「Done!」ボタン

気が済むまで（？）手動での調整が終わったら、「Done!」をクリックすれば、現在のテキストフィールドの内容がコピーできます。

5-1-12. Send to Fav ボタン

気に入ったプロンプトを、「Favorite」タブウィンドウのテキストフィールドに転送します。

5-2. 「My Favorite」タブ（性癖の金庫室）

苦心の末に（？）作り上げた、大切なプロンプトを管理するためのメニュー類があるタブです。なお、このタブのボタンは全て、「My Favorite」タブがアクティブになっていないと、動作しません。

5-2-1. 「Search Fav」フィールド、「Search Fav」ボタン & 「Clear Search」ボタン

フィールドにキーワードを入力して、エンターか「Search Fav」ボタンのクリックで、「My Favorite」シート内を検索できます。検索されるのは「Description」のフィールドのみで、メインシートでのそれ同様、ヒットしたセルが光り、複数ヒットした場合は、ループします。Clear Searchは、単純に、検索ボックスだけを消去します。

5-2-2. 「Pull From Cockpit」 ボタン

「Cockpit」 タブのテキストフィールドに入力されているプロンプトを転写します。

5-2-3. 「Send to Cockpit」 ボタン

上記とは逆に、Favorite Prompt のテキストフィールドの内容を、Cockpit のフィールドへ送ります。お気に入り、メインシート内のプロンプトを加えることで、更にブラッシュアップするときに。

5-2-4. 「Clear Fav」 ボタン

「Favorite」 タブのフィールドを、全てクリアします。

5-2-5. 「Copy Fav」 ボタン

「My Favorite」 シート上のお気に入りをコピーします。やっぱりね、気に入った呪文は、何度でも使いたいですよね。「コピーされた呪文（プロンプト）は、説明と共にテキストフィールドに表示されます。（説明なしで呪文だけ見て、すぐに思い出せる人も、まずいないでしょう？）

5-2-6. 「Tweaked!」 ボタン

コピーしたお気に入りプロンプトを、テキストフィールド内にて、さらに手動で調整した後、クリック可能になり、クリックすると、テキストフィールドの内容がコピーされます。

5-2-7. 「Add to Fav!」 ボタン

フィールド内のプロンプトを、「My Favorite」 シートに登録します。「Description」が空欄だと、エラーを吐きます。最大 50 件まで登録できます。

5-2-8. 「Replace Fav」 ボタン（コレクションは整理しましょう）

「My Favorite」 シートの中で、フォーカスされているセルのプロンプトを、（「Favorite」 タブの）テキストフィールドの内容と置換します（セルが空欄ならば、そのまま入力されます）。プロンプトが入っていないセル上でクリックしても、エラーが出ます。例えば、「Fav に登録したプロンプトに、新しく要素を追加したら、もっとよくなった！ でも、お気に入りの中に似たものがダブるのは困る！」という場合に使えます。

5-2-9. 「Export Fav」 ボタン（性癖の遺産と、その保全）

お気に入りリストを、CSV ファイルでエクスポートできます。「ナイスな絵が出た！ しかし、あの時のプロンプトって、何だったっけ！？」ということ、よくありますよね？ プロンプトは、ある意味「資産」ですから、それを保全するための機能です。

5-2-9-1. エクスポート（書き出し）の挙動

- **保存形式:** 文字コード UTF-8 の CSV 形式で出力されます。
- **ファイル名:** デフォルトで「MyFavorite_yyyymmdd_HHmm（日付と時刻）」が設定されます。
- **上書き防止:** 保存先に同名のファイルが存在する場合、自動的に「(1)」 「(2)」といった枝番が付与されます。既存のバックアップを誤って消去することはありません。

5-2-10 「Import Fav」 ボタン

CSV ファイルから、お気に入りリストをインポートできます。ほら、仲間内で「俺はこんなすごいプロンプトを作ったぜ!」とか、交換したいじゃないですか? そういうときのための機能です。

5-2-10-1.インポート（取り込み）の挙動

- **取り込みモードの選択:** 実行時に「既存のデータに追記」するか、「全クリアして新しく取り込む」かを選択できます。

データの自動分配

- **1つの行に2つ以上の値がある場合:** 1つ目を「Description (説明)」、2つ目を「Prompt (プロンプト)」へ振り分けます。
- **値が1つしかない場合:** データの位置に関わらず、検索の利便性を優先して強制的に「Description」へ格納します。
- **スライド (詰め) 機能:** CSV 内に形式不良や空行があっても、有効なデータだけを抽出して上方向へ隙間なく詰めてインポートします。
- **日本語のサポート:** 日本語 (全角文字) を含む説明も完全にサポートしています。
- **エラーログ:** 制御文字などの不純物により取り込めなかった行がある場合、CSV と同じフォルダに詳細なエラーログ (ImportLog_時刻.txt) が生成されます。既存のリストに追加した結果が 50 件を超える場合、あふれたデータは、エラーログに記録されます。
- **注意:** インポート元のファイルも、文字コードが UTF-8 である必要があります。違っていた場合は、エラーが出て処理されません。
- **注意 2:** 仕様上、「データのヘッダを飛ばして 4 行目から取得を開始する」挙動をします。それより上にあるデータは、取り込めません。

5-2-11. 「All Clear Fav」 ボタン

「My Favorite」シート内のデータを、全て消去します。元には戻せませんので、くれぐれもご注意ください。

5-3. 「LoRA」 タブ (LoRA の鍛冶場)

SeaArt 等で必須となる <lora:hash:strength> 形式のプロンプトと、それに付随するトリガーワードの組み合わせを視覚的かつ直感的に構築・管理します。

(LoRA が一つも登録されていない場合は、安全のため UI がロックされています。「Open LoRA Manage Window」から LoRA を登録してください)

5-3-1. Use LoRA チェックボックス

このタブの機能の有効/無効を切り替えます。

5-3-2. Open LoRA Manage Window ボタン

LoRA のシステムハッシュやトリガーワードを登録・管理する専用ウィンドウ (後述) を開きます。

5-3-3. LoRA Selection & Strength (LoRA の選択と強度)

登録済みの LoRA をプルダウンから選択します。選択すると、推奨の強さ (Strength) と登録されたトリガーワードが自動的に展開されます。

5-3-4. Trigger Words チェックボックス

展開されたトリガーワードから、今回使いたいものだけにチェックを入れます（デフォルトで全て ON になる親切設計です）。トリガーワードがない LoRA に関しては、出てきません。

5-3-5. Set! & Cancel ボタン

「Set!」を押すと、選択した LoRA とトリガーワードが右側のリストボックス（カート）に入ります。「Cancel」は選択状態を白紙に戻します。

5-3-6. Your Selected LoRA (Cart)

現在セットされている LoRA のリストです。複数重ね掛けしたい場合は、さらに別の LoRA を選択して「Set!」を押すことでどんどん追加できます。

5-3-7. Wrap LoRA! ボタン & Weight (プロンプトの錬成)

カートに入れた LoRA とトリガーワードを、<lora:Hash:strength>, (Trigger word:1.1) の形式に整形し、Preview 欄に出力します。トリガーワードの重み (Weight) が 1.0 の場合は、「()」でくくられません。

- *Safety Feature:* 万が一、大元の管理データから削除された「幽霊 LoRA」がカートに残っていた場合、このボタンを押した瞬間に自動検知してカートから除霊（削除）します。

5-3-8. Remove / Forget LoRA ボタン

「Remove」は選択した LoRA をリストから 1 つ除外します。「Forget」はカートとプレビューを完全にクリアして最初からやり直します。

5-3-9. Send to Cockpit / Send to Fav ボタン

Preview 欄に完成した LoRA プロンプトを、Cockpit タブ（または Favorites タブ）のテキストフィールドへ転送します。

5-3-10. Preset (プリセットの保存と呼び出し)

「Save as Preset」で現在の LoRA の組み合わせ（リストの中身と重み）に名前を付けて保存できます。「Call Preset」でいつでも一発で呼び出し、「Delete Preset」で削除します。よく使う衣装や画風の組み合わせを保存しておくると劇的に時短になります。

5-4. 「Negative」タブ（絶許ブラックリスト）

AI の「暴走」を食い止めるためのネガティブプロンプトを、効率的に管理・運用するための専用画面です。いやほら、たいていの場合、ネガティブプロンプトは共通ですが、時と場合（生成させたい絵のシチュエーションや、使用するモデル）によって、増えたり減ったりするじゃないですか？ そんな時、ストックからパパッと出したり引っ込めたり、つまんだりつねったり（？）できたらいいな、と思ったんですよ。

5-4-1. Your Negative Stock / ネガティブプロンプト貯蔵庫

ウィンドウ左側のリストボックスです。現在登録されている、ネガティブプロンプトが一覧できます。初期状態で、一般的なものはセットされています。これを、足したり引いたり、割ったり掛けたり（？）するわけです。Ctrl キー、あるいは Shift キーを押しながらの、複数選択も可能です。

5-4-1-1.Selected Delete ボタン

ストックデータのうち、選択されたものを削除します。元データも消えます。

5-4-1-2.Delete All ボタン

全てのストックを削除します。元データが全て消えるので、ご注意をば。

5-4-2 Applied Negative List / 現在の適用リスト

ウィンドウ右側のリストボックスで、ネガティブプロンプトとして出力したい精鋭ども（？）の場所です。こちらも、複数選択可能でし。でし？

5-4-2-1.Dismiss All ボタン

適用するつもりだった言葉全てを却下（消去）します。元データには影響しません。

5-4-3.▲/▼ ボタン

2つのリストボックス横にあるボタンです。見たまんまで、リスト内の順番をソートします。ただし、エラー防止の観点から、動かせるのは1つずつになります。左側のストックは、元データの順番も変わりますが、右側は影響しません。

5-4-4.→/←ボタン

これも見たままですが、「→」は、ストックから選択した項目を適用リストへ送り、「←」は、適用するつもりだった言葉を戻し（却下）します。元データには影響しません。

5-4-5.Add or Edit ボタン

選択された言葉を、ネガティブプロンプトとして、ウィンドウ下部の「Result & Preview」のテキストボックスへ送ります。複数選択した場合は、「,」（カンマと半角スペース）で区切られて出力されます。

5-4-6.Weighting チェックボックス、コンボボックス、Weighten and Add ボタン

Cockpit 画面同様に、チェックボックスをオンにするとコンボボックスが開くようになり、ネガティブプロンプトを重み付けできます。やはり、0.5～1.3 までです。

5-4-7.Add New Stock? テキストボックス/ Add New ボタン/Clear Input ボタン

新しいネガティブプロンプトを登録する場合、ここへ入力して、エンターキーか、「Add New」 ボタンを押せば、左側のリストボックスに追加されます。Clear Input は、単純にテキストボックス内をクリアします。

5-4-8.Result & Preview ボックス

先に触れましたが、実際のネガティブプロンプトが表示されます。直接入力による編集も可能です。

5-4-9.Copy Negative/Clear Negative ボタン

テキストボックスのネガティブプロンプトを、クリップボードにコピー、あるいは、Result & Previe ボックス内を消去します。

Tips：ネガティブプロンプトについて

縛りすぎはAIのバグを誘発します。最小限に留めるか、いっそナシにするのがコツです（「最悪の品質」等、絶妙な結果を防ぐ程度に）。

5-5. 「LoRA Register & Manage」 タブ (LoRA の金庫)

LoRA の実データ (ハッシュ値やトリガーワード) を登録・管理する心臓部です。「LoRA」タブの「Open LoRA Manage Window」からアクセスします。

5-5-1. LoRA Alias / System Hash / Recommended Strength:

- Alias: あなたが識別しやすい任意の名前 (例: JK 制服、水彩画スタイル)。
- System Hash: SeaArt 等で実際に使用されるハッシュ値の文字列。

Note: ハッシュ値とは?

SeaArt のサイトの、各 LoRA の詳細ページを開いたときの URL の、

<https://www.seaart.ai/ja/models/detail/40095be8759dde4285ccf683b24e8852>

例えば上記の LoRA の場合、「/detail/」以降の文字列

「40095be8759dde4285ccf683b24e8852」が、ハッシュ値です。

- Recommended Strength: その LoRA の、強さの推奨値
- Auto-Sanitize: Hash 入力欄に全角文字や不正な記号を入れても、自動的に半角の安全な文字に浄化される鉄壁のガードマンが常駐しています。

5-5-2. LoRA Trigger Word / None チェックボックス:

その LoRA を発動させるためのトリガーワードを入力し、「Add Trigger」で追加します。複数ある場合はカンマ区切りで入力可能です。

Note: トリガーワードは最大 10 個まで。大文字・小文字を区別しない重複チェックが行われ、プロンプトに有害な記号 (! ? @ # () など) はエラーで弾かれます。

トリガーワードが不要な LoRA の場合は「None」にチェックを入れてください。

5-5-3. Register / Cancel / Update LoRA ボタン

入力した内容を登録します。トリガーワードが増えた、あるいはなくなったなど、既存の LoRA を編集 (Manage) している最中は、ボタンが「Update LoRA」に変化し、変更がない場合は無駄な上書きを防ぐダーティチェック機能が働きます。

5-5-4. Registered LoRA List & Sort ボタン (▲ / ▼)

登録済みの LoRA 一覧です。「▲ (Up)」 「▼ (Down)」 ボタンを使って、よく使う LoRA を上に固めたり、カテゴリごとに並べ替えたりと、リストを自由に整理できます。ここでの並び順は、メイン画面のプルダウンにも連動します。

5-5-5. Manage / Delete LoRA ボタン

リストから選択した LoRA を編集 (Manage)、または完全に削除 (Delete) します。

5-5-6. Export / Import LoRA (CSV バックアップ)

- Export: 大切な LoRA コレクションを UTF-8 形式の CSV ファイルとして書き出します。ファイル名の重複時は自動で枝番が付きます。
- Import: CSV から LoRA データを読み込みます。既存データへの「追記」が可能で、既に登録されている LoRA (Alias と Hash が完全一致するもの) は自動でスキップされる賢いマージ機能を備えています。

5-6. 「Gacha!」 タブ (AI お任せ・プロンプト錬成)

なんかもう、「ドドドドド」とか、「ゴゴゴゴゴ」とかいった、JOJO 風の擬音を付けたいのですが、v2.2.0 からの目玉機能! 自分で呪文を考えるのに疲れたら、Gemini に丸

投げすればいいじゃあないか！」（やっぱり JOJO 風に）という、作った作者自身、「よくやったな！？」と思える、ゴイスー（死語）な機能です

つまりは、Google Gemini API を活用した AI によるプロンプト自動生成機能です。緻密で複雑な呪文（プロンプト）の構築にうん☆ざりした時の「純粋な息抜き」として、AI の想像力に身を委ねてみるのも、また一興かと。文字通り、「何が出るかな？」の、「ガチャ」です。ちなみに、Gemini にある魔法（誇大表現）をかけてありますので、NSFW 絵のプロンプトも、しっかり練成してくれます。ただ、「一発アウト」な地雷ワードもあります。詳しくは、ブック内の「作者的覚え書き (ja)v2」シートをご覧ください。

5-6-1. Google Gemini API Key

AI による生成機能を利用するには、Google AI Studio にて各自で API キーを取得し、入力する必要があります。

- サポート対象外：API キーの取得方法や設定に関する個別サポートは一切行いません。ご自身で解決できる「術師」の方のみご利用ください。作者も、そこまで面倒は見きれません（ぶっちゃけたー！）
- AI の機嫌：Google Gemini は非常に「お行儀が良い」AI です。いかに NSFW なプロンプトを出力できる！ とは言え、その内容や（時々サービス精神を強く発揮する）AI の「機嫌（セーフティフィルタ）」次第では、出力が上手く行かなかったり、拒絶されたりすることがあります。それも含めての「ガチャ」としてお楽しみください。
- API キーの自動セーブ：一度 Google Gemini によるプロンプト練成が成功すれば、それをフラグにして、入力された API キーは、ローカルマシンのレジストリに記録され、次回からは自動で入力されます。API キーが変わった場合は、上書きすれば、その時の実行（成功）時に上書きされます。

5-6-2. 自然文入力欄（Please tell me your desire!）

あなたが思い描くシチュエーション(欲望)を、普段使っている言葉で自由に入力してください。

- バイリンガル対応：日本語、英語、あるいはその混在であっても AI が内容を理解し、SeaArt 等の生成 AI に最適なタグセットへと昇華させます。

5-6-3. 操作ボタン類

- Feeling Lucky?: 入力された内容を元に、Gemini へリクエストを送信し、ガチャを回します。エラーでの返答も API の使用回数に含められるので、過度な連打はエラーの元＝無駄玉の消費に繋がります。よって、一度押したら、15 秒間はグレーアウトします。ちなみにその間、他のタブウィンドウへの移動もできなくなります。バグではなくて、仕様です（いにしえからの常套句）
- Clear: 入力欄の内容をクリアします。

5-6-4. 生成結果エリア（How about this?）

AI が錬成したプロンプトが表示されます。

- Copy This!: 生成されたプロンプトをクリップボードにコピーします。
- Send to Cockpit / Send to Fav: 生成されたプロンプトを「Cockpit」タブまたは「Favorites」タブへ転送します。お気に入りの LoRA を適用したりなど、お好みのままに。
- Clear Result: 生成結果を消去します。

5-6-5. 「Trigger Happy?」 フレーム（ガチャ残弾数）

本日の残りのガチャ実行回数を表示します。

- あくまで目安：表示される回数は、一般的な Google の無料枠での API 制限回数と、本ツール内でのカウントに基づいた「目安」です。実際の Google API の制限とは多少の誤差が生じる場合があります。
- リセット：カウントは太平洋時間（PT）の 0 時に合わせてリセットされます。
- リミット調整（隠し機能）：API に課金しているヘビーユーザーが、上限設定を変更したい場合は、カウンターの数値部分をダブルクリックしてください。1 日の上限回数を自由に調整できる入力ボックスが表示されます。

Tips：ガチャのコツ

欲望を語るときには、あなたまで「お行儀よく」する必要はないです。変な照れがあると、Gemini がそれを察知して、（小賢しい）安全フィルターを発動させるケースが、デバッグ中にありました。そうです。女性器を指す場合は、「股間」とか、オブラートに包まなくていいんです。素直に「ま〇こ」と書きましょう。

6. プロンプトの構築フロー

薄緑色のセルを左から順に選んでいくだけで、一つの完成されたプロンプトになります。

キャラ数(Character Count) → 肌の色・属性(Skin & Attributes) → 体型(Body Type) → 髪の毛の長さ(Hair length) → 前髪(Bangs) → 髪の毛の結び目(Tying) → 髪の毛の色(Hair Color) → 体毛(Body Hair) → 職業(Occupation) → 下着(Underwear) → 服装(Outfit) → 服の状態(Outfit State) → ヘッドウェア(Headwear) → 足元周り(Footwear & Legwear) → アクセサリー類(Accessories) → 場所(Location) → 時間帯・周囲の状況(Time & Surroundings) → 体位(Position) → 行為・動作(Action & Movement) → 手段・道具(Means & Props) → 身体部位(Body Parts) → 行為の状態(Interaction State) → 表情(Expressions) → 体液(Body fluids) → その他アイテム(Misc Items) → アングル(Camera Angle) → 修正(Censorship Fixes)

メインシートの冒頭には、各項目のセルへ飛ぶハイパーリンクが設定しており、クリックするとジャンプし、フォーカスの移動したセルは、自動的にウィンドウの左端に寄ります。

7. 「Sample Prompts」（サンプルプロンプト）シート

作者お気に入りのシチュエーションを収録しています。性癖の開示！（電波）サンプルをコピーすると、「Cockpit」タブウィンドウのテキストボックスにも同時に転送されるので、自分で調節して、オリジナルのプロンプトを作る事も出来ます。ただし、その場合の重み付けなどは、ご自身でお願いします。

8. 「作者覚え書き(ja)v2 / Author's Notes (Tips and Rants)」シート

プロンプトに関する Tips とか、このマクロを作るに当たっての苦労話とかを書いています。息抜きにどうぞ（？）

9. 「CONTACT」 シート

この README にも書いていますが、作者の連絡先ブログなどを記載しています。

10. 免責事項・連絡先

- 生成結果は AI 次第です。当ツールの使用によるいかなる損害についても、作者は一切の責任を負いません。
- 同じく、「Gacha!」の機能についても、NSFW なプロントの、確実な出力を保証するものではありません。
- 検証モデル：[RIN Anim8Draw Illustrious - Anime Drawing Model \(Ver. 4.0A\)](#)
- 作者：不二川巴人（ふじかわ ともひと）（「でえすて」とか、「不二川 “でえすて” 巴人」名義で、エロゲーライターをやっていました）
- [連絡先・ブログはこちら。](#)
- リクエストや感想、あるいはバグレポートは、ブログのメールフォームまで。[投げ銭 \(PayPal\)](#) も歓迎です！
- バグレポートももちろんですが、「こんなロケーションが抜けてるぜ！」とか、「この服がないぞ！」というフィードバックは、是非ともお寄せください。自分好みに自由に改変できるとは言え、「未知のシチュエーションを、俺も見たい！」からです！あなたの意見が、このマクロをより KENZEN にします！
- （おまけ）[SeaArt の個人ページ](#)では、生成したイラストを元に、書き下ろしショートショートを投稿したりしています。よろしければ、そちらもどうぞ。

さあ！ 健やかなる ()AI ライフを！