

[\[日本語は下にあります\]](#)

[Notice] Starting with **v5.0.0**, this tool is a standalone application—**Microsoft Excel is no longer required!**

However, it is exclusively built for Windows desktop environments.

Sorry, prompt mages on mobile devices, this "forbidden door" still requires a PC key to unlock its true power! 🖥️ ✨

[注意] **v5.0.0** より、本ツールはスタンドアロン（単体起動）アプリへと進化しました。

Microsoft Excel は一切不要です！

ただし、動作環境は **Windows デスクトップ（PC）** 専用となります。

モバイル術士の皆様には申し訳ありませんが、この「禁断の扉」を開くには、引き続き「PC 環境」というキーをご用意ください。🖥️ ✨

💬 *Want to share your thoughts on my philosophy? Let's discuss it in the [\[Discussions thread\]!](#)*

💬 開発理念なんかを、[ディスカッションスレッド](#)に書いています。お手柔らかに！

Welcome to the KENZEN SeaArt Helper!



Greetings to all fellow AI Mages in Japan and across the world who strive for "KENZEN" (Wholesome™/NSFW) art!

I am Tomohito Fujikawa (aka "D.S.T." or "Deeste"). I am a writer who has spent approximately 15 years on the front lines of over 60 PC eroge (Visual Novel) titles, weaving scenarios and situations. In my pursuit of the ultimate "KENZEN (NSFW)" AI illustrations, I hit a wall: *"I need a system to manage my deep-seated karma (fetishes) and complex prompts more intuitively and safely."*

That is exactly why I forged this tool for my comrades (read: you degenerates). **KENZEN SeaArt Helper** is the ultimate standalone cockpit for AI mages wielding SeaArt and Stable Diffusion.

How to Download & Launch

1. Download KENZEN_SeaArt_Helper_v5.2.0.zip from the GitHub Releases.
2. Extract the ZIP file to any local folder on your PC (e.g. C:\Tools\KENZEN_SeaArt_Helper). (*Notice: Do NOT run directly from Cloud sync folders like OneDrive or Dropbox!*)

3. Double-click KENZEN_SeaArt_Helper.exe to launch immediately. No installation or Excel setup required!

Created with KENZEN SeaArt Helper

Want to see what this tool can actually create?

The story-driven adult AI CG collections created using KENZEN SeaArt Helper.

- 80 carefully selected CGs
- A complete original story in 4 chapters
- Written by a former professional Japanese eroge scenario writer
- English edition available

-
- [*Melancholy & Bliss of a Futanari Office Lady*](#) (Free trial [here](#))
 - [*That Handsome Captain's Unexpected Secret*](#) (Free trial [here](#))
 - [*Rebellion at Futanari Academy*](#) (Free Trial [here](#))
 - [*Futanari Idol's Special Fan Service!*](#) (Free Trial [here](#))
 - [*Futanari in the Mirror*](#) (Free Trial [here](#))
 - [*In Brief: I Am Futanari, Yet I Adore Thee*](#)(Free Trial [here](#))
 - [*Gunfight at the O.K. Futanari Corral?*](#) (Free Trial [here](#))
 - [*The Insatiable Futanari Shrine Maiden: Heaven & Hell*](#) (Free Trial [here](#))

Adults only (18+). The linked pages contain explicit fictional sexual content.

 Release v5.2.0: DeepL Real-time Translation & User Dictionary Update!   	3
■ KENZEN SeaArt Helper Manual (v5.2.0).....	3
1. <u>Introduction & Setup</u>	4
2. <u>Windows & Tab Controls</u>	5
<u>2-0. Tag Matrix Window (Tag & Sample Database)</u>	5
<u>2-1. "Cockpit" Tab</u>	6

2-2. "Positive" Tab	8
2-3. "Negative" Tab	9
2-4. "LoRA" Tab (The LoRA Forge & Vault)	10
2-5. "Favorites" Tab (The Fetish Vault)	11
2-6. "Gacha!" Tab (AI Auto-Pilot Prompt Alchemy)	13
2-7. "Mobile Memo" Tab	14
2-8. "IO / Settings" Tab	15
3. Mobile HTML & Bookmarklet	16
4. Disclaimer & Contact	17
5. License	17

Release v5.2.0: DeepL Real-time Translation & User Dictionary Update!



-  DeepL Real-time Translation Assistant: Direct integration in the Cockpit tab. Automatically detects your source language (Japanese, German, French, Spanish, Chinese, etc.) and translates input into English prompt tags with a single Enter press, appending them with comma formatting and active weight support.
 -  Independent User Dictionary System (user_tags.json): Custom tags translated or added by users are persisted in an isolated user_tags.json file. Future updates to tags.db will NEVER overwrite or erase your custom registered vocabulary!
 -  Dynamic Tag Matrix Integration & Cross-Search: Newly added custom tags appear immediately under a dedicated "★ ユーザー登録タグ (User Dictionary)" section (Category 41) with high-visibility gold styling, complete with instant deletion (×) support. Both official and custom tags are seamlessly searched and sorted across the entire app.
-  Bilingual & Multi-Language UX: All translation controls, hints, placeholders, and API key dialogs are designed bilingually (English & Japanese), with automatic browser redirection to the official DeepL API key management page according to your local region/language.
-  Database Expansion (40 New Tags): Integrated 40 new visual descriptive tags (Records #1550–#1589) into tags.db.

■ KENZEN SeaArt Helper Manual (v5.2.0)

(For more information and the latest updates, please visit my [GitHub repository](#).)


TL;DR: This is a standalone desktop application specialized in building, weighting, and managing NSFW generation prompts for SeaArt & Stable Diffusion. Includes SQLite-backed 41-category matrix, LoRA managers, and AI Gacha alchemy powered by Google Gemini API.

1. Introduction & Setup

- **Architecture:** Standalone Windows Application built with Python 3 & PySide6 (Qt).
 - **Open Source & Transparency:** All source code is hosted openly on GitHub.
 - **Redistribution & License:** Free to modify and redistribute.
 - **Safety First:**
 - **Local Execution Guard:** Strictly prevents running within cloud-synced folders (OneDrive, Dropbox, Google Drive) to prevent JSON/SQLite file locking issues.
 - **Single Instance Manager:** Prevents launching duplicate instances; trying to open a second instance automatically activates and brings the running window to front.
-

2. Windows & Tab Controls

2-0. Tag Matrix Window (Tag & Sample Database)




The Dictionary Matrix displays all 41 official categories plus the custom "★ ユーザー登録タグ (User Dictionary)" section (Category 41) in an intuitive side-by-side layout. User tags feature a distinctive gold frame with an instant "×" delete button.

- **Tag Matrix Tab:** Displays categories across scrollable columns with Japanese labels on the left and English prompt tags on the right. Clicking a tag immediately transfers it to the Cockpit!
- **Sample Prompts Tab:** A built-in repository of master-crafted prompt archetypes ready to load directly into the Cockpit.
-  Native mouse wheel scrolling / standard right-click support! (Two copy modes): Left-clicking a tag copies it with a comma and a half-width space (,), while right-clicking copies it with just a half-width space () and sends it to Cockpit, instantly highlighting the transferred cell with a crisp yellow 1-pulse flash animation. Seamlessly scroll through any category column using native mouse wheel scrolling. For example, if you want to type "sitting on chair," left-click to copy "sitting," right-click to copy "on" (without the comma), and then right-click again to copy "chair."

- **Quick Search & Jump (A-Z Sorted & 3-Pulse Flash):** All tags within each category are strictly sorted alphabetically by English prompt (A–Z, case-insensitive). Searching via Enter or 'Next ►' immediately scrolls directly to the matched cell and highlights it with a vivid 3-pulse yellow flash (#FEF08A / #F59E0B), sequentially looping through subsequent matches. The Jump dropdown instantly navigates across all categories (including Category 0 and Category 41 User Dictionary) (including Category 0. Particles/Prepositions).

2-1. "Cockpit" Tab



The central command center for assembling, tweaking, and finalizing your generation prompts.


- **Top App Title & Matrix Launcher:** Displays tool status and a button to re-summon the Dictionary Matrix window at any time.
- **Main Prompt Editor:** Free-form editing canvas with real-time feedback and automatic comma formatting.

🌐 DeepL Translation Assistant (Split Panel):

- **Source / 原文:** Enter words or phrases in any language (auto-detected). Press Enter to immediately translate via DeepL API.

- English / 英訳: Displays the translated tag. Press Enter or click "+ Add to Prompt (追加)" to append it directly to the prompt with comma separation. If "Enable Weight" is active, weight brackets are applied automatically.
 - 📁 Save Tag (辞書登録): One-click registration to user_tags.json. The new tag appears immediately in the Tag Matrix and is indexed for cross-search.
 - 🔑 Get API Key (DeepL) & ⚙️ API Key: Direct universal link to obtain a free key (500k chars/mo), securely saved to Windows Registry.
- **Weight Controls (0.5 – 1.5):** Select any text block and click **Apply Weight (tag:w)** to wrap it into (tag:weight). Toggle **Enable Weight** for automatic single-tag weighting upon addition.
 - **Wrap Dynamic Prompts ({A | B | C}):** Instantly formats comma-separated tokens into Dynamic Prompts syntax {optionA | optionB | optionC} (or unwraps back).
 - Sort Prompts (41 Categories & Smart Hierarchy):
 - Selection Range Sort: When text is highlighted/selected in the editor, clicking Sort Prompts sorts ONLY the selected text range by database category order, replacing it in-place without altering surrounding prompts.
 - Multi-BREAK & LoRA Trigger Relocation: When sorting across entire prompts containing BREAK syntax, registered LoRA triggers (even if added after BREAK or separated without commas) are automatically extracted and relocated into the 1st block immediately following Base Positive quality tags (Score 0.5), while <lora:...> blocks are neatly positioned at the prompt tail.
 - Nested Bracket & Dynamic Prompts Protection: Compound weighted groups like (tag1, tag2:1.3) and Dynamic Prompts {optionA | optionB} are preserved completely intact and evaluated by their internal tags for optimal category positioning.
 - **Done! (Clean & Copy to Clipboard):** Scrubs duplicate commas/spaces, sanitizes the prompt, and copies it cleanly to the Windows clipboard.
 - **Soft Clear vs Hard Clear:**
 - 🗑️ **Clear (Yellow):** Clears the text editor while safely preserving Undo history.
 - 🚫 **Delete All (Red):** Completely clears text and wipes all Undo history after confirmation.
 - Send to Favorites & Precise 1-Step Undo: One-click dispatch of the active prompt to the Favorites tab. The Undo button provides precise, single-step rollback (up to 50 levels) to previous prompt states.
-

2-2. "Positive" Tab




Manage and deploy your standard positive quality boosters.

- **Dual Listbox Layout:** Manage your library in the **Stock** listbox on the left, and curate active tags in the **Applied** listbox on the right.
- **Bulk Import:** Paste raw comma-separated prompt dumps to strip brackets, clean weights, and extract clean tokens into your stock.
- **Selection Preview & Reordering:** Live preview reflecting selected items in the Applied list, with dedicated Up/Down reordering controls.
- **Preset Management & Auto-Deploy** with  **Call Default:** Save named Positive presets and assign a startup Default Preset via  **Set as Default** to automatically deploy on launch. Click  **Call Default** at any time to restore default presets. Selecting any preset from the dropdown automatically populates the Applied list, selects all items immediately, and outputs the full comma-separated prompt to the Preview Box for instant dispatch (Ctrl+Shift+P) without manual re-selection. Deleting a preset prompts for confirmation and automatically clears the Applied list and Live Preview. Includes strict case-insensitive duplicate prevention when adding tags to stock.

-  **Send Applied Tags to Cockpit Beginning (Ctrl+Shift+P):** Automatically injects the applied positive tags to the *very beginning* of the Cockpit prompt with strict duplicate detection.

2-3. "Negative" Tab




Manage your essential negative blacklist prompts.

- **Dual Listbox (Stock & Applied) with Auto-Preview Presets:** Mirroring the Positive tab, curate active negative tags seamlessly. Selecting a Negative preset instantly populates the Applied list, selects all items, and generates the active preview for one-click clipboard copying. Deleting a preset prompts for confirmation and automatically clears the Applied list and Live Preview. Duplicate stock tags are automatically skipped.
- **Negative Weighting (1.0 - 1.5):** Apply fine-tuned emphasis weights directly to negative tokens within the Preview box.
- **LoRA Negative Receiver:** Direct bridge receiving recommended negative tags dispatched from the LoRA tab.

- **Direct Clipboard Copy:** Copies sanitized negative tag chains straight to your clipboard.

2-4. "LoRA" Tab (The LoRA Forge & Vault)




Complete visual architecture for LoRA integration and trigger word management.

- **Dual Pane Vault & Configuration:**
 - **Left:** Registered LoRA Library list with individual weight indicators and reordering controls.
 - **Right:** Dedicated configuration panel separating **System Name** (read-only from file) and **LoRA Alias** (custom nickname).
- **Automatic File Hash Extractor:** Browse any .safetensors file to automatically compute its Auto v2 hash and auto-fill model names.
- **Trigger Selection & Individual Weighting (1.0 – 1.5):** Selectively toggle registered trigger keywords and apply custom weights upon wrapping.

- **Wrap with Name / Wrap with Hash:** Format triggers into `<lora:name:weight>` or `<lora:hash:weight>` tailored for SeaArt or SD WebUI.
- **Preview Controls:**
 - **Remove LoRA:** Intelligently extracts and deletes a specific LoRA and its related triggers from the preview box without destroying other tags.
 - **Forget LoRA:** Completely clears all input fields, checkboxes, and preview for a fresh start.
- **Wrap Controls & Smart Incremental Dispatch (Ctrl+Shift+L Shortcut):**
 - **Wrap with Name / Wrap with Hash:** Instantly wraps the selected LoRA and weight into `<lora:name:weight>` or `<lora:hash:weight>` in the dedicated preview.
 - **Direct Insertion via Shortcut (Ctrl+Shift+L):** Press Ctrl+Shift+L from any tab to immediately dispatch generated LoRA tags to the end of Cockpit prompt (shows a warning dialog if the LoRA preview box is empty).
 - **Smart Duplicate Prevention:** When sending to Cockpit, KENZEN intelligently inspects existing LoRA tags, skips duplicates, and seamlessly appends only newly added LoRA tags.


2-5. "Favorites" Tab (The Fetish Vault)



Save, search, curate, and export your masterpiece prompts.

- **Master Table & Search Filter:** Displays saved entries with numbered index, Description, and Full Prompt. Instant real-time keyword search across titles and prompts.
 - Splitter Detail & Edit Pane with ✂ Clear Input & Row Flash: Live text fields for adjusting Descriptions and Prompts, with Pull from Cockpit integration. Adding or replacing an entry triggers a vivid 3-pulse yellow flash animation on the affected table row. When updating with an empty Description field, a confirmation dialog appears allowing you to safely retain the existing description. Features a dedicated ✂ Clear Input button to clear editing fields without affecting saved database records, protected with a 50-entry cap and normalized duplicate prevention.
 - **Add, Update, Reorder & Undo:** Duplicate prevention on addition, single-row update, Up/Down reordering, and dedicated **Undo Fav** protection.
 - **Mobile JSON Export:** Export favorites directly into mobile-ready JSON for on-the-go browsing.
 - **50-Item Limit & Automatic Salvage:** If importing more than 50 favorites, excess items are automatically safeguarded into an overflow backup file (KENZEN_Fav_Overflow_yymmdd_HHMMSS.json).
-


2-6. "Gacha!" Tab (AI Auto-Pilot Prompt Alchemy)



AI-powered brainstorming utilizing the Google Gemini API (gemini-3.8-flash).

- **API Key Setup & Auto-Save:** Securely enter your Gemini API key with masked input and show/hide toggles.
- **Surprise Me! (SFW / NSFW / Hardcore):** Inject randomized thematic database tags to inspire creative and unexpected scene generations.
- **Cooldown Guard (15s):** 15-second protective timer preventing API spamming and accidental quota consumption.
- **Daily Runs Tracker & Quota Configurator:** Tracks estimated daily free quota resets at Pacific Time (PT). **Double-click** the quota status label to customize the daily limit (e.g. for paid API tier users).


2-7. "Mobile Memo" Tab



Synchronize ideas and notes captured via the Mobile HTML web app.

- **Categorized Badge Badges:** Memos automatically display typed badges: [Memo], [URL], or [Hash].
- **Smart Double-Click Action:**
 - [URL]: Opens link immediately in your default web browser.
 - [Hash]: Copies the hash value straight to your clipboard.
 - [Memo]: Focuses the text editor for instant tweaking.
- **Mobile JSON Import & Master Config Sync:** Import mobile notes and commit them to master KENZEN_Config.json storage.

2-8. "IO / Settings" Tab



Complete backup, restore, and maintenance center.

1. **7-Item Granular Export & Import:** Checkbox control over Positive Presets, Positive/Negative Stock, Negative Presets, LoRA Base Data, LoRA Presets, Favorites, and Mobile Memos.
2. **Merge vs Overwrite Modes:** Choose whether to non-destructively merge imported JSON assets or cleanly overwrite existing settings.
3. **NUKE! (All Reset / Factory Reset):** Completely resets all settings, presets, and UI editor states back to default, and permanently purges the Gemini API key stored in the Windows Registry.

3. Mobile HTML & Bookmarklet

 **KENZEN SeaArt Helper**
 **Mobile Fav & Memos**

JSON読込 / Load JSON

ファイルを選択

 選択され...いません

検索 / Search (説明・プロンプト)

↓ メモ / Jump

保存 / Save (DL)

★ Fav List (お気に入り)

ファイルを選択してください。
Please select a JSON file.

 **Mobile Memos (URL / Hash / メモ)**

アイデア、URL、LoRAハッシュ値を
メモ... / Note ideas, URLs,
or LoRA hashes...

- **KENZEN_Mobile.html:** Located in the KENZEN_Mobile folder. Open on any mobile browser to view exported Favorites and capture on-the-go memos without requiring desktop hardware.
 - **KENZEN_GetURL_BM.txt (Bookmarklet):** Mobile browser bookmarklet to extract and copy LoRA hashes directly while browsing SeaArt on your phone.
-

4. Disclaimer & Contact

- **Generation Disclaimer:** Generation results are non-deterministic and depend entirely on your AI model and backend parameters. The author assumes no responsibility for outputs.
- **Tested Models:** [REED XXX illustrious SDXL V15.0](#)
- **Author:** Tomohito Fujikawa (aka "D.S.T." / "Deeste" / Former Eroge Scenario Writer).
- **Blog & Contact:** [dsblog.biz](#)
- **Donations:** [PayPal Donation](#)
- **Creator Works:** Check out commercial story-driven AI CG collections on [itch.io](#).

5. License

The source code is licensed under the MIT License.

The `tags.db` database is provided under a separate license and is not covered by the MIT License.

See [LICENSE-DATA.md](#) for details.

Now! Enjoy your KENZEN AI Life! 😊

KENZEN SeaArt Helper へようこそ！



日本の、そして世界中の「KENZEN」なる同志たる AI 術師の皆様、ようこそ！

不二川巴人（ふじかわ ともひと。あるいは「でえすて」）と申します。約 15 年間にわたり、60 タイトル以上の PC 美少女ゲームの最前線で、シナリオやシチュエーションを

紡いできた物書きです。究極の「KENZEN (NSFW)」な AI イラストを追い求める中で、「己の深淵なる業（性癖）と複雑怪奇なプロンプトを、もっと直感的に、かつ安全に管理するシステムが必要だ」という壁にぶち当たりました。

だからこそ、同志たち（と書いて「お前等」と読む）のためにこのツールを錬成しました。**KENZEN SeaArt Helper** は、SeaArt と Stable Diffusion を駆使する AI 術師のための究極のスタンドアロン・コックピットです。

ダウンロードと起動方法

1. GitHub の Releases ページから KENZEN_SeaArt_Helper_v5.2.0.zip をダウンロードします。
2. PC 上の任意のローカルフォルダ（例：C:\Tools\KENZEN_SeaArt_Helper）に ZIP を解凍します。（※OneDrive や Dropbox 等のクラウド同期フォルダ直下には置かないでください）
3. フォルダ内の KENZEN_SeaArt_Helper.exe をダブルクリックするだけで即座に起動します。Excel のインストールやマクロの許可設定は一切不要です！

KENZEN SeaArt Helper による制作例

「このツールで、実際にどんな作品が作れるのか？」

KENZEN SeaArt Helper を使用して制作した、物語連動型 AI 成人向け CG 集を公開しています。

- 厳選 CG80 枚
- 全 4 章の完全書き下ろしストーリー
- 元商業エロゲーシナリオライターによる構成・執筆
- 英語版を itch.io にて販売中

-
- [「ふたなり OL の憂鬱と幸福」](#)（無料体験版は[こちら](#)）
 - [「男前なアイツの意外な秘密」](#)（無料体験版は[こちら](#)）
 - [「私立ふたなり学園の下剋上」](#)（無料体験版は[こちら](#)）
 - [「ふたなりアイドルのファンサービス！」](#)（無料体験版は[こちら](#)）
 - [「鏡の中のふたなり」](#)（無料体験版は[こちら](#)）

- [「前略、ふたなりですが、お慕い申し上げます」](#)（無料体験版は[こちら](#)）
- [「ふたなりカウガールと女保安官の決斗？」](#)（無料体験版は[こちら](#)）
- [「絶倫ふたなり巫女の天国と地獄」](#)（無料体験版は[こちら](#)）

18 歳未満閲覧禁止。 リンク先には、架空の成人キャラクターによる露骨な性的表現が含まれます。

 【v5.2.0 リリース！】 : DeepL リアルタイム翻訳アシスタント & 独立ユーザー辞書システム搭載！   	18
■ KENZEN SeaArt Helper マニュアル (v5.2.0)	19
1. はじめに・システム仕様	20
2. ウィンドウおよび各タブの操作方法	21
2-0. 辞書マトリクスウィンドウ (Tag & Sample Database)	21
2-1. 「Cockpit」タブ (プロンプト構築の司令塔)	23
2-2. 「Positive」タブ (ポジティブプロンプト管理)	25
2-3. 「Negative」タブ (絶許ブラックリスト)	26
2-5. 「Favorites」タブ (性癖の金庫室)	28
2-6. 「Gacha!」タブ (AI お任せ・プロンプト錬成)	30
2-7. 「Mobile Memo」タブ (モバイルメモ管理)	31
2-8. 「IO / Settings」タブ (設定・バックアップ管理)	32
3. モバイル版 HTML & ブックマークレット	33
4. 免責事項・連絡先	34
5. ライセンス	34

🚀 【v5.2.0 リリース！】: DeepL リアルタイム翻訳アシスタント & 独立ユーザー辞書システム搭載! 🌐 📖 ⚡

- • 🌐 DeepL リアルタイム翻訳アシスタント搭載: Cockpit タブ内に DeepL 翻訳エンジンを直結。母国語（自動判定）を入力して Enter を押すだけで、即座に英訳してプロンプト末尾へ自動挿入（重み付け有効時は重みも自動反映）。
- • 💾 完全独立のユーザー辞書システム (user_tags.json): 登録した自作タグは大元の公式 DB (tags.db) とは完全別ファイルの user_tags.json で管理。将来のアップデートで tags.db を丸ごと上書きしても、ユーザー登録データが消える心配は一切ありません。
- • 📖 マトリクス辞書へのリアルタイム反映 & 横断検索: 登録したタグは再起動不要でマトリクス画面の「★ユーザー登録タグ（カテゴリ 41）」セクションにゴールド枠で即座に出現（ワンクリック削除「×」対応）。検索窓でも公式タグと区別なく横断検索・ジャンプ可能です。
- 🌍 多言語・英語併記のユニバーサル UI: 海外ユーザーにも分かりやすい日英併記のインターフェースを採用。API キー取得リンクもアクセス元の国・言語へ自動リダイレクトされます。
- 🏷️ 新タグ 40 件の追加: tags.db に新たに 40 件のビジュアル記述タグ（レコード #1550～#1589）を追加拡充。

■ KENZEN SeaArt Helper マニュアル (v5.2.0)

(詳細情報と最新版については、[GitHub のリポジトリ](#)をご覧ください)

要約: SeaArt 及び Stable Diffusion での、NSFW・高精度プロンプト構築と管理に特化したスタンドアロンデスクトップツールです。SQLite による 41 カテゴリの辞書マトリクス、LoRA 鍛冶場、Google Gemini API による AI ガチャ錬成を搭載しています。


1. はじめに・システム仕様

- 動作環境: Windows 10 / 11 (64bit)
- 開発言語・基盤: Python 3 + PySide6 (Qt)
- 透明性の確保: 全ソースコードを GitHub にて公開。バックドア等は一切含まれていません。
- 安全設計:

- **クラウド同期ガード:** OneDrive や Dropbox 等のクラウド同期ディレクトリ上での直接実行を防止し、ファイルのロック破損を防ぎます。
- **多重起動防止機構:** 重複起動を防止し、既に起動中のウィンドウを自動で最前面にアクティブ化します。

2. ウィンドウおよび各タブの操作方法

2-0. 辞書マトリクスウィンドウ (Tag & Sample Database)




公式 41 カテゴリ (0.接続助詞・前置詞 ~ 40.修正その他)に加え、新たに「★ユーザー登録タグ (User Dictionary)」(カテゴリ 41)を統合した一覧ウィンドウです。ユーザー登録タグは視認性の高いゴールド枠で表示され、ワンクリック削除 (×) ボタンも備えています。

- **タグ辞書マトリクス:** カテゴリごとに左列 (日本語ラベル)、右列 (英語タグ) がセットで並びます。セルをクリックするだけで、即座に Cockpit のプロンプト末尾へ転送されます。

-  マウスホイールと右クリックサポート！ (Native mouse wheel scrolling / standard right-click support!) (2 つのコピーモード): タグを左クリックすると「,」 (カンマと半角スペース)、右クリックすると「」 (半角スペースのみ) でコピーされて Cockpit へ送られると同時に、転送されたセルが鮮やかな黄色で 1 回点滅 (Flash) して軽快な視認フィードバックを行います。全カテゴリで自由なマウスホイールスクロールに対応。例えば「sitting on chair」としたい場合、「sitting」で左クリックコピー、「on」で右クリックコピー (カンマなし)、「chair」で再度右クリックコピーすれば OK です。
 - **サンプルプロンプト集:** 作者厳選のシチュエーション呪文を収録。ワンクリックで Cockpit へ展開し、ベース呪文として活用できます。
 - **クイック検索 & カテゴリジャンプ (A~Z アルファベット順 & 3 回点滅ハイライト):** 各カテゴリ内のタグは英語プロンプトのアルファベット順 (A~Z・大文字小文字不問) で整列しています。検索バーにキーワードを入力して Enter または「Next ►」を押すと、該当セルへ即座にスクロールして鮮やかな黄色で 3 回点滅 (Flash) し、連続押下で次候補へ順次巡回ジャンプします。カテゴリジャンプのコンボボックスからは「0. 接続助詞・前置詞」を含む全カテゴリ (カテゴリ 0 およびカテゴリ 41 ユーザー辞書を含む) へ瞬時に移動・最上部復帰できます。
-

2-1. 「Cockpit」タブ（プロンプト構築の司令塔）



プロンプトの編集、重み付け、並び替え、クリップボード転送を行うメイン画面です。


- **辞書マトリクス表示ボタン:** 閉じてしまった辞書マトリクスウィンドウをいつでも再呼び出しできます。
- **メインプロンプトエディタ:** タグの追記、手動編集が自由に行えるテキストエリア。

🌐 DeepL リアルタイム翻訳アシスタント（上下分割パネル）：

- **Source / 原文:** 母国語（日本語、ドイツ語、フランス語、スペイン語、中国語など自動判定）で単語や表現を入力し、**Enter** キーで即座に英訳。
- **English / 英訳:** 翻訳された英語タグが表示されます。**Enter** キーまたは「+ Add to Prompt (追加)」を押すと、カンマ区切りでプロンプト末尾へ自動挿入。「重み付け有効」が ON の場合は、設定した重み（例: (tag:1.1)）が自動適用されます。
- **📁 Save Tag (辞書登録):** ワンクリックで独立ユーザー辞書（user_tags.json）に保存。アプリ再起動不要でマトリクス画面に出現し、検索窓でも即座にヒットします。
- **🔑 Get API Key (DeepL) & ⚙️ API Key:** 無料 API キー（月 50 万文字無料）の取得ページを開く公式リンクと、キー設定ダイアログ（Windows レジストリ安全保存）を完備。

- **重み付け機能 (0.5 ~ 1.5):** テキストを選択して **Apply Weight (tag:w)** を押すと (tag:1.2) の形式で重み付けされます。 **Enable Weight** にチェックを入れておくと、マトリクスからタグを追加した際に自動で重み付けが適用されます。
 - **Dynamic Prompts Wrap ({A | B | C}):** カンマ区切りの複数タグを選択してボタンを押すと、ワイルドカード記法 {tag1 | tag2 | tag3} へ一括変換（または解除）します。
 - **階層ソート (41 カテゴリ自動整列 & スマート階層化) :**
 - ・ 選択範囲のみのソート (Selection Sort) : エディタ内でテキストを選択（ドラッグ等）した状態でソートボタンを押すと、選択された範囲のタグのみがカテゴリ順に整列され、前後のプロンプトを崩さずにインプレース置換されます。
 - ・ BREAK 構文時の LoRA トリガー自動再配置: BREAK を含む複数ブロックのプロンプトにおいて、BREAK 以降や末尾に追加された LoRA トリガーワードを自動検知し、第 1 ブロックの品質ポジティブタグ (masterpiece 等) の直後（優先スコア 0.5 の位置）へ自動移動させます。 <lora:...> タグ本体はプロンプト最末尾へスマート配置されます。
 - ・ 複合重み括弧・Dynamic Prompts の完全保護: (tag1, tag2:1.3) などの複合重み括弧や {A | B} 構文を一切破壊せず、内包されたタグに基づき最適なカテゴリ順位へ整列します。
 - **Done! (Clean & Copy to Clipboard):** 余分なカンマやスペースを自動クリーニングし、クリップボードにコピーします。
 - **Clear と Delete All:**
 -  **Clear (履歴保持・黄色):** Undo (アンドゥ) 履歴を残したままエディタをクリアします。
 -  **Delete All (履歴ごと消去・赤色):** アンドゥ履歴を含め、完全に初期化します。
 - **Send to Favorites / 精密 1 ステップ Undo:** お気に入りタブへのワンクリック転送に対応。Undo (元に戻す) ボタンは 1 回のクリックで直前の入力状態へ「1 ステップずつ正確に」戻る最大 50 段階の履歴管理を搭載しています。
-

2-2. 「Positive」 タブ (ポジティブプロンプト管理)




AI の描写クオリティを底上げするポジティブタグの管理画面です。

- **手持りストック & 適用リストの 2 カラム構造:** 左側のストック一覧から、今回使いたいタグを選んで右側の適用リストへ転送します。
- **生プロンプト一括インポート (Bulk Import):** 既存のカンマ区切り呪文を貼り付けるだけで、記号や重みを自動除去して一括登録できます。
- **選択プレビュー & 順序入れ替え:** 適用リスト内で選択されたタグのみがプレビュー欄に表示され、▲/▼ボタンで出力順序を自在にソート可能。
- **プリセット保存 & 自動全選択・即時プレビュー:** よく使うポジティブタグの組み合わせを名前付きプリセットとして保存でき、起動時デフォルトに指定可能。プリセットを選択すると、適用リストへの展開と同時にすべてのタグが自動的に全選択され、下部のプレビュー欄にもプロンプトが即座に出力されます。マウスで再選択することなく、そのまま「Ctrl+Shift+P」で Cockpit 先頭へ送信できます。プリセット削除時は適用リストとプレビュー欄が自動でクリアされます（ストック追加時の重複防止ガード付き）。

- 🚀 **Send Applied Tags to Cockpit Beginning (Ctrl+Shift+P):** 適用タグを、Cockpit プロンプトの最先頭へスマートに挿入します（重複検知ガード付き）。

2-3. 「Negative」タブ（絶対ブラックリスト）




破綻や不要な要素を排除するネガティブプロンプトの管理画面です。

- 手持ちストック & 適用リスト（起動時自動展開 & 📄 Call Default）：ポジティブタブと同様の2カラム構成で快適に管理。ネガティブプリセットを選択すると、適用リストが自動で全選択されてプレビュー欄に即時反映され、ワンクリックでクリップボードへコピーできます。プリセット削除時は適用リストとプレビュー欄が自動でクリアされます。ストック追加時の重複登録も自動でスキップされます。
- **ネガティブ重み付け (1.0 ~ 1.5):** プレビュー欄内の特定タグを選択し、強調したい度合いに合わせて重み付けを適用。
- **LoRA ネガティブ受信機能:** LoRA タブから転送された固有の推奨ネガティブタグを直接プレビュー欄に合流させます。

- **クリップボード直接コピー:** 適用ネガティブプロンプトを一発でクリップボードへコピー。

2-4. 「LoRA」タブ (LoRA の鍛冶場&金庫)




LoRA タグ <lora:name:strength> とトリガーワードの組み合わせを完全掌握する専用タブです。

- **ライブラリー一覧 & 詳細設定パネル:**
 - **左側:** 登録済み LoRA 一覧 (強度表示、▲/▼によるソート、削除)。
 - **右側:** ファイル名から取得された **System Name (編集不可)** と、自由に命名できる **LoRA Alias** を完全分離して管理。
- **短縮ハッシュ自動算出:** .safetensors ファイルを指定するだけで、Auto-v2 ハッシュとモデル名を自動抽出。
- **トリガーワード選択 & 個別重み付け (1.0 ~ 1.5):** 登録されたトリガーワードから必要なものを選択し、指定の強度でラップ可能。

- **Wrap with Name / Wrap with Hash:** WebUI 向けの名前ラップ、SeaArt 向けのハッシュラップをワンクリックで切り替え。
- **プレビュー個別制御:**
 - **Remove LoRA:** プレビュー内に存在する特定の LoRA タグおよび関連トリガーのみをピンポイントで除外。
 - **Forget LoRA:** 入力欄やチェックボックス、プレビューを一括で初期化。
- **Wrap 機能 & Cockpit へのスマート差分転送 (Ctrl+Shift+L ショートカット対応):**
 - **Wrap with Name / Wrap with Hash:** 選択したモデル名またはハッシュ値を用いて、<lora:name:weight> タグを瞬時にプレビュー欄へ出力します。
 - **一発挿入ショートカット (Ctrl+Shift+L):** 全タブ共通で「Ctrl+Shift+L」を押すと、LoRA プレビュー欄のタグを Cockpit の末尾へ即時挿入します (プレビュー欄が空の場合は注意ダイアログを表示)。
 - **スマート差分転送 (重複防止):** Cockpit へ送信する際、既に Cockpit 内に存在する LoRA タグは自動スキップし、新規追加された LoRA タグのみをスマートに末尾追加 (マージ) します。


2-5. 「Favorites」タブ (性癖の金庫室)



完成した傑作プロンプトを整理・保存・活用するデータベースです。

- 一覧テーブル & リアルタイム検索: 番号、タイトル (Description)、プロンプトを一覧表示。検索窓からの瞬時絞り込みに加え、行を選択・移動した際に即座に詳細欄へタイトルとプロンプトが反映されます。
 - 詳細・編集スプリッター &  Clear Input (入力消去) : 選択したお気に入りのタイトルとプロンプトを下部エリアで直接微調整。Pull from Cockpit で現在のコックピット内容をワンタッチ取得。お気に入りの新規登録・置換更新時には対象行が鮮やかな黄色で 3 回点滅 (Flash) する視認演出を搭載。説明欄が空欄のまま更新 (Replace) を押した場合は、確認ダイアログが表示されて既存の説明文をそのまま維持して安全に更新できます。新設された「 Clear Input / 入力消去」ボタンにより、保存済みレコードに影響を与えずに入力欄をワンクリックでクリアできます。最大 50 件の登録上限ガードおよび空白正規化による重複登録防止機能を完備。
 - 新規登録・上書き更新・Undo Fav: プロンプトの完全一致重複ガード、1 行更新、誤操作を防ぐアンドゥ機能を完備。
 - モバイル用 JSON 出力: お気に入りデータをスマホ版 HTML で扱える JSON 形式として書き出し。
 - 50 件上限オーバーフロー退避 (サルベージ機能) : お気に入りの上限を超えてインポートされた場合、溢れたデータは自動的に KENZEN_Fav_Overflow_yymmdd_HHMMSS.json として退避保存されます。
-


2-6. 「Gacha!」 タブ (AI お任せ・プロンプト錬成)



Google Gemini API (gemini-3.8-flash) による AI プロンプト自動生成機能です。

- **API キー設定 & マスク表示:** API キーを安全に保存・管理（表示/非表示トグル付き）。
- **Surprise Me! (SFW / NSFW / Hardcore):** データベースからランダムにインスピレーションタグを抽出し、AI に斬新なプロンプトを考案させます。
- **15 秒クールダウンガード:** 連打による API 制限エラーと残弾浪費を防ぐ安全タイマー。
- **残弾カウンター & 上限変更 (ダブルクリック):** 本日の残り生成枠を表示（太平洋時間 (PT) 0 時リセット）。ステータス部分をダブルクリックすることで、API 課金ユーザー向けに 1 日の上限回数を自由に変更可能です。


2-7. 「Mobile Memo」タブ（モバイルメモ管理）



外出先でスマホ版 HTML に書き留めたアイデアを母艦に取り込みます。

- **自動バッジ分類:** メモ内容に応じて [Memo], [URL], [Hash] のバッジを自動付与。
- **スマート・ダブルクリックアクション:**
 - [URL]: 既定のブラウザで Web ページを即座に開きます。
 - [Hash]: ハッシュ値を直接クリップボードにコピーします。
 - [Memo]: 右側の編集エリアにフォーカスします。
- **モバイル JSON 取込 & 母艦 Config 同期:** モバイルから送られたメモを統合し、母艦の KENZEN_Config.json に永久保存。

2-8. 「IO / Settings」タブ（設定・バックアップ管理）



全データの保全とメンテナンスを一括で行う管理センターです。

- **7 項目の個別バックアップ & リストア:** Positive Presets / Negative Stock / Negative Presets / LoRA Base Data / LoRA Presets / Favorites / Mobile Memo をチェックボックスで個別指定可能。
- **マージ（追加）と上書きの選択:** 既存設定を活かしたまま追加合流させるか、完全に置き換えるかを選択可能。
- **NUKE!（初期状態にリセット）:** すべての設定、プリセット、全タブの入力内容を初期状態へ完全初期化（ファクトリーリセット）すると同時に、Windows レジストリに保存されている Gemini API キー情報も完全に消去します。

3. モバイル版 HTML & ブックマークレット

 **KENZEN SeaArt Helper**
 **Mobile Fav & Memos**

JSON読込 / Load JSON

ファイルを選択

選択され...いません

検索 / Search (説明・プロンプト)

↓ メモ / Jump

保存 / Save (DL)

 **Fav List (お気に入り)**

ファイルを選択してください。
Please select a JSON file.

 **Mobile Memos (URL / Hash / メモ)**

アイデア、URL、LoRAハッシュ値を
メモ... / Note ideas, URLs,
or LoRA hashes...

- **KENZEN_Mobile.html:** KENZEN_Mobile フォルダに同梱。スマホのブラウザで開くことで、外出先でも Favorites の閲覧や新規メモの作成が可能です。
 - **KENZEN_GetURL_BM.txt (ブックマークレット):** スマホで SeaArt の LoRA ページを閲覧中に起動すると、その LoRA のハッシュ値を瞬時に抽出・コピーできます。
-

4. 免責事項・連絡先

- **免責事項:** 生成結果は AI モデルおよび設定に依存します。本ツールの使用によるいかなる損害についても、作者は責任を負いかねます。
- **検証モデル:** [REED XXX illustrious SDXL V15.0](#)
- **作者:** 不二川巴人（ふじかわ ともひと / 「でえすて」あるいは「不二川 “でえすて” 巴人」 / 元商業エロゲーシナリオライター）
- **連絡先・ブログ:** dsblog.biz
- **開発支援（投げ銭）:** [PayPal Donation](#)
- **商業制作例:** 本ツールを使用して制作した成人向け CG 集を itch.io にて公開中。

5. ライセンス

KENZEN SeaArt Helper のソースコードには MIT License が適用されます。

ただし、「tags.db」 およびその内容には MIT License は適用されません。

「tags.db」 には別途独自ライセンスが適用されます。

詳細は [LICENSE-DATA.md](#) をご確認ください。

さあ、進化した独立コックピットで、良き KENZEN なる AI ライフを！ 😊