#### **Precalculus**

# Complex numbers definition; overview of numbers

**Todor Milev** 

2019

## Outline

Complex numbers definition

Complex numbers multiplication and addition

## Definition (Complex numbers)

The set of complex numbers  $\mathbb C$  is defined as the set

$$\{a + bi | a, b - \text{real numbers}\},\$$

where the number *i* is a number for which

$$i^2 = -1$$
.

The number *i* is called the imaginary unit. By definition,  $\sqrt{-1} = i$ .

Complex addition/subtraction

$$(a+bi)\pm(c+di)=(a\pm c)+(b\pm d)i \quad .$$

Complex multiplication

$$(a+bi)(c+di) = ac+adi+bci+bdi^2 = ac+adi+bci-bd$$
  
=  $(ac-bd)+i(ad+bc)$ 

Let 
$$u = 2 + 3i$$
,  $v = 5 - 7i$ .

# Example (Addition)

$$u + v = (2+3i) + (5-7i) = (2+5) + (3-7)i = 7-4i.$$

#### Example (Subtraction)

$$u - v = (2+3i) - (5-7i) = (2-5) + (3-(-7))i = -3+10i.$$

#### **Example** (Multiplication)

$$u \cdot v = (2+3i) \cdot (5-7i)$$

$$= 2 \cdot 5 + 2 \cdot (-7)i + 3i \cdot 5 + 3i(-7i)$$

$$= 10 - 14i + 15i - 21i^{2}$$

$$= 10 + i - (-21)$$

$$= 31 + i$$

# Review of the basic types of numbers

• An integer, or whole number, is one of the numbers:


$$\dots, -2, -1, 0, 1, 2, \dots$$

• A rational number is the quotient of two integers, for example:

$$\frac{1}{2}$$
,  $\frac{2}{-3} = -\frac{2}{3}$ ,  $\frac{8}{12} = \frac{4}{6} = \frac{2}{3}$ .

• A real number measures the location of a point on the real line:

$$\sqrt{2} = 1.414213562373095048801688724209698\dots$$
 $\pi = 3.141592653589793238462643383279502\dots$ 
 $e = 2.718281828459045235360287471352662\dots$ 



- A number is complex if it equals a + bi with a, b- real,  $\sqrt{-1} = i$ : 2 + 3i, -i,  $1 + \sqrt{2}i$
- Geometric interpretation of complex numbers: beyond our scope.