Precalculus
Simplify $\arccos(\cos(x))$

Todor Milev

2019

Example

Find $\arccos(\cos 4)$.





Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π.





Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π.
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.





Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π.
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.





Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π.
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.





Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π.
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.





Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π.
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.





Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π.
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.





Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π.
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.

$$a = \ ?$$





Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π.
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.

$$a = \pi - (4 - \pi)$$





Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π.
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.

$$a = \pi - (4 - \pi) = 2\pi - 4$$





Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π.
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.

$$a = \pi - (4 - \pi) = 2\pi - 4$$

Therefore $\arccos(\cos 4) = \arccos(\cos a)$





Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π.
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.

$$a = \pi - (4 - \pi) = 2\pi - 4$$

Therefore $$\arccos(\cos 4) = \arccos(\cos a) = a$$





Example

Find $\arccos(\cos 4)$.

- 4 is not between 0 and π.
- We need the angle a between 0 and π for which $\cos 4 = \cos a$.

$$a = \pi - (4 - \pi) = 2\pi - 4$$

Therefore
$$\arccos(\cos 4) = \arccos(\cos a) = a = 2\pi - 4.$$