# Calculus II Interval of convergence, part 3

**Todor Milev** 

2019

$$\lim_{n\to\infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n\to\infty} \left| \frac{(-3)^{n+1} x^{n+1}}{\sqrt{n+2}} \cdot \frac{\sqrt{n+1}}{(-3)^n x^n} \right|$$

$$\lim_{n\to\infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n\to\infty} \left| \frac{(-3)^{n+1} x^{n+1}}{\sqrt{n+2}} \cdot \frac{\sqrt{n+1}}{(-3)^n x^n} \right|$$

$$= \lim_{n\to\infty}$$

Series 
$$\sum_{n=0}^{\infty} \frac{\sqrt{3n+1}}{\sqrt{n+1}}$$
.

 $\lim_{n\to\infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n\to\infty} \left| \frac{(-3)^{n+1}x^{n+1}}{\sqrt{n+2}} \cdot \frac{\sqrt{n+1}}{(-3)^nx^n} \right|$ 
 $= \lim_{n\to\infty} 3$ 

$$\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n \to \infty} \left| \frac{(-3)^{n+1} x^{n+1}}{\sqrt{n+2}} \cdot \frac{\sqrt{n+1}}{(-3)^n x^n} \right|$$

$$= \lim_{n \to \infty} 3$$

$$\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n \to \infty} \left| \frac{(-3)^{n+1} x^{n+1}}{\sqrt{n+2}} \cdot \frac{\sqrt{n+1}}{(-3)^n x^n} \right|$$

$$= \lim_{n \to \infty} 3|x|$$

$$\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n \to \infty} \left| \frac{(-3)^{n+1} x^{n+1}}{\sqrt{n+2}} \cdot \frac{\sqrt{n+1}}{(-3)^n x^n} \right|$$

$$= \lim_{n \to \infty} 3|x|$$

$$\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n \to \infty} \left| \frac{(-3)^{n+1} x^{n+1}}{\sqrt{n+2}} \cdot \frac{\sqrt{n+1}}{(-3)^n x^n} \right|$$

$$= \lim_{n \to \infty} 3|x| \sqrt{\frac{n+1}{n+2}}$$

$$\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n \to \infty} \left| \frac{(-3)^{n+1} x^{n+1}}{\sqrt{n+2}} \cdot \frac{\sqrt{n+1}}{(-3)^n x^n} \right|$$

$$= \lim_{n \to \infty} 3|x| \sqrt{\frac{n+1}{n+2}} \cdot \frac{\frac{1}{\sqrt{n}}}{\frac{1}{\sqrt{n}}}$$

$$\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n \to \infty} \left| \frac{(-3)^{n+1} x^{n+1}}{\sqrt{n+2}} \cdot \frac{\sqrt{n+1}}{(-3)^n x^n} \right| \\
= \lim_{n \to \infty} 3|x| \sqrt{\frac{n+1}{n+2}} \cdot \frac{\frac{1}{\sqrt{n}}}{\frac{1}{\sqrt{n}}} = \lim_{n \to \infty} 3|x| \sqrt{\frac{1+\frac{1}{n}}{1+\frac{2}{n}}}$$

$$\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n \to \infty} \left| \frac{(-3)^{n+1} x^{n+1}}{\sqrt{n+2}} \cdot \frac{\sqrt{n+1}}{(-3)^n x^n} \right|$$

$$= \lim_{n \to \infty} 3|x| \sqrt{\frac{n+1}{n+2}} \cdot \frac{\frac{1}{\sqrt{n}}}{\frac{1}{\sqrt{n}}} = \lim_{n \to \infty} 3|x| \sqrt{\frac{1+\frac{1}{n}}{1+\frac{2}{n}}} = 3|x|$$

Find the radius of convergence and interval of convergence of the series  $\sum_{n=0}^{\infty} \frac{(-3)^n x^n}{\sqrt{n+1}}$ .

$$\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n \to \infty} \left| \frac{(-3)^{n+1} x^{n+1}}{\sqrt{n+2}} \cdot \frac{\sqrt{n+1}}{(-3)^n x^n} \right| \\
= \lim_{n \to \infty} 3|x| \sqrt{\frac{n+1}{n+2}} \cdot \frac{\frac{1}{\sqrt{n}}}{\frac{1}{\sqrt{n}}} = \lim_{n \to \infty} 3|x| \sqrt{\frac{1+\frac{1}{n}}{1+\frac{2}{n}}} = 3|x|$$

Ratio Test: it converges if

and diverges if

Find the radius of convergence and interval of convergence of the series  $\sum_{n=0}^{\infty} \frac{(-3)^n x^n}{\sqrt{n+1}}$ .

$$\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n \to \infty} \left| \frac{(-3)^{n+1} x^{n+1}}{\sqrt{n+2}} \cdot \frac{\sqrt{n+1}}{(-3)^n x^n} \right| \\
= \lim_{n \to \infty} 3|x| \sqrt{\frac{n+1}{n+2}} \cdot \frac{\frac{1}{\sqrt{n}}}{\frac{1}{\sqrt{n}}} = \lim_{n \to \infty} 3|x| \sqrt{\frac{1+\frac{1}{n}}{1+\frac{2}{n}}} = 3|x|$$

• Ratio Test: it converges if 3|x| < 1 and diverges if

Find the radius of convergence and interval of convergence of the series  $\sum_{n=0}^{\infty} \frac{(-3)^n x^n}{\sqrt{n+1}}$ .

$$\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n \to \infty} \left| \frac{(-3)^{n+1} x^{n+1}}{\sqrt{n+2}} \cdot \frac{\sqrt{n+1}}{(-3)^n x^n} \right| \\
= \lim_{n \to \infty} 3|x| \sqrt{\frac{n+1}{n+2}} \cdot \frac{\frac{1}{\sqrt{n}}}{\frac{1}{\sqrt{n}}} = \lim_{n \to \infty} 3|x| \sqrt{\frac{1+\frac{1}{n}}{1+\frac{2}{n}}} = 3|x|$$

• Ratio Test: it converges if 3|x| < 1 and diverges if

Find the radius of convergence and interval of convergence of the series  $\sum_{n=0}^{\infty} \frac{(-3)^n x^n}{\sqrt{n+1}}$ .

$$\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n \to \infty} \left| \frac{(-3)^{n+1} x^{n+1}}{\sqrt{n+2}} \cdot \frac{\sqrt{n+1}}{(-3)^n x^n} \right| \\
= \lim_{n \to \infty} 3|x| \sqrt{\frac{n+1}{n+2}} \cdot \frac{\frac{1}{\sqrt{n}}}{\frac{1}{\sqrt{n}}} = \lim_{n \to \infty} 3|x| \sqrt{\frac{1+\frac{1}{n}}{1+\frac{2}{n}}} = 3|x|$$

• Ratio Test: it converges if 3|x| < 1 and diverges if 3|x| > 1.

$$\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n \to \infty} \left| \frac{(-3)^{n+1} x^{n+1}}{\sqrt{n+2}} \cdot \frac{\sqrt{n+1}}{(-3)^n x^n} \right| \\
= \lim_{n \to \infty} 3|x| \sqrt{\frac{n+1}{n+2}} \cdot \frac{\frac{1}{\sqrt{n}}}{\frac{1}{\sqrt{n}}} = \lim_{n \to \infty} 3|x| \sqrt{\frac{1+\frac{1}{n}}{1+\frac{2}{n}}} = 3|x|$$

- Ratio Test: it converges if 3|x| < 1 and diverges if 3|x| > 1.
- So it converges if  $|x| < \frac{1}{3}$  and diverges if  $|x| > \frac{1}{3}$ .

$$\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n \to \infty} \left| \frac{(-3)^{n+1} x^{n+1}}{\sqrt{n+2}} \cdot \frac{\sqrt{n+1}}{(-3)^n x^n} \right| \\
= \lim_{n \to \infty} 3|x| \sqrt{\frac{n+1}{n+2}} \cdot \frac{\frac{1}{\sqrt{n}}}{\frac{1}{\sqrt{n}}} = \lim_{n \to \infty} 3|x| \sqrt{\frac{1+\frac{1}{n}}{1+\frac{2}{n}}} = 3|x|$$

- Ratio Test: it converges if 3|x| < 1 and diverges if 3|x| > 1.
- So it converges if  $|x| < \frac{1}{3}$  and diverges if  $|x| > \frac{1}{3}$ .
- Therefore  $R = \frac{1}{3}$ .

$$\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n \to \infty} \left| \frac{(-3)^{n+1} x^{n+1}}{\sqrt{n+2}} \cdot \frac{\sqrt{n+1}}{(-3)^n x^n} \right| \\
= \lim_{n \to \infty} 3|x| \sqrt{\frac{n+1}{n+2}} \cdot \frac{\frac{1}{\sqrt{n}}}{\frac{1}{\sqrt{n}}} = \lim_{n \to \infty} 3|x| \sqrt{\frac{1+\frac{1}{n}}{1+\frac{2}{n}}} = 3|x|$$

- Ratio Test: it converges if 3|x| < 1 and diverges if 3|x| > 1.
- So it converges if  $|x| < \frac{1}{3}$  and diverges if  $|x| > \frac{1}{3}$ .
- Therefore  $R = \frac{1}{3}$ .
- If we use  $x = \frac{1}{3}$ , we get  $\sum_{n=0}^{\infty} \frac{(-1)^n}{\sqrt{n+1}}$ , which is
- If we use  $x = -\frac{1}{3}$ , we get  $\sum_{n=0}^{\infty} \frac{1}{\sqrt{n+1}}$ , which is

$$\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n \to \infty} \left| \frac{(-3)^{n+1} x^{n+1}}{\sqrt{n+2}} \cdot \frac{\sqrt{n+1}}{(-3)^n x^n} \right| \\
= \lim_{n \to \infty} 3|x| \sqrt{\frac{n+1}{n+2}} \cdot \frac{\frac{1}{\sqrt{n}}}{\frac{1}{\sqrt{n}}} = \lim_{n \to \infty} 3|x| \sqrt{\frac{1+\frac{1}{n}}{1+\frac{2}{n}}} = 3|x|$$

- Ratio Test: it converges if 3|x| < 1 and diverges if 3|x| > 1.
- So it converges if  $|x| < \frac{1}{3}$  and diverges if  $|x| > \frac{1}{3}$ .
- Therefore  $R = \frac{1}{3}$ .
- If we use  $x = \frac{1}{3}$ , we get  $\sum_{n=0}^{\infty} \frac{(-1)^n}{\sqrt{n+1}}$ , which is convergent.
- If we use  $x = -\frac{1}{3}$ , we get  $\sum_{n=0}^{\infty} \frac{1}{\sqrt{n+1}}$ , which is

$$\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n \to \infty} \left| \frac{(-3)^{n+1} x^{n+1}}{\sqrt{n+2}} \cdot \frac{\sqrt{n+1}}{(-3)^n x^n} \right| \\
= \lim_{n \to \infty} 3|x| \sqrt{\frac{n+1}{n+2}} \cdot \frac{\frac{1}{\sqrt{n}}}{\frac{1}{\sqrt{n}}} = \lim_{n \to \infty} 3|x| \sqrt{\frac{1+\frac{1}{n}}{1+\frac{2}{n}}} = 3|x|$$

- Ratio Test: it converges if 3|x| < 1 and diverges if 3|x| > 1.
- So it converges if  $|x| < \frac{1}{3}$  and diverges if  $|x| > \frac{1}{3}$ .
- Therefore  $R = \frac{1}{3}$ .
- If we use  $x = \frac{1}{3}$ , we get  $\sum_{n=0}^{\infty} \frac{(-1)^n}{\sqrt{n+1}}$ , which is convergent.
- If we use  $x = -\frac{1}{3}$ , we get  $\sum_{n=0}^{\infty} \frac{1}{\sqrt{n+1}}$ , which is

$$\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n \to \infty} \left| \frac{(-3)^{n+1} x^{n+1}}{\sqrt{n+2}} \cdot \frac{\sqrt{n+1}}{(-3)^n x^n} \right| \\
= \lim_{n \to \infty} 3|x| \sqrt{\frac{n+1}{n+2}} \cdot \frac{\frac{1}{\sqrt{n}}}{\frac{1}{\sqrt{n}}} = \lim_{n \to \infty} 3|x| \sqrt{\frac{1+\frac{1}{n}}{1+\frac{2}{n}}} = 3|x|$$

- Ratio Test: it converges if 3|x| < 1 and diverges if 3|x| > 1.
- So it converges if  $|x| < \frac{1}{3}$  and diverges if  $|x| > \frac{1}{3}$ .
- Therefore  $R = \frac{1}{3}$ .
- If we use  $x = \frac{1}{3}$ , we get  $\sum_{n=0}^{\infty} \frac{(-1)^n}{\sqrt{n+1}}$ , which is convergent.
- If we use  $x = -\frac{1}{3}$ , we get  $\sum_{n=0}^{\infty} \frac{1}{\sqrt{n+1}}$ , which is divergent.

$$\lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n \to \infty} \left| \frac{(-3)^{n+1} x^{n+1}}{\sqrt{n+2}} \cdot \frac{\sqrt{n+1}}{(-3)^n x^n} \right| \\
= \lim_{n \to \infty} 3|x| \sqrt{\frac{n+1}{n+2}} \cdot \frac{\frac{1}{\sqrt{n}}}{\frac{1}{\sqrt{n}}} = \lim_{n \to \infty} 3|x| \sqrt{\frac{1+\frac{1}{n}}{1+\frac{2}{n}}} = 3|x|$$

- Ratio Test: it converges if 3|x| < 1 and diverges if 3|x| > 1.
- So it converges if  $|x| < \frac{1}{3}$  and diverges if  $|x| > \frac{1}{3}$ .
- Therefore  $R = \frac{1}{3}$ .
- If we use  $x = \frac{1}{3}$ , we get  $\sum_{n=0}^{\infty} \frac{(-1)^n}{\sqrt{n+1}}$ , which is convergent.
- If we use  $x = -\frac{1}{3}$ , we get  $\sum_{n=0}^{\infty} \frac{1}{\sqrt{n+1}}$ , which is divergent.
- The interval of convergence is  $\left(-\frac{1}{3}, \frac{1}{3}\right]$ .