Precalculus
Trigonometry and triangles

Todor Milev

2019

Outline

Outline

License to use and redistribute

Triangle area = $\frac{1}{2}$base · height

Proposition (Triangle area)

$$Area(\triangle ABC) = \textbf{?}$$

.



Triangle area = $\frac{1}{2}$base · height

Proposition (Triangle area)

$$Area(\triangle ABC) = \frac{1}{2} height \cdot base \quad .$$



Triangle area = $\frac{1}{2}$base · height

Let $\triangle ABC$ have side length a and height length h_a, as indicated - side a is opposite to vertex A and h_a starts at A

Proposition (Triangle area)

$$Area(\triangle ABC) = \frac{1}{2} height \cdot base = \frac{1}{2} h_a a .$$



Triangle area = $\frac{1}{2}$base · height

Let $\triangle ABC$ have side length a and height length h_a, as indicated - side a is opposite to vertex A and h_a starts at A

Proposition (Triangle area)

$$Area(\triangle ABC) = \frac{1}{2} height \cdot base = \frac{1}{2} h_a a \quad .$$



Triangle area = $\frac{1}{2}$base · height

Let $\triangle ABC$ have side lengths a, b and height lengths h_a, h_b, as indicated - side a is opposite to vertex A and h_a starts at A, and so on.

Proposition (Triangle area)

$$Area(\triangle ABC) = \frac{1}{2} height \cdot base = \frac{1}{2} h_a a = \frac{1}{2} h_b b \quad .$$



Triangle area = $\frac{1}{2}$base · height

Let $\triangle ABC$ have side lengths a, b and height lengths h_a, h_b, as indicated - side a is opposite to vertex A and h_a starts at A, and so on.

Proposition (Triangle area)

$$Area(\triangle ABC) = \frac{1}{2} height \cdot base = \frac{1}{2} h_a a = \frac{1}{2} h_b b \qquad .$$



Triangle area = $\frac{1}{2}$base · height

Let $\triangle ABC$ have side lengths a, b, c and height lengths h_a, h_b, h_c, as indicated - side a is opposite to vertex A and h_a starts at A, and so on.

Proposition (Triangle area)

$$Area(\triangle ABC) = \frac{1}{2} height \cdot base = \frac{1}{2} h_a a = \frac{1}{2} h_b b = \frac{1}{2} h_c c.$$



Triangle area = $\frac{1}{2}$base · height

Let $\triangle ABC$ have side lengths a, b, c and height lengths h_a, h_b, h_c, as indicated - side a is opposite to vertex A and h_a starts at A, and so on.

Proposition (Triangle area)

$$Area(\triangle ABC) = \frac{1}{2} height \cdot base = \frac{1}{2} h_a a = \frac{1}{2} h_b b = \frac{1}{2} h_c c.$$



Triangle area from two sides and angle between them

Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated: α is opposite to a, β is opposite to b, γ is opposite to c.

Proposition ($\triangle$ area from two sides and angle between them)

The area of a triangle is half the product of the lengths of two of its sides times the sine of the angle between them. In other words,

$$Area(\triangle ABC) = \frac{ab\sin\gamma}{2} = \frac{bc\sin\alpha}{2} = \frac{ca\sin\beta}{2}$$



Triangle area from two sides and angle between them

Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated: α is opposite to a, β is opposite to b, γ is opposite to c.

Proposition ($\triangle$ area from two sides and angle between them)

The area of a triangle is half the product of the lengths of two of its sides times the sine of the angle between them. In other words,

$$\text{Area}(\triangle ABC) = \frac{ab\sin\gamma}{2} = \frac{bc\sin\alpha}{2} = \frac{ca\sin\beta}{2}$$



Triangle area from two sides and angle between them

Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated: α is opposite to a, β is opposite to b, γ is opposite to c.

Proposition ($\triangle$ area from two sides and angle between them)

The area of a triangle is half the product of the lengths of two of its sides times the sine of the angle between them. In other words,

$$Area(\triangle ABC) = \frac{ab \sin\gamma}{2} = \frac{bc \sin\alpha}{2} = \frac{ca \sin\beta}{2}$$



Triangle area from two sides and angle between them

Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated: α is opposite to a, β is opposite to b, γ is opposite to c.

Proposition ($\triangle$ area from two sides and angle between them)

The area of a triangle is half the product of the lengths of two of its sides times the sine of the angle between them. In other words,

$$Area(\triangle ABC) = \frac{ab\sin\gamma}{2} = \frac{bc\sin\alpha}{2} = \frac{ca\sin\beta}{2}$$



Triangle area from two sides and angle between them

Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated: α is opposite to a, β is opposite to b, γ is opposite to c.

Proposition ($\triangle$ area from two sides and angle between them)

The area of a triangle is half the product of the lengths of two of its sides times the sine of the angle between them. In other words,

$$Area(\triangle ABC) = \frac{ab\sin\gamma}{2} = \frac{bc\sin\alpha}{2} = \frac{ca\sin\beta}{2}$$



Triangle area from two sides and angle between them

Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated: α is opposite to a, β is opposite to b, γ is opposite to c.

Proposition ($\triangle$ area from two sides and angle between them)

The area of a triangle is half the product of the lengths of two of its sides times the sine of the angle between them. In other words,

$$Area(\triangle ABC) = \frac{ab \sin\gamma}{2} = \frac{bc \sin\alpha}{2} = \frac{ca \sin\beta}{2}$$



Proof.

$$\text{Area}(\triangle ABC) = \frac{\text{base} \cdot \text{height}}{2}$$

$\square$

Triangle area from two sides and angle between them

Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated: α is opposite to a, β is opposite to b, γ is opposite to c.

Proposition ($\triangle$ area from two sides and angle between them)

The area of a triangle is half the product of the lengths of two of its sides times the sine of the angle between them. In other words,

$$Area(\triangle ABC) = \frac{ab\sin\gamma}{2} = \frac{bc\sin\alpha}{2} = \frac{ca\sin\beta}{2}$$



Proof.

$$\text{Area}(\triangle ABC) = \frac{\text{base} \cdot \text{height}}{2} = \frac{bh_b}{2}$$

$\square$

Triangle area from two sides and angle between them

Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated: α is opposite to a, β is opposite to b, γ is opposite to c.

Proposition ($\triangle$ area from two sides and angle between them)

The area of a triangle is half the product of the lengths of two of its sides times the sine of the angle between them. In other words,

$$Area(\triangle ABC) = \frac{ab\sin\gamma}{2} = \frac{bc\sin\alpha}{2} = \frac{ca\sin\beta}{2}$$



Proof.

$$\text{Area}(\triangle ABC) = \frac{\text{base}\cdot\text{height}}{2} = \frac{bh_b}{2}$$

□

Triangle area from two sides and angle between them

Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated: α is opposite to a, β is opposite to b, γ is opposite to c.

Proposition ($\triangle$ area from two sides and angle between them)

The area of a triangle is half the product of the lengths of two of its sides times the sine of the angle between them. In other words,

$$Area(\triangle ABC) = \frac{ab\sin\gamma}{2} = \frac{bc\sin\alpha}{2} = \frac{ca\sin\beta}{2}$$



Proof.

$$\begin{aligned} \text{Area}(\triangle ABC) &= \frac{\text{base} \cdot \text{height}}{2} = \frac{bh_b}{2} \\ &= \frac{ba\sin\gamma}{2}. \end{aligned}$$

$\square$

Triangle area from two sides and angle between them

Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated: α is opposite to a, β is opposite to b, γ is opposite to c.

Proposition ($\triangle$ area from two sides and angle between them)

The area of a triangle is half the product of the lengths of two of its sides times the sine of the angle between them. In other words,

$$Area(\triangle ABC) = \frac{ab\sin\gamma}{2} = \frac{bc\sin\alpha}{2} = \frac{ca\sin\beta}{2}$$



Proof.

$$\begin{aligned} Area(\triangle ABC) &= \frac{\text{base}\cdot\text{height}}{2} = \frac{bh_b}{2} \\ &= \frac{ba\sin\gamma}{2}. \end{aligned}$$

□

Triangle area from two sides and angle between them

Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated: α is opposite to a, β is opposite to b, γ is opposite to c.

Proposition ($\triangle$ area from two sides and angle between them)

The area of a triangle is half the product of the lengths of two of its sides times the sine of the angle between them. In other words,

$$Area(\triangle ABC) = \frac{ab\sin\gamma}{2} = \frac{bc\sin\alpha}{2} = \frac{ca\sin\beta}{2}$$



Proof.

$$\begin{aligned} \text{Area}(\triangle ABC) &= \frac{\text{base} \cdot \text{height}}{2} = \frac{bh_b}{2} \\ &= \frac{ba\sin\gamma}{2}. \end{aligned}$$

The proof of the other two cases is similar. □

Law of sines

Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated: α is opposite to a, β is opposite to b, γ is opposite to c.

Proposition (Law of Sines)

$$\frac{a}{\sin\alpha} = \frac{b}{\sin\beta} = \frac{c}{\sin\gamma}.$$



Law of sines

Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated: α is opposite to a, β is opposite to b, γ is opposite to c.

Proposition (Law of Sines)

$$\frac{a}{\sin\alpha} = \frac{b}{\sin\beta} = \frac{c}{\sin\gamma}.$$



Proof.

$$\text{Area}(\triangle ABC) = \frac{ab\sin\gamma}{2} = \frac{bc\sin\alpha}{2}$$

□

Law of sines

Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated: α is opposite to a, β is opposite to b, γ is opposite to c.

Proposition (Law of Sines)

$$\frac{a}{\sin\alpha} = \frac{b}{\sin\beta} = \frac{c}{\sin\gamma}.$$



Proof.

$$\text{Area}(\triangle ABC) = \frac{ab\sin\gamma}{2} = \frac{bc\sin\alpha}{2}$$

$\square$

Law of sines

Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated: α is opposite to a, β is opposite to b, γ is opposite to c.

Proposition (Law of Sines)

$$\frac{a}{\sin\alpha} = \frac{b}{\sin\beta} = \frac{c}{\sin\gamma}.$$



Proof.

$$\text{Area}(\triangle ABC) = \frac{ab\sin\gamma}{2} = \frac{bc\sin\alpha}{2}$$

□

Law of sines

Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated: α is opposite to a, β is opposite to b, γ is opposite to c.

Proposition (Law of Sines)

$$\frac{a}{\sin\alpha} = \frac{b}{\sin\beta} = \frac{c}{\sin\gamma}.$$



Proof.

$$\begin{aligned} \mathrm{Area}(\triangle ABC) = \frac{ab\sin\gamma}{2} &= \frac{bc\sin\alpha}{2} \\ a\sin\gamma &= c\sin\alpha \end{aligned} \quad \Bigg| \text{ Div. by } \frac{b}{2}$$

□

Law of sines

Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated: α is opposite to a, β is opposite to b, γ is opposite to c.

Proposition (Law of Sines)

$$\frac{a}{\sin\alpha} = \frac{b}{\sin\beta} = \frac{c}{\sin\gamma}.$$



Proof.

$$\begin{aligned} \text{Area}(\triangle ABC) = \frac{ab\sin\gamma}{2} &= \frac{bc\sin\alpha}{2} & \Big| \text{ Div. by } \frac{b}{2} \\ a\sin\gamma &= c\sin\alpha \\ \frac{a}{\sin\alpha} &= \frac{c}{\sin\gamma}. \end{aligned}$$

$\square$

Law of sines

Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated: α is opposite to a, β is opposite to b, γ is opposite to c.

Proposition (Law of Sines)

$$\frac{a}{\sin\alpha} = \frac{b}{\sin\beta} = \frac{c}{\sin\gamma}.$$



Proof.

$$\begin{aligned} \text{Area}(\triangle ABC) = \frac{ab\sin\gamma}{2} &= \frac{bc\sin\alpha}{2} & \Big| \text{ Div. by } \tfrac{b}{2} \\ a\sin\gamma &= c\sin\alpha \\ \frac{a}{\sin\alpha} &= \frac{c}{\sin\gamma}. \end{aligned}$$

$\square$

Law of sines

Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated: α is opposite to a, β is opposite to b, γ is opposite to c.

Proposition (Law of Sines)

$$\frac{a}{\sin\alpha} = \frac{b}{\sin\beta} = \frac{c}{\sin\gamma}.$$



Proof.

$$\begin{aligned} \text{Area}(\triangle ABC) = \frac{ab\sin\gamma}{2} &= \frac{bc\sin\alpha}{2} & \Big| \text{ Div. by } \tfrac{b}{2} \\ a\sin\gamma &= c\sin\alpha \\ \frac{a}{\sin\alpha} &= \frac{c}{\sin\gamma}. \end{aligned}$$

The remaining cases are similar. $\square$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

- Let the known side be $c = 2cm$.

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

- Let the known side be $c = 2cm$.
- Let the known angles $30^\circ, 45^\circ$ be arranged as in the figure

Example



A triangle has a side of length 2*cm*; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

- Let the known side be $c = 2cm$.
- Let the known angles 30°, 45° be arranged as in the figure, and let the third angle be γ .

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

- Let the known side be $c = 2cm$.
- Let the known angles $30^\circ, 45^\circ$ be arranged as in the figure, and let the third angle be $\gamma = ?$.

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

- Let the known side be $c = 2cm$.
- Let the known angles 30°, 45° be arranged as in the figure, and let the third angle be $\gamma = 180^\circ - 30^\circ - 45^\circ = 180^\circ - 75^\circ = 105^\circ$.

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

- Let the known side be $c = 2cm$.
- Let the known angles $30^\circ, 45^\circ$ be arranged as in the figure, and let the third angle be $\gamma = 180^\circ - 30^\circ - 45^\circ = 180^\circ - 75^\circ = 105^\circ$.
- Label the unknown sides a, b as indicated.

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\frac{a}{\sin\alpha} = \frac{c}{\sin\gamma} \quad \text{Law of sines}$$

Example



A triangle has a side of length 2*cm*; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\frac{a}{\sin\alpha} = \frac{c}{\sin\gamma}$$

$$a = \frac{c\sin\alpha}{\sin\gamma}$$

|Law of sines

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\frac{a}{\sin\alpha} = \frac{c}{\sin\gamma} \qquad \text{|Law of sines}$$

$$a = \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30^\circ}{\sin 105^\circ}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\frac{a}{\sin\alpha} = \frac{c}{\sin\gamma} \qquad |\text{Law of sines}$$

$$a = \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30^\circ}{\sin 105^\circ}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$
\begin{aligned}
\frac{a}{\sin\alpha} &= \frac{c}{\sin\gamma} && |\text{Law of sines}\\
a &= \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30^\circ}{\sin 105^\circ}
\end{aligned}
$$

Example



$\sin 105^\circ$

A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\frac{a}{\sin\alpha} = \frac{c}{\sin\gamma} \qquad |\text{Law of sines}$$

$$a = \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30^\circ}{\sin 105^\circ}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\sin 105^\circ = \sin(60^\circ + 45^\circ)$$

$$\frac{a}{\sin\alpha} = \frac{c}{\sin\gamma} \quad |\text{Law of sines}$$

$$a = \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30^\circ}{\sin 105^\circ}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\sin 105^\circ = \sin(60^\circ + 45^\circ) = \textbf{?}$$

$$\begin{aligned} \frac{a}{\sin\alpha} &= \frac{c}{\sin\gamma} && \text{|Law of sines} \\ a &= \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30^\circ}{\sin 105^\circ} \end{aligned}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\sin 105^\circ = \sin(60^\circ + 45^\circ) = \sin 60^\circ \cos 45^\circ + \cos 60^\circ \sin 45^\circ$$

$$\frac{a}{\sin\alpha} = \frac{c}{\sin\gamma} \qquad |\text{Law of sines}$$

$$a = \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30^\circ}{\sin 105^\circ}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\begin{aligned}
\sin 105^\circ &= \sin(60^\circ + 45^\circ) = \sin 60^\circ \cos 45^\circ + \cos 60^\circ \sin 45^\circ \\
&= ? \quad ? \quad + ? \; ? \\
\frac{a}{\sin\alpha} &= \frac{c}{\sin\gamma} && |\text{Law of sines} \\
a &= \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30^\circ}{\sin 105^\circ}
\end{aligned}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\sin 105^\circ = \sin(60^\circ + 45^\circ) = \sin 60^\circ \cos 45^\circ + \cos 60^\circ \sin 45^\circ$$

$$= \frac{\sqrt{3}}{2} ? \quad + ??$$

$$\frac{a}{\sin\alpha} = \frac{c}{\sin\gamma} \qquad |\text{Law of sines}$$

$$a = \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30^\circ}{\sin 105^\circ}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are $30°$ and $45°$.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\sin 105° = \sin(60° + 45°) = \sin 60° \cos 45° + \cos 60° \sin 45°$$
$$= \frac{\sqrt{3}}{2} ? \quad + ? \; ?$$
$$\frac{a}{\sin\alpha} = \frac{c}{\sin\gamma} \qquad |\text{Law of sines}$$
$$a = \frac{c \sin\alpha}{\sin\gamma} = \frac{2\sin 30°}{\sin 105°}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are $30°$ and $45°$.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\begin{aligned}
\sin 105° &= \sin(60° + 45°) = \sin 60° \cos 45° + \cos 60° \sin 45° \\
&= \frac{\sqrt{3}}{2}\frac{\sqrt{2}}{2} + ?\,? \\
\frac{a}{\sin\alpha} &= \frac{c}{\sin\gamma} && |\text{Law of sines} \\
a &= \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30°}{\sin 105°}
\end{aligned}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are $30°$ and $45°$.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$
\begin{aligned}
\sin 105° &= \sin(60° + 45°) = \sin 60° \cos 45° + \cos 60° \sin 45° \\
&= \frac{\sqrt{3}}{2}\frac{\sqrt{2}}{2} + \mathbf{?}\ \mathbf{?} \\
\frac{a}{\sin\alpha} &= \frac{c}{\sin\gamma} && |\text{Law of sines} \\
a &= \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30°}{\sin 105°}
\end{aligned}
$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\begin{aligned}
\sin 105^\circ &= \sin(60^\circ + 45^\circ) = \sin 60^\circ \cos 45^\circ + \cos 60^\circ \sin 45^\circ \\
&= \frac{\sqrt{3}}{2}\frac{\sqrt{2}}{2} + \frac{1}{2}\,? \\
\frac{a}{\sin\alpha} &= \frac{c}{\sin\gamma} && |\text{Law of sines} \\
a &= \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30^\circ}{\sin 105^\circ}
\end{aligned}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\begin{aligned}
\sin 105^\circ &= \sin(60^\circ + 45^\circ) = \sin 60^\circ \cos 45^\circ + \cos 60^\circ \sin 45^\circ \\
&= \frac{\sqrt{3}}{2}\frac{\sqrt{2}}{2} + \frac{1}{2}? \\
\frac{a}{\sin\alpha} &= \frac{c}{\sin\gamma} && |\text{Law of sines} \\
a &= \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30^\circ}{\sin 105^\circ}
\end{aligned}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\sin 105^\circ = \sin(60^\circ + 45^\circ) = \sin 60^\circ \cos 45^\circ + \cos 60^\circ \sin 45^\circ$$
$$= \frac{\sqrt{3}}{2}\frac{\sqrt{2}}{2} + \frac{1}{2}\frac{\sqrt{2}}{2}$$
$$\frac{a}{\sin\alpha} = \frac{c}{\sin\gamma} \qquad |\text{Law of sines}$$
$$a = \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30^\circ}{\sin 105^\circ}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\begin{aligned}
\sin 105^\circ &= \sin(60^\circ + 45^\circ) = \sin 60^\circ \cos 45^\circ + \cos 60^\circ \sin 45^\circ \\
&= \frac{\sqrt{3}}{2}\frac{\sqrt{2}}{2} + \frac{1}{2}\frac{\sqrt{2}}{2} = \frac{\sqrt{6}+\sqrt{2}}{4} \\
\frac{a}{\sin\alpha} &= \frac{c}{\sin\gamma} && |\text{Law of sines} \\
a &= \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30^\circ}{\sin 105^\circ}
\end{aligned}$$

Example



A triangle has a side of length 2*cm*; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$
\begin{aligned}
\sin 105^\circ &= \sin(60^\circ + 45^\circ) = \sin 60^\circ \cos 45^\circ + \cos 60^\circ \sin 45^\circ \\
&= \frac{\sqrt{3}}{2}\frac{\sqrt{2}}{2} + \frac{1}{2}\frac{\sqrt{2}}{2} = \frac{\sqrt{6}+\sqrt{2}}{4} \\
\frac{a}{\sin\alpha} &= \frac{c}{\sin\gamma} \quad \text{|Law of sines} \\
a &= \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30^\circ}{\sin 105^\circ}
\end{aligned}
$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are $30°$ and $45°$.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\sin 105° = \sin(60° + 45°) = \sin 60° \cos 45° + \cos 60° \sin 45°$$
$$= \frac{\sqrt{3}}{2}\frac{\sqrt{2}}{2} + \frac{1}{2}\frac{\sqrt{2}}{2} = \frac{\sqrt{6}+\sqrt{2}}{4}$$
$$\frac{a}{\sin\alpha} = \frac{c}{\sin\gamma} \qquad |\text{Law of sines}$$
$$a = \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30°}{\sin 105°} = \frac{2\cdot \mathbf{?}}{\frac{\sqrt{6}+\sqrt{2}}{4}}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\begin{aligned}
\sin 105^\circ &= \sin(60^\circ + 45^\circ) = \sin 60^\circ \cos 45^\circ + \cos 60^\circ \sin 45^\circ \\
&= \frac{\sqrt{3}}{2}\frac{\sqrt{2}}{2} + \frac{1}{2}\frac{\sqrt{2}}{2} = \frac{\sqrt{6}+\sqrt{2}}{4} \\
\frac{a}{\sin\alpha} &= \frac{c}{\sin\gamma} \qquad |\text{Law of sines} \\
a &= \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30^\circ}{\sin 105^\circ} = \frac{2\cdot ?}{\frac{\sqrt{6}+\sqrt{2}}{4}}
\end{aligned}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\begin{aligned}
\sin 105^\circ &= \sin(60^\circ + 45^\circ) = \sin 60^\circ \cos 45^\circ + \cos 60^\circ \sin 45^\circ \\
&= \frac{\sqrt{3}}{2}\frac{\sqrt{2}}{2} + \frac{1}{2}\frac{\sqrt{2}}{2} = \frac{\sqrt{6}+\sqrt{2}}{4} \\
\frac{a}{\sin\alpha} &= \frac{c}{\sin\gamma} \qquad |\text{Law of sines} \\
a &= \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30^\circ}{\sin 105^\circ} = \frac{2\cdot\frac{1}{2}}{\frac{\sqrt{6}+\sqrt{2}}{4}}
\end{aligned}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$
\begin{aligned}
\sin 105^\circ &= \sin(60^\circ + 45^\circ) = \sin 60^\circ \cos 45^\circ + \cos 60^\circ \sin 45^\circ\\
&= \frac{\sqrt{3}}{2}\frac{\sqrt{2}}{2} + \frac{1}{2}\frac{\sqrt{2}}{2} = \frac{\sqrt{6}+\sqrt{2}}{4}\\
\frac{a}{\sin\alpha} &= \frac{c}{\sin\gamma} && |\text{Law of sines}\\
a &= \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30^\circ}{\sin 105^\circ} = \frac{\cancel{2}\cdot\frac{1}{\cancel{2}}}{\frac{\sqrt{6}+\sqrt{2}}{4}}
\end{aligned}
$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\begin{aligned}
\sin 105^\circ &= \sin(60^\circ + 45^\circ) = \sin 60^\circ \cos 45^\circ + \cos 60^\circ \sin 45^\circ\\
&= \frac{\sqrt{3}}{2}\frac{\sqrt{2}}{2} + \frac{1}{2}\frac{\sqrt{2}}{2} = \frac{\sqrt{6}+\sqrt{2}}{4}\\
\frac{a}{\sin\alpha} &= \frac{c}{\sin\gamma} && |\text{Law of sines}\\
a &= \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30^\circ}{\sin 105^\circ} = \frac{\cancel{2}\cdot\frac{1}{\cancel{2}}}{\frac{\sqrt{6}+\sqrt{2}}{4}} = \frac{4}{(\sqrt{6}+\sqrt{2})}
\end{aligned}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\begin{aligned}
\sin 105^\circ &= \sin(60^\circ + 45^\circ) = \sin 60^\circ \cos 45^\circ + \cos 60^\circ \sin 45^\circ \\
&= \frac{\sqrt{3}}{2}\frac{\sqrt{2}}{2} + \frac{1}{2}\frac{\sqrt{2}}{2} = \frac{\sqrt{6}+\sqrt{2}}{4} \\
\frac{a}{\sin\alpha} &= \frac{c}{\sin\gamma} \qquad |\text{Law of sines} \\
a &= \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30^\circ}{\sin 105^\circ} = \frac{\cancel{2}\cdot\frac{1}{\cancel{2}}}{\frac{\sqrt{6}+\sqrt{2}}{4}} = \frac{4(\sqrt{6}-\sqrt{2})}{(\sqrt{6}+\sqrt{2})(\sqrt{6}-\sqrt{2})}
\end{aligned}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$
\begin{aligned}
\sin 105^\circ &= \sin(60^\circ + 45^\circ) = \sin 60^\circ \cos 45^\circ + \cos 60^\circ \sin 45^\circ \\
&= \frac{\sqrt{3}}{2}\frac{\sqrt{2}}{2} + \frac{1}{2}\frac{\sqrt{2}}{2} = \frac{\sqrt{6}+\sqrt{2}}{4} \\
\frac{a}{\sin\alpha} &= \frac{c}{\sin\gamma} \qquad \qquad |\text{Law of sines} \\
a &= \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30^\circ}{\sin 105^\circ} = \frac{\cancel{2}\cdot\frac{1}{\cancel{2}}}{\frac{\sqrt{6}+\sqrt{2}}{4}} = \frac{4(\sqrt{6}-\sqrt{2})}{(\sqrt{6}+\sqrt{2})(\sqrt{6}-\sqrt{2})} \\
&= \frac{4(\sqrt{6}-\sqrt{2})}{6-2}
\end{aligned}
$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$
\begin{aligned}
\sin 105^\circ &= \sin(60^\circ + 45^\circ) = \sin 60^\circ \cos 45^\circ + \cos 60^\circ \sin 45^\circ \\
&= \frac{\sqrt{3}}{2}\frac{\sqrt{2}}{2} + \frac{1}{2}\frac{\sqrt{2}}{2} = \frac{\sqrt{6}+\sqrt{2}}{4} \\
\frac{a}{\sin\alpha} &= \frac{c}{\sin\gamma} \qquad \Big| \text{Law of sines} \\
a &= \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30^\circ}{\sin 105^\circ} = \frac{\cancel{2}\cdot\frac{1}{\cancel{2}}}{\frac{\sqrt{6}+\sqrt{2}}{4}} = \frac{4(\sqrt{6}-\sqrt{2})}{(\sqrt{6}+\sqrt{2})(\sqrt{6}-\sqrt{2})} \\
&= \frac{4(\sqrt{6}-\sqrt{2})}{6-2} = \sqrt{6}-\sqrt{2}
\end{aligned}
$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\begin{aligned}
\sin 105^\circ &= \sin(60^\circ + 45^\circ) = \sin 60^\circ \cos 45^\circ + \cos 60^\circ \sin 45^\circ \\
&= \frac{\sqrt{3}}{2}\frac{\sqrt{2}}{2} + \frac{1}{2}\frac{\sqrt{2}}{2} = \frac{\sqrt{6}+\sqrt{2}}{4} \\
\frac{a}{\sin\alpha} &= \frac{c}{\sin\gamma} \qquad \text{|Law of sines} \\
{\color{red}a} &= \frac{c\sin\alpha}{\sin\gamma} = \frac{2\sin 30^\circ}{\sin 105^\circ} = \frac{\cancel{2}\cdot\frac{1}{\cancel{2}}}{\frac{\sqrt{6}+\sqrt{2}}{4}} = \frac{4(\sqrt{6}-\sqrt{2})}{(\sqrt{6}+\sqrt{2})(\sqrt{6}-\sqrt{2})} \\
&= \frac{4(\sqrt{6}-\sqrt{2})}{6-2} {\color{red}= \sqrt{6}-\sqrt{2}}
\end{aligned}$$

Example



$$\frac{b}{\sin\beta} = \frac{c}{\sin\gamma}$$

A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

|Law of sines

Example



$$\frac{b}{\sin\beta} = \frac{c}{\sin\gamma}$$

$$b = \frac{c\sin\beta}{\sin\gamma}$$

A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

|Law of sines

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

|Law of sines

$$\frac{b}{\sin\beta} = \frac{c}{\sin\gamma}$$

$$b = \frac{c\sin\beta}{\sin\gamma} = \frac{2\sin 45^\circ}{\sin 105^\circ}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\frac{b}{\sin\beta} = \frac{c}{\sin\gamma}$$

|Law of sines

$$b = \frac{c\sin\beta}{\sin\gamma} = \frac{2\sin 45^\circ}{\sin 105^\circ}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are $30°$ and $45°$.

- Find the other two sides of the triangle.
- Find the area of the triangle.

|Law of sines

$$\frac{b}{\sin\beta} = \frac{c}{\sin\gamma}$$

$$b = \frac{c\sin\beta}{\sin\gamma} = \frac{2\sin 45°}{\sin 105°}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\frac{b}{\sin\beta} = \frac{c}{\sin\gamma}$$

|Law of sines

$$b = \frac{c\sin\beta}{\sin\gamma} = \frac{2\sin 45^\circ}{\sin 105^\circ} = \frac{2\frac{\sqrt{2}}{2}}{\frac{\sqrt{6}+\sqrt{2}}{4}}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\frac{b}{\sin\beta} = \frac{c}{\sin\gamma} \qquad |\text{Law of sines}$$

$$b = \frac{c\sin\beta}{\sin\gamma} = \frac{2\sin 45^\circ}{\sin 105^\circ} = \frac{2\frac{\sqrt{2}}{2}}{\frac{\sqrt{6}+\sqrt{2}}{4}}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\frac{b}{\sin\beta} = \frac{c}{\sin\gamma} \qquad \text{Law of sines}$$

$$b = \frac{c\sin\beta}{\sin\gamma} = \frac{2\sin 45^\circ}{\sin 105^\circ} = \frac{\cancel{2}\frac{\sqrt{2}}{\cancel{2}}}{\frac{\sqrt{6}+\sqrt{2}}{4}}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\frac{b}{\sin\beta} = \frac{c}{\sin\gamma} \qquad \Big| \text{Law of sines}$$

$$b = \frac{c\sin\beta}{\sin\gamma} = \frac{2\sin 45^\circ}{\sin 105^\circ} = \frac{\cancel{2}\frac{\sqrt{2}}{\cancel{2}}}{\frac{\sqrt{6}+\sqrt{2}}{4}} = \frac{4\sqrt{2}}{\left(\sqrt{6}+\sqrt{2}\right)}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\frac{b}{\sin\beta} = \frac{c}{\sin\gamma} \qquad |\text{Law of sines}$$

$$b = \frac{c\sin\beta}{\sin\gamma} = \frac{2\sin 45^\circ}{\sin 105^\circ} = \frac{\cancel{2}\frac{\sqrt{2}}{\cancel{2}}}{\frac{\sqrt{6}+\sqrt{2}}{4}} = \frac{4\sqrt{2}\left(\sqrt{6}-\sqrt{2}\right)}{\left(\sqrt{6}+\sqrt{2}\right)\left(\sqrt{6}-\sqrt{2}\right)}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are $30°$ and $45°$.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\frac{b}{\sin\beta} = \frac{c}{\sin\gamma} \quad \text{|Law of sines}$$

$$b = \frac{c\sin\beta}{\sin\gamma} = \frac{2\sin 45°}{\sin 105°} = \frac{\cancel{2}\frac{\sqrt{2}}{\cancel{2}}}{\frac{\sqrt{6}+\sqrt{2}}{4}} = \frac{4\sqrt{2}\left(\sqrt{6}-\sqrt{2}\right)}{\left(\sqrt{6}+\sqrt{2}\right)\left(\sqrt{6}-\sqrt{2}\right)}$$

$$= \frac{4\sqrt{2}(\sqrt{6}-\sqrt{2})}{4}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\frac{b}{\sin\beta} = \frac{c}{\sin\gamma} \qquad |\text{Law of sines}$$

$$b = \frac{c\sin\beta}{\sin\gamma} = \frac{2\sin 45^\circ}{\sin 105^\circ} = \frac{\cancel{2}\frac{\sqrt{2}}{\cancel{2}}}{\frac{\sqrt{6}+\sqrt{2}}{4}} = \frac{4\sqrt{2}\left(\sqrt{6}-\sqrt{2}\right)}{\left(\sqrt{6}+\sqrt{2}\right)\left(\sqrt{6}-\sqrt{2}\right)}$$

$$= \frac{\cancel{4}\sqrt{2}(\sqrt{6}-\sqrt{2})}{\cancel{4}}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\frac{b}{\sin\beta} = \frac{c}{\sin\gamma} \qquad \text{Law of sines}$$

$$b = \frac{c\sin\beta}{\sin\gamma} = \frac{2\sin 45^\circ}{\sin 105^\circ} = \frac{\cancel{2}\frac{\sqrt{2}}{\cancel{2}}}{\frac{\sqrt{6}+\sqrt{2}}{4}} = \frac{4\sqrt{2}\left(\sqrt{6}-\sqrt{2}\right)}{\left(\sqrt{6}+\sqrt{2}\right)\left(\sqrt{6}-\sqrt{2}\right)}$$

$$= \frac{\cancel{4}\sqrt{2}(\sqrt{6}-\sqrt{2})}{\cancel{4}} = 2\sqrt{3}-2$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\frac{b}{\sin\beta} = \frac{c}{\sin\gamma} \qquad |\text{Law of sines}$$

$$b = \frac{c\sin\beta}{\sin\gamma} = \frac{2\sin 45^\circ}{\sin 105^\circ} = \frac{\cancel{2}\frac{\sqrt{2}}{\cancel{2}}}{\frac{\sqrt{6}+\sqrt{2}}{4}} = \frac{4\sqrt{2}\left(\sqrt{6}-\sqrt{2}\right)}{\left(\sqrt{6}+\sqrt{2}\right)\left(\sqrt{6}-\sqrt{2}\right)}$$

$$= \frac{\cancel{4}\sqrt{2}(\sqrt{6}-\sqrt{2})}{\cancel{4}} = 2\sqrt{3}-2$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$
\begin{aligned}
\frac{b}{\sin\beta} &= \frac{c}{\sin\gamma} \qquad |\text{Law of sines}\\
b &= \frac{c\sin\beta}{\sin\gamma} = \frac{2\sin 45^\circ}{\sin 105^\circ} = \frac{\cancel{2}\frac{\sqrt{2}}{\cancel{2}}}{\frac{\sqrt{6}+\sqrt{2}}{4}} = \frac{4\sqrt{2}\left(\sqrt{6}-\sqrt{2}\right)}{\left(\sqrt{6}+\sqrt{2}\right)\left(\sqrt{6}-\sqrt{2}\right)}\\
&= \frac{\cancel{4}\sqrt{2}(\sqrt{6}-\sqrt{2})}{\cancel{4}} = 2\sqrt{3}-2\\
\text{Area} &= \frac{bc\sin\alpha}{2}
\end{aligned}
$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\frac{b}{\sin\beta} = \frac{c}{\sin\gamma} \qquad |\text{Law of sines}$$

$$b = \frac{c\sin\beta}{\sin\gamma} = \frac{2\sin 45^\circ}{\sin 105^\circ} = \frac{\cancel{2}\frac{\sqrt{2}}{\cancel{2}}}{\frac{\sqrt{6}+\sqrt{2}}{4}} = \frac{4\sqrt{2}\left(\sqrt{6}-\sqrt{2}\right)}{\left(\sqrt{6}+\sqrt{2}\right)\left(\sqrt{6}-\sqrt{2}\right)}$$

$$= \frac{\cancel{4}\sqrt{2}(\sqrt{6}-\sqrt{2})}{\cancel{4}} = 2\sqrt{3}-2$$

$$\text{Area} = \frac{bc\sin\alpha}{2} = \frac{(2\sqrt{3}-2)2\frac{1}{2}}{2}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\frac{b}{\sin\beta} = \frac{c}{\sin\gamma} \quad \Big| \text{Law of sines}$$

$$b = \frac{c\sin\beta}{\sin\gamma} = \frac{2\sin 45^\circ}{\sin 105^\circ} = \frac{\cancel{2}\frac{\sqrt{2}}{\cancel{2}}}{\frac{\sqrt{6}+\sqrt{2}}{4}} = \frac{4\sqrt{2}\left(\sqrt{6}-\sqrt{2}\right)}{\left(\sqrt{6}+\sqrt{2}\right)\left(\sqrt{6}-\sqrt{2}\right)}$$

$$= \frac{\cancel{4}\sqrt{2}(\sqrt{6}-\sqrt{2})}{\cancel{4}} = 2\sqrt{3}-2$$

$$\text{Area} = \frac{b{\color{red}c}\sin\alpha}{2} = \frac{(2\sqrt{3}-2){\color{red}2}\frac{1}{2}}{2}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\frac{b}{\sin\beta} = \frac{c}{\sin\gamma} \quad \text{|Law of sines}$$

$$b = \frac{c\sin\beta}{\sin\gamma} = \frac{2\sin 45^\circ}{\sin 105^\circ} = \frac{\cancel{2}\frac{\sqrt{2}}{\cancel{2}}}{\frac{\sqrt{6}+\sqrt{2}}{4}} = \frac{4\sqrt{2}\left(\sqrt{6}-\sqrt{2}\right)}{\left(\sqrt{6}+\sqrt{2}\right)\left(\sqrt{6}-\sqrt{2}\right)}$$

$$= \frac{\cancel{4}\sqrt{2}(\sqrt{6}-\sqrt{2})}{\cancel{4}} = 2\sqrt{3}-2$$

$$\text{Area} = \frac{bc\sin\alpha}{2} = \frac{(2\sqrt{3}-2)2\frac{1}{2}}{2}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\frac{b}{\sin\beta} = \frac{c}{\sin\gamma} \qquad |\text{Law of sines}$$

$$b = \frac{c\sin\beta}{\sin\gamma} = \frac{2\sin 45^\circ}{\sin 105^\circ} = \frac{\cancel{2}\frac{\sqrt{2}}{\cancel{2}}}{\frac{\sqrt{6}+\sqrt{2}}{4}} = \frac{4\sqrt{2}\left(\sqrt{6}-\sqrt{2}\right)}{\left(\sqrt{6}+\sqrt{2}\right)\left(\sqrt{6}-\sqrt{2}\right)}$$

$$= \frac{\cancel{4}\sqrt{2}(\sqrt{6}-\sqrt{2})}{\cancel{4}} = 2\sqrt{3}-2$$

$$\text{Area} = \frac{bc\sin\alpha}{2} = \frac{(2\sqrt{3}-2)\cancel{2}\frac{1}{\cancel{2}}}{2}$$

Example



A triangle has a side of length $2cm$; the two angles adjacent to it are 30° and 45°.

- Find the other two sides of the triangle.
- Find the area of the triangle.

$$\frac{b}{\sin\beta} = \frac{c}{\sin\gamma} \qquad |\text{Law of sines}$$

$$b = \frac{c\sin\beta}{\sin\gamma} = \frac{2\sin 45^\circ}{\sin 105^\circ} = \frac{\cancel{2}\frac{\sqrt{2}}{\cancel{2}}}{\frac{\sqrt{6}+\sqrt{2}}{4}} = \frac{4\sqrt{2}\left(\sqrt{6}-\sqrt{2}\right)}{\left(\sqrt{6}+\sqrt{2}\right)\left(\sqrt{6}-\sqrt{2}\right)}$$

$$= \frac{\cancel{4}\sqrt{2}(\sqrt{6}-\sqrt{2})}{\cancel{4}} = 2\sqrt{3}-2$$

$$\text{Area} = \frac{bc\sin\alpha}{2} = \frac{(2\sqrt{3}-2)\cancel{2}\frac{1}{\cancel{2}}}{2} = \sqrt{3}-1 \quad \text{cm}^2$$

Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated.

Proposition (Law of Cosines)

$$\begin{aligned} c^2 &= a^2 + b^2 - 2ab\cos\gamma \\ a^2 &= b^2 + c^2 - 2bc\cos\alpha \\ b^2 &= c^2 + a^2 - 2ca\cos\beta \end{aligned}$$



Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated.

Proposition (Law of Cosines)

$$\begin{aligned} c^2 &= a^2 + b^2 - 2ab\cos\gamma \\ a^2 &= b^2 + c^2 - 2bc\cos\alpha \\ b^2 &= c^2 + a^2 - 2ca\cos\beta \end{aligned}$$



Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated.

Proposition (Law of Cosines)

$$\begin{aligned} c^2 &= a^2 + b^2 - 2ab\cos\gamma \\ a^2 &= b^2 + c^2 - 2bc\cos\alpha \\ b^2 &= c^2 + a^2 - 2ca\cos\beta \end{aligned}$$



Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated.

Proposition (Law of Cosines)

$$\begin{aligned} c^2 &= a^2 + b^2 - 2ab\cos\gamma \\ a^2 &= b^2 + c^2 - 2bc\cos\alpha \\ b^2 &= c^2 + a^2 - 2ca\cos\beta \end{aligned}$$



Let $\triangle ABC$ have sides lengths a, b, c angles α, β, γ, as indicated.

Proposition (Law of Cosines)

$$\begin{aligned} c^2 &= a^2 + b^2 - 2ab\cos\gamma \\ a^2 &= b^2 + c^2 - 2bc\cos\alpha \\ b^2 &= c^2 + a^2 - 2ca\cos\beta \end{aligned}$$



Proof if $\gamma < 90^\circ$.

Drop a perpendicular h from B to AC.

$$|CD| = a\cos\gamma$$
$$h = a\sin\gamma$$
$$|AD| = b - |CD| = b - a\cos\gamma$$

$$\begin{aligned} c^2 &= |AD|^2 + h^2 \qquad \Big| \text{ Pyth. thm. } \triangle BDA \\ &= (b - a\cos\gamma)^2 + (a\sin\gamma)^2 \\ &= b^2 - 2ab\cos\gamma + a^2\cos^2\gamma + a^2\sin^2\gamma \\ &= b^2 - 2ab\cos\gamma + a^2. \end{aligned}$$

$\square$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

Example



?

The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

Law of cosines

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$a^2 + b^2 - 2ab\cos\gamma = c^2 \qquad \text{Law of cosines}$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$a^2 + b^2 - 2ab\cos\gamma = c^2 \qquad \text{Law of cosines}$$
$$a^2 + 2^2 - 2a \cdot 2 \cdot \cos 120^\circ = 3^2$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$a^2 + b^2 - 2ab\cos\gamma = c^2 \qquad \text{Law of cosines}$$
$$a^2 + 2^2 - 2a \cdot 2 \cdot \cos 120^\circ = 3^2$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$a^2 + b^2 - 2ab\cos\gamma = c^2 \qquad \text{Law of cosines}$$
$$a^2 + 2^2 - 2a \cdot 2 \cdot \cos 120^\circ = 3^2$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$a^2 + b^2 - 2ab\cos\gamma = c^2 \quad \text{Law of cosines}$$

$$a^2 + 2^2 - 2a \cdot 2 \cdot \cos 120^\circ = 3^2 \quad \text{Solve for } a:$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$a^2 + b^2 - 2ab\cos\gamma = c^2 \qquad \text{Law of cosines}$$
$$a^2 + 2^2 - 2a \cdot 2 \cdot \cos 120^\circ = 3^2 \qquad \text{Solve for } a:$$
$$a^2 - 4a\left(\qquad\right) - 5 = 0$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$\begin{aligned} a^2 + b^2 - 2ab\cos\gamma &= c^2 && \text{Law of cosines} \\ a^2 + 2^2 - 2a\cdot 2\cdot\cos 120^\circ &= 3^2 && \text{Solve for } a: \\ a^2 - 4a\left(\quad\right) - 5 &= 0 \end{aligned}$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$a^2 + b^2 - 2ab\cos\gamma = c^2$$

$$a^2 + 2^2 - 2a \cdot 2 \cdot \cos 120^\circ = 3^2$$

$$a^2 - 4a\left(\textbf{?}\quad\right) - 5 = 0$$

Law of cosines

Solve for a :

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$a^2 + b^2 - 2ab\cos\gamma = c^2 \quad \text{Law of cosines}$$

$$a^2 + 2^2 - 2a \cdot 2 \cdot \cos 120^\circ = 3^2 \quad \text{Solve for } a:$$

$$a^2 - 4a\left(-\frac{1}{2}\right) - 5 = 0$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$a^2 + b^2 - 2ab\cos\gamma = c^2 \qquad \text{Law of cosines}$$
$$a^2 + 2^2 - 2a\cdot 2\cdot\cos 120^\circ = 3^2 \qquad \text{Solve for } a:$$
$$a^2 - 4a\left(-\frac{1}{2}\right) - 5 = 0$$
$$a^2 + 2a - 5 = 0$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$
\begin{aligned}
a^2 + b^2 - 2ab\cos\gamma &= c^2 && \text{Law of cosines}\\
a^2 + 2^2 - 2a\cdot 2\cdot\cos 120^\circ &= 3^2 && \text{Solve for } a:\\
a^2 - 4a\left(-\frac{1}{2}\right) - 5 &= 0\\
a^2 + 2a - 5 &= 0
\end{aligned}
$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$\begin{aligned} a^2 + b^2 - 2ab\cos\gamma &= c^2 && \text{Law of cosines} \\ a^2 + 2^2 - 2a\cdot 2\cdot\cos 120^\circ &= 3^2 && \text{Solve for } a: \\ a^2 - 4a\left(-\frac{1}{2}\right) - 5 &= 0 \\ a^2 + 2a - 5 &= 0 \end{aligned}$$

$$a = \textbf{?}$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$\begin{aligned} a^2 + b^2 - 2ab\cos\gamma &= c^2 \\ a^2 + 2^2 - 2a \cdot 2 \cdot \cos 120^\circ &= 3^2 \\ a^2 - 4a\left(-\frac{1}{2}\right) - 5 &= 0 \\ a^2 + 2a - 5 &= 0 \end{aligned}$$

| Law of cosines
| Solve for a :

$$a = \frac{-2 \pm \sqrt{2^2 - 4 \cdot (-5) \cdot 1}}{2 \cdot 1}$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$a^2 + b^2 - 2ab\cos\gamma = c^2 \qquad \text{Law of cosines}$$
$$a^2 + 2^2 - 2a \cdot 2 \cdot \cos 120^\circ = 3^2 \qquad \text{Solve for } a:$$
$$a^2 - 4a\left(-\frac{1}{2}\right) - 5 = 0$$
$$a^2 + 2a - 5 = 0$$
$$a = \frac{-2 \pm \sqrt{2^2 - 4 \cdot (-5) \cdot 1}}{2 \cdot 1}$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$\begin{aligned} a^2 + b^2 - 2ab\cos\gamma &= c^2 && \text{Law of cosines} \\ a^2 + 2^2 - 2a\cdot 2\cdot\cos 120^\circ &= 3^2 && \text{Solve for } a: \\ a^2 - 4a\left(-\frac{1}{2}\right) - 5 &= 0 \\ a^2 + 2a - 5 &= 0 \end{aligned}$$

$$a = \frac{-2 \pm \sqrt{2^2 - 4\cdot(-5)\cdot 1}}{2\cdot 1}$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$
\begin{aligned}
a^2 + b^2 - 2ab\cos\gamma &= c^2 && \text{Law of cosines}\\
a^2 + 2^2 - 2a\cdot 2\cdot\cos 120^\circ &= 3^2 && \text{Solve for } a:\\
a^2 - 4a\left(-\frac{1}{2}\right) - 5 &= 0\\
a^2 + 2a - 5 &= 0
\end{aligned}
$$

$$a = \frac{-2 \pm \sqrt{2^2 - 4\cdot(-5)\cdot 1}}{2\cdot 1}$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$
\begin{aligned}
a^2 + b^2 - 2ab\cos\gamma &= c^2 && \text{Law of cosines}\\
a^2 + 2^2 - 2a\cdot 2\cdot\cos 120^\circ &= 3^2 && \text{Solve for } a:\\
a^2 - 4a\left(-\frac{1}{2}\right) - 5 &= 0\\
a^2 + 2a - 5 &= 0
\end{aligned}
$$

$$
\begin{aligned}
a &= \frac{-2 \pm \sqrt{2^2 - 4\cdot(-5)\cdot 1}}{2\cdot 1}\\
&= \frac{-2\pm\sqrt{24}}{2}
\end{aligned}
$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$
\begin{aligned}
a^2 + b^2 - 2ab\cos\gamma &= c^2 && \text{Law of cosines}\\
a^2 + 2^2 - 2a\cdot 2\cdot\cos 120^\circ &= 3^2 && \text{Solve for } a:\\
a^2 - 4a\left(-\frac{1}{2}\right) - 5 &= 0\\
a^2 + 2a - 5 &= 0
\end{aligned}
$$

$$
a = \frac{-2 \pm \sqrt{2^2 - 4\cdot(-5)\cdot 1}}{2\cdot 1} = \frac{-2 \pm \sqrt{24}}{2} = \frac{-2 + 2\sqrt{6}}{2}
$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$
\begin{aligned}
a^2 + b^2 - 2ab\cos\gamma &= c^2 && \text{Law of cosines}\\
a^2 + 2^2 - 2a\cdot 2\cdot \cos 120^\circ &= 3^2 && \text{Solve for } a:\\
a^2 - 4a\left(-\frac{1}{2}\right) - 5 &= 0\\
a^2 + 2a - 5 &= 0\\
a &= \frac{-2 \pm \sqrt{2^2 - 4\cdot(-5)\cdot 1}}{2\cdot 1}\\
&= \frac{-2 \pm \sqrt{24}}{2} = \frac{-2 + 2\sqrt{6}}{2} && a > 0
\end{aligned}
$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$
\begin{aligned}
a^2 + b^2 - 2ab\cos\gamma &= c^2 && \text{Law of cosines}\\
a^2 + 2^2 - 2a\cdot 2\cdot\cos 120^\circ &= 3^2 && \text{Solve for } a:\\
a^2 - 4a\left(-\frac{1}{2}\right) - 5 &= 0\\
a^2 + 2a - 5 &= 0
\end{aligned}
$$

$$
\begin{aligned}
a &= \frac{-2 \pm \sqrt{2^2 - 4\cdot(-5)\cdot 1}}{2\cdot 1}\\
&= \frac{-2\pm\sqrt{24}}{2} = \frac{-2+2\sqrt{6}}{2} && a > 0\\
&= -1 + \sqrt{6}
\end{aligned}
$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$a^2 + b^2 - 2ab\cos\gamma = c^2 \qquad \text{Law of cosines}$$
$$a^2 + 2^2 - 2a\cdot 2\cdot\cos 120^\circ = 3^2 \qquad \text{Solve for } a:$$
$$a^2 - 4a\left(-\frac{1}{2}\right) - 5 = 0$$
$$a^2 + 2a - 5 = 0$$
$$a = \frac{-2 \pm \sqrt{2^2 - 4\cdot(-5)\cdot 1}}{2\cdot 1}$$
$$= \frac{-2\pm\sqrt{24}}{2} = \frac{-2+2\sqrt{6}}{2} \qquad a > 0$$
$$= -1+\sqrt{6}$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$a^2 + b^2 - 2ab\cos\gamma = c^2 \qquad \text{Law of cosines}$$

$$a^2 + 2^2 - 2a \cdot 2 \cdot \cos 120^\circ = 3^2 \qquad \text{Solve for } a:$$

$$a = \frac{-2 \pm \sqrt{2^2 - 4\cdot(-5)\cdot 1}}{2\cdot 1}$$

$$= -1 + \sqrt{6}$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$a^2 + b^2 - 2ab\cos\gamma = c^2 \qquad \text{Law of cosines}$$
$$a^2 + 2^2 - 2a\cdot 2\cdot\cos 120^\circ = 3^2 \qquad \text{Solve for } a:$$

$$a = \frac{-2 \pm \sqrt{2^2 - 4\cdot(-5)\cdot 1}}{2\cdot 1}$$
$$= -1 + \sqrt{6}$$

Area = ?

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$a^2 + b^2 - 2ab\cos\gamma = c^2 \qquad \text{Law of cosines}$$
$$a^2 + 2^2 - 2a \cdot 2 \cdot \cos 120^\circ = 3^2 \qquad \text{Solve for } a:$$

$$a = \frac{-2 \pm \sqrt{2^2 - 4 \cdot (-5) \cdot 1}}{2 \cdot 1} = -1 + \sqrt{6}$$

$$\textbf{Area} = \frac{ab\sin\gamma}{2}$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$\begin{aligned} a^2+b^2-2ab\cos\gamma &= c^2 && \text{Law of cosines}\\ a^2+2^2-2a\cdot 2\cdot\cos 120^\circ &= 3^2 && \text{Solve for } a:\end{aligned}$$

$$\begin{aligned} a &= \frac{-2\pm\sqrt{2^2-4\cdot(-5)\cdot 1}}{2\cdot 1}\\ &= -1+\sqrt{6}\end{aligned}$$

$$\textbf{Area} = \frac{ab\sin\gamma}{2} = \frac{\left(\sqrt{6}-1\right)2}{2}\textbf{?}$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$a^2 + b^2 - 2ab\cos\gamma = c^2 \qquad \text{Law of cosines}$$

$$a^2 + 2^2 - 2a \cdot 2 \cdot \cos 120^\circ = 3^2 \qquad \text{Solve for } a:$$

$$a = \frac{-2 \pm \sqrt{2^2 - 4\cdot(-5)\cdot 1}}{2\cdot 1} = -1 + \sqrt{6}$$

$$\textbf{Area} = \frac{ab\sin\gamma}{2} = \frac{\left(\sqrt{6}-1\right)2}{2}\textbf{?}$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$
\begin{aligned}
a^2 + b^2 - 2ab\cos\gamma &= c^2 && \text{Law of cosines}\\
a^2 + 2^2 - 2a\cdot 2\cdot\cos 120^\circ &= 3^2 && \text{Solve for } a:
\end{aligned}
$$

$$
\begin{aligned}
a &= \frac{-2 \pm \sqrt{2^2 - 4\cdot(-5)\cdot 1}}{2\cdot 1}\\
&= -1 + \sqrt{6}
\end{aligned}
$$

$$
\textbf{Area} = \frac{ab\sin\gamma}{2} = \frac{\left(\sqrt{6}-1\right)2}{2}\,\textbf{?}
$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$a^2+b^2-2ab\cos\gamma=c^2 \qquad \text{Law of cosines}$$

$$a^2+2^2-2a\cdot 2\cdot\cos 120^\circ=3^2 \qquad \text{Solve for } a:$$

$$\begin{aligned} a &= \frac{-2\pm\sqrt{2^2-4\cdot(-5)\cdot 1}}{2\cdot 1}\\ &= -1+\sqrt{6} \end{aligned}$$

$$\textbf{Area}=\frac{ab\sin\gamma}{2}=\frac{\left(\sqrt{6}-1\right)2}{2}\frac{\sqrt{3}}{2}$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$a^2 + b^2 - 2ab\cos\gamma = c^2 \qquad \text{Law of cosines}$$
$$a^2 + 2^2 - 2a\cdot 2\cdot\cos 120^\circ = 3^2 \qquad \text{Solve for } a:$$

$$a = \frac{-2 \pm \sqrt{2^2 - 4\cdot(-5)\cdot 1}}{2\cdot 1} = -1 + \sqrt{6}$$

$$\textbf{Area} = \frac{ab\sin\gamma}{2} = \frac{\left(\sqrt{6}-1\right)\cancel{2}}{\cancel{2}}\frac{\sqrt{3}}{2}$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$a^2 + b^2 - 2ab\cos\gamma = c^2 \quad \text{Law of cosines}$$
$$a^2 + 2^2 - 2a \cdot 2 \cdot \cos 120^\circ = 3^2 \quad \text{Solve for } a:$$

$$a = \frac{-2 \pm \sqrt{2^2 - 4\cdot(-5)\cdot 1}}{2\cdot 1} = -1 + \sqrt{6}$$

$$\textbf{Area} = \frac{ab\sin\gamma}{2} = \frac{\left(\sqrt{6} - 1\right)\cancel{2}}{\cancel{2}}\frac{\sqrt{3}}{2} = \frac{3\sqrt{2} - \sqrt{3}}{2}$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$a^2 + b^2 - 2ab\cos\gamma = c^2 \qquad \text{Law of cosines}$$

$$a^2 + 2^2 - 2a \cdot 2 \cdot \cos 120^\circ = 3^2 \qquad \text{Solve for } a:$$

$$a = \frac{-2 \pm \sqrt{2^2 - 4\cdot(-5)\cdot 1}}{2\cdot 1} = -1 + \sqrt{6}$$

$$\textbf{Area} = \frac{ab\sin\gamma}{2} = \frac{\left(\sqrt{6} - 1\right)\cancel{2}}{\cancel{2}}\frac{\sqrt{3}}{2} = \frac{3\sqrt{2} - \sqrt{3}}{2}$$

Example



The longest side of a triangle has length 3 and the angle opposite to it is 120°. Another side of that triangle has length 2.

- Find the length of the third side.
- Find the area of the triangle.

$$\begin{aligned} a^2 + b^2 - 2ab\cos\gamma &= c^2 && \text{Law of cosines} \\ a^2 + 2^2 - 2a \cdot 2 \cdot \cos 120^\circ &= 3^2 && \text{Solve for } a: \end{aligned}$$

$$\begin{aligned} a &= \frac{-2 \pm \sqrt{2^2 - 4 \cdot (-5) \cdot 1}}{2 \cdot 1} \\ &= -1 + \sqrt{6} \end{aligned}$$

$$\begin{aligned} \textbf{Area} &= \frac{ab\sin\gamma}{2} = \frac{\left(\sqrt{6} - 1\right)\cancel{2}}{\cancel{2}} \frac{\sqrt{3}}{2} \\ &= \frac{3\sqrt{2} - \sqrt{3}}{2} \end{aligned}$$