

# Precalculus

## Logarithmic equations involving quadratics

Todor Milev

2019

## Example

Solve the equation.

$$\log_3(2x^2 + 1) = 2$$

## Example

Solve the equation.

$$\begin{aligned}\log_3(2x^2 + 1) &= 2 \\ \color{red}{3}^{\log_3(2x^2 + 1)} &= \color{red}{3}^2\end{aligned}$$

| Exponentiate base  $\color{red}{3}$

## Example

Solve the equation.

$$\begin{aligned}\log_3(2x^2 + 1) &= 2 \\ 3^{\log_3(2x^2 + 1)} &= 3^2 \\ 2x^2 + 1 &= 9\end{aligned}$$

| Exponentiate base 3

## Example

Solve the equation.

$$\begin{aligned}\log_3(2x^2 + 1) &= 2 \\ 3^{\log_3(2x^2 + 1)} &= 3^2 \\ 2x^2 + 1 &= 9 \\ 2x^2 &= 8\end{aligned}$$

| Exponentiate base 3

## Example

Solve the equation.

$$\log_3(2x^2 + 1) = 2$$

$$3^{\log_3(2x^2 + 1)} = 3^2$$

$$2x^2 + 1 = 9$$

$$2x^2 = 8$$

$$x^2 = \frac{8}{2} = 4$$

| Exponentiate base 3

## Example

Solve the equation.

$$\begin{aligned}\log_3(2x^2 + 1) &= 2 & | \text{ Exponentiate base 3} \\ 3^{\log_3(2x^2 + 1)} &= 3^2 \\ 2x^2 + 1 &= 9 \\ 2x^2 &= 8 \\ x^2 &= \frac{8}{2} = 4 \\ x &= \pm\sqrt{4} = \pm 2\end{aligned}$$

## Example

Solve the equation.

$$\begin{aligned}
 \log_3(2x^2 + 1) &= 2 && | \text{Exponentiate base 3} \\
 3^{\log_3(2x^2 + 1)} &= 3^2 \\
 2x^2 + 1 &= 9 \\
 2x^2 &= 8 \\
 x^2 &= \frac{8}{2} = 4 \\
 x &= \pm\sqrt{4} = \pm 2 \\
 x = 2 \text{ or } x = -2 && | \text{final answer}
 \end{aligned}$$