Precalculus

Express sin(kx), cos(kx) via sin x, cos x using Euler's formula

Todor Miley

2019

Express sin(3x) and cos(3x) via cos x and sin x.

Example

 $=e^{3ix}$

Express
$$sin(3x)$$
 and $cos(3x)$ via $cos x$ and $sin x$.
 $cos(3x) + i sin(3x)$

Example

Express $\sin(3x)$ and $\cos(3x)$ via $\cos x$ and $\sin x$. $\cos(3x) + i\sin(3x)$

$$=e^{3ix}$$

Example

Express $\sin(3x)$ and $\cos(3x)$ via $\cos x$ and $\sin x$.

$$\cos(3x) + i\sin(3x)$$

$$= e^{3ix}$$

$$= (e^{ix})^3$$

Example

Express $\sin(3x)$ and $\cos(3x)$ via $\cos x$ and $\sin x$.

$$cos(3x) + i sin(3x)$$

$$= e^{3ix}$$

$$= (e^{ix})^3$$

Example

Express
$$\sin(3x)$$
 and $\cos(3x)$ via $\cos x$ and $\sin x$.
 $\cos(3x) + i\sin(3x)$

$$=e^{3ix}$$

$$= (e^{ix})^3 = (\cos x + i \sin x)^3$$

Euler's f-la

- Recall Euler's formula: $e^{i\alpha} = \cos \alpha + i \sin \alpha$.
- Recall the formula: $(a+b)^3 = ?$

Express $\sin(3x)$ and $\cos(3x)$ via $\cos x$ and $\sin x$.

$$\cos(3x) + i\sin(3x)$$

$$=e^{3ix}$$

$$= (e^{ix})^3 = (\cos x + i \sin x)^3$$

Euler's f-la

- Recall Euler's formula: $e^{i\alpha} = \cos \alpha + i \sin \alpha$.
- Recall the formula: $(a + b)^3 = a^3 + 3a^2b + 3ab^2 + b^3$.

Express
$$\sin(3x)$$
 and $\cos(3x)$ via $\cos x$ and $\sin x$.
 $\cos(3x) + i\sin(3x)$ | Euler's f-la
 $= e^{3ix}$
 $= (e^{ix})^3 = (\cos x + i\sin x)^3$ | Euler's f-la
 $= \cos^3 x + 3\cos^2 x (i\sin x) + 3\cos x (i\sin x)^2 + (i\sin x)^3$

- Recall Euler's formula: $e^{i\alpha} = \cos \alpha + i \sin \alpha$.
- Recall the formula: $(a + b)^3 = a^3 + 3a^2b + 3ab^2 + b^3$.

Express
$$\sin(3x)$$
 and $\cos(3x)$ via $\cos x$ and $\sin x$.
 $\cos(3x) + i\sin(3x)$ | Euler's f-la
 $= e^{3ix}$
 $= (e^{ix})^3 = (\cos x + i\sin x)^3$ | Euler's f-la
 $= \cos^3 x + 3\cos^2 x (i\sin x) + 3\cos x (i\sin x)^2 + (i\sin x)^3$

- Recall Euler's formula: $e^{i\alpha} = \cos \alpha + i \sin \alpha$.
- Recall the formula: $(a + b)^3 = a^3 + 3a^2b + 3ab^2 + b^3$.

Express
$$\sin(3x)$$
 and $\cos(3x)$ via $\cos x$ and $\sin x$.
 $\cos(3x) + i\sin(3x)$ | Euler's f-la
 $= e^{3ix}$
 $= (e^{ix})^3 = (\cos x + i\sin x)^3$ | Euler's f-la
 $= \cos^3 x + 3\cos^2 x (i\sin x) + 3\cos x (i\sin x)^2 + (i\sin x)^3$

- Recall Euler's formula: $e^{i\alpha} = \cos \alpha + i \sin \alpha$.
- Recall the formula: $(a+b)^3 = a^3 + 3a^2b + 3ab^2 + b^3$.

Express
$$\sin(3x)$$
 and $\cos(3x)$ via $\cos x$ and $\sin x$.
 $\cos(3x) + i\sin(3x)$ | Euler's f-la
 $= e^{3ix}$
 $= (e^{ix})^3 = (\cos x + i\sin x)^3$ | Euler's f-la
 $= \cos^3 x + 3\cos^2 x (i\sin x) + 3\cos x (i\sin x)^2 + (i\sin x)^3$
 $= \cos^3 x + 3i\cos^2 x \sin x + 3i^2\cos x \sin^2 x + i^3\sin^3 x$

- Recall Euler's formula: $e^{i\alpha} = \cos \alpha + i \sin \alpha$.
- Recall the formula: $(a+b)^3 = a^3 + 3a^2b + 3ab^2 + b^3$.

Express
$$\sin(3x)$$
 and $\cos(3x)$ via $\cos x$ and $\sin x$.
 $\cos(3x) + i\sin(3x)$ | Euler's f-la
 $= e^{3ix}$
 $= (e^{ix})^3 = (\cos x + i\sin x)^3$ | Euler's f-la
 $= \cos^3 x + 3\cos^2 x (i\sin x) + 3\cos x (i\sin x)^2 + (i\sin x)^3$
 $= \cos^3 x + 3i\cos^2 x \sin x + 3i^2\cos x \sin^2 x + i^3\sin^3 x$

- Recall Euler's formula: $e^{i\alpha} = \cos \alpha + i \sin \alpha$.
- Recall the formula: $(a+b)^3 = a^3 + 3a^2b + 3ab^2 + b^3$.

Express
$$\sin(3x)$$
 and $\cos(3x)$ via $\cos x$ and $\sin x$.
 $\cos(3x) + i\sin(3x)$ | Euler's f-la
 $= e^{3ix}$
 $= (e^{ix})^3 = (\cos x + i\sin x)^3$ | Euler's f-la
 $= \cos^3 x + 3\cos^2 x (i\sin x) + 3\cos x (i\sin x)^2 + (i\sin x)^3$
 $= \cos^3 x + 3i\cos^2 x \sin x + 3i^2\cos x \sin^2 x + i^3\sin^3 x$

- Recall Euler's formula: $e^{i\alpha} = \cos \alpha + i \sin \alpha$.
- Recall the formula: $(a+b)^3 = a^3 + 3a^2b + 3ab^2 + b^3$.

Express
$$\sin(3x)$$
 and $\cos(3x)$ via $\cos x$ and $\sin x$.
 $\cos(3x) + i\sin(3x)$ | Euler's f-la
 $= e^{3ix}$
 $= (e^{ix})^3 = (\cos x + i\sin x)^3$ | Euler's f-la
 $= \cos^3 x + 3\cos^2 x (i\sin x) + 3\cos x (i\sin x)^2 + (i\sin x)^3$
 $= \cos^3 x + 3i\cos^2 x \sin x + 3i^2\cos x \sin^2 x + i^3\sin^3 x$
 $= \cos^3 x + 3i\cos^2 x \sin x - 3\cos x \sin^2 x - i\sin^3 x$ | Use $i^2 = -1$

- Recall Euler's formula: $e^{i\alpha} = \cos \alpha + i \sin \alpha$.
- Recall the formula: $(a+b)^3 = a^3 + 3a^2b + 3ab^2 + b^3$.

Express
$$\sin(3x)$$
 and $\cos(3x)$ via $\cos x$ and $\sin x$.
 $\cos(3x) + i\sin(3x)$ | Euler's f-la
 $= e^{3ix}$
 $= (e^{ix})^3 = (\cos x + i\sin x)^3$ | Euler's f-la
 $= \cos^3 x + 3\cos^2 x (i\sin x) + 3\cos x (i\sin x)^2 + (i\sin x)^3$
 $= \cos^3 x + 3i\cos^2 x \sin x + 3i^2\cos x \sin^2 x + i^3\sin^3 x$
 $= \cos^3 x + 3i\cos^2 x \sin x - 3\cos x \sin^2 x - i\sin^3 x$ | Use $i^2 = -1$

- Recall Euler's formula: $e^{i\alpha} = \cos \alpha + i \sin \alpha$.
- Recall the formula: $(a+b)^3 = a^3 + 3a^2b + 3ab^2 + b^3$.

Express
$$\sin(3x)$$
 and $\cos(3x)$ via $\cos x$ and $\sin x$.
 $\cos(3x) + i\sin(3x)$ | Euler's f-la
 $= e^{3ix}$
 $= (e^{ix})^3 = (\cos x + i\sin x)^3$ | Euler's f-la
 $= \cos^3 x + 3\cos^2 x (i\sin x) + 3\cos x (i\sin x)^2 + (i\sin x)^3$
 $= \cos^3 x + 3i\cos^2 x \sin x + 3i^2\cos x \sin^2 x + i^3\sin^3 x$
 $= \cos^3 x + 3i\cos^2 x \sin x - 3\cos x \sin^2 x - i\sin^3 x$ | Use $i^2 = -1$
 $= (\cos^3 x - 3\cos x \sin^2 x) + i(3\cos^2 x \sin x - \sin^3 x)$

- Recall Euler's formula: $e^{i\alpha} = \cos \alpha + i \sin \alpha$.
- Recall the formula: $(a+b)^3 = a^3 + 3a^2b + 3ab^2 + b^3$.

Express
$$\sin(3x)$$
 and $\cos(3x)$ via $\cos x$ and $\sin x$.
 $\cos(3x) + i\sin(3x)$ | Euler's f-la
 $= e^{3ix}$
 $= (e^{ix})^3 = (\cos x + i\sin x)^3$ | Euler's f-la
 $= \cos^3 x + 3\cos^2 x (i\sin x) + 3\cos x (i\sin x)^2 + (i\sin x)^3$
 $= \cos^3 x + 3i\cos^2 x \sin x + 3i^2\cos x \sin^2 x + i^3\sin^3 x$
 $= \cos^3 x + 3i\cos^2 x \sin x - 3\cos x \sin^2 x - i\sin^3 x$ | Use $i^2 = -1$
 $= (\cos^3 x - 3\cos x \sin^2 x) + i(3\cos^2 x \sin x - \sin^3 x)$

- Recall Euler's formula: $e^{i\alpha} = \cos \alpha + i \sin \alpha$.
- Recall the formula: $(a+b)^3 = a^3 + 3a^2b + 3ab^2 + b^3$.

Express
$$\sin(3x)$$
 and $\cos(3x)$ via $\cos x$ and $\sin x$.
 $\cos(3x) + i\sin(3x)$ | Euler's f-la
 $= e^{3ix}$
 $= (e^{ix})^3 = (\cos x + i\sin x)^3$ | Euler's f-la
 $= \cos^3 x + 3\cos^2 x (i\sin x) + 3\cos x (i\sin x)^2 + (i\sin x)^3$
 $= \cos^3 x + 3i\cos^2 x \sin x + 3i^2\cos x \sin^2 x + i^3\sin^3 x$
 $= \cos^3 x + 3i\cos^2 x \sin x - 3\cos x \sin^2 x - i\sin^3 x$ | Use $i^2 = -1$
 $= (\cos^3 x - 3\cos x \sin^2 x) + i(3\cos^2 x \sin x - \sin^3 x)$

- Recall Euler's formula: $e^{i\alpha} = \cos \alpha + i \sin \alpha$.
- Recall the formula: $(a+b)^3 = a^3 + 3a^2b + 3ab^2 + b^3$.

Express sin(3x) and cos(3x) via cos x and sin x.

$$\cos(3x) + i\sin(3x)$$
 | Euler's f-la
= e^{3ix}
= $(e^{ix})^3 = (\cos x + i\sin x)^3$ | Euler's f-la
= $\cos^3 x + 3\cos^2 x (i\sin x) + 3\cos x (i\sin x)^2 + (i\sin x)^3$
= $\cos^3 x + 3i\cos^2 x \sin x + 3i^2\cos x \sin^2 x + i^3\sin^3 x$
= $\cos^3 x + 3i\cos^2 x \sin x - 3\cos x \sin^2 x - i\sin^3 x$ | Use $i^2 = -1$
= $(\cos^3 x - 3\cos x \sin^2 x) + i(3\cos^2 x \sin x - \sin^3 x)$

- Recall Euler's formula: $e^{i\alpha} = \cos \alpha + i \sin \alpha$.
- Recall the formula: $(a+b)^3 = a^3 + 3a^2b + 3ab^2 + b^3$.

Express sin(3x) and cos(3x) via cos x and sin x.

$$\cos(3x) + i\sin(3x)$$
 | Euler's f-la
= e^{3ix}
= $(e^{ix})^3 = (\cos x + i\sin x)^3$ | Euler's f-la
= $\cos^3 x + 3\cos^2 x (i\sin x) + 3\cos x (i\sin x)^2 + (i\sin x)^3$
= $\cos^3 x + 3i\cos^2 x \sin x + 3i^2\cos x \sin^2 x + i^3\sin^3 x$
= $\cos^3 x + 3i\cos^2 x \sin x - 3\cos x \sin^2 x - i\sin^3 x$ | Use $i^2 = -1$
= $(\cos^3 x - 3\cos x \sin^2 x) + i(3\cos^2 x \sin x - \sin^3 x)$

The real parts of the starting and final expression must be equal; therefore:

$$\cos(3x) = \cos^3 x - 3\cos x \sin^2 x$$

- Recall Euler's formula: $e^{i\alpha} = \cos \alpha + i \sin \alpha$.
- Recall the formula: $(a+b)^3 = a^3 + 3a^2b + 3ab^2 + b^3$.

Express sin(3x) and cos(3x) via cos x and sin x.

$$\cos(3x) + i\sin(3x)$$
 | Euler's f-la

$$= e^{3ix}$$

$$= (e^{ix})^3 = (\cos x + i\sin x)^3$$
 | Euler's f-la

$$= \cos^3 x + 3\cos^2 x (i\sin x) + 3\cos x (i\sin x)^2 + (i\sin x)^3$$

$$= \cos^3 x + 3i\cos^2 x \sin x + 3i^2\cos x \sin^2 x + i^3\sin^3 x$$

$$= \cos^3 x + 3i\cos^2 x \sin x - 3\cos x \sin^2 x - i\sin^3 x$$
 | Use $i^2 = -1$

$$= (\cos^3 x - 3\cos x \sin^2 x) + i(3\cos^2 x \sin x - \sin^3 x)$$

The real parts of the starting and final expression must be equal; likewise the imaginary parts must be equal; therefore:

$$\cos(3x) = \cos^3 x - 3\cos x \sin^2 x$$

$$\sin(3x) = 3\cos^2 x \sin x - \sin^3 x$$