
Precalculus Quadratic trigonometric inequalities

Todor Miley


2019

- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.




- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in [-360°, 360°].

$$2u^2 + 2u + 1 \le u + 2$$



- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.


$$2u^2 + 2u + 1 \le u + 2$$



- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.

$$2u^2 + 2u + 1 \le u + 2$$


 $2u^2 + u - 1 \le 0$




- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.

$$2u^2 + 2u + 1 \le u + 2$$

 $2u^2 + u - 1 \le 0$







- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in [-360°, 360°].


$$2u^2 + 2u + 1 \le u + 2$$


 $2u^2 + u - 1 \le 0$






- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in [-360°, 360°].






- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in [-360°, 360°].


$$\begin{array}{rcl} 2u^2 + 2u + 1 & \leq & u + 2 \\ 2u^2 + u - 1 & \leq & 0 \\ 2\left(u - \frac{1}{2}\right)\left(u + 1\right) & \leq & 0 \end{array}$$






- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in [-360°, 360°].


$$\begin{array}{rcl} 2u^2 + 2u + 1 & \leq & u + 2 \\ 2u^2 + u - 1 & \leq & 0 \\ 2\left(u - \frac{1}{2}\right)\left(u + 1\right) & \leq & 0 \end{array}$$






- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in [-360°, 360°].

$$\begin{array}{rclcrcr} 2u^2 + 2u + 1 & \leq & u + 2 \\ 2u^2 + u - 1 & \leq & 0 \\ 2\left(u - \frac{1}{2}\right)\left(u + 1\right) & \leq & 0 \\ u & \in & ? \end{array}$$







$$+$$
 $+$ 1 1 2

- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in [-360°, 360°].

$$\begin{array}{rcl} 2u^2 + 2u + 1 & \leq & u + 2 \\ 2u^2 + u - 1 & \leq & 0 \\ 2\left(u - \frac{1}{2}\right)\left(u + 1\right) & \leq & 0 \\ u & \in & \left[-1, \frac{1}{2}\right] \end{array}$$







$$+$$
 $+$ $+$ -1 $\frac{1}{2}$

- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in [-360°, 360°].

$$\begin{array}{rcl} 2u^2 + 2u + 1 & \leq & u + 2 \\ 2u^2 + u - 1 & \leq & 0 \\ 2\left(u - \frac{1}{2}\right)\left(u + 1\right) & \leq & 0 \\ u & \in & \left[-1, \frac{1}{2}\right] \end{array}$$





$$+$$
 $+$ $+$ 1 1 2

- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.


$$2u^{2} + 2u + 1 \leq u + 2$$


$$2u^{2} + u - 1 \leq 0$$

$$2(u - \frac{1}{2})(u + 1) \leq 0$$

$$u \in [-1, \frac{1}{2}]$$

$$2\cos^{2}\theta + 2\cos\theta + 1 \leq \cos\theta + 2$$





$$+$$
 $+$ $+$ -1 $\frac{1}{2}$

- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^{\circ}, 360^{\circ}]$.

$$2u^{2} + 2u + 1 \leq u + 2$$


$$2u^{2} + u - 1 \leq 0$$


$$2(u - \frac{1}{2})(u + 1) \leq 0$$

$$u \in [-1, \frac{1}{2}]$$

$$2\cos^{2}\theta + 2\cos\theta + 1 \leq \cos\theta + 2 \text{ Set } \cos\theta = u$$

$$2u^{2} + 2u + 1 \leq u + 2$$





$$+$$
 $+$ 1 $\frac{1}{2}$

- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.

$$2u^{2} + 2u + 1 \leq u + 2$$

$$2u^{2} + u - 1 \leq 0$$


$$2(u - \frac{1}{2})(u + 1) \leq 0$$


$$u \in [-1, \frac{1}{2}]$$

$$2\cos^{2}\theta + 2\cos\theta + 1 \leq \cos\theta + 2 \text{ Set } \cos\theta = u$$

$$2u^{2} + 2u + 1 \leq u + 2$$

$$u \in \left[-1, \frac{1}{2}\right] \text{ (solved above)}$$





$$+$$
 $+$ 1 $\frac{1}{2}$

- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.


$$\begin{array}{rclcrcr} 2u^2 + 2u + 1 & \leq & u + 2 \\ 2u^2 + u - 1 & \leq & 0 \\ 2\left(u - \frac{1}{2}\right)\left(u + 1\right) & \leq & 0 \\ u & \in & \left[-1, \frac{1}{2}\right] \end{array}$$


$$2\cos^{2}\theta + 2\cos\theta + 1 \leq \cos\theta + 2 \quad \text{Set } \cos\theta = u$$

$$2u^{2} + 2u + 1 \leq u + 2$$

$$u \in \left[-1, \frac{1}{2}\right] \quad \text{(solved above)}$$

$$\cos\theta \in \left[-1, \frac{1}{2}\right]$$







- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.

$$\begin{array}{rcl} 2u^2 + 2u + 1 & \leq & u + 2 \\ 2u^2 + u - 1 & \leq & 0 \\ 2\left(u - \frac{1}{2}\right)\left(u + 1\right) & \leq & 0 \\ u & \in & \left[-1, \frac{1}{2}\right] \end{array}$$


$$2\cos^{2}\theta + 2\cos\theta + 1 \leq \cos\theta + 2 \quad \text{Set } \cos\theta = u$$


$$2u^{2} + 2u + 1 \leq u + 2$$

$$u \in \left[-1, \frac{1}{2}\right] \quad \text{(solved above)}$$

$$\cos\theta \in \left[-1, \frac{1}{2}\right]$$

$$-1 \leq \cos\theta \leq \frac{1}{2}$$







- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.

$$2u^{2} + 2u + 1 \leq u + 2$$

$$2u^{2} + u - 1 \leq 0$$

$$2(u - \frac{1}{2})(u + 1) \leq 0$$

$$u \in [-1, \frac{1}{2}]$$


$$2\cos^{2}\theta + 2\cos\theta + 1 \leq \cos\theta + 2 \quad \text{Set } \cos\theta = u$$


$$2u^{2} + 2u + 1 \leq u + 2$$

$$u \in \left[-1, \frac{1}{2}\right] \quad \text{(solved above)}$$

$$\cos\theta \in \left[-1, \frac{1}{2}\right]$$

$$-1 \leq \cos\theta \leq \frac{1}{2}$$





$$\begin{array}{c|c}
+ & - & + \\
\hline
-1 & \frac{1}{2}
\end{array}$$

- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.

$$2u^{2} + 2u + 1 \leq u + 2$$

$$2u^{2} + u - 1 \leq 0$$

$$2(u - \frac{1}{2})(u + 1) \leq 0$$

$$u \in [-1, \frac{1}{2}]$$


$$2\cos^{2}\theta + 2\cos\theta + 1 \leq \cos\theta + 2 \text{ Set } \cos\theta = u$$

$$2u^{2} + 2u + 1 \leq u + 2$$

$$u \in \left[-1, \frac{1}{2}\right] \quad \text{(solved above)}$$

$$\cos \theta \in \left[-1, \frac{1}{2}\right]$$

$$-1 \leq \cos \theta \leq \frac{1}{2}$$




- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$

$$\theta \in$$








- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$

$$\theta \in$$






- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in [-360°, 360°].

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$

$$\theta \in$$




• Solve the inequality
$$2u^2 + 2u + 1 \le u + 2$$
.

• Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in [-360°, 360°].

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$

$$\theta \in$$






• Solve the inequality
$$2u^2 + 2u + 1 \le u + 2$$
.

• Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$


$$\theta \in$$



- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in [-360°, 360°].

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$


$$\theta \in$$



- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$

$$\theta \in$$




$$\theta \in [?]$$

- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$

Quadratic trigonometric inequalities




$$\theta \in [?]$$

- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 < \cos\theta + 2$ lying in [-360°, 360°].

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$

$$, -60^{\circ}$$
] \cup [60°

Quadratic trigonometric inequalities




$$\theta \in [?]$$

- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 < \cos\theta + 2$ lying in [-360°, 360°].

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$

$$, -60^{\circ}$$

$$, -60^{\circ}$$
] \cup [60°




$$\theta \in [-180^{\circ}]$$

- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^{\circ}, 360^{\circ}]$.

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$


$$, -60^{\circ}$$
] \cup [60°



- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$


$$\theta \in [-180^{\circ} + k360^{\circ}, -60^{\circ} + k360^{\circ}] \cup [60^{\circ} + k360^{\circ}, 180^{\circ} + k360^{\circ}]$$



- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$

$$\theta \in [-180^{\circ} + k360^{\circ}, -60^{\circ} + k360^{\circ}] \cup [60^{\circ} + k360^{\circ}, 180^{\circ} + k360^{\circ}]$$



- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.


$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$

$$\theta \in [-180^{\circ} + \frac{k}{3}60^{\circ}, -60^{\circ} + \frac{k}{3}60^{\circ}] \cup [60^{\circ} + \frac{k}{3}60^{\circ}, 180^{\circ} + \frac{k}{3}60^{\circ}]$$

$$\theta \in$$

$$[-180^{\circ}, -60^{\circ}] \cup [60^{\circ}, 180^{\circ}]$$

$$k = 0$$



- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.


$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$

$$\theta \in [-180^{\circ} + k360^{\circ}, -60^{\circ} + k360^{\circ}] \cup [60^{\circ} + k360^{\circ}, 180^{\circ} + k360^{\circ}]$$

$$\theta \in$$

$$[-180^{\circ}, -60^{\circ}] \cup [60^{\circ}, 180^{\circ}] \cup [180^{\circ}, 300^{\circ}] \cup [420^{\circ}, 540^{\circ}]$$

$$k = 0$$
 $k = 1$



- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$


$$\theta \in [-180^{\circ} + k360^{\circ}, -60^{\circ} + k360^{\circ}] \cup [60^{\circ} + k360^{\circ}, 180^{\circ} + k360^{\circ}]$$

$$\theta \in$$

$$\begin{array}{l} [-180^{\circ}, -60^{\circ}] \ \cup \ [60^{\circ}, 180^{\circ}] \\ \cup \ [180^{\circ}, 300^{\circ}] \ \cup \ [420^{\circ}, 540^{\circ}] \end{array}$$

$$k = 0$$

$$k = 1$$



- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$

$$\theta \in [-180^{\circ} + k360^{\circ}, -60^{\circ} + k360^{\circ}] \cup [60^{\circ} + k360^{\circ}, 180^{\circ} + k360^{\circ}]$$


$$\theta \in$$

$$\begin{array}{c} [-540^{\circ}, -420^{\circ}] \ \cup \ [-300^{\circ}, -180^{\circ}] \\ \cup \ [-180^{\circ}, -60^{\circ}] \ \cup \ [60^{\circ}, 180^{\circ}] \\ \cup \ [180^{\circ}, 300^{\circ}] \ \cup \ [420^{\circ}, 540^{\circ}] \end{array}$$

k = -1k = 0

 $\zeta = 0$

k = 1




- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$

$$\theta \in [-180^{\circ} + k360^{\circ}, -60^{\circ} + k360^{\circ}] \cup [60^{\circ} + k360^{\circ}, 180^{\circ} + k360^{\circ}]$$

$$\theta \in$$

. .



- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$

$$\theta \in [-180^{\circ} + k360^{\circ}, -60^{\circ} + k360^{\circ}] \cup [60^{\circ} + k360^{\circ}, 180^{\circ} + k360^{\circ}]$$

$$\theta \in$$


$$\cup [-540^{\circ}, -420^{\circ}] \cup [-300^{\circ}, -180^{\circ}]$$

 $\cup [-180^{\circ}, -60^{\circ}] \cup [60^{\circ}, 180^{\circ}]$
 $\cup [180^{\circ}, 300^{\circ}] \cup [420^{\circ}, 540^{\circ}]$

$$k = -1$$

$$k = 0$$

$$k = 1$$



- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.


$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$

$$\theta \in [-180^{\circ} + k360^{\circ}, -60^{\circ} + k360^{\circ}] \cup [60^{\circ} + k360^{\circ}, 180^{\circ} + k360^{\circ}]$$

$$\theta \in$$

$$\theta \in$$

$$[-300^{\circ}, -60^{\circ}] \cup [60^{\circ}, 300^{\circ}]$$



- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$

$$\theta \in [-180^{\circ} + k360^{\circ}, -60^{\circ} + k360^{\circ}] \cup [60^{\circ} + k360^{\circ}, 180^{\circ} + k360^{\circ}]$$

$$\theta \in$$

$$\cup [-540^{\circ}, 420^{\circ}] \cup [-300^{\circ}, -180^{\circ}]$$

 $\cup [-180^{\circ}, -60^{\circ}] \cup [60^{\circ}, 180^{\circ}]$
 $\cup [180^{\circ}, 300^{\circ}] \cup [420^{\circ}, 540^{\circ}]$


$$k = -1$$

$$k = 0$$

$$k = 1$$

$$\theta \in$$

$$[-300^{\circ}, -60^{\circ}] \cup [60^{\circ}, 300^{\circ}]$$



- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$

$$\theta \in [-180^{\circ} + k360^{\circ}, -60^{\circ} + k360^{\circ}] \cup [60^{\circ} + k360^{\circ}, 180^{\circ} + k360^{\circ}]$$

$$\theta \in$$

$$\cup$$
 [-540°, -420°] \cup [-300°, -180°] \cup [-180°, -60°] \cup [60°, 180°] \cup [180°, 300°] \cup [420°, 540°]


$$k = -1$$

$$k = 0$$

$$k = 1$$

$$\theta \in$$

$$[-300^{\circ}, -60^{\circ}] \cup [60^{\circ}, 300^{\circ}]$$




- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$


$$\theta \in$$


$$[-300^\circ, -60^\circ] \cup [60^\circ, 300^\circ]$$



- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.


$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$






- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in [-360°, 360°].

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$







- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$

$$\theta \in$$





- Solve the inequality $2u^2 + 2u + 1 \le u + 2$.
- Find all solutions of $2\cos^2\theta + 2\cos\theta + 1 \le \cos\theta + 2$ lying in $[-360^\circ, 360^\circ]$.

$$\begin{array}{rcl} \cos\theta & \in & \left[-1,\frac{1}{2}\right] \\ -1 \leq \cos\theta & \leq & \frac{1}{2} \end{array}$$

$$\theta \in$$



