# Integrals of the form $\int \frac{Ax + B}{(ax^2 + bx + c)^n} dx,$ denominator has no real roots

**Todor Milev** 

2019

#### Example

#### Example

$$\arctan x + C = \int \frac{1}{x^2 + 1} dx$$

#### Example

$$\arctan x + C = \int \frac{1}{x^2 + 1} dx$$
$$= \frac{1}{x^2 + 1} x - \int x d\left(\frac{1}{x^2 + 1}\right)$$

#### Example

$$\arctan x + C = \int \frac{1}{x^2 + 1} dx$$
$$= \frac{1}{x^2 + 1} x - \int x d\left(\frac{1}{x^2 + 1}\right)$$

#### Example

$$\arctan x + C = \int \frac{1}{x^2 + 1} dx$$

$$= \frac{1}{x^2 + 1} x - \int x d\left(\frac{1}{x^2 + 1}\right)$$

$$= \frac{x}{x^2 + 1} - \int x \left(\frac{?}{?}\right) dx$$

#### Example

$$\arctan x + C = \int \frac{1}{x^2 + 1} dx$$

$$= \frac{1}{x^2 + 1} x - \int x d\left(\frac{1}{x^2 + 1}\right)$$

$$= \frac{x}{x^2 + 1} - \int x \left(-\frac{2x}{(x^2 + 1)^2}\right) dx$$

#### Example

$$\arctan x + C = \int \frac{1}{x^2 + 1} dx$$

$$= \frac{1}{x^2 + 1} x - \int x d\left(\frac{1}{x^2 + 1}\right)$$

$$= \frac{x}{x^2 + 1} - \int x \left(-\frac{2x}{(x^2 + 1)^2}\right) dx$$

$$= \frac{x}{x^2 + 1} + 2 \int \frac{x^2}{(x^2 + 1)^2} dx$$

#### Example

$$\arctan x + C = \int \frac{1}{x^2 + 1} dx$$

$$= \frac{1}{x^2 + 1} x - \int x d\left(\frac{1}{x^2 + 1}\right)$$

$$= \frac{x}{x^2 + 1} - \int x \left(-\frac{2x}{(x^2 + 1)^2}\right) dx$$

$$= \frac{x}{x^2 + 1} + 2 \int \frac{-1 + x^2 + 1}{(x^2 + 1)^2} dx$$

#### Example

$$\arctan x + C = \int \frac{1}{x^2 + 1} dx$$

$$= \frac{1}{x^2 + 1} x - \int x d\left(\frac{1}{x^2 + 1}\right)$$

$$= \frac{x}{x^2 + 1} - \int x \left(-\frac{2x}{(x^2 + 1)^2}\right) dx$$

$$= \frac{x}{x^2 + 1} + 2 \int \frac{-1 + x^2 + 1}{(x^2 + 1)^2} dx$$

$$= \frac{x}{x^2 + 1} + 2 \int \frac{1}{x^2 + 1} dx - 2 \int \frac{1}{(x^2 + 1)^2} dx$$

#### Example

$$\arctan x + C = \int \frac{1}{x^2 + 1} dx$$

$$= \frac{1}{x^2 + 1} x - \int x d\left(\frac{1}{x^2 + 1}\right)$$

$$= \frac{x}{x^2 + 1} - \int x \left(-\frac{2x}{(x^2 + 1)^2}\right) dx$$

$$= \frac{x}{x^2 + 1} + 2 \int \frac{-1 + x^2 + 1}{(x^2 + 1)^2} dx$$

$$= \frac{x}{x^2 + 1} + 2 \int \frac{1}{x^2 + 1} dx - 2 \int \frac{1}{(x^2 + 1)^2} dx$$

#### Example

$$\arctan x + C = \int \frac{1}{x^2 + 1} dx$$

$$= \frac{1}{x^2 + 1} x - \int x d\left(\frac{1}{x^2 + 1}\right)$$

$$= \frac{x}{x^2 + 1} - \int x \left(-\frac{2x}{(x^2 + 1)^2}\right) dx$$

$$= \frac{x}{x^2 + 1} + 2 \int \frac{-1 + x^2 + 1}{(x^2 + 1)^2} dx$$

$$= \frac{x}{x^2 + 1} + 2 \int \frac{1}{x^2 + 1} dx - 2 \int \frac{1}{(x^2 + 1)^2} dx$$

$$= \frac{x}{x^2 + 1} + 2 \arctan x - 2 \int \frac{dx}{(x^2 + 1)^2}$$

#### Example

#### Example

$$\arctan x + C = \frac{x}{x^2 + 1} + 2 \arctan x - 2 \int \frac{dx}{(x^2 + 1)^2}$$

#### Example

Integrate  $\int \frac{dx}{(x^2+1)^2}$ . We start with an already known integral:

$$\arctan x + C = \frac{x}{x^2 + 1} + 2\arctan x - 2\int \frac{dx}{(x^2 + 1)^2}$$

Rearrange terms

$$2\int \frac{dx}{(1+x^2)^2} = \left(\frac{x}{x^2+1} + \arctan x\right) + L$$

#### Example

Integrate  $\int \frac{dx}{(x^2+1)^2}$ . We start with an already known integral:

$$\arctan x + C = \frac{x}{x^2 + 1} + 2 \arctan x - 2 \int \frac{dx}{(x^2 + 1)^2}$$

Rearrange terms

$$2\int \frac{\mathrm{d}x}{(1+x^2)^2} = \left(\frac{x}{x^2+1} + \arctan x\right) + L$$

#### Example

Integrate  $\int \frac{dx}{(x^2+1)^2}$ . We start with an already known integral:

$$\arctan x + C = \frac{x}{x^2 + 1} + 2 \arctan x - 2 \int \frac{dx}{(x^2 + 1)^2}$$

Rearrange terms and divide by 2 to get the desired integral:

$$\int \frac{\mathrm{d}x}{(1+x^2)^2} = \frac{1}{2} \left( \frac{x}{x^2+1} + \arctan x \right) + \quad \mathcal{K} \quad .$$

Building block IIIa:

$$\int \frac{1}{(x^2+1)} dx = \arctan x + C \quad .$$

• Building block IIIa:

$$\int \frac{1}{(x^2+1)} dx = \arctan x + C \quad .$$

$$\int \frac{1}{(x^2+1)^n} \mathrm{d}x$$

Building block IIIa:

$$\int \frac{1}{(x^2+1)} dx = \arctan x + C \quad .$$

Block IIIb:

$$\int \frac{1}{(x^2+1)^n} \mathrm{d}x$$

Unlike other cases, IIIb is much harder than IIIa.

Building block IIIa:

$$\int \frac{1}{(x^2+1)} \mathrm{d}x = \arctan x + C \quad .$$

$$J(n) = \int \frac{1}{(x^2 + 1)^n} \mathrm{d}x$$

- Unlike other cases, IIIb is much harder than IIIa.
- Set  $J(n) = \int \frac{1}{(x^2+1)^n} dx$ .

Building block IIIa:

$$\int \frac{1}{(x^2+1)} dx = \arctan x + C \quad .$$

$$J(n) = \int \frac{1}{(x^2 + 1)^n} \mathrm{d}x$$

- Unlike other cases, IIIb is much harder than IIIa.
- Set  $J(n) = \int \frac{1}{(x^2+1)^n} dx$ . We are looking for a formula for J(n).

Building block IIIa:

$$J(1) = \int \frac{1}{(x^2 + 1)} dx = \arctan x + C \quad .$$

$$J(n) = \int \frac{1}{(x^2+1)^n} \mathrm{d}x$$

- Unlike other cases, IIIb is much harder than IIIa.
- Set  $J(n) = \int \frac{1}{(x^2+1)^n} dx$ . We are looking for a formula for J(n). We know  $J(1) = \arctan x + C$  (this is block IIIa).

Building block IIIa:

$$J(1) = \int \frac{1}{(x^2 + 1)} dx = \arctan x + C \quad .$$

$$J(n) = \int \frac{1}{(x^2 + 1)^n} \mathrm{d}x$$

- Unlike other cases, IIIb is much harder than IIIa.
- Set  $J(n) = \int \frac{1}{(x^2+1)^n} dx$ . We are looking for a formula for J(n). We know  $J(1) = \arctan x + C$  (this is block IIIa).
- We start by  $J(n-1) = \int \frac{1}{(x^2+1)^{n-1}} dx$  and integrate by parts.

Building block IIIa:

$$J(1) = \int \frac{1}{(x^2 + 1)} dx = \arctan x + C \quad .$$

$$J(n) = \int \frac{1}{(x^2 + 1)^n} \mathrm{d}x$$

- Unlike other cases, IIIb is much harder than IIIa.
- Set  $J(n) = \int \frac{1}{(x^2+1)^n} dx$ . We are looking for a formula for J(n). We know  $J(1) = \arctan x + C$  (this is block IIIa).
- We start by  $J(n-1) = \int \frac{1}{(x^2+1)^{n-1}} dx$  and integrate by parts.
- In this way we end up expressing J(n) via J(n-1).

Building block IIIa:

$$J(1) = \int \frac{1}{(x^2 + 1)} dx = \arctan x + C \quad .$$

$$J(n) = \int \frac{1}{(x^2 + 1)^n} \mathrm{d}x$$

- Unlike other cases, IIIb is much harder than IIIa.
- Set  $J(n) = \int \frac{1}{(x^2+1)^n} dx$ . We are looking for a formula for J(n). We know  $J(1) = \arctan x + C$  (this is block IIIa).
- We start by  $J(n-1) = \int \frac{1}{(x^2+1)^{n-1}} dx$  and integrate by parts.
- In this way we end up expressing J(n) via J(n-1).
- We work our way from J(n) to J(n-1), from J(n-1) to J(n-2), and so on, until we get to J(1).

Recall that  $J(n) = \int \frac{1}{(x^2+1)^n} dx$ .

$$J(n-1) = \int \frac{1}{(x^2+1)^{n-1}} dx$$

$$J(n-1) = \int \frac{1}{(x^2+1)^{n-1}} dx$$
$$= \frac{1}{(x^2+1)^{n-1}} x - \int x d\left(\frac{1}{(1+x^2)^{n-1}}\right)$$

$$J(n-1) = \int \frac{1}{(x^2+1)^{n-1}} dx$$
$$= \frac{1}{(x^2+1)^{n-1}} x - \int x d\left(\frac{1}{(1+x^2)^{n-1}}\right)$$

$$J(n-1) = \int \frac{1}{(x^2+1)^{n-1}} dx$$

$$= \frac{1}{(x^2+1)^{n-1}} x - \int x d\left(\frac{1}{(1+x^2)^{n-1}}\right)$$

$$= \frac{x}{(x^2+1)^{n-1}} - \int x \left(\frac{2}{(1+x^2)^{n-1}}\right) dx$$

$$J(n-1) = \int \frac{1}{(x^2+1)^{n-1}} dx$$

$$= \frac{1}{(x^2+1)^{n-1}} x - \int x d\left(\frac{1}{(1+x^2)^{n-1}}\right)$$

$$= \frac{x}{(x^2+1)^{n-1}} - \int x \left(\frac{(-n+1)2x}{(1+x^2)^n}\right) dx$$

$$J(n-1) = \int \frac{1}{(x^2+1)^{n-1}} dx$$

$$= \frac{1}{(x^2+1)^{n-1}} x - \int x d\left(\frac{1}{(1+x^2)^{n-1}}\right)$$

$$= \frac{x}{(x^2+1)^{n-1}} - \int x \left(\frac{(-n+1)2x}{(1+x^2)^n}\right) dx$$

$$= \frac{x}{(x^2+1)^{n-1}} + 2(n-1) \int \frac{x^2}{(1+x^2)^n} dx$$

$$J(n-1) = \int \frac{1}{(x^2+1)^{n-1}} dx$$

$$= \frac{1}{(x^2+1)^{n-1}} x - \int x d\left(\frac{1}{(1+x^2)^{n-1}}\right)$$

$$= \frac{x}{(x^2+1)^{n-1}} - \int x \left(\frac{(-n+1)2x}{(1+x^2)^n}\right) dx$$

$$= \frac{x}{(x^2+1)^{n-1}} + 2(n-1) \int \frac{1+x^2-1}{(1+x^2)^n} dx$$

$$J(n-1) = \int \frac{1}{(x^2+1)^{n-1}} dx$$

$$= \frac{1}{(x^2+1)^{n-1}} x - \int x d\left(\frac{1}{(1+x^2)^{n-1}}\right)$$

$$= \frac{x}{(x^2+1)^{n-1}} - \int x \left(\frac{(-n+1)2x}{(1+x^2)^n}\right) dx$$

$$= \frac{x}{(x^2+1)^{n-1}} + 2(n-1) \int \frac{1+x^2-1}{(1+x^2)^n} dx$$

$$= \frac{x}{(x^2+1)^{n-1}} + 2(n-1) \int \frac{1}{(1+x^2)^n} dx$$

$$-2(n-1) \int \frac{1}{(1+x^2)^n} dx$$

$$J(n-1) = \int \frac{1}{(x^2+1)^{n-1}} dx$$

$$= \frac{1}{(x^2+1)^{n-1}} x - \int x d\left(\frac{1}{(1+x^2)^{n-1}}\right)$$

$$= \frac{x}{(x^2+1)^{n-1}} - \int x \left(\frac{(-n+1)2x}{(1+x^2)^n}\right) dx$$

$$= \frac{x}{(x^2+1)^{n-1}} + 2(n-1) \int \frac{1+x^2-1}{(1+x^2)^n} dx$$

$$= \frac{x}{(x^2+1)^{n-1}} + 2(n-1) \int \frac{1}{(1+x^2)^{n-1}} dx$$

$$-2(n-1) \int \frac{1}{(1+x^2)^n} dx$$

$$J(n-1) = \int \frac{1}{(x^2+1)^{n-1}} dx$$

$$= \frac{1}{(x^2+1)^{n-1}} x - \int x d\left(\frac{1}{(1+x^2)^{n-1}}\right)$$

$$= \frac{x}{(x^2+1)^{n-1}} - \int x \left(\frac{(-n+1)2x}{(1+x^2)^n}\right) dx$$

$$= \frac{x}{(x^2+1)^{n-1}} + 2(n-1) \int \frac{1+x^2-1}{(1+x^2)^n} dx$$

$$= \frac{x}{(x^2+1)^{n-1}} + 2(n-1) \int \frac{1}{(1+x^2)^n} dx$$

$$-2(n-1) \int \frac{1}{(1+x^2)^n} dx$$

$$= \frac{x}{(x^2+1)^{n-1}} + 2(n-1)J(n-1) - 2(n-1)J(n) .$$

$$J(n-1) = \int \frac{1}{(x^2+1)^{n-1}} dx$$

$$= \frac{1}{(x^2+1)^{n-1}} x - \int x d\left(\frac{1}{(1+x^2)^{n-1}}\right)$$

$$= \frac{x}{(x^2+1)^{n-1}} - \int x \left(\frac{(-n+1)2x}{(1+x^2)^n}\right) dx$$

$$= \frac{x}{(x^2+1)^{n-1}} + 2(n-1) \int \frac{1+x^2-1}{(1+x^2)^n} dx$$

$$= \frac{x}{(x^2+1)^{n-1}} + 2(n-1) \int \frac{1}{(1+x^2)^{n-1}} dx$$

$$-2(n-1) \int \frac{1}{(1+x^2)^n} dx$$

$$= \frac{x}{(x^2+1)^{n-1}} + 2(n-1)J(n-1) - 2(n-1)J(n) .$$

$$J(n-1) = \int \frac{1}{(x^2+1)^{n-1}} dx$$

$$= \frac{1}{(x^2+1)^{n-1}} x - \int x d\left(\frac{1}{(1+x^2)^{n-1}}\right)$$

$$= \frac{x}{(x^2+1)^{n-1}} - \int x \left(\frac{(-n+1)2x}{(1+x^2)^n}\right) dx$$

$$= \frac{x}{(x^2+1)^{n-1}} + 2(n-1) \int \frac{1+x^2-1}{(1+x^2)^n} dx$$

$$= \frac{x}{(x^2+1)^{n-1}} + 2(n-1) \int \frac{1}{(1+x^2)^{n-1}} dx$$

$$-2(n-1) \int \frac{1}{(1+x^2)^n} dx$$

$$= \frac{x}{(x^2+1)^{n-1}} + 2(n-1)J(n-1) - 2(n-1)J(n) .$$

$$J(n-1) = \frac{x}{(x^2+1)^{n-1}} + 2(n-1)J(n-1) - 2(n-1)J(n) .$$

Recall that  $J(n) = \int \frac{1}{(x^2+1)^n} dx$ . We have that:

$$J(n-1) = \frac{x}{(x^2+1)^{n-1}} + 2(n-1)J(n-1) - \frac{2(n-1)J(n)}{2(n-1)J(n)}.$$

Rearrange to get:

$$\frac{2(n-1)J(n)}{(x^2+1)^{n-1}} + (2n-3)J(n-1)$$

Recall that  $J(n) = \int \frac{1}{(x^2+1)^n} dx$ . We have that:

$$J(n-1) = \frac{x}{(x^2+1)^{n-1}} + 2(n-1)J(n-1) - 2(n-1)J(n) .$$

Rearrange to get:

$$2(n-1)J(n) = \frac{x}{(x^2+1)^{n-1}} + (2n-3)J(n-1)$$

Recall that  $J(n) = \int \frac{1}{(x^2+1)^n} dx$ . We have that:

$$J(n-1) = \frac{x}{(x^2+1)^{n-1}} + 2(n-1)J(n-1) - 2(n-1)J(n) .$$

Rearrange to get:

$$2(n-1)J(n) = \frac{x}{(x^2+1)^{n-1}} + (2n-3)J(n-1)$$

$$J(n) = \frac{x}{(2n-2)(x^2+1)^{n-1}} + \frac{2n-3}{2n-2}J(n-1) .$$

Recall that  $J(n) = \int \frac{1}{(x^2+1)^n} dx$ . We have that:

$$J(n-1) = \frac{x}{(x^2+1)^{n-1}} + 2(n-1)J(n-1) - 2(n-1)J(n) .$$

Rearrange to get:

$$2(n-1)J(n) = \frac{x}{(x^2+1)^{n-1}} + (2n-3)J(n-1)$$

$$J(n) = \frac{x}{(2n-2)(x^2+1)^{n-1}} + \frac{2n-3}{2n-2}J(n-1) .$$

In this way we expressed J(n) using J(n-1).

Recall that  $J(n) = \int \frac{1}{(x^2+1)^n} dx$ . We have that:

$$J(n-1) = \frac{x}{(x^2+1)^{n-1}} + 2(n-1)J(n-1) - 2(n-1)J(n) .$$

Rearrange to get:

$$2(n-1)J(n) = \frac{x}{(x^2+1)^{n-1}} + (2n-3)J(n-1)$$

$$J(n) = \frac{x}{(2n-2)(x^2+1)^{n-1}} + \frac{2n-3}{2n-2}J(n-1) .$$

$$J(n) = \frac{x}{(2n-2)(x^2+1)^{n-1}} + \frac{2n-3}{2n-2}J(n-1)$$

Recall that  $J(n) = \int \frac{1}{(x^2+1)^n} dx$ . We have that:

$$J(n-1) = \frac{x}{(x^2+1)^{n-1}} + 2(n-1)J(n-1) - 2(n-1)J(n) .$$

Rearrange to get:

$$2(n-1)J(n) = \frac{x}{(x^2+1)^{n-1}} + (2n-3)J(n-1)$$

$$J(n) = \frac{x}{(2n-2)(x^2+1)^{n-1}} + \frac{2n-3}{2n-2}J(n-1) .$$

$$J(n) = \frac{x}{(2n-2)(x^2+1)^{n-1}} + \frac{2n-3}{2n-2} \frac{J(n-1)}{J(n-1)}$$

Recall that  $J(n) = \int \frac{1}{(x^2+1)^n} dx$ . We have that:

$$J(n-1) = \frac{x}{(x^2+1)^{n-1}} + 2(n-1)J(n-1) - 2(n-1)J(n) .$$

Rearrange to get:

$$2(n-1)J(n) = \frac{x}{(x^2+1)^{n-1}} + (2n-3)J(n-1)$$

$$J(n) = \frac{x}{(2n-2)(x^2+1)^{n-1}} + \frac{2n-3}{2n-2}J(n-1) .$$

$$J(n) = \frac{x}{(2n-2)(x^2+1)^{n-1}} + \frac{2n-3}{2n-2} \left( \frac{x}{(2n-4)(x^2+1)^{n-2}} + \frac{2n-5}{2n-4} J(n-2) \right)$$

Recall that  $J(n) = \int \frac{1}{(x^2+1)^n} dx$ . We have that:

$$J(n-1) = \frac{x}{(x^2+1)^{n-1}} + 2(n-1)J(n-1) - 2(n-1)J(n) .$$

Rearrange to get:

$$2(n-1)J(n) = \frac{x}{(x^2+1)^{n-1}} + (2n-3)J(n-1)$$

$$J(n) = \frac{x}{(2n-2)(x^2+1)^{n-1}} + \frac{2n-3}{2n-2}J(n-1) .$$

$$J(n) = \frac{x}{(2n-2)(x^2+1)^{n-1}} + \frac{2n-3}{2n-2} \left( \frac{x}{(2n-4)(x^2+1)^{n-2}} + \frac{2n-5}{2n-4} J(n-2) \right) = \dots$$
 and so on.

Recall that  $J(n) = \int \frac{1}{(x^2+1)^n} dx$ . We have that:

$$J(n-1) = \frac{x}{(x^2+1)^{n-1}} + 2(n-1)J(n-1) - 2(n-1)J(n) .$$

Rearrange to get:

$$2(n-1)J(n) = \frac{x}{(x^2+1)^{n-1}} + (2n-3)J(n-1)$$

$$J(n) = \frac{x}{(2n-2)(x^2+1)^{n-1}} + \frac{2n-3}{2n-2}J(n-1) .$$

$$J(n) = \frac{x}{(2n-2)(x^2+1)^{n-1}} + \frac{2n-3}{2n-2} \left( \frac{x}{(2n-4)(x^2+1)^{n-2}} + \frac{2n-5}{2n-4} J(n-2) \right) = \dots$$
 and so on. The above can be used to write a formula for the final result, but that is as complicated as the process above.