

Precalculus

Transform inequality to interval

Todor Milev

2019

Definition

Let A and B be sets.

- The union of A and B is the set consisting of the elements in A and the elements in B , without additional elements.
- The union of A and B is denoted by

$$A \cup B$$

Definition

Let A and B be sets.

- The union of A and B is the set consisting of the elements in A and the elements in B , without additional elements.
- The union of A and B is denoted by

$$A \cup B$$

Example

Plot the points in the set $[-1, 1) \cup (2, 3]$.

Plot the points in the set $[-1, 2) \cup (1, 3]$.

Definition


Let A and B be sets.

- The union of A and B is the set consisting of the elements in A and the elements in B , without additional elements.
- The union of A and B is denoted by

$$A \cup B$$

Example

Plot the points in the set $[-1, 1) \cup (2, 3]$.



Plot the points in the set $[-1, 2) \cup (1, 3]$.

Definition


Let A and B be sets.

- The union of A and B is the set consisting of the elements in A and the elements in B , without additional elements.
- The union of A and B is denoted by

$$A \cup B$$

Example

Plot the points in the set $[-1, 1) \cup (2, 3]$.



Plot the points in the set $[-1, 2) \cup (1, 3]$.

Definition


Let A and B be sets.

- The union of A and B is the set consisting of the elements in A and the elements in B , without additional elements.
- The union of A and B is denoted by

$$A \cup B$$

Example

Plot the points in the set $[-1, 1) \cup (2, 3]$.



Plot the points in the set $[-1, 2) \cup (1, 3]$.



Definition


Let A and B be sets.

- The union of A and B is the set consisting of the elements in A and the elements in B , without additional elements.
- The union of A and B is denoted by

$$A \cup B$$

Example

Plot the points in the set $[-1, 1) \cup (2, 3]$.



Plot the points in the set $[-1, 2) \cup (1, 3]$.



Definition


Let A and B be sets.

- The union of A and B is the set consisting of the elements in A and the elements in B , without additional elements.
- The union of A and B is denoted by


$$A \cup B$$

Example

Plot the points in the set $[-1, 1) \cup (2, 3]$.



Plot the points in the set $[-1, 2) \cup (1, 3]$.



Definition


Let A and B be sets.

- The union of A and B is the set consisting of the elements in A and the elements in B , without additional elements.
- The union of A and B is denoted by


$$A \cup B$$

Example

Plot the points in the set $[-1, 1) \cup (2, 3]$.



Plot the points in the set $[-1, 2) \cup (1, 3]$.



- To draw the points of a union draw both on top of one another.

Definition

Let A be a set. The notation

$$x \in A$$

is read as

- x belongs to A or
- x is an element of A .

Definition

Let A be a set. The notation

$$x \in A$$

is read as

- x belongs to A or
- x is an element of A .

Definition

Let A be a set. The notation

$$x \in A$$

is read as

- x belongs to A or
- x is an element of A .

Example

Express the statement $-1 < x \leq 2$ using the \in symbol and the interval notation.

Express the statement $x < 0$ or $1 \leq x < 2$ using the \in symbol and the interval notation.

Definition

Let A be a set. The notation

$$x \in A$$

is read as

- x belongs to A or
- x is an element of A .

Example

Express the statement $-1 < x \leq 2$ using the \in symbol and the interval notation.

?

Express the statement $x < 0$ or $1 \leq x < 2$ using the \in symbol and the interval notation.

Definition

Let A be a set. The notation

$$x \in A$$

is read as

- x belongs to A or
- x is an element of A .

Example

Express the statement $-1 < x \leq 2$ using the \in symbol and the interval notation.

$$x \in (-1, 2]$$

Express the statement $x < 0$ or $1 \leq x < 2$ using the \in symbol and the interval notation.

Definition

Let A be a set. The notation

$$x \in A$$

is read as

- x belongs to A or
- x is an element of A .

Example

Express the statement $-1 < x \leq 2$ using the \in symbol and the interval notation.

$$x \in (-1, 2]$$

Express the statement $x < 0$ or $1 \leq x < 2$ using the \in symbol and the interval notation.

Definition

Let A be a set. The notation

$$x \in A$$

is read as

- x belongs to A or
- x is an element of A .

Example

Express the statement $-1 < x \leq 2$ using the \in symbol and the interval notation.

$$x \in (-1, 2]$$

Express the statement $x < 0$ or $1 \leq x < 2$ using the \in symbol and the interval notation.

Definition

Let A be a set. The notation

$$x \in A$$

is read as

- x belongs to A or
- x is an element of A .

Example

Express the statement $-1 < x \leq 2$ using the \in symbol and the interval notation.

$$x \in (-1, 2]$$

Express the statement $x < 0$ or $1 \leq x < 2$ using the \in symbol and the interval notation.

?

Definition

Let A be a set. The notation

$$x \in A$$

is read as

- x belongs to A or
- x is an element of A .

Example

Express the statement $-1 < x \leq 2$ using the \in symbol and the interval notation.

$$x \in (-1, 2]$$

Express the statement $x < 0$ or $1 \leq x < 2$ using the \in symbol and the interval notation.

$$x \in (-\infty, 0) \cup [1, 2)$$

Definition

Let A be a set. The notation

$$x \in A$$

is read as

- x belongs to A or
- x is an element of A .

Example

Express the statement $-1 < x \leq 2$ using the \in symbol and the interval notation.

$$x \in (-1, 2]$$

Express the statement $x < 0$ or $1 \leq x < 2$ using the \in symbol and the interval notation.

$$x \in (-\infty, 0) \cup [1, 2)$$

Definition

Let A be a set. The notation

$$x \in A$$

is read as

- x belongs to A or
- x is an element of A .

Example

Express the statement $-1 < x \leq 2$ using the \in symbol and the interval notation.

$$x \in (-1, 2]$$

Express the statement $x < 0$ or $1 \leq x < 2$ using the \in symbol and the interval notation.

$$x \in (-\infty, 0) \cup [1, 2)$$

Definition

Let A be a set. The notation

$$x \in A$$

is read as

- x belongs to A or
- x is an element of A .

Example

Express the statement $-1 < x \leq 2$ using the \in symbol and the interval notation.

$$x \in (-1, 2]$$

Express the statement $x < 0$ or $1 \leq x < 2$ using the \in symbol and the interval notation.

$$x \in (-\infty, 0) \cup [1, 2)$$

Definition

Let A be a set. The notation

$$x \in A$$

is read as

- x belongs to A or
- x is an element of A .

Example

Express the statement $-1 < x \leq 2$ using the \in symbol and the interval notation.

$$x \in (-1, 2]$$

Express the statement $x < 0$ **or** $1 \leq x < 2$ using the \in symbol and the interval notation.

$$x \in (-\infty, 0) \cup [1, 2)$$