

# Precalculus

## Equations involving logarithms and exponents

Todor Milev

2019

# Outline

## 1 Equations involving logarithms

# Outline

- 1 Equations involving logarithms
- 2 Equations involving exponents

# Outline

- 1 Equations involving logarithms
- 2 Equations involving exponents
- 3 Inverse function problems and exponents

# Outline

- 1 Equations involving logarithms
- 2 Equations involving exponents
- 3 Inverse function problems and exponents
- 4 Basic exponential inequalities

# License to use and redistribute

These lecture slides and their  $\text{\LaTeX}$  source code are licensed to you under the Creative Commons license CC BY 3.0. You are free

- to Share - to copy, distribute and transmit the work,
- to Remix - to adapt, change, etc., the work,
- to make commercial use of the work,

as long as you reasonably acknowledge the original project.

- Latest version of the .tex sources of the slides:  
<https://github.com/tmilev/freecalc>
- Should the link be outdated/moved, search for “freecalc project”.
- Creative Commons license CC BY 3.0:  
<https://creativecommons.org/licenses/by/3.0/us/>  
and the links therein.

## Example

Solve the equation.

$$\log_3(2x^2 + 1) = 2$$

## Example

Solve the equation.

$$\begin{aligned}\log_3(2x^2 + 1) &= 2 \\ \textcolor{red}{3}^{\log_3(2x^2 + 1)} &= \textcolor{red}{3}^2\end{aligned}$$

| Exponentiate base  $\textcolor{red}{3}$



## Example

Solve the equation.

$$\begin{aligned}\log_3(2x^2 + 1) &= 2 \\ 3^{\log_3(2x^2 + 1)} &= 3^2 \\ 2x^2 + 1 &= 9\end{aligned}$$

| Exponentiate base 3

## Example

Solve the equation.

$$\begin{aligned}\log_3(2x^2 + 1) &= 2 \\ 3^{\log_3(2x^2 + 1)} &= 3^2 \\ 2x^2 + 1 &= 9 \\ 2x^2 &= 8\end{aligned}$$

| Exponentiate base 3

## Example

Solve the equation.

$$\begin{aligned}\log_3(2x^2 + 1) &= 2 \\ 3^{\log_3(2x^2 + 1)} &= 3^2 \\ 2x^2 + 1 &= 9 \\ 2x^2 &= 8 \\ x^2 &= \frac{8}{2} = 4\end{aligned}$$

| Exponentiate base 3

## Example

Solve the equation.

$$\begin{aligned}\log_3(2x^2 + 1) &= 2 && | \text{ Exponentiate base 3} \\ 3^{\log_3(2x^2 + 1)} &= 3^2 \\ 2x^2 + 1 &= 9 \\ 2x^2 &= 8 \\ x^2 &= \frac{8}{2} = 4 \\ x &= \pm\sqrt{4} = \pm 2\end{aligned}$$

## Example

Solve the equation.

$$\begin{aligned}\log_3(2x^2 + 1) &= 2 && | \text{Exponentiate base 3} \\ 3^{\log_3(2x^2 + 1)} &= 3^2 \\ 2x^2 + 1 &= 9 \\ 2x^2 &= 8 \\ x^2 &= \frac{8}{2} = 4 \\ x &= \pm\sqrt{4} = \pm 2 \\ x = 2 \text{ or } x = -2 && | \text{final answer}\end{aligned}$$

The logarithmic property  $\log_a(xy) = \log_a x + \log_a y$  holds only for positive  $x, y$ . Failure to check the positivity of  $x, y$  can result in extraneous (fake) solutions to logarithmic equations.

### Example

Solve the equation.

$$\log_2(x + 2) + \log_2(x - 1) = 2$$

The logarithmic property  $\log_a(xy) = \log_a x + \log_a y$  holds only for positive  $x, y$ . Failure to check the positivity of  $x, y$  can result in extraneous (fake) solutions to logarithmic equations.

## Example

Solve the equation.

$$\log_2(x+2) + \log_2(x-1) = 2$$

$$\log_2((x+2)(x-1)) = 2$$

$$(x+2)(x-1) = 2^2$$

$$x^2 + x - 2 = 4$$

$$x^2 + x - 6 = 0$$

$$(x-2)(x+3) = 0$$

$$x = 2 \quad \text{or} \quad x = -3$$

$x = -3$  not a solution (outside of domain)

Domain:  $x > 1$

Exponentiate base 2

## Example (Solve exponential equation without logarithms)

Solve for  $t$ .

$$16^{4t} = 8^{t-2}$$



## Example (Solve exponential equation without logarithms)

Solve for  $t$ .

$$\begin{array}{rcl} 16^{4t} & = & 8^{t-2} \\ \text{Find a common base: } (?)^{4t} & = & (?)^{t-2} \end{array}$$

## Example (Solve exponential equation without logarithms)

Solve for  $t$ .

Find a common base:

$$\begin{array}{rcl} 16^{4t} & = & 8^{t-2} \\ (2^4)^{4t} & = & (2^3)^{t-2} \end{array}$$

## Example (Solve exponential equation without logarithms)

Solve for  $t$ .

$$\begin{aligned} 16^{4t} &= 8^{t-2} \\ \text{Find a common base: } (2^4)^{4t} &= (2^3)^{t-2} \\ 2^{16t} &= 2^{3t-6} \end{aligned}$$

## Example (Solve exponential equation without logarithms)

Solve for  $t$ .

$$\begin{array}{rcl} 16^{4t} & = & 8^{t-2} \\ \text{Find a common base: } (2^4)^{4t} & = & (2^3)^{t-2} \\ 2^{16t} & = & 2^{3t-6} \\ 16t & = & 3t - 6 \end{array}$$

## Example (Solve exponential equation without logarithms)

Solve for  $t$ .

Find a common base:

$$\begin{aligned}16^{4t} &= 8^{t-2} \\ (2^4)^{4t} &= (2^3)^{t-2} \\ 2^{16t} &= 2^{3t-6} \\ 16t &= 3t - 6 \\ 13t &= -6\end{aligned}$$

## Example (Solve exponential equation without logarithms)

Solve for  $t$ .

Find a common base:

$$\begin{aligned}16^{4t} &= 8^{t-2} \\ (2^4)^{4t} &= (2^3)^{t-2} \\ 2^{16t} &= 2^{3t-6} \\ 16t &= 3t - 6 \\ 13t &= -6 \\ t &= -\frac{6}{13}.\end{aligned}$$

## Example

Solve the equation.

$$2^{1-5x} = 12$$

## Example

Solve the equation.

$$\begin{array}{rcl} 2^{1-5x} & = & 12 \\ \log_2(2^{1-5x}) & = & \log_2 12 \end{array} \quad \left| \text{ apply } \log_2 \right.$$



## Example

Solve the equation.

$$\begin{array}{rcl} 2^{1-5x} & = & 12 \\ \log_2(2^{1-5x}) & = & \log_2 12 \\ 1 - 5x & = & \log_2 12 \end{array} \quad \left| \text{ apply } \log_2 \right.$$

## Example

Solve the equation.

$$\begin{array}{rcl} 2^{1-5x} & = & 12 \\ \log_2(2^{1-5x}) & = & \log_2 12 \\ 1 - 5x & = & \log_2 12 = ? \end{array} \quad \left| \text{ apply } \log_2 \right.$$

## Example

Solve the equation.

$$\begin{array}{rcl} 2^{1-5x} & = & 12 \\ \log_2(2^{1-5x}) & = & \log_2 12 \\ 1 - 5x & = & \log_2 12 = \log_2(4 \cdot 3) \end{array} \quad \left| \begin{array}{l} \text{apply } \log_2 \end{array} \right.$$

## Example

Solve the equation.

$$\begin{aligned} 2^{1-5x} &= 12 && | \text{ apply } \log_2 \\ \log_2(2^{1-5x}) &= \log_2 12 \\ 1 - 5x &= \log_2 12 = \log_2(4 \cdot 3) \\ 1 - 5x &= \log_2 4 + \log_2 3 \end{aligned}$$

## Example

Solve the equation.

$$\begin{aligned} 2^{1-5x} &= 12 && | \text{ apply } \log_2 \\ \log_2(2^{1-5x}) &= \log_2 12 \\ 1 - 5x &= \log_2 12 = \log_2(4 \cdot 3) \\ 1 - 5x &= \log_2 4 + \log_2 3 \\ 1 - 5x &= ? + \log_2 3 \end{aligned}$$

## Example

Solve the equation.

$$\begin{aligned} 2^{1-5x} &= 12 && | \text{ apply } \log_2 \\ \log_2(2^{1-5x}) &= \log_2 12 \\ 1 - 5x &= \log_2 12 = \log_2(4 \cdot 3) \\ 1 - 5x &= \log_2 4 + \log_2 3 \\ 1 - 5x &= 2 + \log_2 3 \end{aligned}$$

## Example

Solve the equation.

$$\begin{aligned} 2^{1-5x} &= 12 && | \text{ apply } \log_2 \\ \log_2(2^{1-5x}) &= \log_2 12 \\ 1 - 5x &= \log_2 12 = \log_2(4 \cdot 3) \\ 1 - 5x &= \log_2 4 + \log_2 3 \\ \textcolor{red}{1} - 5x &= 2 + \log_2 3 \\ 5x &= \textcolor{red}{1} - (2 + \log_2 3) \end{aligned}$$

## Example

Solve the equation.

$$\begin{array}{rcll}
 2^{1-5x} & = & 12 & | \text{ apply } \log_2 \\
 \log_2(2^{1-5x}) & = & \log_2 12 & \\
 1 - 5x & = & \log_2 12 = \log_2(4 \cdot 3) & \\
 1 - 5x & = & \log_2 4 + \log_2 3 & \\
 1 - 5x & = & 2 + \log_2 3 & \\
 5x & = & 1 - (2 + \log_2 3) & \\
 & & -1 & \\
 x & = & \underline{\hspace{2cm}} & 
 \end{array}$$



## Example

Solve the equation.

$$\begin{aligned} 2^{1-5x} &= 12 && | \text{ apply } \log_2 \\ \log_2(2^{1-5x}) &= \log_2 12 \\ 1 - 5x &= \log_2 12 = \log_2(4 \cdot 3) \\ 1 - 5x &= \log_2 4 + \log_2 3 \\ 1 - 5x &= 2 + \log_2 3 \\ 5x &= 1 - (2 + \log_2 3) \\ x &= \underline{-1 - \log_2 3} \end{aligned}$$

## Example

Solve the equation.

$$\begin{array}{rcll}
 2^{1-5x} & = & 12 & | \text{ apply } \log_2 \\
 \log_2(2^{1-5x}) & = & \log_2 12 & \\
 1 - 5x & = & \log_2 12 = \log_2(4 \cdot 3) & \\
 1 - 5x & = & \log_2 4 + \log_2 3 & \\
 1 - 5x & = & 2 + \log_2 3 & \\
 \textcolor{red}{5}x & = & 1 - (2 + \log_2 3) & \\
 & & - 1 - \log_2 3 & \\
 x & = & \frac{\quad}{\textcolor{red}{5}} & 
 \end{array}$$

## Example

Solve the equation.

$$\begin{aligned}
 2^{1-5x} &= 12 && | \text{ apply } \log_2 \\
 \log_2(2^{1-5x}) &= \log_2 12 \\
 1 - 5x &= \log_2 12 = \log_2(4 \cdot 3) \\
 1 - 5x &= \log_2 4 + \log_2 3 \\
 1 - 5x &= 2 + \log_2 3 \\
 5x &= 1 - (2 + \log_2 3) \\
 &= -1 - \log_2 3 \\
 x &= \frac{-1 - \log_2 3}{5} \\
 \text{Calculator: } x &\approx -0.516993.
 \end{aligned}$$

## Example

Solve the equation.

$$e^{x-3} = 2e^{2x-1}$$

## Example

Solve the equation.

$$\begin{array}{l} e^{x-3} = 2e^{2x-1} \\ \hline \frac{e^{x-3}}{e^{2x-1}} = 2 \end{array} \quad \left| \text{Divide by } e^{2x-1} \right.$$

## Example

Solve the equation.

$$e^{x-3} = 2e^{2x-1}$$

Divide by  $e^{2x-1}$

$$\frac{e^{x-3}}{e^{2x-1}} = 2$$

$$e^{x-3-(2x-1)} = 2$$

## Example

Solve the equation.

$$e^{x-3} = 2e^{2x-1}$$

Divide by  $e^{2x-1}$

$$\frac{e^{x-3}}{e^{2x-1}} = 2$$

$$e^{x-3-(2x-1)} = 2$$

## Example

Solve the equation.

$$e^{x-3} = 2e^{2x-1}$$

Divide by  $e^{2x-1}$

$$\frac{e^{x-3}}{e^{2x-1}} = 2$$

$$e^{x-3-(2x-1)} = 2$$

$$e^{-x-2} = 2$$



## Example

Solve the equation.

$$e^{x-3} = 2e^{2x-1}$$

Divide by  $e^{2x-1}$

$$\frac{e^{x-3}}{e^{2x-1}} = 2$$

$$e^{x-3-(2x-1)} = 2$$

$$e^{-x-2} = 2$$

## Example

Solve the equation.

$$e^{x-3} = 2e^{2x-1}$$

Divide by  $e^{2x-1}$

$$\frac{e^{x-3}}{e^{2x-1}} = 2$$

$$e^{x-3-(2x-1)} = 2$$

$$e^{-x-2} = 2$$

Apply  $\ln$

$$-x - 2 = \ln 2$$

## Example

Solve the equation.

$$e^{x-3} = 2e^{2x-1}$$

Divide by  $e^{2x-1}$

$$\frac{e^{x-3}}{e^{2x-1}} = 2$$

$$e^{x-3-(2x-1)} = 2$$

$$e^{-x-2} = 2$$

Apply  $\ln$

$$-x - 2 = \ln 2$$

## Example

Solve the equation.

$$e^{x-3} = 2e^{2x-1}$$

Divide by  $e^{2x-1}$

$$\frac{e^{x-3}}{e^{2x-1}} = 2$$

$$e^{x-3-(2x-1)} = 2$$

$$e^{-x-2} = 2$$

Apply  $\ln$

$$-x - 2 = \ln 2$$

$$-x = \ln 2 + 2$$

## Example

Solve the equation.

$$e^{x-3} = 2e^{2x-1}$$

Divide by  $e^{2x-1}$

$$\frac{e^{x-3}}{e^{2x-1}} = 2$$

$$e^{x-3-(2x-1)} = 2$$

$$e^{-x-2} = 2$$

Apply  $\ln$

$$-x - 2 = \ln 2$$

$$-x = \ln 2 + 2$$

$$x = -(\ln 2 + 2)$$

## Example

Solve the equation.

$$e^{x-3} = 2e^{2x-1} \quad \left| \text{Divide by } e^{2x-1} \right.$$

$$\frac{e^{x-3}}{e^{2x-1}} = 2$$

$$e^{x-3-(2x-1)} = 2$$

$$e^{-x-2} = 2 \quad \left| \text{Apply } \ln \right.$$

$$-x - 2 = \ln 2$$

$$-x = \ln 2 + 2$$

$$x = -(\ln 2 + 2)$$

$$x = -\ln 2 - 2 \quad \left| \text{Final answer} \right.$$

## Example

Solve the equation.

$$e^{x-3} = 2e^{2x-1}$$

Divide by  $e^{2x-1}$

$$\frac{e^{x-3}}{e^{2x-1}} = 2$$

$$e^{x-3-(2x-1)} = 2$$

$$e^{-x-2} = 2$$

Apply  $\ln$

$$-x - 2 = \ln 2$$

$$-x = \ln 2 + 2$$

$$x = -(\ln 2 + 2)$$

$$x = -\ln 2 - 2$$

Final answer

$$x \approx -2.693$$

Calculator

## Example

Solve.

$$3^{2x+5} = 5 \cdot 2^{-x+1}$$



## Example

Solve.

$$3^{2x+5} = 5 \cdot 2^{-x+1}$$

Common base

## Example

Solve.

$$3^{2x+5} = 5 \cdot 2^{-x+1}$$

$$\left(2^{\log_2 3}\right)^{2x+5} = 5 \cdot 2^{-x+1}$$

Common base

$$a = b^{\log_b a}$$

## Example

Solve.

$$3^{2x+5} = 5 \cdot 2^{-x+1}$$

$$\left(2^{\log_2 3}\right)^{2x+5} = 5 \cdot 2^{-x+1}$$

$$2^{(\log_2 3)(2x+5)} = 5 \cdot 2^{-x+1}$$

Common base

$$a = b^{\log_b a}$$

## Example

Solve.

$$3^{2x+5} = 5 \cdot 2^{-x+1}$$

$$\left(2^{\log_2 3}\right)^{2x+5} = 5 \cdot 2^{-x+1}$$

$$2^{(\log_2 3)(2x+5)} = 5 \cdot 2^{-x+1}$$

$$\frac{2^{(\log_2 3)(2x+5)}}{2^{-x+1}} = 5$$

Common base

$$a = b^{\log_b a}$$

## Example

Solve.

$$3^{2x+5} = 5 \cdot 2^{-x+1}$$

$$\left(2^{\log_2 3}\right)^{2x+5} = 5 \cdot 2^{-x+1}$$

$$2^{(\log_2 3)(2x+5)} = 5 \cdot 2^{-x+1}$$

$$\frac{2^{(\log_2 3)(2x+5)}}{2^{-x+1}} = 5$$

$$2^{(\log_2 3)(2x+5) - (-x+1)} = 5$$

Common base

$$a = b^{\log_b a}$$

## Example

Solve.

$$3^{2x+5} = 5 \cdot 2^{-x+1}$$

$$\left(2^{\log_2 3}\right)^{2x+5} = 5 \cdot 2^{-x+1}$$

$$2^{(\log_2 3)(2x+5)} = 5 \cdot 2^{-x+1}$$

$$\frac{2^{(\log_2 3)(2x+5)}}{2^{-x+1}} = 5$$

$$2^{(\log_2 3)(2x+5) - (-x+1)} = 5$$

Common base

$$a = b^{\log_b a}$$

## Example

Solve.

$$3^{2x+5} = 5 \cdot 2^{-x+1}$$

$$\left(2^{\log_2 3}\right)^{2x+5} = 5 \cdot 2^{-x+1}$$

$$2^{(\log_2 3)(2x+5)} = 5 \cdot 2^{-x+1}$$

$$\frac{2^{(\log_2 3)(2x+5)}}{2^{-x+1}} = 5$$

$$2^{(\log_2 3)(2x+5) - (-x+1)} = 5$$

$$(\log_2 3)(2x + 5) + x - 1 = \log_2 5$$

Common base

$$a = b^{\log_b a}$$

Apply  $\log_2$

## Example

Solve.

$$3^{2x+5} = 5 \cdot 2^{-x+1}$$

$$\left(2^{\log_2 3}\right)^{2x+5} = 5 \cdot 2^{-x+1}$$

$$2^{(\log_2 3)(2x+5)} = 5 \cdot 2^{-x+1}$$

$$\frac{2^{(\log_2 3)(2x+5)}}{2^{-x+1}} = 5$$

$$2^{(\log_2 3)(2x+5)-(-x+1)} = 5$$

$$(\log_2 3)(2x + 5) + x - 1 = \log_2 5$$

Common base

$$a = b^{\log_b a}$$

Apply  $\log_2$



## Example

Solve.

$$3^{2x+5} = 5 \cdot 2^{-x+1}$$

Common base

$$\left(2^{\log_2 3}\right)^{2x+5} = 5 \cdot 2^{-x+1}$$

$$a = b^{\log_b a}$$

$$2^{(\log_2 3)(2x+5)} = 5 \cdot 2^{-x+1}$$

$$\frac{2^{(\log_2 3)(2x+5)}}{2^{-x+1}} = 5$$

$$2^{(\log_2 3)(2x+5)-(-x+1)} = 5$$

Apply  $\log_2$

$$(\log_2 3)(2x + 5) + x - 1 = \log_2 5$$

$$x( \quad + \quad ) + \quad = \log_2 5$$

## Example

Solve.

$$3^{2x+5} = 5 \cdot 2^{-x+1}$$

Common base

$$\left(2^{\log_2 3}\right)^{2x+5} = 5 \cdot 2^{-x+1}$$

$$a = b^{\log_b a}$$

$$2^{(\log_2 3)(2x+5)} = 5 \cdot 2^{-x+1}$$

$$\frac{2^{(\log_2 3)(2x+5)}}{2^{-x+1}} = 5$$

$$2^{(\log_2 3)(2x+5)-(-x+1)} = 5$$

Apply  $\log_2$

$$(\log_2 3)(2x + 5) + x - 1 = \log_2 5$$

$$x(2 \log_2 3 + 1) + \dots = \log_2 5$$

## Example

Solve.

$$3^{2x+5} = 5 \cdot 2^{-x+1}$$

$$\left(2^{\log_2 3}\right)^{2x+5} = 5 \cdot 2^{-x+1}$$

$$2^{(\log_2 3)(2x+5)} = 5 \cdot 2^{-x+1}$$

$$\frac{2^{(\log_2 3)(2x+5)}}{2^{-x+1}} = 5$$

$$2^{(\log_2 3)(2x+5)-(-x+1)} = 5$$

$$(\log_2 3)(2x + 5) + x - 1 = \log_2 5$$

$$x(2 \log_2 3 + 1) +$$

Common base

$$a = b^{\log_b a}$$

Apply  $\log_2$

## Example

Solve.

$$3^{2x+5} = 5 \cdot 2^{-x+1}$$

$$\left(2^{\log_2 3}\right)^{2x+5} = 5 \cdot 2^{-x+1}$$

$$2^{(\log_2 3)(2x+5)} = 5 \cdot 2^{-x+1}$$

$$\frac{2^{(\log_2 3)(2x+5)}}{2^{-x+1}} = 5$$

$$2^{(\log_2 3)(2x+5)-(-x+1)} = 5$$

$$(\log_2 3)(2x + 5) + x - 1 = \log_2 5$$

$$x(2 \log_2 3 + 1) + 5 \log_2 3 = \log_2 5$$

Common base

$$a = b^{\log_b a}$$

Apply  $\log_2$

## Example

Solve.

$$3^{2x+5} = 5 \cdot 2^{-x+1}$$

$$\left(2^{\log_2 3}\right)^{2x+5} = 5 \cdot 2^{-x+1}$$

$$2^{(\log_2 3)(2x+5)} = 5 \cdot 2^{-x+1}$$

$$\frac{2^{(\log_2 3)(2x+5)}}{2^{-x+1}} = 5$$

$$2^{(\log_2 3)(2x+5)-(-x+1)} = 5$$

$$(\log_2 3)(2x + 5) + x - 1 = \log_2 5$$

$$x(2 \log_2 3 + 1) + 5 \log_2 3 = \log_2 5 + 1$$

Common base

$$a = b^{\log_b a}$$

Apply  $\log_2$

## Example

Solve.

$$3^{2x+5} = 5 \cdot 2^{-x+1}$$

$$(2^{\log_2 3})^{2x+5} = 5 \cdot 2^{-x+1}$$

$$2^{(\log_2 3)(2x+5)} = 5 \cdot 2^{-x+1}$$

$$\frac{2^{(\log_2 3)(2x+5)}}{2^{-x+1}} = 5$$

$$2^{(\log_2 3)(2x+5)-(-x+1)} = 5$$

$$(\log_2 3)(2x + 5) + x - 1 = \log_2 5$$

$$x(2 \log_2 3 + 1) + 5 \log_2 3 = \log_2 5 + 1$$

$$x = \frac{\log_2 5 + 1}{2 \log_2 3 + 1}$$

Common base

$$a = b^{\log_b a}$$

Apply  $\log_2$

## Example

Solve.

$$3^{2x+5} = 5 \cdot 2^{-x+1}$$

Common base

$$(2^{\log_2 3})^{2x+5} = 5 \cdot 2^{-x+1}$$

$$a = b^{\log_b a}$$

$$2^{(\log_2 3)(2x+5)} = 5 \cdot 2^{-x+1}$$

$$\frac{2^{(\log_2 3)(2x+5)}}{2^{-x+1}} = 5$$

$$2^{(\log_2 3)(2x+5)-(-x+1)} = 5$$

Apply  $\log_2$

$$(\log_2 3)(2x + 5) + x - 1 = \log_2 5$$

$$x(2 \log_2 3 + 1) + 5 \log_2 3 = \log_2 5 + 1$$

$$x = \frac{\log_2 5 + 1 - 5 \log_2 3}{2 \log_2 3 + 1}$$

## Example

Solve.

$$3^{2x+5} = 5 \cdot 2^{-x+1}$$

Common base

$$(2^{\log_2 3})^{2x+5} = 5 \cdot 2^{-x+1}$$

$$a = b^{\log_b a}$$

$$2^{(\log_2 3)(2x+5)} = 5 \cdot 2^{-x+1}$$

$$\frac{2^{(\log_2 3)(2x+5)}}{2^{-x+1}} = 5$$

$$2^{(\log_2 3)(2x+5)-(-x+1)} = 5$$

Apply  $\log_2$

$$(\log_2 3)(2x + 5) + x - 1 = \log_2 5$$

$$x(2\log_2 3 + 1) + 5\log_2 3 = \log_2 5 + 1$$

$$x = \frac{\log_2 5 + 1 - 5\log_2 3}{2\log_2 3 + 1}$$



## Example

Solve.

$$3^{2x+5} = 5 \cdot 2^{-x+1}$$

Common base

$$(2^{\log_2 3})^{2x+5} = 5 \cdot 2^{-x+1}$$

$$a = b^{\log_b a}$$

$$2^{(\log_2 3)(2x+5)} = 5 \cdot 2^{-x+1}$$

$$\frac{2^{(\log_2 3)(2x+5)}}{2^{-x+1}} = 5$$

$$2^{(\log_2 3)(2x+5)-(-x+1)} = 5$$

Apply  $\log_2$

$$(\log_2 3)(2x + 5) + x - 1 = \log_2 5$$

$$x(2 \log_2 3 + 1) + 5 \log_2 3 = \log_2 5 + 1$$

$$x = \frac{\log_2 5 + 1 - 5 \log_2 3}{2 \log_2 3 + 1}$$

$$x \approx -1.1038$$

Calculator

## Example

Solve the equation.

$$e^{5-3x} = 10$$

## Example

Solve the equation.

$$\begin{array}{rcl} e^{5-3x} & = & 10 \\ \ln(e^{5-3x}) & = & \ln 10 \end{array} \quad \text{apply } \ln$$

## Example

Solve the equation.

$$\begin{array}{rcl} e^{5-3x} & = & 10 \\ \ln(e^{5-3x}) & = & \ln 10 \\ 5 - 3x & = & \ln 10 \end{array} \quad \text{apply } \ln$$

## Example

Solve the equation.

$$\begin{aligned} e^{5-3x} &= 10 && \text{apply } \ln \\ \ln(e^{5-3x}) &= \ln 10 \\ \textcolor{red}{5} - 3x &= \ln 10 \\ 3x &= \textcolor{red}{5} - \ln 10 \end{aligned}$$

## Example

Solve the equation.

$$\begin{array}{rclcl} e^{5-3x} & = & 10 & & \text{apply ln} \\ \ln(e^{5-3x}) & = & \ln 10 & & \\ 5 - 3x & = & \ln 10 & & \\ \textcolor{red}{3}x & = & 5 - \ln 10 & & \\ x & = & \frac{5 - \ln 10}{\textcolor{red}{3}} & & \end{array}$$

## Example

Solve the equation.

$$\begin{aligned}e^{5-3x} &= 10 && \text{apply } \ln \\ \ln(e^{5-3x}) &= \ln 10 \\ 5 - 3x &= \ln 10 \\ 3x &= 5 - \ln 10 \\ x &= \frac{5 - \ln 10}{3} \\ \text{Calculator: } x &\approx 0.8991.\end{aligned}$$

### Example (Solving an exponential word problem)

A farmer buys 48 chickens and 6 rabbits. The chicken population doubles each year, and the rabbit population doubles every six months. When does the farmer have the same number of chickens as rabbits?



### Example (Solving an exponential word problem)

A farmer buys 48 chickens and 6 rabbits. The chicken population doubles each year, and the rabbit population doubles every six months. When does the farmer have the same number of chickens as rabbits?

Let  $c(t)$  denote the number of chickens after  $t$  years, and let  $r(t)$  denote the number of rabbits after  $t$  years.

### Example (Solving an exponential word problem)

A farmer buys 48 chickens and 6 rabbits. The chicken population doubles each year, and the rabbit population doubles every six months.

**When** does the farmer have the same number of chickens as rabbits?

Let  $c(t)$  denote the number of chickens after  $t$  years, and let  $r(t)$  denote the number of rabbits after  $t$  years.

**Solve for  $t$ :**

### Example (Solving an exponential word problem)

A farmer buys 48 chickens and 6 rabbits. The chicken population doubles each year, and the rabbit population doubles every six months. When does the farmer have the same **number of chickens** as rabbits?

Let  $c(t)$  denote the number of chickens after  $t$  years, and let  $r(t)$  denote the number of rabbits after  $t$  years.

Solve for  $t$ :  **$c(t)$**

### Example (Solving an exponential word problem)

A farmer buys 48 chickens and 6 rabbits. The chicken population doubles each year, and the rabbit population doubles every six months. When does the farmer have **the same** number of chickens as rabbits?

Let  $c(t)$  denote the number of chickens after  $t$  years, and let  $r(t)$  denote the number of rabbits after  $t$  years.

Solve for  $t$ :  $c(t) =$

## Example (Solving an exponential word problem)

A farmer buys 48 chickens and 6 rabbits. The chicken population doubles each year, and the rabbit population doubles every six months. When does the farmer have the same **number of** chickens as **rabbits**?

Let  $c(t)$  denote the number of chickens after  $t$  years, and let  $r(t)$  denote the number of rabbits after  $t$  years.

Solve for  $t$ :  $c(t) = r(t)$

### Example (Solving an exponential word problem)

A farmer buys 48 chickens and 6 rabbits. The chicken population doubles each year, and the rabbit population doubles every six months. When does the farmer have the same number of chickens as rabbits?

Let  $c(t)$  denote the number of chickens after  $t$  years, and let  $r(t)$  denote the number of rabbits after  $t$  years.

Solve for  $t$ :  $c(t) = r(t)$

=

## Example (Solving an exponential word problem)

A farmer buys 48 chickens and 6 rabbits. The chicken population doubles each year, and the rabbit population doubles every six months. When does the farmer have the same number of chickens as rabbits?

Let  $c(t)$  denote the number of chickens after  $t$  years, and let  $r(t)$  denote the number of rabbits after  $t$  years.

Solve for  $t$ :  $c(t) = r(t)$

$$48 \cdot 2^t =$$

### Example (Solving an exponential word problem)

A farmer buys 48 chickens and 6 rabbits. The chicken population doubles each year, and the rabbit population doubles every six months. When does the farmer have the same number of chickens as rabbits?

Let  $c(t)$  denote the number of chickens after  $t$  years, and let  $r(t)$  denote the number of rabbits after  $t$  years.

Solve for  $t$ :  $c(t) = r(t)$

$$48 \cdot 2^t =$$



## Example (Solving an exponential word problem)

A farmer buys 48 chickens and 6 rabbits. The chicken population doubles each year, and the rabbit population doubles every six months. When does the farmer have the same number of chickens as rabbits?

Let  $c(t)$  denote the number of chickens after  $t$  years, and let  $r(t)$  denote the number of rabbits after  $t$  years.

Solve for  $t$ :  $c(t) = r(t)$

$$48 \cdot 2^t = 6 \cdot 4^t$$

### Example (Solving an exponential word problem)

A farmer buys 48 chickens and 6 rabbits. The chicken population doubles each year, and the rabbit population doubles every six months. When does the farmer have the same number of chickens as rabbits?

Let  $c(t)$  denote the number of chickens after  $t$  years, and let  $r(t)$  denote the number of rabbits after  $t$  years.

Solve for  $t$ :  $c(t) = r(t)$

$$48 \cdot 2^t = 6 \cdot 4^t$$

$$8 \cdot 2^t = 4^t$$

### Example (Solving an exponential word problem)

A farmer buys 48 chickens and 6 rabbits. The chicken population doubles each year, and the rabbit population doubles every six months. When does the farmer have the same number of chickens as rabbits?

Let  $c(t)$  denote the number of chickens after  $t$  years, and let  $r(t)$  denote the number of rabbits after  $t$  years.

$$\text{Solve for } t: c(t) = r(t)$$

$$48 \cdot 2^t = 6 \cdot 4^t$$

$$8 \cdot 2^t = 4^t$$

$$\text{Find a common base: } 2^? \cdot 2^t = 2^?$$

### Example (Solving an exponential word problem)

A farmer buys 48 chickens and 6 rabbits. The chicken population doubles each year, and the rabbit population doubles every six months. When does the farmer have the same number of chickens as rabbits?

Let  $c(t)$  denote the number of chickens after  $t$  years, and let  $r(t)$  denote the number of rabbits after  $t$  years.

$$\text{Solve for } t: c(t) = r(t)$$

$$48 \cdot 2^t = 6 \cdot 4^t$$

$$8 \cdot 2^t = 4^t$$

$$\text{Find a common base: } 2^3 \cdot 2^t = 2^?$$

### Example (Solving an exponential word problem)

A farmer buys 48 chickens and 6 rabbits. The chicken population doubles each year, and the rabbit population doubles every six months. When does the farmer have the same number of chickens as rabbits?

Let  $c(t)$  denote the number of chickens after  $t$  years, and let  $r(t)$  denote the number of rabbits after  $t$  years.

$$\text{Solve for } t: c(t) = r(t)$$

$$48 \cdot 2^t = 6 \cdot 4^t$$

$$8 \cdot 2^t = 4^t$$

$$\text{Find a common base: } 2^3 \cdot 2^t = 2^?$$

### Example (Solving an exponential word problem)

A farmer buys 48 chickens and 6 rabbits. The chicken population doubles each year, and the rabbit population doubles every six months. When does the farmer have the same number of chickens as rabbits?

Let  $c(t)$  denote the number of chickens after  $t$  years, and let  $r(t)$  denote the number of rabbits after  $t$  years.

$$\text{Solve for } t: c(t) = r(t)$$

$$48 \cdot 2^t = 6 \cdot 4^t$$

$$8 \cdot 2^t = 4^t$$

$$\text{Find a common base: } 2^3 \cdot 2^t = 2^{2t}$$

### Example (Solving an exponential word problem)

A farmer buys 48 chickens and 6 rabbits. The chicken population doubles each year, and the rabbit population doubles every six months. When does the farmer have the same number of chickens as rabbits?

Let  $c(t)$  denote the number of chickens after  $t$  years, and let  $r(t)$  denote the number of rabbits after  $t$  years.

$$\text{Solve for } t: c(t) = r(t)$$

$$48 \cdot 2^t = 6 \cdot 4^t$$

$$8 \cdot 2^t = 4^t$$

$$\text{Find a common base: } 2^3 \cdot 2^t = 2^{2t}$$

$$2^{t+3} = 2^{2t}$$

### Example (Solving an exponential word problem)

A farmer buys 48 chickens and 6 rabbits. The chicken population doubles each year, and the rabbit population doubles every six months. When does the farmer have the same number of chickens as rabbits?

Let  $c(t)$  denote the number of chickens after  $t$  years, and let  $r(t)$  denote the number of rabbits after  $t$  years.

$$\text{Solve for } t: c(t) = r(t)$$

$$48 \cdot 2^t = 6 \cdot 4^t$$

$$8 \cdot 2^t = 4^t$$

$$\text{Find a common base: } 2^3 \cdot 2^t = 2^{2t}$$

$$2^{t+3} = 2^{2t}$$

$$t + 3 = 2t$$



### Example (Solving an exponential word problem)

A farmer buys 48 chickens and 6 rabbits. The chicken population doubles each year, and the rabbit population doubles every six months. When does the farmer have the same number of chickens as rabbits?

Let  $c(t)$  denote the number of chickens after  $t$  years, and let  $r(t)$  denote the number of rabbits after  $t$  years.

$$\text{Solve for } t: c(t) = r(t)$$

$$48 \cdot 2^t = 6 \cdot 4^t$$

$$8 \cdot 2^t = 4^t$$

$$\text{Find a common base: } 2^3 \cdot 2^t = 2^{2t}$$

$$2^{t+3} = 2^{2t}$$

$$t + 3 = 2t$$

$$t = 3.$$

### Example (Solving an exponential word problem)

A farmer buys 48 chickens and 6 rabbits. The chicken population doubles each year, and the rabbit population doubles every six months. When does the farmer have the same number of chickens as rabbits?

Let  $c(t)$  denote the number of chickens after  $t$  years, and let  $r(t)$  denote the number of rabbits after  $t$  years.

$$\text{Solve for } t: c(t) = r(t)$$

$$48 \cdot 2^t = 6 \cdot 4^t$$

$$8 \cdot 2^t = 4^t$$

$$\text{Find a common base: } 2^3 \cdot 2^t = 2^{2t}$$

$$2^{t+3} = 2^{2t}$$

$$t + 3 = 2t$$

$$t = 3.$$

Therefore the chicken and rabbit populations are equal after 3 years.

## Example (Solving a quadratic exponential equation)

Solve for  $x$ .

$$9^x = 2 \cdot 3^x + 63$$

## Example (Solving a quadratic exponential equation)

Solve for  $x$ .

$$\begin{aligned}9^x &= 2 \cdot 3^x + 63 \\9^x - 2 \cdot 3^x - 63 &= 0\end{aligned}$$

## Example (Solving a quadratic exponential equation)

Solve for  $x$ .

$$\begin{array}{rcl} 9^x & = & 2 \cdot 3^x + 63 \\ 9^x - 2 \cdot 3^x - 63 & = & 0 \\ ? - 2u - 63 & = & 0 \end{array} \quad \left| \text{Substitute } u = 3^x \right.$$

## Example (Solving a quadratic exponential equation)

Solve for  $x$ .

$$9^x = 2 \cdot 3^x + 63$$

$$9^x - 2 \cdot 3^x - 63 = 0$$

$$? - 2u - 63 = 0$$

Substitute  $u = 3^x$

## Example (Solving a quadratic exponential equation)

Solve for  $x$ .

$$\begin{aligned} 9^x &= 2 \cdot 3^x + 63 \\ \textcolor{red}{9}^x - 2 \cdot 3^x - 63 &= 0 & \Bigg| \text{ Substitute } u = 3^x \\ \textcolor{red}{u}^2 - 2u - 63 &= 0 \end{aligned}$$

## Example (Solving a quadratic exponential equation)

Solve for  $x$ .

$$9^x = 2 \cdot 3^x + 63$$

$$9^x - 2 \cdot 3^x - 63 = 0$$

Substitute  $u = 3^x$

$$u^2 - 2u - 63 = 0$$

$$(\textcolor{red}{?})(\textcolor{red}{?}) = 0$$



## Example (Solving a quadratic exponential equation)

Solve for  $x$ .

$$9^x = 2 \cdot 3^x + 63$$

$$9^x - 2 \cdot 3^x - 63 = 0$$

Substitute  $u = 3^x$

$$u^2 - 2u - 63 = 0$$

$$(u - 9)(u + 7) = 0$$

## Example (Solving a quadratic exponential equation)

Solve for  $x$ .

$$\begin{aligned}9^x &= 2 \cdot 3^x + 63 \\9^x - 2 \cdot 3^x - 63 &= 0 & \left| \text{Substitute } u = 3^x \right. \\u^2 - 2u - 63 &= 0 \\(u - 9)(u + 7) &= 0 \\u &= 9 \text{ or } u = -7\end{aligned}$$

## Example (Solving a quadratic exponential equation)

Solve for  $x$ .

$$\begin{aligned}9^x &= 2 \cdot 3^x + 63 \\9^x - 2 \cdot 3^x - 63 &= 0 & \left| \text{Substitute } u = 3^x \right. \\u^2 - 2u - 63 &= 0 \\(u - 9)(u + 7) &= 0 \\u &= 9 \text{ or } u = -7 \\3^x &= 9 \text{ or } 3^x = -7\end{aligned}$$

## Example (Solving a quadratic exponential equation)

Solve for  $x$ .

$$\begin{aligned}9^x &= 2 \cdot 3^x + 63 \\9^x - 2 \cdot 3^x - 63 &= 0 & \left| \text{Substitute } u = 3^x \right. \\u^2 - 2u - 63 &= 0 \\(u - 9)(u + 7) &= 0\end{aligned}$$

$$\begin{aligned}u &= 9 \quad \text{or} \quad u = -7 \\3^x &= 9 \quad \text{or} \quad 3^x = -7\end{aligned}$$

$$x = ?$$

## Example (Solving a quadratic exponential equation)

Solve for  $x$ .

$$\begin{aligned}9^x &= 2 \cdot 3^x + 63 \\9^x - 2 \cdot 3^x - 63 &= 0 & \left| \text{Substitute } u = 3^x \right. \\u^2 - 2u - 63 &= 0 \\(u - 9)(u + 7) &= 0\end{aligned}$$

$$\begin{aligned}u &= 9 \quad \text{or} \quad u = -7 \\3^x &= 9 \quad \text{or} \quad 3^x = -7 \\x &= 2\end{aligned}$$

## Example (Solving a quadratic exponential equation)

Solve for  $x$ .

$$\begin{aligned}9^x &= 2 \cdot 3^x + 63 \\9^x - 2 \cdot 3^x - 63 &= 0 & \left| \text{Substitute } u = 3^x \right. \\u^2 - 2u - 63 &= 0 \\(u - 9)(u + 7) &= 0\end{aligned}$$

$$\begin{aligned}u &= 9 \quad \text{or} \quad u = -7 \\3^x &= 9 \quad \text{or} \quad 3^x = -7 \\x &= 2 & \quad \quad \quad ?\end{aligned}$$

## Example (Solving a quadratic exponential equation)

Solve for  $x$ .

$$\begin{aligned}9^x &= 2 \cdot 3^x + 63 \\9^x - 2 \cdot 3^x - 63 &= 0 & \left| \text{Substitute } u = 3^x \right. \\u^2 - 2u - 63 &= 0 \\(u - 9)(u + 7) &= 0\end{aligned}$$

$$\begin{aligned}u &= 9 \quad \text{or} \quad u = -7 \\3^x &= 9 \quad \text{or} \quad 3^x = -7 \\x &= 2 & \text{no real solution}\end{aligned}$$

## Example (Solving a quadratic exponential equation)

Solve for  $x$ .

$$\begin{aligned} 9^x &= 2 \cdot 3^x + 63 \\ 9^x - 2 \cdot 3^x - 63 &= 0 & \left| \text{Substitute } u = 3^x \right. \\ u^2 - 2u - 63 &= 0 \\ (u - 9)(u + 7) &= 0 \end{aligned}$$

$$\begin{aligned} u &= 9 \quad \text{or} \quad u = -7 \\ 3^x &= 9 \quad \text{or} \quad 3^x = -7 \\ x &= 2 & \quad \text{no real solution} \end{aligned}$$

Therefore  $x = 2$  is the solution.



## Example

Solve the equation

$$e^{2x} - 3e^x - 4 = 0$$

## Example

Solve the equation

$$e^{2x} - 3e^x - 4 = 0$$

Set  $e^x = u$ .

## Example

Solve the equation

$$e^{2x} - 3e^x - 4 = 0$$

Set  $e^x = u$ . Then  $e^{2x} = ?$  .

## Example

Solve the equation

$$e^{2x} - 3e^x - 4 = 0$$

Set  $e^x = u$ . Then  $e^{2x} = u^2$ .

## Example

Solve the equation

$$e^{2x} - 3e^x - 4 = 0$$

Set  $e^x = u$ . Then  $e^{2x} = u^2$ .

$$u^2 - 3u - 4 = 0$$

## Example

Solve the equation

$$e^{2x} - 3e^x - 4 = 0$$

Set  $e^x = u$ . Then  $e^{2x} = u^2$ .

$$u^2 - 3u - 4 = 0$$

$$(\quad)(\quad) = 0$$

## Example

Solve the equation

$$e^{2x} - 3e^x - 4 = 0$$

Set  $e^x = u$ . Then  $e^{2x} = u^2$ .

$$u^2 - 3u - 4 = 0$$

$$(u - 4)(u + 1) = 0$$

## Example

Solve the equation

$$e^{2x} - 3e^x - 4 = 0$$

Set  $e^x = u$ . Then  $e^{2x} = u^2$ .

$$u^2 - 3u - 4 = 0$$

$$(u - 4)(u + 1) = 0$$

$$u = 4$$

or

$$u = -1$$



## Example

Solve the equation

$$e^{2x} - 3e^x - 4 = 0$$

Set  $e^x = u$ . Then  $e^{2x} = u^2$ .

$$u^2 - 3u - 4 = 0$$

$$(u - 4)(u + 1) = 0$$

$$u = 4$$

or

$$u = -1$$

$$e^x = 4$$

or

$$e^x = -1$$

## Example

Solve the equation

$$e^{2x} - 3e^x - 4 = 0$$

Set  $e^x = u$ . Then  $e^{2x} = u^2$ .

$$u^2 - 3u - 4 = 0$$

$$(u - 4)(u + 1) = 0$$

$$u = 4$$

or

$$u = -1$$

$$e^x = 4$$

or

$$e^x = -1$$

$$x = \ln 4$$

or

no real solution

## Example

Solve the equation

$$e^{2x} - 3e^x - 4 = 0$$

Set  $e^x = u$ . Then  $e^{2x} = u^2$ .

$$u^2 - 3u - 4 = 0$$

$$(u - 4)(u + 1) = 0$$

$$u = 4$$

or

$$u = -1$$

$$e^x = 4$$

or

$$e^x = -1$$

$$x = \ln 4$$

or

no real solution

$$x \approx 1.3863$$

## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

Set  $u = ?$  .

## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

Set  $u = 2^x$ .

## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

Set  $u = 2^x$ .

## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

Set  $u = 2^x$ . Then  $4^{x+1} = ?$  ,



## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

Set  $u = 2^x$ . Then  $4^{x+1} = 4u^2$ ,

## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

Set  $u = 2^x$ . Then  $4^{x+1} = 4u^2$ ,  $2^{x+2} = ?$ .

## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

Set  $u = 2^x$ . Then  $4^{x+1} = 4u^2$ ,  $2^{x+2} = 4u$ .

## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

Set  $u = 2^x$ . Then  $4^{x+1} = 4u^2$ ,  $2^{x+2} = 4u$ .

$$4u^2 - 4u - 3 = 0$$

## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

Set  $u = 2^x$ . Then  $4^{x+1} = 4u^2$ ,  $2^{x+2} = 4u$ .

$$4u^2 - 4u - 3 = 0$$

$$(\text{?}) (\text{?}) = 0$$

## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

Set  $u = 2^x$ . Then  $4^{x+1} = 4u^2$ ,  $2^{x+2} = 4u$ .

$$4u^2 - 4u - 3 = 0$$

$$(2u - 3)(2u + 1) = 0$$

## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

Set  $u = 2^x$ . Then  $4^{x+1} = 4u^2$ ,  $2^{x+2} = 4u$ .

$$4u^2 - 4u - 3 = 0$$

$$(2u - 3)(2u + 1) = 0$$

$$2u - 3 = 0 \quad \text{or} \quad 2u + 1 = 0$$

## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

Set  $u = 2^x$ . Then  $4^{x+1} = 4u^2$ ,  $2^{x+2} = 4u$ .

$$4u^2 - 4u - 3 = 0$$

$$(2u - 3)(2u + 1) = 0$$

$$2u - 3 = 0 \quad \text{or} \quad 2u + 1 = 0$$



## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

Set  $u = 2^x$ . Then  $4^{x+1} = 4u^2$ ,  $2^{x+2} = 4u$ .

$$4u^2 - 4u - 3 = 0$$

$$(2u - 3)(2u + 1) = 0$$

$$2u - 3 = 0 \quad \text{or} \quad 2u + 1 = 0$$

$$u = -\frac{3}{2} \quad \text{or} \quad u =$$

## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

Set  $u = 2^x$ . Then  $4^{x+1} = 4u^2$ ,  $2^{x+2} = 4u$ .

$$4u^2 - 4u - 3 = 0$$

$$(2u - 3)(2u + 1) = 0$$

$$2u - 3 = 0 \quad \text{or} \quad 2u + 1 = 0$$

$$u = \frac{3}{2} \quad \text{or} \quad u =$$

## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

Set  $u = 2^x$ . Then  $4^{x+1} = 4u^2$ ,  $2^{x+2} = 4u$ .

$$4u^2 - 4u - 3 = 0$$

$$(2u - 3)(2u + 1) = 0$$

$$2u - 3 = 0 \quad \text{or} \quad 2u + 1 = 0$$

$$u = \frac{3}{2} \quad \text{or} \quad u = -\frac{1}{2}$$

## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

Set  $u = 2^x$ . Then  $4^{x+1} = 4u^2$ ,  $2^{x+2} = 4u$ .

$$4u^2 - 4u - 3 = 0$$

$$(2u - 3)(2u + 1) = 0$$

$$2u - 3 = 0 \quad \text{or} \quad 2u + 1 = 0$$

$$u = \frac{3}{2} \quad \text{or} \quad u = -\frac{1}{2}$$

## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

Set  $u = 2^x$ . Then  $4^{x+1} = 4u^2$ ,  $2^{x+2} = 4u$ .

$$4u^2 - 4u - 3 = 0$$

$$(2u - 3)(2u + 1) = 0$$

$$2u - 3 = 0 \quad \text{or} \quad 2u + 1 = 0$$

$$u = \frac{3}{2} \quad \text{or} \quad u = -\frac{1}{2}$$

$$2^x = \frac{3}{2} \quad \text{or} \quad 2^x = -\frac{1}{2}$$

## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

Set  $u = 2^x$ . Then  $4^{x+1} = 4u^2$ ,  $2^{x+2} = 4u$ .

$$4u^2 - 4u - 3 = 0$$

$$(2u - 3)(2u + 1) = 0$$

$$2u - 3 = 0 \quad \text{or} \quad 2u + 1 = 0$$

$$u = \frac{3}{2} \quad \text{or} \quad u = -\frac{1}{2}$$

$$2^x = \frac{3}{2} \quad \text{or} \quad 2^x = -\frac{1}{2}$$

$$x = \log_2 \left( \frac{3}{2} \right)$$

## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

Set  $u = 2^x$ . Then  $4^{x+1} = 4u^2$ ,  $2^{x+2} = 4u$ .

$$4u^2 - 4u - 3 = 0$$

$$(2u - 3)(2u + 1) = 0$$

$$2u - 3 = 0 \quad \text{or} \quad 2u + 1 = 0$$

$$u = \frac{3}{2} \quad \text{or} \quad u = -\frac{1}{2}$$

$$2^x = \frac{3}{2} \quad \text{or} \quad 2^x = -\frac{1}{2}$$

$$x = \log_2 \left( \frac{3}{2} \right)$$

or no real solution

## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

Set  $u = 2^x$ . Then  $4^{x+1} = 4u^2$ ,  $2^{x+2} = 4u$ .

$$4u^2 - 4u - 3 = 0$$

$$(2u - 3)(2u + 1) = 0$$

$$2u - 3 = 0 \quad \text{or} \quad 2u + 1 = 0$$

$$u = \frac{3}{2} \quad \text{or} \quad u = -\frac{1}{2}$$

$$2^x = \frac{3}{2} \quad \text{or} \quad 2^x = -\frac{1}{2}$$

$$x = \log_2 \left( \frac{3}{2} \right) = \frac{\ln(?)}{\ln ?}$$

or no real solution



## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

Set  $u = 2^x$ . Then  $4^{x+1} = 4u^2$ ,  $2^{x+2} = 4u$ .

$$4u^2 - 4u - 3 = 0$$

$$(2u - 3)(2u + 1) = 0$$

$$2u - 3 = 0 \quad \text{or} \quad 2u + 1 = 0$$

$$u = \frac{3}{2} \quad \text{or} \quad u = -\frac{1}{2}$$

$$2^x = \frac{3}{2} \quad \text{or} \quad 2^x = -\frac{1}{2}$$

$$x = \log_2 \left( \frac{3}{2} \right) = \frac{\ln \left( \frac{3}{2} \right)}{\ln 2}$$

or no real solution

## Example

Solve the equation

$$4^{x+1} - 2^{x+2} - 3 = 0$$

Set  $u = 2^x$ . Then  $4^{x+1} = 4u^2$ ,  $2^{x+2} = 4u$ .

$$4u^2 - 4u - 3 = 0$$

$$(2u - 3)(2u + 1) = 0$$

$$2u - 3 = 0 \quad \text{or} \quad 2u + 1 = 0$$

$$u = \frac{3}{2} \quad \text{or} \quad u = -\frac{1}{2}$$

$$2^x = \frac{3}{2} \quad \text{or} \quad 2^x = -\frac{1}{2}$$

$$x = \log_2 \left( \frac{3}{2} \right) = \frac{\ln \left( \frac{3}{2} \right)}{\ln 2} \approx 0.58496 \quad \text{or} \quad \text{no real solution}$$

## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

> 2 terms  $\Rightarrow$   
transfer one side

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

> 2 terms  $\Rightarrow$   
transfer one side  
 $3^{2x} = u$

## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

> 2 terms  $\Rightarrow$   
transfer one side

$$3^{2x} = u$$

$$3^{-2x} = ?$$

## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

> 2 terms  $\Rightarrow$   
transfer one side

$$3^{2x} = u$$

$$3^{-2x} = (3^{2x})^{-1}$$

## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

> 2 terms  $\Rightarrow$   
transfer one side

$$3^{2x} = u$$

$$3^{-2x} = (3^{2x})^{-1}$$



## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

> 2 terms  $\Rightarrow$   
transfer one side

$$3^{2x} = u$$

$$3^{-2x} = (3^{2x})^{-1} = u^{-1}$$

## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

$$u - 2 - 63u^{-1} = 0$$

> 2 terms  $\Rightarrow$   
transfer one side

$$3^{2x} = u$$

$$3^{-2x} = (3^{2x})^{-1} = u^{-1}$$

## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

$$u - 2 - 63u^{-1} = 0$$

> 2 terms  $\Rightarrow$   
transfer one side

$$3^{2x} = u$$

$$3^{-2x} = (3^{2x})^{-1} = u^{-1}$$

## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

$$u - 2 - 63u^{-1} = 0$$

$$u^2 - 2u - 63 = 0$$

> 2 terms  $\Rightarrow$   
transfer one side

$$3^{2x} = u$$

$$3^{-2x} = (3^{2x})^{-1} = u^{-1}$$

Multiply  $\cdot u$

## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

$$u - 2 - 63u^{-1} = 0$$

$$u^2 - 2u - 63 = 0$$

> 2 terms  $\Rightarrow$   
transfer one side

$$3^{2x} = u$$

$$3^{-2x} = (3^{2x})^{-1} = u^{-1}$$

Multiply  $\cdot u$

## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

$$u - 2 - 63u^{-1} = 0$$

$$u^2 - 2u - 63 = 0$$

> 2 terms  $\Rightarrow$   
transfer one side

$$3^{2x} = u$$

$$3^{-2x} = (3^{2x})^{-1} = u^{-1}$$

Multiply  $\cdot u$

## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

$$u - 2 - 63u^{-1} = 0$$

$$u^2 - 2u - 63 = 0$$

$$(\text{?})(\text{?}) = 0$$

> 2 terms  $\Rightarrow$   
transfer one side

$$3^{2x} = u$$

$$3^{-2x} = (3^{2x})^{-1} = u^{-1}$$

Multiply  $\cdot u$

## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

$$u - 2 - 63u^{-1} = 0$$

$$u^2 - 2u - 63 = 0$$

$$(u - 9)(u + 7) = 0$$

> 2 terms  $\Rightarrow$   
transfer one side

$$3^{2x} = u$$

$$3^{-2x} = (3^{2x})^{-1} = u^{-1}$$

Multiply  $\cdot u$



## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

$$u - 2 - 63u^{-1} = 0$$

$$u^2 - 2u - 63 = 0$$

$$(u - 9)(u + 7) = 0$$

$$u - 9 = 0 \text{ or } u + 7 = 0$$

> 2 terms  $\Rightarrow$   
transfer one side

$$3^{2x} = u$$

$$3^{-2x} = (3^{2x})^{-1} = u^{-1}$$

Multiply  $\cdot u$

## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

$$u - 2 - 63u^{-1} = 0$$

$$u^2 - 2u - 63 = 0$$

$$(u - 9)(u + 7) = 0$$

$$u - 9 = 0 \quad \text{or} \quad u + 7 = 0$$

> 2 terms  $\Rightarrow$

transfer one side

$$3^{2x} = u$$

$$3^{-2x} = (3^{2x})^{-1} = u^{-1}$$

Multiply  $\cdot u$

## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

$$u - 2 - 63u^{-1} = 0$$

$$u^2 - 2u - 63 = 0$$

$$(u - 9)(u + 7) = 0$$

$$u - 9 = 0 \quad \text{or} \quad u + 7 = 0$$

$$\text{or} \quad u = -7$$

> 2 terms  $\Rightarrow$

transfer one side

$$3^{2x} = u$$

$$3^{-2x} = (3^{2x})^{-1} = u^{-1}$$

Multiply  $\cdot u$

## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

$$u - 2 - 63u^{-1} = 0$$

$$u^2 - 2u - 63 = 0$$

$$(u - 9)(u + 7) = 0$$

$$u - 9 = 0 \quad \text{or} \quad u + 7 = 0$$

$$\text{or} \quad u = -7$$

or **no real solution**

> 2 terms  $\Rightarrow$

transfer one side

$$3^{2x} = u$$

$$3^{-2x} = (3^{2x})^{-1} = u^{-1}$$

Multiply  $\cdot u$

## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

$$u - 2 - 63u^{-1} = 0$$

$$u^2 - 2u - 63 = 0$$

$$(u - 9)(u + 7) = 0$$

$$u - 9 = 0 \quad \text{or} \quad u + 7 = 0$$

$$u = 9 \quad \text{or} \quad u = -7$$

or no real solution

> 2 terms  $\Rightarrow$

transfer one side

$$3^{2x} = u$$

$$3^{-2x} = (3^{2x})^{-1} = u^{-1}$$

Multiply  $\cdot u$

## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

$$u - 2 - 63u^{-1} = 0$$

$$u^2 - 2u - 63 = 0$$

$$(u - 9)(u + 7) = 0$$

$$u - 9 = 0 \quad \text{or} \quad u + 7 = 0$$

$$u = 9 \quad \text{or} \quad u = -7$$

$$3^{2x} = 9 \quad \text{or} \quad \text{no real solution}$$

> 2 terms  $\Rightarrow$   
transfer one side

$$3^{2x} = u$$

$$3^{-2x} = (3^{2x})^{-1} = u^{-1}$$

Multiply  $\cdot u$

## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

$$u - 2 - 63u^{-1} = 0$$

$$u^2 - 2u - 63 = 0$$

$$(u - 9)(u + 7) = 0$$

$$u - 9 = 0 \quad \text{or} \quad u + 7 = 0$$

$$u = 9 \quad \text{or} \quad u = -7$$

$$3^{2x} = 9 \quad \text{or} \quad \text{no real solution}$$

$$2x = \log_3 9$$

> 2 terms  $\Rightarrow$

transfer one side

$$3^{2x} = u$$

$$3^{-2x} = (3^{2x})^{-1} = u^{-1}$$

Multiply  $\cdot u$

## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

$$u - 2 - 63u^{-1} = 0$$

$$u^2 - 2u - 63 = 0$$

$$(u - 9)(u + 7) = 0$$

$$u - 9 = 0 \quad \text{or} \quad u + 7 = 0$$

$$u = 9 \quad \text{or} \quad u = -7$$

$$3^{2x} = 9 \quad \text{or} \quad \text{no real solution}$$

$$2x = \log_3 9$$

$$2x = ?$$

> 2 terms  $\Rightarrow$

transfer one side

$$3^{2x} = u$$

$$3^{-2x} = (3^{2x})^{-1} = u^{-1}$$

Multiply  $\cdot u$



## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

$$u - 2 - 63u^{-1} = 0$$

$$u^2 - 2u - 63 = 0$$

$$(u - 9)(u + 7) = 0$$

$$u - 9 = 0 \quad \text{or} \quad u + 7 = 0$$

$$u = 9 \quad \text{or} \quad u = -7$$

$$3^{2x} = 9 \quad \text{or} \quad \text{no real solution}$$

$$2x = \log_3 9$$

$$2x = 2$$

> 2 terms  $\Rightarrow$

transfer one side

$$3^{2x} = u$$

$$3^{-2x} = (3^{2x})^{-1} = u^{-1}$$

Multiply  $\cdot u$

## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

$$u - 2 - 63u^{-1} = 0$$

$$u^2 - 2u - 63 = 0$$

$$(u - 9)(u + 7) = 0$$

$$u - 9 = 0 \quad \text{or} \quad u + 7 = 0$$

$$u = 9 \quad \text{or} \quad u = -7$$

$$3^{2x} = 9 \quad \text{or} \quad \text{no real solution}$$

$$2x = \log_3 9$$

$$2x = 2$$

$$x = 1$$

> 2 terms  $\Rightarrow$   
transfer one side

$$3^{2x} = u$$

$$3^{-2x} = (3^{2x})^{-1} = u^{-1}$$

Multiply  $\cdot u$

## Example (Exponential equation that reduces to quadratic)

Solve the equation.

$$3^{2x} = 2 + 63 \cdot 3^{-2x}$$

$$3^{2x} - 2 - 63 \cdot 3^{-2x} = 0$$

$$u - 2 - 63u^{-1} = 0$$

$$u^2 - 2u - 63 = 0$$

$$(u - 9)(u + 7) = 0$$

$$u - 9 = 0 \quad \text{or} \quad u + 7 = 0$$

$$u = 9 \quad \text{or} \quad u = -7$$

$$3^{2x} = 9 \quad \text{or} \quad \text{no real solution}$$

$$2x = \log_3 9$$

$$2x = 2$$

$$x = 1$$

> 2 terms  $\Rightarrow$   
transfer one side

$$3^{2x} = u$$


$$3^{-2x} = (3^{2x})^{-1} = u^{-1}$$

Multiply  $\cdot u$

## Example

Find  $f^{-1}(x)$  for

$$f(x) = \frac{e^x - e^{-x}}{e^x + e^{-x}}.$$




## Example

Find  $f^{-1}(x)$  for

$$f(x) = \frac{e^x - e^{-x}}{e^x + e^{-x}}.$$

$$\frac{e^x - e^{-x}}{e^x + e^{-x}} = y$$



## Example


Find  $f^{-1}(x)$  for

$$f(x) = \frac{e^x - e^{-x}}{e^x + e^{-x}}.$$

$$\frac{e^x - e^{-x}}{e^x + e^{-x}} = y$$

$$\frac{(u - ?)}{(u + ?)} = y$$

Set  $u = e^x$



## Example

Find  $f^{-1}(x)$  for


$$f(x) = \frac{e^x - e^{-x}}{e^x + e^{-x}}.$$

$$\frac{e^x - e^{-x}}{e^x + e^{-x}} = y$$

$$\frac{(u - ?)}{(u + ?)} = y$$

Set  $u = e^x$

$$e^{-x} = ?$$



## Example

Find  $f^{-1}(x)$  for


$$f(x) = \frac{e^x - e^{-x}}{e^x + e^{-x}}.$$

$$\frac{e^x - e^{-x}}{e^x + e^{-x}} = y$$

$$\frac{(u - \frac{1}{u})}{(u + \frac{1}{u})} = y$$

Set  $u = e^x$

$$e^{-x} = \frac{1}{e^x} = \frac{1}{u}$$





## Example


Find  $f^{-1}(x)$  for

$$f(x) = \frac{e^x - e^{-x}}{e^x + e^{-x}}.$$

$$\frac{e^x - e^{-x}}{e^x + e^{-x}} = y$$

$$\frac{(u - \frac{1}{u}) \textcolor{red}{u}}{(u + \frac{1}{u}) \textcolor{red}{u}} = y$$


$$\begin{aligned} \text{Set } u &= e^x \\ e^{-x} &= \frac{1}{e^x} = \frac{1}{u} \end{aligned}$$



## Example

Find  $f^{-1}(x)$  for

$$f(x) = \frac{e^x - e^{-x}}{e^x + e^{-x}}.$$



$$\frac{e^x - e^{-x}}{e^x + e^{-x}} = y$$

$$\frac{(u - \frac{1}{u})u}{(u + \frac{1}{u})u} = y$$


$$\frac{u^2 - 1}{u^2 + 1} = y$$

$$\begin{aligned} \text{Set } u &= e^x \\ e^{-x} &= \frac{1}{e^x} = \frac{1}{u} \end{aligned}$$

## Example

Find  $f^{-1}(x)$  for

$$f(x) = \frac{e^x - e^{-x}}{e^x + e^{-x}}.$$



$$\frac{e^x - e^{-x}}{e^x + e^{-x}} = y$$

$$\frac{(u - \frac{1}{u})u}{(u + \frac{1}{u})u} = y$$

$$\frac{u^2 - 1}{u^2 + 1} = y$$


$$u^2 - 1 = y(u^2 + 1)$$

$$\begin{aligned} \text{Set } u &= e^x \\ e^{-x} &= \frac{1}{e^x} = \frac{1}{u} \end{aligned}$$

## Example

Find  $f^{-1}(x)$  for

$$f(x) = \frac{e^x - e^{-x}}{e^x + e^{-x}}.$$



$$\frac{e^x - e^{-x}}{e^x + e^{-x}} = y$$

$$\frac{(u - \frac{1}{u})u}{(u + \frac{1}{u})u} = y$$

$$\frac{u^2 - 1}{u^2 + 1} = y$$

$$u^2 - 1 = y(u^2 + 1)$$


$$u^2(1 - y) = 1 + y$$

$$\begin{aligned} \text{Set } u &= e^x \\ e^{-x} &= \frac{1}{e^x} = \frac{1}{u} \end{aligned}$$

## Example

Find  $f^{-1}(x)$  for

$$f(x) = \frac{e^x - e^{-x}}{e^x + e^{-x}}.$$



$$\frac{e^x - e^{-x}}{e^x + e^{-x}} = y$$

$$\frac{(u - \frac{1}{u})u}{(u + \frac{1}{u})u} = y$$

$$\frac{u^2 - 1}{u^2 + 1} = y$$

$$u^2 - 1 = y(u^2 + 1)$$


$$u^2(1 - y) = 1 + y$$

$$\begin{aligned} \text{Set } u &= e^x \\ e^{-x} &= \frac{1}{e^x} = \frac{1}{u} \end{aligned}$$

## Example

Find  $f^{-1}(x)$  for

$$f(x) = \frac{e^x - e^{-x}}{e^x + e^{-x}}.$$



$$\frac{e^x - e^{-x}}{e^x + e^{-x}} = y$$

$$\frac{(u - \frac{1}{u})u}{(u + \frac{1}{u})u} = y$$

$$\frac{u^2 - 1}{u^2 + 1} = y$$

$$u^2 - 1 = y(u^2 + 1)$$

$$u^2(1 - y) = 1 + y$$

$$u^2 = \frac{1 + y}{1 - y}$$


Set  $u = e^x$

$$e^{-x} = \frac{1}{e^x} = \frac{1}{u}$$

## Example

Find  $f^{-1}(x)$  for

$$f(x) = \frac{e^x - e^{-x}}{e^x + e^{-x}}.$$



$$\frac{e^x - e^{-x}}{e^x + e^{-x}} = y$$

$$\frac{(u - \frac{1}{u})u}{(u + \frac{1}{u})u} = y$$

$$\frac{u^2 - 1}{u^2 + 1} = y$$

$$u^2 - 1 = y(u^2 + 1)$$

$$u^2(1 - y) = 1 + y$$

$$u^2 = \frac{1 + y}{1 - y}$$

$$(e^x)^2 = \frac{1 + y}{1 - y}$$


Set  $u = e^x$

$$e^{-x} = \frac{1}{e^x} = \frac{1}{u}$$

## Example

Find  $f^{-1}(x)$  for

$$f(x) = \frac{e^x - e^{-x}}{e^x + e^{-x}}.$$



$$\frac{e^x - e^{-x}}{e^x + e^{-x}} = y$$

$$\frac{(u - \frac{1}{u})u}{(u + \frac{1}{u})u} = y$$

$$\frac{u^2 - 1}{u^2 + 1} = y$$

$$u^2 - 1 = y(u^2 + 1)$$

$$u^2(1 - y) = 1 + y$$

$$u^2 = \frac{1 + y}{1 - y}$$

$$(e^x)^2 = \frac{1 + y}{1 - y}$$

$$e^{2x} = \frac{1 + y}{1 - y}$$

Set  $u = e^x$


$$e^{-x} = \frac{1}{e^x} = \frac{1}{u}$$



## Example

Find  $f^{-1}(x)$  for

$$f(x) = \frac{e^x - e^{-x}}{e^x + e^{-x}}.$$



$$\frac{e^x - e^{-x}}{e^x + e^{-x}} = y$$

$$\frac{(u - \frac{1}{u})u}{(u + \frac{1}{u})u} = y$$

$$\frac{u^2 - 1}{u^2 + 1} = y$$

$$u^2 - 1 = y(u^2 + 1)$$

$$u^2(1 - y) = 1 + y$$

$$u^2 = \frac{1 + y}{1 - y}$$

$$(e^x)^2 = \frac{1 + y}{1 - y}$$

$$e^{2x} = \frac{1 + y}{1 - y}$$

$$2x = \ln \left( \frac{1 + y}{1 - y} \right)$$


$$\begin{aligned} \text{Set } u &= e^x \\ e^{-x} &= \frac{1}{e^x} = \frac{1}{u} \end{aligned}$$

Take  $\ln$

## Example

Find  $f^{-1}(x)$  for

$$f(x) = \frac{e^x - e^{-x}}{e^x + e^{-x}}.$$



$$\frac{e^x - e^{-x}}{e^x + e^{-x}} = y$$

$$\frac{(u - \frac{1}{u})u}{(u + \frac{1}{u})u} = y$$

$$\frac{u^2 - 1}{u^2 + 1} = y$$

$$u^2 - 1 = y(u^2 + 1)$$

$$u^2(1 - y) = 1 + y$$

$$u^2 = \frac{1 + y}{1 - y}$$

$$(e^x)^2 = \frac{1 + y}{1 - y}$$

$$e^{2x} = \frac{1 + y}{1 - y}$$

$$2x = \ln\left(\frac{1 + y}{1 - y}\right)$$


$$\begin{aligned} \text{Set } u &= e^x \\ e^{-x} &= \frac{1}{e^x} = \frac{1}{u} \end{aligned}$$

Take  $\ln$

## Example

Find  $f^{-1}(x)$  for

$$f(x) = \frac{e^x - e^{-x}}{e^x + e^{-x}}.$$



answer

$$f^{-1}(y) = \frac{1}{2} \ln \left( \frac{1+y}{1-y} \right)$$

$$\frac{e^x - e^{-x}}{e^x + e^{-x}} = y$$

$$\frac{(u - \frac{1}{u})u}{(u + \frac{1}{u})u} = y$$

$$\frac{u^2 - 1}{u^2 + 1} = y$$

$$u^2 - 1 = y(u^2 + 1)$$

$$u^2(1 - y) = 1 + y$$

$$u^2 = \frac{1+y}{1-y}$$

$$(e^x)^2 = \frac{1+y}{1-y}$$

$$e^{2x} = \frac{1+y}{1-y}$$

$$x = \frac{1}{2} \ln \left( \frac{1+y}{1-y} \right)$$


$$\begin{aligned} \text{Set } u &= e^x \\ e^{-x} &= \frac{1}{e^x} = \frac{1}{u} \end{aligned}$$

Take  $\ln$

## Example

Find  $f^{-1}(x)$  for

$$f(x) = \frac{e^x - e^{-x}}{e^x + e^{-x}}.$$



Final answer, **relabelled**:

$$f^{-1}(x) = \frac{1}{2} \ln \left( \frac{1+x}{1-x} \right)$$

$$\frac{e^x - e^{-x}}{e^x + e^{-x}} = y$$

$$\frac{(u - \frac{1}{u})u}{(u + \frac{1}{u})u} = y$$

$$\frac{u^2 - 1}{u^2 + 1} = y$$

$$u^2 - 1 = y(u^2 + 1)$$

$$u^2(1 - y) = 1 + y$$

$$u^2 = \frac{1 + y}{1 - y}$$

$$(e^x)^2 = \frac{1 + y}{1 - y}$$

$$e^{2x} = \frac{1 + y}{1 - y}$$

$$x = \frac{1}{2} \ln \left( \frac{1 + y}{1 - y} \right)$$

$$\begin{aligned} \text{Set } u &= e^x \\ e^{-x} &= \frac{1}{e^x} = \frac{1}{u} \end{aligned}$$


Take  $\ln$

## Example

Find  $f^{-1}(x)$  for

$$f(x) = \frac{e^x - e^{-x}}{e^x + e^{-x}}.$$

$f = \tanh =$  **hyperbolic tangent function.**



Final answer, relabeled:

$$f^{-1}(x) = \frac{1}{2} \ln \left( \frac{1+x}{1-x} \right)$$

$$\frac{e^x - e^{-x}}{e^x + e^{-x}} = y$$

$$\frac{(u - \frac{1}{u})u}{(u + \frac{1}{u})u} = y$$

$$\frac{u^2 - 1}{u^2 + 1} = y$$

$$u^2 - 1 = y(u^2 + 1)$$

$$u^2(1 - y) = 1 + y$$

$$u^2 = \frac{1 + y}{1 - y}$$

$$(e^x)^2 = \frac{1 + y}{1 - y}$$

$$e^{2x} = \frac{1 + y}{1 - y}$$

$$x = \frac{1}{2} \ln \left( \frac{1 + y}{1 - y} \right)$$


$$\begin{aligned} \text{Set } u &= e^x \\ e^{-x} &= \frac{1}{e^x} = \frac{1}{u} \end{aligned}$$

Take  $\ln$

## Example

Solve the inequality.


$$2^{-3x-5} < 7$$



## Example

Solve the inequality.


$$2^{-3x-5} < 7$$



## Example

Solve the inequality.

$$2^{-3x-5} < 7$$






## Example

Solve the inequality.

$$2^{-3x-5} < 7$$

$$\log_2 2^{-3x-5} < \log_2 7$$

Logarithms preserve  
inequalities: apply  $\log_2$




## Example

Solve the inequality.

$$2^{-3x-5} < 7$$

$$\log_2 2^{-3x-5} < \log_2 7$$

Logarithms preserve  
inequalities: apply  $\log_2$




## Example

Solve the inequality.

$$2^{-3x-5} < 7$$

$$\begin{aligned} \log_2 2^{-3x-5} &< \log_2 7 \\ -3x - 5 &< \log_2 7 \end{aligned}$$

Logarithms preserve  
inequalities: apply  $\log_2$



## Example

Solve the inequality.


$$2^{-3x-5} < 7$$

$$\log_2 2^{-3x-5} < \log_2 7$$

$$-3x - 5 < \log_2 7$$

$$-3x < \log_2 7 + 5$$

Logarithms preserve  
inequalities: apply  $\log_2$



## Example

Solve the inequality.

$$2^{-3x-5} < 7$$

$$\log_2 2^{-3x-5} < \log_2 7$$


$$-3x - 5 < \log_2 7$$

$$-3x < \log_2 7 + 5$$

$$x > -\frac{\log_2 7 + 5}{3}$$

Logarithms preserve inequalities: apply  $\log_2$

Division by negative number flips inequalities



## Example

Solve the inequality.

$$2^{-3x-5} < 7$$

$$\log_2 2^{-3x-5} < \log_2 7$$


$$-3x - 5 < \log_2 7$$

$$-3x < \log_2 7 + 5$$

$$x > -\frac{\log_2 7 + 5}{3}$$

Logarithms preserve inequalities: apply  $\log_2$

Division by negative number flips inequalities



## Example

Solve the inequality.

$$2^{-3x-5} < 7$$

$$\log_2 2^{-3x-5} < \log_2 7$$

$$-3x - 5 < \log_2 7$$


$$-3x < \log_2 7 + 5$$

$$x > -\frac{\log_2 7 + 5}{3}$$

$$x \in \left( -\frac{5 + \log_2 7}{3}, \infty \right)$$

Logarithms preserve inequalities: apply  $\log_2$

Division by negative number flips inequalities



## Example

Solve the inequality.

$$2^{-3x-5} < 7$$

$$\log_2 2^{-3x-5} < \log_2 7$$

$$-3x - 5 < \log_2 7$$


$$-3x < \log_2 7 + 5$$

$$x > -\frac{\log_2 7 + 5}{3}$$

$$x \in \left( -\frac{5 + \log_2 7}{3}, \infty \right)$$

Logarithms preserve inequalities: apply  $\log_2$

Division by negative number flips inequalities





## Example

Solve the inequality.

$$2^{-3x-5} < 7$$

$$\log_2 2^{-3x-5} < \log_2 7$$

$$-3x - 5 < \log_2 7$$

$$-3x < \log_2 7 + 5$$

$$x > -\frac{\log_2 7 + 5}{3}$$

$$x \in \left( -\frac{5 + \log_2 7}{3}, \infty \right)$$

Logarithms preserve inequalities: apply  $\log_2$

Division by negative number flips inequalities

