

# Calculus II

## Integrals of the form $\int \frac{a}{(bx + c)^n} dx$

Todor Milev

2019

# Building block Ib

Building block Ib:  $\int \frac{1}{x^n} dx = \int x^{-n} dx, n \neq 1.$

## Example (Block Ib)

$$\int \frac{1}{x^n} dx = \int x^{-n} dx = \frac{x^{-n+1}}{-n+1} + C$$

# Linear substitutions leading to building block Ib

Building block Ib:  $\int \frac{1}{x^n} dx = \int x^{-n} dx = \frac{x^{-n+1}}{-n+1} + C, n \neq 1.$

## Example

Integrate

$$\begin{aligned}
 \int \frac{1}{(3x+5)^3} dx &= \int \frac{1}{(3x+5)^3} \frac{d(3x)}{3} \\
 &= \int \frac{1}{(3x+5)^3} \frac{d(3x+5)}{3} && \left| \text{Set } u = 3x+5 \right. \\
 &= \int \frac{1}{u^3} \frac{du}{3} \\
 &= \frac{1}{3} \int u^{-3} du = \frac{1}{3} \frac{u^{-2}}{(-2)} + C \\
 &= -\frac{1}{6(3x+5)^2} + C.
 \end{aligned}$$

# Lin. subst. leading to building block Ib: general case

Building block Ib:  $\int \frac{1}{x^n} dx = \int x^{-n} dx = \frac{x^{-n+1}}{-n+1} + C, n \neq 1.$

## Example

Let  $n \neq 1$ . Integrate

$$\begin{aligned}
 \int \frac{1}{(ax+b)^n} dx &= \int \frac{1}{(ax+b)^n} \frac{d(ax)}{a} \\
 &= \int \frac{1}{(ax+b)^n} \frac{d(ax+b)}{a} && \left| \text{Set } u = ax+b \right. \\
 &= \int \frac{1}{u^n} \frac{du}{a} \\
 &= \frac{1}{a} \int u^{-n} du = -\frac{1}{a} \frac{u^{-n+1}}{n-1} + C \\
 &= -\frac{1}{a(n-1)(ax+b)^{n-1}} + C.
 \end{aligned}$$