Calculus I Antiderivatives of a function, part 1

Todor Miley

2019

Find all functions g such that

$$g'(x) = 4\sin x + \frac{2x^5 - \sqrt{x}}{x}.$$

Find all functions g such that

$$g'(x) = 4\sin x + \frac{2x^5 - \sqrt{x}}{x}.$$

Rewrite:

$$g'(x) = 4\sin x + 2\frac{x^5}{x} - \frac{\sqrt{x}}{x} = 4\sin x + 2x^4 - \frac{1}{\sqrt{x}}$$

Find all functions g such that

$$g'(x) = 4\sin x + \frac{2x^5 - \sqrt{x}}{x}.$$

Rewrite:

$$g'(x) = 4\sin x + 2\frac{x^5}{x} - \frac{\sqrt{x}}{x} = 4\sin x + 2x^4 - \frac{1}{\sqrt{x}}$$

$$g'(x) = 4\sin x + 2x^4 - \frac{1}{\sqrt{x}}$$

$$g(x) = 4 + 2 -$$

Find all functions g such that

$$g'(x) = 4\sin x + \frac{2x^5 - \sqrt{x}}{x}.$$

Rewrite:

$$g'(x) = 4\sin x + 2\frac{x^5}{x} - \frac{\sqrt{x}}{x} = 4\sin x + 2x^4 - \frac{1}{\sqrt{x}}$$

$$g'(x) = 4\sin x + 2x^4 - \frac{1}{\sqrt{x}}$$

$$g(x) = 4 + 2 -$$

Find all functions g such that

$$g'(x)=4\sin x+\frac{2x^5-\sqrt{x}}{x}.$$

Rewrite:

$$g'(x) = 4\sin x + 2\frac{x^5}{x} - \frac{\sqrt{x}}{x} = 4\sin x + 2x^4 - \frac{1}{\sqrt{x}}$$

$$g'(x) = 4\sin x + 2x^4 - \frac{1}{\sqrt{x}}$$

$$g(x) = 4(-\cos x) + 2 \qquad -$$

Find all functions g such that

$$g'(x)=4\sin x+\frac{2x^5-\sqrt{x}}{x}.$$

Rewrite:

$$g'(x) = 4\sin x + 2\frac{x^5}{x} - \frac{\sqrt{x}}{x} = 4\sin x + 2x^4 - \frac{1}{\sqrt{x}}$$

$$g'(x) = 4\sin x + 2x^4 - \frac{1}{\sqrt{x}}$$

$$g(x) = 4(-\cos x) + 2 \qquad -$$

Find all functions g such that

$$g'(x) = 4\sin x + \frac{2x^5 - \sqrt{x}}{x}.$$

Rewrite:

$$g'(x) = 4\sin x + 2\frac{x^5}{x} - \frac{\sqrt{x}}{x} = 4\sin x + 2x^4 - \frac{1}{\sqrt{x}}$$

$$g'(x) = 4\sin x + 2x^4 - \frac{1}{\sqrt{x}}$$

$$g(x) = 4(-\cos x) + 2\frac{x^5}{5}$$

Find all functions g such that

$$g'(x) = 4\sin x + \frac{2x^5 - \sqrt{x}}{x}.$$

Rewrite:

$$g'(x) = 4\sin x + 2\frac{x^5}{x} - \frac{\sqrt{x}}{x} = 4\sin x + 2x^4 - \frac{1}{\sqrt{x}}$$

$$g'(x) = 4\sin x + 2x^4 - \frac{1}{\sqrt{x}}$$

$$g(x) = 4(-\cos x) + 2\frac{x^5}{5}$$

Find all functions g such that

$$g'(x) = 4\sin x + \frac{2x^5 - \sqrt{x}}{x}.$$

Rewrite:

$$g'(x) = 4\sin x + 2\frac{x^5}{x} - \frac{\sqrt{x}}{x} = 4\sin x + 2x^4 - \frac{1}{\sqrt{x}}$$

$$g'(x) = 4\sin x + 2x^4 - \frac{1}{\sqrt{x}}$$
$$g(x) = 4(-\cos x) + 2\frac{x^5}{5} - \frac{x^{1/2}}{\frac{1}{2}}$$

Find all functions g such that

$$g'(x) = 4\sin x + \frac{2x^5 - \sqrt{x}}{x}.$$

Rewrite:

$$g'(x) = 4\sin x + 2\frac{x^5}{x} - \frac{\sqrt{x}}{x} = 4\sin x + 2x^4 - \frac{1}{\sqrt{x}}$$

$$g'(x) = 4\sin x + 2x^4 - \frac{1}{\sqrt{x}}$$
$$g(x) = 4(-\cos x) + 2\frac{x^5}{5} - \frac{x^{1/2}}{\frac{1}{2}} + C$$

Find all functions g such that

$$g'(x) = 4\sin x + \frac{2x^5 - \sqrt{x}}{x}.$$

Rewrite:

$$g'(x) = 4\sin x + 2\frac{x^5}{x} - \frac{\sqrt{x}}{x} = 4\sin x + 2x^4 - \frac{1}{\sqrt{x}}$$

$$g'(x) = 4\sin x + 2x^4 - \frac{1}{\sqrt{x}}$$

$$g(x) = 4(-\cos x) + 2\frac{x^5}{5} - \frac{x^{1/2}}{\frac{1}{2}} + C$$

$$= -4\cos x + \frac{2}{5}x^5 - 2\sqrt{x} + C$$